ACME

A proposal for a secure enterprise network



Group 7:
Poncet - Stournaras - Ståhl - Åström

Needs and Requirements

Specified by ACME

- Employee Authentication
- Confidentiality
- Secure connectivity
- Secure Wireless Access
- Secure File Exchange

Topology

- All services containerized on server in Stockholm branch
- Allows for easy expansion of infrastructure in new branches
- Same containers can be spun up in other branches



VPN

Ensures confidentiality from third parties. VPN tunnel between Stockholm and London branches, as well as from employees wanting to access ACME networks from home or other locations.

- OpenVPN free open source alternative
- Connected to FreeIPA



Identity Manager

- Needed for Employee Authentication.
- FreeIPA opensource alternative that integrates well with the file server. Easy enabling of 2FA.



Radius server

FreeRadius for 802.1x authentication. This ensures Secure Wireless Access.



File server

Nextcloud - Ensures Secure File Exchanges. Only permissioned access allowed for the file server.



Intrusion Detection System

To detect attacks against our infrastructure, we use the open-source IDS software SNORT running containerized on the Stockholmserver. The IDS has rules covering:

- SSH Brute Force Attacks
- Malicious port scannings
- DDOS, including “ping of death”
- NTP
- Attack-responses

Example alert from running port scan on network

```
03/04-16:41:28.802112  [**] [1:1000004:1] SSH incoming [**] [Priority: 0] {TCP} 192.168.9.2:55338 -> 192.168.9.26:22
03/04-16:41:28.805635  [**] [1:628:8] SCAN nmap TCP [**] [Classification: Attempted Information Leak] [Priority: 2] {TCP} 192.168.9.2:55338 -> 192.168.9.26:22
03/04-16:41:56.717214  [**] [1:368:6] ICMP PING BSDtype [**] [Classification: Misc activity] [Priority: 3] {ICMP} 192.168.9.2 -> 192.168.9.26
03/04-16:41:56.717214  [**] [1:384:5] ICMP PING [**] [Classification: Misc activity] [Priority: 3] {ICMP} 192.168.9.2 -> 192.168.9.26
03/04-16:41:56.717273  [**] [1:1000001:0] Pinging... [**] [Priority: 0] {ICMP} 192.168.9.26 -> 192.168.9.2
03/04-16:42:15.831005  [**] [1:453:5] ICMP Timestamp Request [**] [Classification: Misc activity] [Priority: 3] {ICMP} 192.168.9.2 -> 192.168.9.26
03/04-16:42:15.851048  [**] [1:620:11] SCAN Proxy Port 8080 attempt [**] [Classification: Attempted Information Leak] [Priority: 2] {TCP} 192.168.9.2:55340 -> 03/04-16:42:16.960237
03/04-16:42:17.064509  [**] [1:1000002:1] FTP connection attempt [**] [Priority: 0] {TCP} 192.168.9.2:55368 -> 192.168.9.26:21
03/04-16:42:18.397314  [**] [1:1000005:4] Potential SSH Brute Force Attack [**] [Classification: Attempted Denial of Service] [Priority: 2] {TCP} 192.168.9.2:55860 -> 192.168.9.26:22
03/04-16:42:18.606497  [**] [1:1421:11] SNMP AgentX/tcp request [**] [Classification: Attempted Information Leak] [Priority: 2] {TCP} 192.168.9.2:56020 -> 192.168.9.26:705
03/04-16:42:18.827199  [**] [1:618:10] SCAN Squid Proxy attempt [**] [Classification: Attempted Information Leak] [Priority: 2] {TCP} 192.168.9.2:56207 -> 192.168.9.26:3128
```

Thanks for listening!