
Home Assignment 3


IE1206 Embedded Electronics

Emil Ståhl

PROBLEM 1



$$2T_{H} = \frac{V_{2}}{\overline{I}_{SC}}$$



$$\begin{cases} V_{2} < V_{T} \Rightarrow I_{p} = 0 \Rightarrow V_{2} = l_{2} - \frac{V_{0}}{l_{1} + l_{2}} = \frac{l_{2}}{l_{1} + l_{2}} \cdot V_{0} = \frac{V_{0}}{2} \\ V_{2} > V_{T} \Rightarrow I_{p} > 0 \text{ AND } V_{p} = V_{T} \Rightarrow V_{T} = V_{2} \end{cases}$$


a)
$$V_0 = 1.0$$

 $V_2 = \frac{1}{2} = 0.5 \text{ V Timer 18} < V_7 \Rightarrow I_0 = 0 \Rightarrow V_2 = 0.5 \text{ V}$

b)
$$V_0 = 2.6$$

 $V_2 = \frac{2}{2} = 1 \sqrt{7} \sqrt{100} / 15 > V_7 \Rightarrow V_2 = V_7 = 0,7 V$

PROBLEM 3



ID= 2.5 mA

$$kv_{L} \Rightarrow V_{8} - \ell_{1} - \Gamma_{1} + \ell_{2} - \Gamma_{2} = 0$$

$$0.5 - 1000 \cdot \Gamma_{1} + 1000 \cdot 0.001 = 0 \Rightarrow \Gamma_{1} = 0.0015 \text{ A}$$

$$V_{1} = 1000 \cdot 0.0015 \Rightarrow V_{1} = 1.5 \text{ V}$$

$$V_{2} = V_{8} - V_{1} \Rightarrow 0.5 - 1.5 = -1.0 \text{ V}$$

$$V_{3} > V_{7} \Rightarrow \Gamma_{5} > 0$$

$$\Gamma_{4} = \Gamma_{2}$$

$$k_{CL} = \Gamma_{1} + \Gamma_{2} = \Gamma_{5} \Rightarrow 0.0015 + 0.001 = 0.0025 \text{ A}$$

PROBLEM 4

$$\begin{array}{c|c}
T_{1} & f_{1} = 1000 \\
+ V_{1} = 3v
\end{array}$$

$$V_1 = I_1 \cdot R_1 \Rightarrow V_1 = I$$

$$\frac{3}{1000} = I_1 \cdot (1000)$$

$$I_2 = 0.003 A = 3 we H$$

 $P_0 = I_0 \cdot V_0$ $P_0 = 0.003 - 2$ $P_0 = 0.006 = 6 \text{ meV}$