

Databases Lab 03

This is the first lab of Databases. This lab focuses on improving your skills in dealing with SQL queries. There are tasks for both DDL and DML statements. If you have questions or need any support, help each other, ask your tutor or use the forum in our moodle room.

Contents

1. Assignment 1: SQL-statements for the Student Information System	1
Solution 1.1	1
2. Assignment 2: SQL-statements for a Shipping company	3
3. Assignment 3: SQL-statements for the COMPANY example from Elmasri also used in the lecture	4
4. Assignment 4: Relational Algebra vs. SQL query for a Cinema Database	7
5. Assignment 5: Relational Algebra vs. SQL query for a Weather Database	7

1. Assignment 1: SQL-statements for the Student Information System

A schema essentially is a collection of tables and their relations to each other. Schemas are commonly implemented by SQL. Consider the following schema for the Student Information System:

- **STUDENT**(studentID, firstName, lastName, dob, programID(FK))
- **PROGRAM**(programID, name, requiredCPs)
- **COURSE**(courseID, name, description, creditPoints, programID(FK))
- **ATTEMPTS**(studentID(FK), courseID(FK), year, term, grade)
- **PREREQUISITE**(advancedCourseID(FK), prerequisiteCourseID (FK))

1. Write SQL-statements that create the corresponding tables. Come up with reasonable constraints and datatypes for the fields of the tables.

Solution 1.1

```
1 CREATE TABLE Program
2   (programID INT NOT NULL,
3    name VARCHAR(32) NOT NULL,
4    requiredCPs INT NOT NULL,
5    PRIMARY KEY (programID) );
```

```
1 CREATE TABLE Student
2   (studentID INT NOT NULL,
3    firstName VARCHAR(32) NOT NULL,
4    lastName VARCHAR(32) NOT NULL,
5    dob DATE NOT NULL,
6    programID INT NOT NULL,
7    PRIMARY KEY (studentID),
8    FOREIGN KEY (programID) REFERENCES Program(programID) );
```

```
1 CREATE TABLE Course
```

```

2  (CourseID INT NOT NULL,
3   name VARCHAR(32) NOT NULL,
4   description VARCHAR(100) NOT NULL,
5   creditPoints INT NOT NULL,
6   programID INT NOT NULL,
7   PRIMARY KEY (courseID),
8   FOREIGN KEY (programID) REFERENCES Program(programID) );

```

```

1  CREATE TABLE Attempts SQL
2  (studentID INT NOT NULL,
3   courseID INT NOT NULL,
4   year INT NOT NULL,
5   term INT NOT NULL,
6   grade INT NOT NULL,
7   PRIMARY KEY (studentID, courseID, year, term),
8   FOREIGN KEY (studentID) REFERENCES Student(studentID),
9   FOREIGN KEY (courseID) REFERENCES Course(courseID) );

```

```

1  CREATE TABLE Prerequisite SQL
2  (advancedCourse INT NOT NULL,
3   prerequisiteCourse INT NOT NULL,
4   PRIMARY KEY (advancedCourse, prerequisiteCourse),
5   FOREIGN KEY (advancedCourse) REFERENCES Course(courseID),
6   FOREIGN KEY (prerequisiteCourse) REFERENCES Course(courseID) );

```

2. Write SQL-queries that insert example data into your created tables. Make sure that each table contains at least 2 rows of data. Here are some sample data.

studentID	firstName	lastName	dob	programID
123456	John	Wayne	11.05.1998	1
234567	Anna	Meyer	13.02.1999	1

Table 1: Table **STUDENT**

studentID	firstName	lastName	dob	programID
123456	John	Wayne	11.05.1998	1
234567	Anna	Meyer	13.02.1999	1

Table 2: Table **STUDENT**

programID	Name	requiredCPs
1	Information Engineering	120
2	Renewable Energies	110

Table 3: Table **PROGRAM**

courseID	Name	Description	creditPoints	programID
4	MA1	Mathematics 1	8	1
9	MA2	Mathematics 2	8	1
13	SS1	Signals and Systems 1	6	1
15	DB	Databases	6	1

Table 4: Table **COURSE**

advancedCourseID	prerequisiteCourseID
9	4
13	9
13	4

Table 5: Table **PREREQUISITE**

studentID	courseID	Year	Term	grade
123456	4	2021	1	7
234567	9	2021	2	9
234567	13	2022	1	3
234567	13	2022	2	6

Table 6: Table **ATTEMPTS**

- Write a SQL-query for the created database that returns all students (first name and last name) that study the program "Information Engineering".
- Write a SQL-query that returns the name of all courses that have prerequisite courses.
- Write a SQL-query that returns the sum of all credit points successfully achieved by student "John Wayne". Keep in mind that the credit points only count when the student has an attempt with a grade of 5 or more points.
- A student needs to be removed from the database. Write SQL-statements to remove the student with the name "John Wayne" from the database.

2. Assignment 2: SQL-statements for a Shipping company

A shipping company wants to use a SQL-database to keep track of its ships and employed sailors based on the following relation schema:

- **HARBOR** (harborID, location, establishedIn)
- **SAILOR** (sailorID, lastName, dob, trainedAt(FK -> harborID))
- **SHIP** (shipID, name, grossWeight, launchDate, baseHarbor(FK -> harborID))
- **HIRE** (sailor(FK -> sailorID), ship(FK -> shipID), startOfService, annualSalary)

You can use the provided SQL-script for creating the tables and inserting some data in the tables.

- Create a SQL-query that returns the dob (date of birth) of sailors in descending order that were hired on August 3rd, 2012.

2. Create a SQL-query that returns all information of sailors that were hired between July 3rd, 2011, and September 3rd, 2012, and whose last name starts with a 'J'.
3. Create a SQL-query that returns for each ship the sum of the annual salary of every sailor who is hired for that ship.
4. Create a SQL-query that returns the location of all harbors that are not base harbor to any ship in the database.
5. Create a SQL-query that returns the shipId, ship name and the number of sailors who are hired on the ship and earn maximum 42.000\$.
6. Describe in your own words the result of the following query:

```

1 SELECT DISTINCT h1.location
2 FROM SHIP s1, SHIP s2, HARBOR h1, HARBOR h2
3 WHERE s1.baseHarbor = h1.harborID
4 AND s2.baseHarbor = h2.harborID
5 AND s1.launchDate = s2.launchDate
6 AND h1.location = h2.location
7 AND h1.harborID != h2.harborID;

```

3. Assignment 3: SQL-statements for the COMPANY example from Elmasri also used in the lecture

Let's have a look on the COMPANY example from the book „Fundamentals of Database Systems“ from Elmasri which is also used in the lecture. Given is the database schema in Figure 1 and the database state in Figure 2.

EMPLOYEE

Fname	Minit	Lname	<u>Ssn</u>	Bdate	Address	Sex	Salary	Super_ssn	Dno
-------	-------	-------	------------	-------	---------	-----	--------	-----------	-----

DEPARTMENT

<u>Dname</u>	<u>Dnumber</u>	Mgr_ssn	Mgr_start_date
--------------	----------------	---------	----------------

DEPT_LOCATIONS

<u>Dnumber</u>	<u>Dlocation</u>
----------------	------------------

PROJECT

Pname	<u>Pnumber</u>	Plocation	Dnum
-------	----------------	-----------	------

WORKS_ON

<u>Essn</u>	<u>Pno</u>	Hours
-------------	------------	-------

DEPENDENT

<u>Essn</u>	<u>Dependent_name</u>	Sex	Bdate	Relationship
-------------	-----------------------	-----	-------	--------------

EMPLOYEE

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
John	B	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	M	30000	333445555	5
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	M	40000	888665555	5
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	888665555	4
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	M	38000	333445555	5
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5
Ahmad	V	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	M	25000	987654321	4
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	M	55000	NULL	1

DEPARTMENT

Dname	Dnumber	Mgr_ssn	Mgr_start_date
Research	5	333445555	1988-05-22
Administration	4	987654321	1995-01-01
Headquarters	1	888665555	1981-06-19

DEPT_LOCATIONS

Dnumber	Dlocation
1	Houston
4	Stafford
5	Bellaire
5	Sugarland
5	Houston

WORKS_ON

Essn	Pno	Hours
123456789	1	32.5
123456789	2	7.5
666884444	3	40.0
453453453	1	20.0
453453453	2	20.0
333445555	2	10.0
333445555	3	10.0
333445555	10	10.0
333445555	20	10.0
999887777	30	30.0
999887777	10	10.0
987987987	10	35.0
987987987	30	5.0
987654321	30	20.0
987654321	20	15.0
888665555	20	NULL

PROJECT

Pname	Pnumber	Plocation	Dnum
ProductX	1	Bellaire	5
ProductY	2	Sugarland	5
ProductZ	3	Houston	5
Computerization	10	Stafford	4
Reorganization	20	Houston	1
Newbenefits	30	Stafford	4

DEPENDENT

Essn	Dependent_name	Sex	Bdate	Relationship
333445555	Alice	F	1986-04-05	Daughter
333445555	Theodore	M	1983-10-25	Son
333445555	Joy	F	1958-05-03	Spouse
987654321	Abner	M	1942-02-28	Spouse
123456789	Michael	M	1988-01-04	Son
123456789	Alice	F	1988-12-30	Daughter
123456789	Elizabeth	F	1967-05-05	Spouse

Write SQL statement for the following tasks:

1. Retrieve the names of all employees in department 5 who work more than 10 hours per week on a project.
2. List the names of all employees who have a dependent with the same first name as themselves.
3. Find the names of all employees who are directly supervised by 'Franklin Wong'.

4. Suppose that the EMPLOYEE table's constraint EMPSUPERFK as specified in Figure 3 on the next page is changed to read as follows:

```
1 CONSTRAINT EMPSUPERFK FOREIGN KEY (Super_ssn) REFERENCES EMPLOYEE(Ssn) ON  
DELETE CASCADE ON UPDATE CASCADE; SQL
```

Answer the following questions:

- What happens when the following command is run on the database state shown in Figure 2?

```
1 DELETE FROM EMPLOYEE WHERE Lname = 'Borg' ; SQL
```

- Is it better to CASCADE or SET NULL in case of EMPSUPERFK constraint ON DELETE?

CREATE TABLE EMPLOYEE

```
( ...,  
  Dno          INT          NOT NULL          DEFAULT 1,  
  CONSTRAINT EMPPK  
    PRIMARY KEY (Ssn),  
  CONSTRAINT EMPSUPERFK  
    FOREIGN KEY (Super_ssn) REFERENCES EMPLOYEE(Ssn)  
      ON DELETE SET NULL          ON UPDATE CASCADE,  
  CONSTRAINT EMPDEPTFK  
    FOREIGN KEY (Dno) REFERENCES DEPARTMENT(Dnumber)  
      ON DELETE SET DEFAULT      ON UPDATE CASCADE);
```

CREATE TABLE DEPARTMENT

```
( ...,  
  Mgr_ssn      CHAR(9)      NOT NULL          DEFAULT '888665555',  
  ...,  
  CONSTRAINT DEPTPK  
    PRIMARY KEY (Dnumber),  
  CONSTRAINT DEPTSK  
    UNIQUE (Dname),  
  CONSTRAINT DEPTMGRFK  
    FOREIGN KEY (Mgr_ssn) REFERENCES EMPLOYEE(Ssn)  
      ON DELETE SET DEFAULT      ON UPDATE CASCADE);
```

CREATE TABLE DEPT_LOCATIONS

```
( ...,  
  PRIMARY KEY (Dnumber, Dlocation),  
  FOREIGN KEY (Dnumber) REFERENCES DEPARTMENT(Dnumber)  
    ON DELETE CASCADE          ON UPDATE CASCADE);
```

5. For each project, list the project name and the total hours per week (by all employees) spent on that project.
6. Retrieve the average salary of all female employees.

7. Write SQL statements to create a table `EMPLOYEE_BACKUP` to back up the `EMPLOYEE` table shown.
8. For each department, whose average employee salary is more than \$30,000, retrieve the department name and the number of employees working for that department.

4. Assignment 4: Relational Algebra vs. SQL query for a Cinema Database

The following excerpt from a database schema models a database about a cinema. The following assignments are to be answered in the form of relational algebra AND additionally in the form of an SQL query.

- **Movies** (FilmID (PK), Title, Director, Release Year, Genre)
 - **Actors** (ActorID (PK), First Name, Last Name, Birthdate)
 - **Screenings** (ScreeningID (PK), FilmID (FK), Cinema Hall, Date, Time)
 - **Reservations** (ReservationID (PK), ScreeningID (FK), Seat, Customer Name, Booking Date)
1. Do a projection to see a list of all movie titles and their directors.
 2. Display a list of actors (first name, last name) and their roles in a specific movie (e.g., "FilmXYZ").
 3. Find all movies that will be shown in the screenings (ScreeningID) for the movie theater "Halla" on 2024-01-30 at 19:00.
 4. Create a table with information about all reservations made by customers with the last name "Schmidt", including the movie title and seat number.

5. Assignment 5: Relational Algebra vs. SQL query for a Weather Database

The following excerpt from a database schema models a database about a weather station. The following assignments are to be answered in the form of relational algebra AND additionally in the form of an SQL query.

- **CITY** (CityID, Name, Country)
 - **WEATHER_DATA** (DataID, CityID (FK), Date, Temperature, Humidity, Precipitation, WindSpeed)
1. Which cities have an average daily temperature above 25°C in August 2023?
 2. Which cities experienced no precipitation on any day in July 2023?
 3. On which particular day did the cities have the highest wind speed?
 4. Which cities recorded the highest temperature?
 5. Which cities had the lowest humidity in May 2023?