

Bill of materials (Number of kits: 1)

Pos	Article-No	Description	Units	Qty	Each \$	Price \$
1	2.11.015015.43LP-AL0A00/90.000	Profile 1.5"x1.5", 4E, light, plain Depth of thread, left: 16.0 mm	IN	4	57.88	231.53
2	2.11.015015.43LP-AA4AA4/15.000	Profile 1.5"x1.5", 4E, light, plain	IN	6	14.81	88.88
3	2.11.015015.43LP-AA4AA4/15.252	Profile 1.5"x1.5", 4E, light, plain	IN	6	14.96	89.76
4	2.11.015015.43LP-AA4AA4/65.000	Profile 1.5"x1.5", 4E, light, plain	IN	8	44.19	353.54
5	2.11.015015.43LP-AA4AA4/43.000	Profile 1.5"x1.5", 4E, light, plain	IN	10	31.27	312.66
6	1.44.203008	Manual levelling foot 30	EA	4	7.18	28.72
7	2.21.15E0	Connector, universal	EA	60	3.37	202.20
8	1.35.11208	Threaded insert M12/M8	EA	4	1.38	5.52

Total Weight:

69.75 kg (153.78 lbs)


Total (USD):

\$ 1312.81


* The price indicated above, does not include assembly, packaging, taxes and transport.

Isometric view


Some accessories may not be shown



Exploded view "Front" (isometric)



Exploded view "Back"



Assembly List

Pos	Article-No	Description	Related parts	Qty
2	2.11.015015.43LP-AA4AA4/15.000	Profile 1.5"x1.5", 4E, light, plain	2.21.15E0. Connector. universal	12
3	2.11.015015.43LP-AA4AA4/15.252	Profile 1.5"x1.5", 4E, light, plain	2.21.15E0. Connector. universal	12
4	2.11.015015.43LP-AA4AA4/65.000	Profile 1.5"x1.5", 4E, light, plain	2.21.15E0. Connector. universal	16
5	2.11.015015.43LP-AA4AA4/43.000	Profile 1.5"x1.5", 4E, light, plain	2.21.15E0. Connector. universal	20
6	1.44.203008	Manual levelling foot 30	1.35.11208. Threaded insert M12/M8	4