

babys_first_markdown

emilypole

21/06/2020

Notes on markdown

headers are done using # and then a space, with one being the biggest header, and then they get sequentially smaller when you add more.

italics are done with one set of asterks, **bold** is done with two.

Header level 1

Header level 2

Header level 3

code is included by three backticks followed by {r} and then including your code chunk on a new line, and closed by another three backticks after. but its easier just to use the insert code bit in the interface? theres also supposed to be a hotkey but it wasnt workign for me (not sure if thats cos cloud or keytext)

```
print("hello world")
```

```
## [1] "hello world"
```

bullet points are just a dash and then a space, and at the end of the line make sure to incl two spaces

- frogs
- logs
- hogs

there's

I've uploaded the really badly formatted (ironic) markdown cheatsheet from this lesson to the repo so its nearby.

I've left the default examples below.

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.    : 2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean    : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.    :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.