

Práctica: Instalación y configuración de zonas DNS

Emiliano Montesdeoca del Puerto

Muestra la configuración del servidor que has realizado.

```
;
; Database file simpson15.edu.dns for Default zone scope in zone simpson15.edu.
;   Zone version: 19
;

@                IN  SOA  homer.  hostmaster.  (
                                19           ; serial number
                                900          ; refresh
                                600          ; retry
                                86400        ; expire
                                3600         ) ; default TTL

;|
; Zone NS records
;

@                NS      homer.
homer.           A       10.0.15.1
@                NS      marge.
marge.           A       10.0.15.2

;
; Zone records
;

bart             A       10.0.15.10
buzon            MX      10      10.0.15.2
casa             A       10.0.15.1
homer            A       10.0.15.1
lisa             A       10.0.15.11
maggie           A       10.0.15.12
marge            A       10.0.15.2
misdatos         A       10.0.15.2
www              A       10.0.15.1
```

```
|;
; Database file 15.0.10.in-addr.arpa.dns for Default zone scope in zone 15.0.10.in-addr.arpa.
;   Zone version: 15
;
@           IN  SOA  homer. hostmaster. (
                                15          ; serial number
                                900         ; refresh
                                600         ; retry
                                86400       ; expire
                                3600        ) ; default TTL
;
; Zone NS records
;
@           NS      homer.
;
; Zone records
;
1           PTR      www.simpson15.edu.
            PTR      casa.simpson15.edu.
            PTR      homer.simpson15.edu.
10          PTR      bart.simpson15.edu.
11          PTR      lisa.simpson15.edu.
12          PTR      maggie.simpson15.edu.
2           PTR      marge.simpson15.edu.
            PTR      misdatos.simpson15.edu.
```

Además realiza consultas con dig y nslookup desde un cliente a los nombres que has creado.

```
root@marge:/home/emi# nslookup marge.simpson15.edu
Server:      127.0.0.1
Address:     127.0.0.1#53

Name:   marge.simpson15.edu
Address: 10.0.15.2

root@marge:/home/emi# nslookup bart.simpson15.edu
Server:      127.0.0.1
Address:     127.0.0.1#53

Name:   bart.simpson15.edu
Address: 10.0.15.10

root@marge:/home/emi# nslookup maggie.simpson15.edu
Server:      127.0.0.1
Address:     127.0.0.1#53

Name:   maggie.simpson15.edu
Address: 10.0.15.12

root@marge:/home/emi# nslookup buzon.simpson15.edu
Server:      127.0.0.1
Address:     127.0.0.1#53

*** Can't find buzon.simpson15.edu: No answer

root@marge:/home/emi# nslookup www.simpson15.edu
Server:      127.0.0.1
Address:     127.0.0.1#53

Name:   www.simpson15.edu
Address: 10.0.15.1

root@marge:/home/emi#
```

```
root@marge:/home/emi# dig buzon.simpson15.edu

; <<>> DiG 9.10.3-P4-Ubuntu <<>> buzon.simpson15.edu
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 42621
;; flags: qr aa rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 4096
;; QUESTION SECTION:
;buzon.simpson15.edu.          IN      A

;; AUTHORITY SECTION:
simpson15.edu.                3600    IN      SOA     homer. hostmaster. 19 900 600 86400 3600

;; Query time: 0 msec
;; SERVER: 127.0.0.1#53(127.0.0.1)
;; WHEN: Fri Oct 20 05:36:34 PDT 2017
;; MSG SIZE rcvd: 99

root@marge:/home/emi# _
```