

FT_JCOS BioCARD

USER MANUAL




OVERVIEW

FT-JCOS BioCARD is a new generation smart card with a fingerprint sensor embedded on it, offering users a more secure and convenient identification method using biometrics instead of a PIN.

FT-JCOS BioCARD can be used in a wide range of applications such as banking, government, transportation, enterprise to name a few.

By introducing a fingerprint sensor to it, biometric API can be invoked by applets to protect sensitive information. This documentation shows user how to enroll a fingerprint.



Note:

There is no battery inside the card.

FINGERPRINT ENROLLMENT THROUGH MOBILE NFC

Note: —

A reference video is available at:

https://www.ftsafe.com/download/webdownload/Finger_enroll_NFC.mp4



Download and install the FEITIAN FT_JCOS **BioCARD Manager** app from App Store or Google Play by scanning the corresponding QR code or click the icon below.




Download on the
App Store




GET IT ON
Google Play

Enroll a fingerprint


Launch the FT_JCOS BioCARD Manager APP.
Choose NFC, and click **Next** button.



A popup window will ask user to tap the FT_JCOS BioCARD to the antenna area (back or front).



Keep FT_JCOS BioCARD close to mobile antenna stably, and click **Add** button.




An LED indicator on the FT_JCOS BioCARD blinks to inform user to place their finger on the card sensor. Then LED is light on indicating user to lift the finger. User needs to lift and touch the card sensor multiple times until a fingerprint is successfully enrolled.


Note:

Make sure to touch the card sensor using different area of a finger.

The maximum number of fingerprint can be enrolled is 2.



Once fingerprint is enrolled successfully, user is able to test and verify the enrolled fingerprint by clicking **Test** button.



FINGERPRINT ENROLLMENT THROUGH SMART CARD READER ON WINDOWS

Note:

A reference video is available at:
https://www.ftsafe.com/download/webdownload/Finger_enroll_Reader_Windows.mp4




FT-JCOS BioCARD is able to utilize FIDO2 applet to enroll a fingerprint through a contact or contactless reader.

Since Microsoft has already integrated FIDO2 protocol to its latest Windows OS 1903 or above, the process of fingerprint enrollment can be done through Windows settings page: Settings / Accounts / Sign-in options / Security Key.

In addition, customization tool for desktop is also an option. Fingerprint enrollment through Windows settings is showing as below.

- Connect a contact / contactless reader to a computer [**Windows OS 1903 or above**]. The FT-JCOS BioCARD is compatible with ISO 14443 and ISO 7816 protocol.
- Go to settings page of security key on Windows: **Settings / Accounts / Sign-in options / Security Key**
- Click the **Security Key** option, and hit **Manage** button, follow its guide to tab / insert the FT-JCOS BioCARD card on / to reader.
- Once success, a security key management window like beside pops up. To register a fingerprint, the PIN must be set firstly according to FIDO2 CTAP2 specification.



- Set a PIN by hitting **Add** button. Length of PIN should be between 4 and 63 bytes.
- Once PIN is set, the **Set up** button for fingerprint is enabled. Click it to enroll a finger. During registration process, user is required to repeatedly lift and rest finger on the sensor on the top of the fingerprint card until setup is complete. **[Once fingerprint enrolled, there will be option to remove]**.

Note:

The maximum number of fingerprint can be enrolled is 2.

FINGERPRINT ENROLLMENT THROUGH MOBILE BLUETOOTH

Note:

A reference video is available at:
https://www.ftsafe.com/download/webdownload/Finger_enroll_BLE_Reader.mp4



Download and install the FEITIAN FT_JCOS
BioCARD Manager app from App Store or Google
Play by scanning the corresponding QR code or
click the icon below.




Download on the
App Store




GET IT ON
Google Play

Enroll a fingerprint


Launch the FT_JCOS BioCARD Manager APP.
Choose BLE, and click **Next** button.




Insert the FT_JCOS BioCARD to a FEITIAN BLE reader, and press the activate button on the reader to establish Bluetooth connection with mobile.



When Bluetooth connection is successfully established, click **Next** button.



Keep FT_JCOS BioCARD inserted in the BLE reader, and click **Add** button.




An LED indicator on the FT_JCOS BioCARD blinks to inform user to place their finger on the card sensor. Then LED is light on indicating user to lift the finger. User needs to lift and touch the card sensor multiple times until a fingerprint is successfully enrolled.


Note:

Make sure to touch the card sensor using different area of a finger.

The maximum number of fingerprint can be enrolled is 2.



Once fingerprint is enrolled successfully, user is able to test and verify the enrolled fingerprint by clicking **Test** button.



FINGERPRINT ENROLLMENT WITH OFFLINE SLEEVE

Available soon

FT_JCOS BioCARD

USER MANUAL

v0.2