

Environment: `{agumon.test.environment}` - *

4 Feb 2025, 3:22:15 pm

Start : Feb 04, 3:22:06.828 pm

End : Feb 04, 3:22:12.594 pm

Duration : 5.766 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 1



FAILED - 0

SKIPPED - 0

PASSED - 4


FAILED - 0

SKIPPED - 0





* The report title has been cropped to fit in the available space.

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DTA 1 Catalog</u>	5.766 s	1	1	0	0	4	4	0	0





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DTA 1 Catalog</u>	<u>TC2_Catalog Check the Category link directs user to the Category PLP</u>	4	4	0	0	5.766 s

DTA 1 Catalog

PASSED	DURATION - 5.766 s	Scenarios		Steps	
/ 3:22:06.828 pm // 3:22:12.594 pm /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

TC2_Catalog Check the Category link directs user to the Category PLP

PASSED	DURATION - 5.766 s		Steps	
/ 3:22:06.828 pm // 3:22:12.594 pm /			Total - 4	
DTA 1 Catalog			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.agumon.stepdefinition.base.hook.TestHooks.initializeTest(io.cucumber.java.Scenario)	PASSED	3.249 s
1	Given I am on the homepage	PASSED	1.113 s
2	Given user enter the "standard_user" as username and "secret_sauce" as password and clicks sign in	PASSED	0.480 s
3	When verify user is logged in	PASSED	0.018 s
4	Then the user is landed on the category PLP	PASSED	0.074 s
	AFTER - com.agumon.stepdefinition.base.hook.TestHooks.tearDownTest(io.cucumber.java.Scenario)	PASSED	0.830 s