

# ¡Felicitaciones! ¡Aprobaste!

Calificación recibida 100 %

Para Aprobar 80 % o más

Ir al siguiente  
elemento

1. In the lecture videos you saw that vectors are linearly dependent if it is possible to write one vector as a linear combination of the others. For example, the vectors **a**, **b** and **c** are linearly dependent if  $\mathbf{a} = q_1 \mathbf{b} + q_2 \mathbf{c}$  where  $q_1$  and  $q_2$  are scalars.

1 / 1 punto

Are the following vectors linearly dependent?

$$\begin{bmatrix} 1 \\ 1 \end{bmatrix}$$

$\mathbf{a} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$  and  $\mathbf{b} = \begin{bmatrix} 2 \\ 2 \end{bmatrix}$ .

☒ Yes

☐ No

✓ **Correcto**

When there are two vectors we only need to check if one can be written as a scalar multiple of the other. We can see that the vectors are linearly dependent because  $\mathbf{a} = \frac{1}{2} \mathbf{b}$ .

2. We say that two vectors are linearly independent if they are *not* linearly dependent, that is, we cannot write one of the vectors as a linear combination of the others. Be careful not to mix the two definitions up!

1 / 1 punto

Are the following vectors linearly independent?

$$\begin{bmatrix} 1 \\ 1 \end{bmatrix}$$

$\mathbf{a} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$  and  $\mathbf{b} = \begin{bmatrix} 2 \\ 1 \end{bmatrix}$ .

☒ Yes


☐ No

✓ **Correcto**

These vectors are linearly independent as one is not a scalar multiple of the other.

3. We also saw in the lectures that three vectors that lie in the same two dimensional plane must be linearly dependent. This tells us that **a**, **b** and **c** are linearly dependent in the following diagram:

1 / 1 punto



What are the values of  $q_1$  and  $q_2$  that allow us to write  $\mathbf{a} = q_1 \mathbf{b} + q_2 \mathbf{c}$ ? Put your answer in the following codeblock:

```
1 # Assign the correct values for q1 and q2 to write a as a linear combination
2 q1 = -1
3 q2 = -1
```

Ejecutar

Restablecer

✓ **Correcto**

Good job!

4. In fact, an  $n$ -dimensional space can have as many as  $n$  linearly independent vectors. The following three vectors are three dimensional, which means that we must check if they are linearly dependent or independent.

1 / 1 punto

Are the following vectors linearly independent?

$$\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$$

$$\mathbf{a} = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix} \text{ and } \mathbf{c} = \begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$$

☒ Yes

☐ No

☒ **Correcto**

These vectors are linearly independent as one can not be written as a linear sum of the other two.

5. Are the following vectors linearly independent?

1 / 1 punto

$$\begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$$

$$\mathbf{a} = \begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} 2 \\ -1 \\ 1 \end{bmatrix} \text{ and } \mathbf{c} = \begin{bmatrix} -3 \\ 1 \\ -2 \end{bmatrix}.$$

☐ Yes

☒ No

☒ **Correcto**

We can that one of the vectors can be written as a linear sum of the other two,  $\mathbf{a} = -\mathbf{b} - \mathbf{c}$ .

6. The following set of vectors cannot be used as a basis for a three dimensional space. Why?

1 / 1 punto

$$\begin{bmatrix} 1 \\ 2 \\ 0 \end{bmatrix}$$

$$\mathbf{a} = \begin{bmatrix} 1 \\ 2 \\ 0 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} -2 \\ 1 \\ 3 \end{bmatrix} \text{ and } \mathbf{c} = \begin{bmatrix} 4 \\ 3 \\ -3 \end{bmatrix}.$$

- ☐ The vectors are linearly independent
- ☒ The vectors are not linearly independent

✓ **Correcto**

We can see that  $\mathbf{c} = 2\mathbf{a} - \mathbf{b}$ , so the vectors are linearly dependent.  
The definition of a basis requires that the vectors are linearly independent.

- ☒ The vectors do not span three dimensional space

✓ **Correcto**

There are three vectors but they are linearly dependent. If we remove one of the vectors the remaining two are linearly independent, which means that the vectors only span two dimensions.

- ☐ There are too many vectors for a three dimensional basis