1.	What are the benefits of using pipenv? Choose all that apply.	1 / 1 punto
	It manages the dependencies	
	Correcto That's correct. Using pipenv you can manage the dependencies for your project.	
	☐ It makes your project run faster	
	It creates a virtual environment for your project	
	Correcto That's correct. Pipenv automatically creates a virtual environment and installs all the dependencies inside it.	
	It makes your project more secure	
2.	What is the default port number used by Django webserver?	1 / 1 punto
	O 443	
	8000	
	8001	
	Correcto That's correct. 8000 is the default port number used by the Django webserver when you apply this command python manage.py runserver inside a Django project directory.	
3.	What does the following command do?	1 / 1 punto
	python manage.py startapp	_
	It creates a Django project	
	It creates a new Django app	
	It installs Django	
	Correcto That's correct. You can use this command inside a Django project to create a new Django app following the application name. If your app name is LittleLemonAPI, then you will have to apply this command python manage.py startapp LittleLemonAPI	

4.	Authentication and authorization are the same thing.	1 / 1 punto
	→ True	
	False	
	That's correct. Authentication and authorization are different things, and they	
	play a very important role in securing your project. Authentication checks if the user can enter the system, and authorization checks if the authenticated user	
	has the appropriate privilege to perform a task.	
5.	Which of the following HTTP status codes are used to indicate client-side and server-side errors? Choose all that apply.	1 / 1 punto
	301- Moved Permanently	
	503 - Service Unavailable	
	 Correcto That's correct. This code is used when the server is down or cannot handle the 	
	request due to overloading.	
	V 403 − Forbidden	
	_	
	✓ Correcto	
	That's correct. This code is used when client credential like the username and password, or the token is not valid.	
	201 - Created	
	404 Not Found	
	 Correcto That's correct. This code is used when someone requests a non-existing item. 	
	3	
6.	What are the valid Accept headers for requesting XML content? Choose all that	1 / 1 punto
0.	apply.	17 1 panto
	■ application/xml	
	That's correct. A client can send the Accept: application/xml header to request	
	XML content from the server.	
	text/xml	
	 Correcto That's correct. This is a valid header for requesting XML content from the server. 	
	That's correct. This is a valid header for requesting AME content from the server.	
	application/x-xml	

Correcto

Insomnia has a mobile client

Insomnia is cross-platform

Insomnia has a command line tool

That's correct. You can download Insomnia for multiple operating systems like Windows, macOS and Linux.

That's correct. DRF comes with a few built-in renderer classes to convert serialized data and display it in various formats. You can also use third-party renderers in DRF.