METANOIA

REQUIREMENTS ANALYSIS DOCUMENT

for

Smart Personal Task Manager

Issue No: 1.1

Issue Date: Oct 2026

Prepared by

Hüseyin Elyesa Yeşilyurt

Cemal Gümüş

Muhammed Emir Sivri

Emre İlhan Şenel

TABLE OF CONTENTS

1 Introduction
  1.1 Purpose of the system
  1.2 Scope of the system
  1.3 Objectives and success criteria of the project
  1.4 Definitions, acronyms, and abbreviations
  1.5 References
  1.6 Overview
2 Current system
3 Proposed system
  3.1 Overview
  3.2 Functional requirements
  3.3 Nonfunctional requirements
  3.4 System models
    3.4.1 Scenarios
    3.4.2 Use case model
    3.4.3 Object model
    3.4.4 Dynamic model
    3.4.5 User interfaces and Mock-ups
4 Glossary of Terms
5 Priority
6 Traceability

1 Introduction

The Smart Personal Task Manager (SPTM) aligns daily task execution with the User's personal Mission Statement. The system synthesizes Stephen Covey's personal compass and prioritization framework with David Allen's Getting Things Done (GTD) methodology to foster purposeful productivity.

1.1 Purpose of the system

The purpose of SPTM is to help a User connect daily Tasks and Appointments with a personal Mission Statement and Focus Areas. The system combines task capture, prioritization, progress review and calendar synchronization in one workspace.

1.2 Scope of the system

The system supports both desktop and mobile platforms, providing cross-device synchronization, External Calendar System integration, Mission Statement and Focus Area management, Covey's time management matrix, GTD Contexts, and a guided Weekly Review.

1.3 Objectives and success criteria of the project

- Formulate and maintain an evolving personal Mission Statement organized into Focus Areas.
- Classify and handle tasks systematically using Covey's 4-quadrant Time Management Matrix (urgent vs. important).
- Incorporate GTD methodologies including Inbox capturing, Next Actions, and Contexts (e.g., @home, @work).
- Synchronize appointments and task due dates with an External Calendar System.
- Track achievements, time spent on tasks, and generate visual progress reports over time.

1.4 Definitions, acronyms, and abbreviations

- **SPTM:** Smart Personal Task Manager
- **GTD:** Getting Things Done (David Allen's productivity workflow)
- **Covey Matrix:** Time management matrix classifying tasks across four urgency/importance quadrants
- **EARS:** Easy Approach to Requirements Syntax ("The system shall...")
- **UC:** Use Case

1.5 References

- Problem Statement: Smart Personal Task Manager
- Course Deliverable Guidelines: CSE443 Project Deliverable #1 - Requirements Analysis
- Writing Style Guide: Strunk, William, and E.B. White. *The Elements of Style*. 4th ed., Longman, 1999.

1.6 Overview

This document specifies the requirements analysis for SPTM, covering current operational workflows, functional and non-functional requirements, and object-oriented system models.

2 Current system

Currently, individuals manage tasks, appointments, and long-term goals using a fragmented mix of paper planners, basic to-do list applications, and standalone calendar tools.

These current workflows present major limitations:

- **Disconnection from Core Values:** Existing tools track daily tasks but fail to align actions with a personal Mission Statement or core life values.
- **Lack of Systematic Prioritization:** Standard applications lack built-in prioritization frameworks like Covey's matrix, leading to poor handling of urgent versus important tasks.
- **Fragmented Workflows:** Users must juggle multiple disconnected tools to capture ideas, manage execution contexts, review progress, and check meeting schedules.

3 Proposed system

3.1 Overview

The Smart Personal Task Manager (SPTM) is an integrated multi-platform software solution designed to harmonize daily execution with long-term ambitions. SPTM unifies Mission Statement tracking, Focus Areas and tasks, the Covey Quadrant View, GTD Contexts, calendar synchronization, and a guided Weekly Review.

3.2 Functional requirements

- **FR-1:** The system shall allow the User to create, update, and maintain a personal Mission Statement with historical versioning and Focus Areas.
- **FR-2:** The system shall allow the User to create, read, update, complete and delete Tasks with attributes including title, description, due date, location, priority, and a link to the Mission Statement or a Focus Area, to archive Completed Tasks, and to manage Subtasks and Checklist Items.
- **FR-3:** The system shall classify tasks using Covey's 4-quadrant Time Management Matrix based on urgency and importance, either manually by the User or through a Classification Suggestion that is applied only after the User accepts it.
- **FR-4:** The system shall support David Allen's GTD workflow features, including inbox capturing, next actions, and Contexts (e.g., @home, @work, @phone).
- **FR-5:** The system shall integrate bidirectionally with the External Calendar System to synchronize appointments and task due dates, and shall allow the User to create Tasks from Appointments.
- **FR-6:** The system shall track task status (Not Started, In Progress, Completed, Deferred) and record time spent on tasks, aggregated into Focus Area Progress and Mission Progress.
- **FR-7:** The system shall archive Completed Tasks and generate visual reports illustrating progress trends over days, weeks, and months.
- **FR-8:** The system shall provide a guided Weekly Review based on GTD's Weekly Review methodology to evaluate priorities and refine the Mission Statement.

3.3 Nonfunctional requirements

3.3.1 Usability

The user interface shall feature a clean dashboard displaying the Mission Statement prominently, visual grid prioritization, and intuitive navigation across tasks and calendars.

3.3.2 Reliability

The system shall support local caching and offline functionality; pending Appointment changes are sent at the next User-initiated synchronization, and Deadline Representations are updated once connectivity is restored.

3.3.3 Performance

The system shall maintain responsive data retrieval and smooth cross-device synchronization without perceptible lag.

3.3.4 Supportability

The modular architecture shall accommodate future feature expansions, platform migrations, and codebase maintenance easily.

3.3.5 Implementation

The system shall support desktop platforms and mobile platforms.

3.3.6 Interface

The system shall provide an interface to the External Calendar System and support voice command accessibility.

3.3.7 Packaging

The application shall be packaged for straightforward installation across desktop and mobile operating systems.

3.3.8 Legal

The system shall ensure data privacy, confidentiality, and secure handling of sensitive personal reflections and the Mission Statement.

3.4 System models

This section presents the scenarios, use cases, object model, dynamic models, and user interface mock-ups of SPTM.

3.4.1 Scenarios

The scenarios below are concrete, informal descriptions of single uses of the system from the viewpoint of a specific user. Two as-is scenarios describe how a person handles tasks today without SPTM; three visionary scenarios describe how the same work is done with SPTM. Actor instances are written as instanceName: ActorType.

Scenario name: fragmentedDeadlineWeek

Type: As-is scenario

Participating actor instances: ayse: Student

Flow of events:

1. Ayşe, a third-year engineering student, writes her weekly tasks in a paper planner on Sunday evening.
2. On Monday, her instructor announces a project report due on Thursday. Ayşe adds it to a to-do app on her phone because her planner is at home.
3. Her club meeting and a dentist appointment are stored only in a separate calendar application, so the to-do app and the planner do not show them.
4. On Tuesday, she spends the whole evening answering club messages and preparing slides for the meeting, because these feel urgent.

5. On Wednesday night, she remembers the project report while checking her phone and has only a few hours to finish it.
6. Ayşe has long-term goals, such as staying healthy and improving her English, but none of her tools show them. She has not worked on either goal this week and does not notice it.

Related requirements: Motivates FR-1, FR-2, FR-3, FR-5

Scenario name: noOverviewOfProgress

Type: As-is scenario

Participating actor instances: mehmet: Employee

Flow of events:

1. Mehmet, a junior software developer, keeps work tasks in a spreadsheet and personal tasks in sticky notes.
2. At the end of the month, his manager asks how much time he spent on documentation versus coding.
3. Mehmet has no record of time spent and has to estimate it from memory.
4. He wants to review the month and decide what to change, but his tasks are spread across three places and completed items have been deleted.
5. He gives up on the review and continues with the next month without adjusting his priorities.

Related requirements: Motivates FR-4, FR-6, FR-7, FR-8

Scenario name: missionDrivenTaskCapture

Type: Visionary scenario

Participating actor instances: ayse: User

Flow of events:

1. Ayşe opens SPTM for the first time on her laptop. The guided screen asks her about her values and long-term goals.
2. She writes the Mission Statement “Become a healthy, skilled engineer who supports her family” and adds three Focus Areas: “Academic Success”, “Health”, and “English”.
3. On Monday, during class, she quickly types “Project report” into the Inbox on her phone without filling in any details.
4. In the evening, she processes her Inbox. She opens “Project report”, sets the due date to Thursday 23:59, sets the priority to High, adds the description “CSE443 RAD, 10 pages”, and links the task to the Focus Area “Academic Success”.
5. SPTM shows a Classification Suggestion: Q1 (Urgent and Important), because the task has High priority and the due date is less than three days away. Ayşe accepts the suggestion, and SPTM places the task in Q1.
6. Ayşe assigns the Context @computer to the task and marks it as a Next Action.
7. She also adds “30-minute run” with Medium priority, linked to “Health” and with no due date. SPTM suggests Q2 (Not Urgent and Important), and she accepts it.
8. The dashboard now shows her Mission Statement at the top and both tasks in the Covey Quadrant View, so she sees which work serves her goals.

Related requirements: FR-1, FR-2, FR-3, FR-4

Scenario name: meetingToFollowUpTask

Type: Visionary scenario

Participating actor instances: mehmet: User, workCalendar: External Calendar System

Flow of events:

1. Mehmet's team lead sends him an invitation for "Sprint Planning" on Wednesday at 10:00 in workCalendar.
2. Mehmet accepts the invitation and starts synchronization in SPTM. The event appears as an Appointment on his SPTM dashboard.
3. During the meeting, Mehmet writes the note "Prepare API documentation draft" in the calendar event.
4. After the meeting, he synchronizes again, opens the Appointment in SPTM and selects "Create Task from Appointment".
5. SPTM opens the task form with the meeting as its source and the title "Sprint Planning". Mehmet changes the title to "Prepare API documentation draft" and enters Friday as the due date.
6. SPTM sends the Friday due date to workCalendar as a Deadline Representation, which is kept separate from his Appointments.
7. On Thursday, the team lead moves the Sprint Planning Appointment to Friday 14:00 in workCalendar. When Mehmet synchronizes, SPTM updates the Appointment on his dashboard.

Related requirements: FR-2, FR-5

Scenario name: progressAndWeeklyReview

Type: Visionary scenario

Participating actor instances: ayse: User

Flow of events:

1. On Wednesday evening, Ayşe starts working on "Project report" and changes its status from Not Started to In Progress.
2. After two hours, she adds a Time Spent Entry of 2 hours to the task. SPTM includes this time in the totals of the task and of the Focus Area "Academic Success".
3. On Thursday, she finishes the report and marks the task as Completed. Later, she archives the Completed Task.
4. On Sunday at 19:00, her selected review day and time, the Dashboard shows a Weekly Review reminder, and Ayşe starts the guided Weekly Review.
5. The review screen lists her open Inbox items, overdue tasks, and a chart of time spent per Focus Area over the week. The chart shows 9 hours on "Academic Success", 1 hour on "Health", and 0 hours on "English".
6. Ayşe deletes two old Inbox items, defers one task to next week, and adds "Watch one English lecture" to Q2.
7. She edits her Mission Statement to add "communicates confidently in English". SPTM saves the change as version 2 and keeps version 1 in the history.

Related requirements: FR-1, FR-6, FR-7, FR-8

3.4.2 Use case model

The use case diagram in Figure 1 contains two actors. The User is the person who manages the Mission Statement, Focus Areas and Tasks. The External Calendar System is an external calendar application that exchanges Appointments and Task due dates with SPTM. Each use case is

described after the diagram. The use case names match the names in the diagram, and each use case lists the functional requirements it realizes.




Figure 1. Use Case Diagram of SPTM.

UC-1: Manage Mission Statement

Use case name	Manage Mission Statement
Related requirements	FR-1
Participating actors	Initiated by User
Entry condition	The User has opened SPTM and is on the dashboard.
Flow of events	1. The User selects the Mission Statement section. 2. SPTM displays the current Mission Statement, its Focus Areas, and the version history. If no Mission Statement exists, SPTM starts a guided form that asks about values, goals, and long-term aspirations. 3. The User writes or edits the Mission Statement text. 4. The User adds, renames, or removes Focus Areas under the Mission Statement. 5. The User saves the changes. 6. SPTM stores the new text as a new Mission Statement Version with a version number and a timestamp, and keeps the previous versions in the history. 7. SPTM shows the updated Mission Statement at the top of the dashboard.
Alternative flows	2a. The User selects an old version from the history: SPTM displays it in read-only mode. 3a. The User leaves the Mission Statement text empty and saves: SPTM shows a warning and does not save. 4a. The User tries to remove a Focus Area: if active Tasks are linked to the Focus Area, SPTM prevents deletion and asks the User to reassign or complete the linked Tasks first.

Exit condition	The Mission Statement and its Focus Areas are saved, and the previous versions remain available in the history.
Quality requirements	The Mission Statement is stored securely and is visible only to its owner (Legal). The Mission Statement remains visible on the dashboard (Usability).

UC-2: Manage Tasks

Use case name	Manage Tasks
Related requirements	FR-2
Participating actors	Initiated by User
Entry condition	The User has opened SPTM, and the Mission Statement exists.
Flow of events	1. The User selects “New Task”. 2. SPTM displays the task form with the fields title, description, due date, location, priority, and linked Mission Statement or Focus Area. 3. The User fills in the fields, links the task to the Mission Statement or a Focus Area, and may add Subtasks and Checklist Items. 4. The User saves the task. 5. SPTM validates the fields. 6. SPTM saves the task with the status Not Started and shows it in the Task List. 7. The User may then classify the task in the Covey Quadrant View (see Apply Covey Matrix Priority).
Alternative flows	1a. Update: The User selects an existing task and changes its attributes. SPTM saves the changes. 1b. Delete or archive: The User selects an existing task and chooses Delete; SPTM deletes it after the User confirms. To archive, the User selects a Completed Task and chooses Archive. 1c. View: The User filters the Task List by Focus Area, Context, due date, or status. SPTM shows only the matching tasks. 5a. The title is empty or no Mission Statement or Focus Area link is selected: SPTM marks the missing fields and does not save the task.
Exit condition	The task is created, updated, archived, or deleted, and the Task List shows the current state.
Quality requirements	The saved task appears on the screen without perceptible delay (Performance). Tasks created offline are stored locally and synchronized later (Reliability).

UC-3: Apply Covey Matrix Priority

Use case name	Apply Covey Matrix Priority
Related requirements	FR-3
Participating actors	Initiated by User
Entry condition	The User has selected a task that has no quadrant, or has asked SPTM for a new suggestion.

Flow of events	1. SPTM evaluates urgency from the due date of the task: the task is urgent if its due date is less than three days away. 2. SPTM evaluates importance from the priority of the task: High or Medium priority means important; Low priority means not important. 3. SPTM shows a Classification Suggestion with one of the four quadrants: Q1 (Urgent and Important), Q2 (Not Urgent and Important), Q3 (Urgent and Not Important), or Q4 (Not Urgent and Not Important). 4. The User accepts the Classification Suggestion. 5. SPTM applies the accepted quadrant to the task and shows the task in the Covey Quadrant View.
Alternative flows	1a. The task has no due date: SPTM treats it as not urgent. 4a. The User rejects the suggestion and selects another quadrant manually. SPTM stores the User's choice. 4b. The User neither accepts nor selects a quadrant: the task remains unclassified and appears only in the Task List.
Exit condition	The task has the quadrant accepted or selected by the User, or remains unclassified.
Quality requirements	The Classification Suggestion is shown immediately (Performance).

UC-4: Classify Tasks by GTD

Use case name	Classify Tasks by GTD
Related requirements	FR-4
Participating actors	Initiated by User
Entry condition	The User has opened SPTM.
Flow of events	1. The User types a short note into the Inbox without filling in other details. 2. SPTM stores the note as an unprocessed Inbox item. 3. Later, the User opens the Inbox to process it. 4. SPTM shows the unprocessed items one by one. 5. For each item, the User decides that it is actionable and converts it into a task (Manage Tasks). 6. The User assigns one or more Contexts (e.g., @home, @work, @phone) and marks the task as a Next Action if it is the next physical step. 7. SPTM saves the Contexts and adds the task to the Next Actions list. 8. The User selects a Context, and SPTM lists only the Next Actions with that Context.
Alternative flows	5a. The item is not actionable: the User deletes it. 6a. The required Context does not exist: the User creates a new Context, and SPTM adds it to the list of Contexts.
Exit condition	The Inbox items are processed, and each resulting task has its Contexts and Next Action status.
Quality requirements	Capturing an Inbox Item requires a single input field and works offline (Usability, Reliability).

UC-5: Synchronize Calendar

Use case name	Synchronize Calendar
Related requirements	FR-5
Participating actors	Initiated by User; communicates with External Calendar System
Entry condition	The User has connected SPTM to an External Calendar System.

Flow of events	1. The User starts synchronization. 2. SPTM sends the local Appointment changes to the External Calendar System. 3. The External Calendar System confirms the changes and sends its Appointment information to SPTM. 4. SPTM validates the received information and updates the Appointments on the dashboard. 5. SPTM reports the result of the synchronization to the User.
Alternative flows	2a. The External Calendar System is unreachable: SPTM reports a failure and keeps the local changes for the next synchronization. 4a. The same Appointment was changed in both places: SPTM shows both versions, and the User chooses which version to keep. 4b. The User selects “Create Task from Appointment”: Manage Tasks starts with the source Appointment filled in and the title prefilled from the Appointment title; the User may edit the title. *Note:* The User initiates Appointment synchronization. When deadline synchronization is enabled for a Task, SPTM automatically updates its Deadline Representation after relevant Task changes.
Exit condition	Appointments are the same in SPTM and the External Calendar System, or the User has been informed of the failure.
Quality requirements	Synchronization does not block the user interface (Performance).

UC-6: Track Progress

Use case name	Track Progress
Related requirements	FR-6, FR-7
Participating actors	Initiated by User
Entry condition	At least one task exists.
Flow of events	1. The User selects a task and changes its status from Not Started to In Progress. 2. SPTM saves the new status. 3. The User adds a Time Spent Entry with a date and duration. 4. SPTM adds the entry to the task and includes it in the Focus Area Progress and Mission Progress. 5. The User marks the task as Completed. 6. SPTM saves the status and updates the Focus Area Progress and Mission Progress. 7. The User opens the Reports screen and selects a period (day, week, or month). 8. SPTM displays charts of completed tasks and time spent per Focus Area for the selected period.
Alternative flows	1a. The task contains a checklist: the User ticks off checklist items, and SPTM shows the percentage completed. 3a. A wrong duration was entered: the User edits or deletes the entry. 5a. The User marks the task as Deferred: SPTM stores the status and excludes the task from Next Actions. 6a. The User archives the Completed Task: SPTM moves it to the archive.
Exit condition	The task status and time spent are recorded, and reports reflect the latest data.
Quality requirements	Reports appear without perceptible delay (Performance).

UC-7: Perform Weekly Review

Use case name	Perform Weekly Review
Related requirements	FR-8 (uses data from FR-1, FR-6, FR-7)

Participating actors	Initiated by User
Entry condition	The User opens the Weekly Review; if the reminder is enabled, a Dashboard reminder appears on the User's selected review day and time.
Flow of events	1. The User starts the guided Weekly Review. 2. SPTM shows the review steps: empty the Inbox, review overdue and deferred tasks, review the weekly report, and review the Mission Statement. 3. The User processes the remaining Inbox items (Classify Tasks by GTD). 4. The User reschedules, defers, or deletes overdue tasks. 5. SPTM shows the weekly chart of time spent per Focus Area. 6. The User decides whether the Mission Statement needs changes and edits it if necessary (Manage Mission Statement). 7. The User finishes the review.
Alternative flows	1a. The User postpones the review: the reminder stays on the Dashboard. 6a. The User makes no change to the Mission Statement: SPTM keeps the current version.
Exit condition	Any changes to tasks or the Mission Statement made during the review are saved.
Quality requirements	The User can change the review day and time or turn off the reminder (Usability).

3.4.3 Object model

The Object Model presents the main domain concepts of SPTM and the relationships among them.




Figure 2. Conceptual Object Model of SPTM.

Figure 2 shows the conceptual class diagram of SPTM. A User owns at most one Mission Statement, which contains Focus Areas, and each Task serves either the Mission Statement or exactly one Focus Area. Each saved edit of the Mission Statement creates a new Mission Statement Version, so

earlier versions remain available. A Task can contain Subtasks, Checklist Items and Time Spent Entries, and the User can assign one or more Contexts to it. Inbox Items are quick notes that can later become Tasks, and an Appointment can be the source of a follow-up Task. A Deadline Representation is the calendar entry that shows a Task’s due date, so it is kept separate from Appointment. The User stores a weekly review day and time, which repeat every week, and can turn the review reminder on or off.

3.4.4 Dynamic model

A. Task State Diagram

The Task State Diagram describes the main lifecycle states of a Task.




Figure 3. Task State Diagram.

Figure 3 shows the lifecycle of a Task. A new Task starts in Not Started, and the User can change its status as work progresses. Only a Completed Task can be archived, and Archived is a separate lifecycle state that cannot return to an active status.

B. Appointment Synchronization Sequence Diagram

The Appointment Synchronization Sequence Diagram describes the interaction between the User, SPTM and the External Calendar System.




Figure 4. Appointment Synchronization Sequence Diagram.

Figure 4 shows how SPTM synchronizes Appointments with the External Calendar System after the User starts synchronization. SPTM sends local changes, receives Appointment information, validates it and reports the result to the User. If the External Calendar System is unreachable, SPTM reports a failure, and if the same Appointment was changed in both places, the User chooses which version to keep.

3.4.5 User interfaces and Mock-ups

The following grayscale wireframes illustrate the main layout and navigation of SPTM. They represent analysis-level interface concepts rather than the final visual design.

A. Dashboard Mock-up




Figure 5. Dashboard Mock-up.

The Dashboard provides an overview of the Mission Statement, Focus Areas, Next Actions, Task status totals, Appointments and the Weekly Review reminder.

B. Covey Quadrant View Mock-up




Figure 6. Covey Quadrant View Mock-up.

The Covey Quadrant View groups classified Tasks into Q1, Q2, Q3 and Q4 and provides access to the Task List and Task Details. A Task appears in a quadrant only after the User accepts a Classification Suggestion or selects the quadrant manually. Unclassified Tasks remain available in the Task List and are not shown in this view.

4 Glossary of Terms

- **SPTM:** Smart Personal Task Manager
- **GTD:** Getting Things Done (David Allen's productivity framework)
- **Covey Matrix:** Time management matrix based on urgency and importance
- **Mission Statement:** Evolving guiding compass representing user values and long-term aspirations
- **Mission Statement Version:** A saved, timestamped revision of the Mission Statement text kept in the version history
- **Focus Area:** Area of life under the Mission Statement to which tasks are linked
- **Context:** GTD-based classification label (e.g., @home, @work)
- **Classification Suggestion:** Quadrant proposed by SPTM for a Task from its due date (urgency) and priority (importance); applied only after the User accepts it
- **Inbox:** GTD list where unprocessed ideas and tasks are captured quickly
- **Next Action:** The next physical, visible step that moves a task forward
- **Weekly Review:** Guided GTD routine in which the User reviews open items, progress, and goals once a week on a selected day and time
- **External Calendar System:** External calendar application that exchanges Appointments and Task due dates with SPTM
- **Deadline Representation:** An external calendar representation of a Task's due date; it is distinct from an Appointment.

5 Priority

- **High Priority (Core):** Mission Statement Management (FR-1), Task Operations (FR-2), Covey Matrix Classification (FR-3), and Calendar Integration (FR-5).
- **Medium Priority (Advanced):** GTD Contexts (FR-4), Progress Tracking & Time Logging (FR-6), and Archive / Reports (FR-7).
- **Low Priority (Enhancement):** Guided Weekly Review (FR-8).

6 Traceability

Requirements to problem statement:

- FR-1 ↔ Mission Statement Management (Problem Statement: Mission Statement Management)
- FR-2, FR-3, FR-4 ↔ Task Creation, Covey Matrix & GTD Contexts (Problem Statement: Task Creation and Management)
- FR-5 ↔ Calendar Synchronization (Problem Statement: Appointments and Calendar Integration)
- FR-6, FR-7, FR-8 ↔ Progress Tracking, Reports & Review (Problem Statement: Task Progress and Achievement Tracking)

Use cases to functional requirements:

Use case	Functional requirements	Scenarios
UC-1 Manage Mission Statement	FR-1	missionDrivenTaskCapture, progressAndWeeklyReview

UC-2 Manage Tasks	FR-2	missionDrivenTaskCapture, meetingToFollowUpTask
UC-3 Apply Covey Matrix Priority	FR-3	missionDrivenTaskCapture
UC-4 Classify Tasks by GTD	FR-4	missionDrivenTaskCapture
UC-5 Synchronize Calendar	FR-5	meetingToFollowUpTask
UC-6 Track Progress	FR-6, FR-7	progressAndWeeklyReview
UC-7 Perform Weekly Review	FR-8	progressAndWeeklyReview