

EMIS

Education Management Information System

API Reference

Backend REST Endpoint Documentation

Version	1.0
Date	June 23, 2026
Base URL	<code>https://services.app-uat.emis.moe.gov.lk/hrm/1.0.0</code>
Audience	Backend developers, Frontend developers, QA

Contents

Overview

This document describes every REST endpoint exposed by the EMIS backend (Laravel + Franken-PHP). All requests travel through the WSO2 API Manager gateway, which strips the `/hrm/1.0.0` context path before forwarding to Laravel.

Authentication Endpoints marked **JWT** require a Bearer token issued by WSO2 Identity Server. Include it in every request: `Authorization: Bearer <token>`
Endpoints marked **Public** are publicly accessible without a token.

HTTP Methods

GET	Read / retrieve a resource
POST	Create a new resource
PUT	Replace a resource in full
PATCH	Partially update a resource
DELETE	Remove a resource

All responses are JSON. Standard HTTP status codes apply (200 OK, 201 Created, 400 Bad Request, 401 Unauthorized, 404 Not Found).

1 Health Check

GET /test

Public

Confirms the API is reachable. Returns a JSON status message.

2 Authentication

POST /login

Public

Authenticates a user and returns an access token.

3 Reference / Lookup Data

Read endpoints are publicly accessible. Write endpoints update existing entries in the reference tables.

Appointed Subjects

GET /appointed-subjects

Public

Returns all appointed subjects.

PATCH /appointed-subjects/{id}

Public

Updates an appointed subject by ID.

Authorities

GET /authorities

Public

Returns all authorities.

PUT /authorities/{id}

Public

Updates an authority by ID.

Blood Groups

GET**/blood-groups****Public**

Returns all blood groups.

PUT**/blood-groups/{id}****Public**

Updates a blood group by ID.

Titles

GET**/titles****Public**

Returns all honorific titles.

PUT**/titles/{id}****Public**

Updates a title by ID.

Teacher Types

GET**/teacher-types****Public**

Returns all teacher types.

PUT**/teacher-types/{id}****Public**

Updates a teacher type by ID.

Teacher Categories

GET**/teacher-categories****Public**

Returns all teacher categories.

GET**/teacher-categories/{id}****Public**

Returns a single teacher category by ID.

PUT**/teacher-categories/{id}****Public**

Updates a teacher category by ID.

Services

GET	/services	Public
------------	------------------	---------------

Returns all services.

GET	/services/{id}	Public
------------	-----------------------	---------------

Returns a single service by ID.

PUT	/services/{id}	Public
------------	-----------------------	---------------

Updates a service by ID.

Service Ranks

GET	/service-ranks	Public
------------	-----------------------	---------------

Returns all service ranks.

GET	/service-ranks/{id}	Public
------------	----------------------------	---------------

Returns a single service rank by ID.

PUT	/service-ranks/{id}	Public
------------	----------------------------	---------------

Updates a service rank by ID.

Subjects (HRM reference)

GET	/subjects	Public
------------	------------------	---------------

Returns all subjects in the HRM reference list.

GET	/subjects/{id}	Public
------------	-----------------------	---------------

Returns a single subject by ID.

PUT	/subjects/{id}	Public
------------	-----------------------	---------------

Updates a subject by ID.

4 Offices

GET `/moe-list`

Public

Returns all Ministry of Education offices.

GET `/pmoe-list`

Public

Returns all Provincial Ministry of Education offices.

GET `/peo-list`

Public

Returns all Provincial Education Office records.

GET `/zeo-list`

JWT

Returns all Zonal Education Office records.

GET `/deo-list`

JWT

Returns all Divisional Education Office records.

GET `/office/{type}/{workplace_id}`

Public

Returns a single office record. `type` identifies the office category; `workplace_id` is the office identifier.

5 Institutions

All institution endpoints require authentication.

GET `/institutions`

JWT

Returns a paginated list of all institutions.

GET `/institutions/filters`

JWT

Returns available filter options (province, zone, division, type) for the institution list.

GET `/institutions/{id}`

JWT

Returns a single institution by ID.

PUT `/institutions/{id}`

JWT

Updates an institution record by ID.

6 Teachers

All teacher endpoints require authentication.

Listing & Search

GET `/teacher-settings`

JWT

Returns teacher settings and configuration data.

GET `/teachers-list`

JWT

Returns a paginated list of all teachers.

GET `/teacher/{people_id}`

JWT

Returns the full profile of a single teacher.

GET `/teachers/check-nic/{nic}`

JWT

Checks whether a teacher with the given NIC already exists.

Form Data

GET `/teachers/personal-form-data`

JWT

Returns dropdown data for the teacher personal information form.

GET `/register/appointment-form-data`

JWT

Returns dropdown data for the first appointment registration form.

GET `/teachers/current-appointment-form-data`

JWT

Returns dropdown data for the current appointment form, filtered by the caller's role.

GET `/education-qualifications`**JWT**

Returns the list of education qualifications available for selection.

GET `/education-qualification-grades`**JWT**

Returns the list of education qualification grades.

Create & Update

POST `/teacher-create`**JWT**

Creates a new teacher profile.

PATCH `/teachers/{people_id}`**JWT**

Updates an existing teacher profile.

POST `/teachers/check-contact`**JWT**

Checks whether the supplied email or phone number is already in use.

Sub-resources

POST `/teachers/{people_id}/education-qualifications`**JWT**

Saves education qualification records for a teacher.

POST `/teachers/{people_id}/service-history`**JWT**

Adds a service history entry to a teacher record.

POST `/teachers/{people_id}/past-services`**JWT**

Adds a past service block to a teacher record.

7 Principals

All principal endpoints require authentication.

GET	/principals-list	JWT
Returns a paginated list of all principals.		
POST	/principal-create	JWT
Creates a new principal profile.		
GET	/principal-recruitment-categories	JWT
Returns recruitment categories available for principals.		
GET	/principal/{people_id}	JWT
Returns the full profile of a single principal.		
POST	/principals/{people_id}/service-history	JWT
Adds a service history entry to a principal record.		
POST	/principals/{people_id}/past-services	JWT
Adds a past service block to a principal record.		

8 Alerts

All alert endpoints require authentication.

GET	/alerts/counts	JWT
Returns counts for every alert category: pending verification, revised, pending confirmation, and rejected.		
GET	/alerts/pending-verification	JWT
Returns profiles that are pending verification.		
GET	/alerts/revised	JWT
Returns profiles that have been revised after a rejection.		

GET `/alerts/pending-confirmation`**JWT**

Returns profiles pending employer confirmation.

GET `/alerts/rejected`**JWT**

Returns profiles that have been rejected.

9 Employer Appointment Confirmation

Used by employers and HR officers to manage the teacher appointment workflow. All endpoints require authentication.

Reject Comments

GET `/employer-appointment-reject-comments`**JWT**

Returns all appointment rejection comments.

GET `/employer-appointment-reject-comments/profile/{people_id}`**JWT**

Returns rejection comments for a specific profile.

PATCH `/employer-appointment-reject-comments/{id}`**JWT**

Updates a rejection comment by ID.

Workflow Actions

PATCH `/teachers/{people_id}/verify`**JWT**

Marks a teacher profile as verified.

PATCH `/teachers/{people_id}/confirm`**JWT**

Confirms a teacher's appointment.

PATCH `/principals/{people_id}/confirm`**JWT**

Confirms a principal's appointment.

PATCH /teachers/{people_id}/promote**JWT**

Promotes a teacher.

PATCH /teachers/{people_id}/reject**JWT**

Rejects a teacher's appointment.

PATCH /teachers/{people_id}/update**JWT**

Updates a teacher record through the employer workflow.

PATCH /teachers/{people_id}/rejected-status**JWT**

Updates the rejected status flag on a teacher record.

10 DOS Admins

Base path: /dos-admins. All endpoints require authentication.

GET /dos-admins**JWT**

Returns all Department of Schools administrator profiles.

POST /dos-admins**JWT**

Registers a new education administrator.

GET /dos-admins/{id}**JWT**

Returns a single DOS admin profile.

POST /dos-admins/{id}/service-history**JWT**

Adds a service history entry for a DOS admin.

POST /dos-admins/{id}/past-services**JWT**

Adds a past service block for a DOS admin.

11 DEO Officers

Base path: `/deo-officers`. All endpoints require authentication.

GET `/deo-officers`

JWT

Returns all Divisional Education Office officers.

GET `/deo-officers/form-data`

JWT

Returns dropdown data for the DEO officer form.

GET `/deo-officers/current-appointment-form-data`

JWT

Returns dropdown data for the DEO current appointment form.

POST `/deo-officers`

JWT

Creates a new DEO officer record.

GET `/deo-officers/{id}`

JWT

Returns a single DEO officer profile.

PATCH `/deo-officers/{id}`

JWT

Updates a DEO officer record.

DELETE `/deo-officers/{id}`

JWT

Deactivates (soft-deletes) a DEO officer record.

12 Profile & Identity

All endpoints require authentication.

Identity

GET `/identity`

JWT

Returns the identity details of the authenticated user.

GET /mobile/identity**JWT**

Returns identity details for the mobile teacher profile view.

Profile

GET /profile**JWT**

Returns the full profile of the authenticated user.

GET /user/{people_id}**JWT**

Returns user account details for the given people_id.

GET /dashboard/{people_id}**JWT**

Returns dashboard data for the given people_id.

GET /pdf/teacher/{people_id}**JWT**

Generates and streams a PDF of the teacher's profile.

Avatar

GET /profile/avatar**JWT**

Returns the profile avatar of the authenticated user.

POST /profile/avatar**JWT**

Uploads a new profile avatar image.

PATCH /profile/avatar**JWT**

Updates avatar metadata (partial update).

DELETE /profile/avatar**JWT**

Deletes the profile avatar.

Password

PATCH /profile/password

JWT

Changes the password of the authenticated user.

POST /profile/password/complete-external

JWT

Completes an externally-initiated password change flow.

13 User Management

All endpoints require authentication.

GET /users

JWT

Returns a list of all system users.

POST /users

JWT

Creates a new system user.

GET /users/{id}

JWT

Returns a single user by ID.

PATCH /users/{id}

JWT

Updates a user record.

DELETE /users/{id}

JWT

Deletes a user.

PATCH /users/{id}/toggle-status

JWT

Toggles the active / inactive status of a user.

POST /users/{id}/reset-password

JWT

Resets the password for a user.

14 Roles & Permissions

Roles

Requires authentication.

GET /roles

JWT

Returns all roles.

POST /roles

JWT

Creates a new role.

PUT /roles/{id}

JWT

Updates a role by ID.

Permissions

Publicly accessible.

GET /permissions

Public

Returns all available permissions.

GET /permissions/{roleid}

Public

Returns permissions assigned to a given role.

DELETE /permissions/{roleid}

Public

Removes permissions from a role.

15 Versions & Change Logs

GET /versions

Public

Returns all application versions together with their change logs.

POST `/versions`**Public**

Creates a new version entry.

PUT `/versions/{id}`**Public**

Updates a version entry.

DELETE `/versions/{id}`**Public**

Deletes a version entry.

16 Timetable

All timetable endpoints use the prefix `/v1`. All `/v1/timetable` endpoints require authentication.

Subjects

GET `/v1/subjects`**Public**

Returns the global subjects list used by the timetable module.

Core

GET `/v1/timetable/init`**JWT**

Returns the full initialisation payload (setup, periods, intervals, slots, subject colours, holidays) in a single call — used to bootstrap the timetable UI.

GET `/v1/timetable/week`**JWT**

Returns the full week timetable for the authenticated teacher.

GET `/v1/timetable/current-class`**JWT**

Returns the currently active class (dashboard widget).

Setup

GET `/v1/timetable/setup`**JWT**

Returns the timetable configuration for the authenticated teacher.

POST `/v1/timetable/setup`**JWT**

Creates or replaces the timetable configuration.

Slots

GET `/v1/timetable/slots`**JWT**

Returns all timetable slots.

POST `/v1/timetable/slots`**JWT**

Creates a new timetable slot.

PUT `/v1/timetable/slots/{slot}`**JWT**

Updates a timetable slot.

DELETE `/v1/timetable/slots/{slot}`**JWT**

Deletes a timetable slot.

GET `/v1/timetable/slots/{slot}/comments`**JWT**

Returns comments attached to a specific slot.

Periods

GET `/v1/timetable/periods`**JWT**

Returns all periods in the authenticated teacher's timetable.

PUT `/v1/timetable/periods/{period}`**JWT**

Updates a period.

Intervals

GET `/v1/timetable/intervals`**JWT**

Returns all intervals (breaks) in the timetable.

PUT /v1/timetable/intervals/{interval}**JWT**

Updates an interval.

Subject Colours

GET /v1/timetable/subject-colors**JWT**

Returns all subject colour mappings.

POST /v1/timetable/subject-colors**JWT**

Creates a new subject colour mapping.

DELETE /v1/timetable/subject-colors/{subjectColor}**JWT**

Deletes a subject colour mapping.

Holidays

GET /v1/timetable/holidays**JWT**

Returns all holidays configured in the timetable.

POST /v1/timetable/holidays**JWT**

Creates a new holiday entry.

DELETE /v1/timetable/holidays/{holiday}**JWT**

Deletes a holiday entry.

Lesson Records

GET /v1/timetable/lesson-records**JWT**

Returns all lesson records for the authenticated teacher.

GET /v1/timetable/lesson-records/dates**JWT**

Returns the dates on which lesson records exist.

GET `/v1/timetable/lesson-records/by-slot/{slot}`**JWT**

Returns lesson records filtered to a specific slot.

POST `/v1/timetable/lesson-records`**JWT**

Creates a new lesson record.

PUT `/v1/timetable/lesson-records/{lessonRecord}`**JWT**

Updates a lesson record.

DELETE `/v1/timetable/lesson-records/{lessonRecord}`**JWT**

Deletes a lesson record.

Report

GET `/v1/timetable/report`**JWT**

Returns the timetable report for the authenticated teacher.

Endpoint Summary

Method	Path	Auth	Section
GET	/test	Public	Health Check
POST	/login	Public	Auth
GET	/apointed-subjects	Public	Ref Data
PATCH	/apointed-subjects/{id}	Public	Ref Data
GET	/authorities	Public	Ref Data
PUT	/authorities/{id}	Public	Ref Data
GET	/blood-groups	Public	Ref Data
PUT	/blood-groups/{id}	Public	Ref Data
GET	/titles	Public	Ref Data
PUT	/titles/{id}	Public	Ref Data
GET	/teacher-types	Public	Ref Data
PUT	/teacher-types/{id}	Public	Ref Data
GET	/teacher-categories	Public	Ref Data
GET	/teacher-categories/{id}	Public	Ref Data
PUT	/teacher-categories/{id}	Public	Ref Data
GET	/services	Public	Ref Data
GET	/services/{id}	Public	Ref Data
PUT	/services/{id}	Public	Ref Data
GET	/service-ranks	Public	Ref Data
GET	/service-ranks/{id}	Public	Ref Data
PUT	/service-ranks/{id}	Public	Ref Data
GET	/subjects	Public	Ref Data
GET	/subjects/{id}	Public	Ref Data
PUT	/subjects/{id}	Public	Ref Data
GET	/moe-list	Public	Offices
GET	/pmoe-list	Public	Offices
GET	/peo-list	Public	Offices
GET	/zeo-list	JWT	Offices
GET	/deo-list	JWT	Offices
GET	/office/{type}/{workplace_id}	Public	Offices
GET	/institutions	JWT	Institutions
GET	/institutions/filters	JWT	Institutions
GET	/institutions/{id}	JWT	Institutions
PUT	/institutions/{id}	JWT	Institutions
GET	/teacher-settings	JWT	Teachers
GET	/teachers-list	JWT	Teachers
GET	/teacher/{people_id}	JWT	Teachers
GET	/teachers/check-nic/{nic}	JWT	Teachers
GET	/teachers/personal-form-data	JWT	Teachers
GET	/register/appointment-form-data	JWT	Teachers
GET	/teachers/current-appointment-form-data	JWT	Teachers
GET	/education-qualifications	JWT	Teachers
GET	/education-qualification-grades	JWT	Teachers
POST	/teacher-create	JWT	Teachers

Method	Path	Auth	Section
PATCH	/teachers/{people_id}	JWT	Teachers
POST	/teachers/check-contact	JWT	Teachers
POST	/teachers/{people_id}/education-qualifications	JWT	Teachers
POST	/teachers/{people_id}/service-history	JWT	Teachers
POST	/teachers/{people_id}/past-services	JWT	Teachers
GET	/principals-list	JWT	Principals
POST	/principal-create	JWT	Principals
GET	/principal-recruitment-categories	JWT	Principals
GET	/principal/{people_id}	JWT	Principals
POST	/principals/{people_id}/service-history	JWT	Principals
POST	/principals/{people_id}/past-services	JWT	Principals
GET	/alerts/counts	JWT	Alerts
GET	/alerts/pending-verification	JWT	Alerts
GET	/alerts/revised	JWT	Alerts
GET	/alerts/pending-confirmation	JWT	Alerts
GET	/alerts/rejected	JWT	Alerts
GET	/employer-appointment-reject-comments	JWT	Emp. Confirm
GET	/employer-appointment-reject-comments/profile/{id}	JWT	Emp. Confirm
PATCH	/employer-appointment-reject-comments/{id}	JWT	Emp. Confirm
PATCH	/teachers/{people_id}/verify	JWT	Emp. Confirm
PATCH	/teachers/{people_id}/confirm	JWT	Emp. Confirm
PATCH	/principals/{people_id}/confirm	JWT	Emp. Confirm
PATCH	/teachers/{people_id}/promote	JWT	Emp. Confirm
PATCH	/teachers/{people_id}/reject	JWT	Emp. Confirm
PATCH	/teachers/{people_id}/update	JWT	Emp. Confirm
PATCH	/teachers/{people_id}/rejected-status	JWT	Emp. Confirm
GET	/dos-admins	JWT	DOS Admins
POST	/dos-admins	JWT	DOS Admins
GET	/dos-admins/{id}	JWT	DOS Admins
POST	/dos-admins/{id}/service-history	JWT	DOS Admins
POST	/dos-admins/{id}/past-services	JWT	DOS Admins
GET	/deo-officers	JWT	DEO Officers
GET	/deo-officers/form-data	JWT	DEO Officers
GET	/deo-officers/current-appointment-form-data	JWT	DEO Officers
POST	/deo-officers	JWT	DEO Officers
GET	/deo-officers/{id}	JWT	DEO Officers
PATCH	/deo-officers/{id}	JWT	DEO Officers
DELETE	/deo-officers/{id}	JWT	DEO Officers
GET	/identity	JWT	Profile
GET	/mobile/identity	JWT	Profile
GET	/profile	JWT	Profile
GET	/user/{people_id}	JWT	Profile
GET	/dashboard/{people_id}	JWT	Profile
GET	/pdf/teacher/{people_id}	JWT	Profile
GET	/profile/avatar	JWT	Profile
POST	/profile/avatar	JWT	Profile

Method	Path	Auth	Section
PATCH	/profile/avatar	JWT	Profile
DELETE	/profile/avatar	JWT	Profile
PATCH	/profile/password	JWT	Profile
POST	/profile/password/complete-external	JWT	Profile
GET	/users	JWT	User Mgmt
POST	/users	JWT	User Mgmt
GET	/users/{id}	JWT	User Mgmt
PATCH	/users/{id}	JWT	User Mgmt
DELETE	/users/{id}	JWT	User Mgmt
PATCH	/users/{id}/toggle-status	JWT	User Mgmt
POST	/users/{id}/reset-password	JWT	User Mgmt
GET	/roles	JWT	Roles
POST	/roles	JWT	Roles
PUT	/roles/{id}	JWT	Roles
GET	/permissions	Public	Permissions
GET	/permissions/{roleid}	Public	Permissions
DELETE	/permissions/{roleid}	Public	Permissions
GET	/versions	Public	Versions
POST	/versions	Public	Versions
PUT	/versions/{id}	Public	Versions
DELETE	/versions/{id}	Public	Versions
GET	/v1/subjects	Public	Timetable
GET	/v1/timetable/init	JWT	Timetable
GET	/v1/timetable/week	JWT	Timetable
GET	/v1/timetable/current-class	JWT	Timetable
GET	/v1/timetable/setup	JWT	Timetable
POST	/v1/timetable/setup	JWT	Timetable
GET	/v1/timetable/slots	JWT	Timetable
POST	/v1/timetable/slots	JWT	Timetable
PUT	/v1/timetable/slots/{slot}	JWT	Timetable
DELETE	/v1/timetable/slots/{slot}	JWT	Timetable
GET	/v1/timetable/slots/{slot}/comments	JWT	Timetable
GET	/v1/timetable/periods	JWT	Timetable
PUT	/v1/timetable/periods/{period}	JWT	Timetable
GET	/v1/timetable/intervals	JWT	Timetable
PUT	/v1/timetable/intervals/{interval}	JWT	Timetable
GET	/v1/timetable/subject-colors	JWT	Timetable
POST	/v1/timetable/subject-colors	JWT	Timetable
DELETE	/v1/timetable/subject-colors/{subjectColor}	JWT	Timetable
GET	/v1/timetable/holidays	JWT	Timetable
POST	/v1/timetable/holidays	JWT	Timetable
DELETE	/v1/timetable/holidays/{holiday}	JWT	Timetable
GET	/v1/timetable/lesson-records	JWT	Timetable
GET	/v1/timetable/lesson-records/dates	JWT	Timetable
GET	/v1/timetable/lesson-records/by-slot/{slot}	JWT	Timetable
POST	/v1/timetable/lesson-records	JWT	Timetable
PUT	/v1/timetable/lesson-records/{lessonRecord}	JWT	Timetable

Method	Path	Auth	Section
DELETE	/v1/timetable/lesson-records/{lessonRecord}	JWT	Timetable
GET	/v1/timetable/report	JWT	Timetable