410 plats, each & 5'x 50' = Ty5 a TA.6 a It. Evans. unpublished data. LHS Do is to be expected from considerations of space, the average number of plots per tral is considerably greater for trads which have not been published than for those which have. This makes the recovery of such data The more valuable. MES OCHORI. PURSESPERAND OF EVERY OF EVERY OF WHITE OF WHITE AND SOLE AND S Them start or new year

	•	Entres		Tanals	12	Tot	el plac	mean / tral	
	Shar	Tree		Shar	Tree	Sharr	Tree	Shel	Tre
G	74	15		135	25	29843	5634	221	225
N	13	1		92	2	12199	500	554	500
R	22	4		28	Н	15,101	15044	539	
E	4	•		6	4	8640	20	1,440	
		4 7 3				/	£		

		G	N				F	2	Others		ens
Enty	Nod	TNP	Enty	100	TNP	Entry	Nonth		ENT	No	TNP "
					(6)				5	1	50th
)	6	246	13	- į	500 to	2	3	108	B	2	1.08
3	I.	145	24	2	400	8	1	2304	19	3	6912
14)	512 17	45	_ i	1050	14	1	2000 ti	40	1	y50*
6	1 1	1845	66	2	176	1 1	-1	44 tr	41	1	618
4	1.	390	75	4	5560	18	1	12,000 4	104	203	4308
9	2	158	16	1	51	22	1	36	131	1	360
10	6	276	48	2	7288	26	10	490			
11	1	254	49	3	300	28	1_	3696		12	
12	T	96	81	1	300	29	-1	1280			
15	5	145	83	?	?	30	2,	1152			
16	1	60 ta	84	1,	280	31	- (480		N .	fi.
20	t.	450	92	J.	400	32	2	1000			S. A.
21		46	96	2	200	39	2	300			
28	1_	438	118	1	3100	40	4	250			
24	- (120	100		260	49	2	134			
25	5	800	135	-(94	55	1	46			
33	1	63				54	,	3-0			
34	- 1	200 17				85	1	1000 4			
35"	1	18 1 tv				93	2	yz			415
36	1	3645				99		6-00			
34	1 -	390				102	,	49			
38	1	83	-			100	/	410		-	
41	11	1085				10 7(1)	i	960			
42	1	30				117(0)	1	288			12-7
43	(200				125	1 .	36			THE
44	2	325					1	1186			1.790.5
1						V					

	'G-!			C-					
Eng	No			9			G		
- my	44	TNP	Ent	NS	TNP.	but.	No	TNE	-
46	. (105	86	1	1614	120	1	450	
47	- 1	600	87	2	158	121	1	295	
48	3	140	88	1	128	122	1	30	
50	1	295	89	3	138	123	1	1280	
51	- 1	450	90	3	480	124	11	500	
52	2_	500	91.	1	2000	126	· ·	224	
83	2	158		1.	. 30	124	1	63	
54	1	46	95	2	2422	128	2	470	
\$40 \$40	1	207	94	7	466	129		4.8	
58	1	24	98		600	130	į.	1500	
59	1	240	100	1_	416	134	1	124	1
60	- (48	101	2	192				
61	Ŀ	5-12	1-1-2	1	48	v			
62	14	1619	105		1200				
63	Ĩ.	124	107(2)	1	1088				
64	3	14354	108	1	968				
65	7	1351 5	109	1	48				
67	· 1	760	110	7	144 4				15 B
68	- 1	144 tr	111	4	24 tr				W
69	3	434	112	ľ	240				
42	1	576	113	4	140				
43	- P	204	114	1	180 4				
74	/	720	115	(3205				1 1 1
77	4	136	114	1	390				
80	- 1	54	1176	- L	288				40
82	1	300	119	-(160				
100 L		× 2							
						0.1	_		

New Trals Sugar Came 1520 Event Evam 11 16a Rice Bose Gazuli . muhalaroti 48a Rue Li- Jing Shen Huntley hauten , wholever, t. p. only. R. 540 Oaks 1911 46 ploto, each 23½ × 314 = ta. TA 8a Total froduce only Same tral At poor as No 54. 1911, total produce BA (1) 144 plots, each 5'x5' = 1440 a. T.A. 12 a. Rice (2) 144 Plots attanged in a 12×12 latin square. Bose SS, Garguli P. M and mahalanobio P.C. The frequency distribution of plot yields and the optimum size of plots in a uniformity trail with nice in Assam. Indian J. Agric Sci 1936 Vol VI part 5, pp 1104-22. 300 plots, each 1.5' x 14.25' = 2000 a. T.A. &a. N Li- ying-Shew Statistical analysis of a blank test of vice with suggestions for field technique. Agracultura Sunca. 1934. Vol I NO4 ph 104-50.

MH F N F TV 4944 R. F TF Tr. F E TV 13 2 Tes

**		В	2				
		T					
Bo E	0			(A)			
B L	A	A	Ţ				
		8T	1				
Bz							
	I		11			17	
90		10	10	00	10	00	
40	11 26	o (*	01	1.1	0) ()	
		10	00	10	_ 06		
	11 90	0 (11	01	11	4.1	
					*		
* * * * * * * * * * * * * * * * * * * *		Wheat	, Wheat	, oak	barley		
10.		15115				0	
1925:	Four groupes of	12 /2000	i Laghe	a diff+	now if n.	KLAST .	TVER CALL
3K 610			0.0205	s acre	124	luc x 45	olles. G
1928:	wheat :						120 a. TA3a
					Trans x1 cm		150 a. Was
	الملخ	of of T	plots of	NEW _			N
1929	24 plats	act of	wheat	borles	het :	tone	coup to
	,			11		*	
					JGPO	mes?	CSIRbull
1928	Pasture	460 pl	ot each	5 × 10	links.		~

in The Waite Institute Report 1925-32.

Waite Institute (Adelaide) Repr 1925-22 Julds filed at the Waite Institute.

Sugar cane. 968 plots, each track = 142 a. TA 4 a. G Wynne Sayer and Krishna I yer On some of the factors that influence the error of field experiments with special reference to sugar care. sugar care. Judian J. Agric. Sei 1936 vol VI, 4. p 914 Wheat.

(5 x 1'

Smith HF 1080 plots, each Wx612 = 1 x 1. A. 1 a. 80 x. Smith HF. unpublished data

Sugar-come: Wyme Sayer, Vandy another and Subramania Jyer.

Ideal size and shape of sugarcane experimental plots

based upon tamong experiments with (a 205 and (a 213)

conducted in Pusa. Indian of Agne Sei 1936 vd vi

(1) 840 plots, each 3' x 30 \(\frac{1}{2}\) = 480 acre 1A 1\(\frac{3}{40}\) N

(2) 1088 ... 3' x 68' = \(\frac{1}{242}\) acre. TA H\(\frac{1}{20}\) G

M Vardyanathan instead of Proc 21st long.

M Mitra: Assistant Mipeologist, Imperial Institute of Agnic Research, Pura Buha India.

Analysis of N.

JD Hala. New Yor State Agre. Exp In Geneve. N. Y. Collison o Harlan: date? Wrote to C. merch 1936. No reply. hottes wie again. 23 MAfri Cheesema & Found 1 unite much 1936. Datos 13 poso Replies from both: date appearently lost. AWR Sockens. Prob. all their were recorded wenty. 16 - If moto, tinte. Bechett, W. H. se cheek, " unte. miller 23rd Apri, Tiled at Iava. write to Bryan. a Joura. 19 Bradt. Fu Siao: writer: no refly. they somene jout! else bleely. Wood , Watten : mangolds. Are to Stration if wood T. Write 23" My L. Lorde . not walter, 65 R.C. Thomas write 27th may, no reply 44 unte again. 45 K. Cwarter Report sent, we yild set 17 out them hay Par wite to lebely pener. Mutra & Janguli homite. 91 F.R. Panell. Lovie

- write but. in yield, available. AFF Swamson. ANWleak written much 1936 No reply.

Vardyanather unter write brynne Sayer,