Digital Hotplates & Stirrers



TIS BOOK OF THE PARTY OF THE PA

TECHNICAL DATA:

Platform Dimensions; 6.5 x 6.5 in / 16.6 x 16.5 cm Dimensions: 7 x 10.5 x 4 in. / 18 x 26 x 10.1 cm

Weight: 5 lb / 2.2 kg

Electrical: 120 or 230 V, 50 - 60 Hz, 500 W

Warranty: 2 years

Speed Range: 200 - 1500 RPM

Temperature Range: Ambient +5 to +380°C Operating Temperature Range: +4 to +65°C

Benchmark™


Benchmark™ hotplates, stirrers and hotplate-stirrers feature an exceptionally durable, chemical resistant, white ceramic work surface. Their space-efficient design makes them ideal for use on crowded benchtops and inside bio-hoods. Advanced microprocessor controls allow quick, precise adjustment of speed and temperature.

- White Ceramic work surface, 6.5 x 6.5 in.
- Safety LED indicates hot surface
- Control action in-sample temperature with optional probe.
- Heat-stir, heat only and stir only models
- Large, backlit LCD display

These units are perfect for crowded workspaces!

	2	
		5
		4
G		
Ø		7
U		7
C		4
H		
O		2

ITEM #:	MODEL:	PRICE:
H3760-H5	Benchmark Digital Hotplate & Stirrer	\$339.00
H3760-5	Benchmark Digital Magnetic Stirrer	\$219.00
Н3760-Н	Benchmark Digital Hotplate	\$219.00
	ACCESSORIES:	
H3760-TP	Optional Temperature Probe	\$99.00
H3760-ROD	Optional Support Rod	\$39.00



19528 Ventura Blvd #379 Tarzana, CA 91356 (800) 799-5873 OmegaScientific.com