

Activity 3: Repository Creation and Basic Git Commands

Github Repository Link: <https://github.com/emjip24/Git-Activity>

1. Create Github Repository:

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner * **Repository name ***

emjip24 / Git_Activity

✓ Git_Activity is available.

Great repository names are short and memorable. How about [friendly-funicular](#)?

Description

0 / 350 characters

2 Configuration

Choose visibility * Choose who can see and commit to this repository **Public**

Add README READMEs can be used as longer descriptions. [About READMEs](#) **On**

Add .gitignore .gitignore tells git which files not to track. [About ignoring files](#) **No .gitignore**

Add license Licenses explain how others can use your code. [About licenses](#) **No license**

Create repository

2. Synchronize Local Repository with GitHub

Command used:

- Git clone <https://github.com/emjip24/Git-Activity.git>


```
Microsoft Windows [Version 10.0.26100.8457]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Mj>git clone https://github.com/emjip24/Git-Activity.git
Cloning into 'Git-Activity'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

3. Modify and Commit Changes

Command used:

- Cd C:\Users\Mj\Documents\GitHub\Git-Activity
- Git add gitactivity.txt
- Git commit -m "Initial commit"
- Git push origin main



```
Microsoft Windows [Version 10.0.26100.8457]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Mj>cd C:\Users\Mj\Documents\GitHub\Git-Activity

C:\Users\Mj\Documents\GitHub\Git-Activity>git add gitactivity
fatal: pathspec 'gitactivity' did not match any files

C:\Users\Mj\Documents\GitHub\Git-Activity>git add gitactivity.txt

C:\Users\Mj\Documents\GitHub\Git-Activity>git commit -m "Initial Commit"
[main 78c57e3] Initial Commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 gitactivity.txt
```

4. Push to Remote Repository

Command used:

- Git push origin main


```
C:\Users\Mj\Documents\GitHub\Git-Activity>git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 290 bytes | 290.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/emjpp24/Git-Activity.git
2c2f647..78c57e3 main -> main
```

5. Branching and Checkout

Command used:

- Git branch branchh
- Git checkout branchh
- Git add gitactivity.txt
- Git commit -m "updated txt file"
- Git checkout main
- Git merge branchh

```
C:\Users\Mj\Documents\GitHub\Git-Activity>git branch branchh  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>git checkout branchh  
Switched to branch 'branchh'
```




```
Command Prompt  
Microsoft Windows [Version 10.0.26100.8457]  
(c) Microsoft Corporation. All rights reserved.  
  
C:\Users\Mj>cd C:\Users\Mj\Documents\GitHub\Git-Activity  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>git branch branchh  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>git checkout branchh  
Switched to branch 'branchh'  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>git add gitactivity.txt  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>git commit -m "updated txt file"  
[branchh 1cdc851] updated txt file  
1 file changed, 1 insertion(+), 1 deletion(-)  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>git checkout main  
Switched to branch 'main'  
Your branch is up to date with 'origin/main'.  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>git merge branchh  
Updating 46b666f..1cdc851  
Fast-forward  
 gitactivity.txt | 2 +  
 1 file changed, 1 insertion(+), 1 deletion(-)  
  
C:\Users\Mj\Documents\GitHub\Git-Activity>
```

6. Pull and Synchronize

Command used:

- Git add gitactivity.txt
- Git commit -m "update"

- Git push origin main
- Git checkout branch
- Git pull origin main



A screenshot of a code editor window. The title bar shows two tabs: 'gitActivity.txt' and 'gitactivity.txt'. The menu bar includes 'File', 'Edit', and 'View'. On the right, there are icons for font size (H1), list view, bold (B), italic (I), strikethrough (S), link, and grid. The main text area contains the text: 'hello this is a git activity. hello hi. hahuhu'.

```
Microsoft Windows [Version 10.0.26100.8457]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Mj>cd C:\Users\Mj\Documents\GitHub\Git-Activity

C:\Users\Mj\Documents\GitHub\Git-Activity>git add gitactivity.txt

C:\Users\Mj\Documents\GitHub\Git-Activity>git commit -m "update"
[main 794eaa3] update
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\Mj\Documents\GitHub\Git-Activity>git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 324 bytes | 324.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/emjpp24/Git-Activity.git
   1cdc851..794eaa3  main -> main

C:\Users\Mj\Documents\GitHub\Git-Activity>git checkout branchh
Switched to branch 'branchh'

C:\Users\Mj\Documents\GitHub\Git-Activity>git pull origin main
From https://github.com/emjpp24/Git-Activity
 * branch                main          -> FETCH_HEAD
Updating 1cdc851..794eaa3
Fast-forward
 gitactivity.txt | 2 + -
 1 file changed, 1 insertion(+), 1 deletion(-)
```