Data Report

Jay Doe

September 25, 2020

# Analyses

1. Overview

1.1. Example Nucleic Acid

T	T	T	T	**A**
A1	A2	A3	A4	**A5**

2. X-X Distances

(a) R1

(b) R2

(c) R3

Figure 1: X-X distances for the R systems.

(a) S1

(b) S2

(c) S3

(d) S4

(e) S5

(f) S6

Figure 2: X-X distances for the S systems.

3. Backbone RMSD

(a) R1

(b) R2

**(c)** R3

Figure 3: Root mean square deviation (RMSD) for the backbone of the R systems.

(a) S1

(b) S2

(c) S3

(d) S4

(e) S5

(f) S6

**Figure 4:** Root mean square deviation (RMSD) for the backbone of the S systems.

4.   Root Mean Square Fluctuations



(a) R1

(b) R2

(c) R3

Figure 5: Root mean square fluctuation (RMSF) for the backbone of the R systems.

**(a)** S1

(b) S2

(c) S3

(d) S4

(e) S5

(f) S6

Figure 6: Root mean square fluctuation (RMSF) for the backbone of the S systems.

5.   Hydrogen Bond Analysis

Table 1: Selected values for hydrogen bond interactions across total simulation time. All values are an average of the total simulation time for each replicate (%). Acceptor–donor interactions affected at a 20 % threshold are highlighted yellow, at a 50 % threshold are highlighted orange, and at an 80 % threshold are highlighted purple.

Acceptor	Donor	WT A	A123B	A123C	A123D	A123E	A123F
C112@O	S122@N	1.00	60.00	61.00	-	62.00	63.00
R543@O	R532@NH2	1.00	-	-	82.00	83.00	85.00
G302@O	R938@N1	80.00	45.00	47.00	48.00	49.00	50.00