








Chironomidae




Limoniidae




Simuliidae




Oligochaeta




Baetis alpinus




Empididae








Baetis rhodani




Ceratopogonidae




Psychodidae




Elmidae








Isoperla








Baetis muticus








Planariidae








Gammaridae




Athericidae








Prostigmata




Rhyacophila tristis




Hydraenidae








Protonemura lateralis








Nemoura mortoni




Nematoda








Sericostoma




Blephariceridae




Habroleptoides confusa




Scirtidae




Ecdyonurus helveticus




Brachyptera risi




Sphaeriidae




Dixidae








Odontocerum albicorne




Amphinemura








Dictyogenus




Tipulidae




Tinodes




Plectrocnemia




Nemoura minima




Drusus discolor




Rhithrogena loyolae




Leuctra braueri




Epeorus alpicola








Epeorus assimilis




Philopotamus ludificatus




Dugesiidae




Habrophlebia lauta




Stratiomyidae




Centroptilum luteolum




Ecdyonurus venosus




Rhithrogena puthzi








Chloroperla susemicheli




Ecdyonurus picteti








Baetis lutheri








Paraleptophlebia submarginata




Thaumaleidae








Dytiscidae




Rhyacophila hirticornis




Capnioneura nemuroides




Protonemura brevistyla




Rhithrogena alpestris




Rhithrogena picteti








Ephemera danica




Habroleptoides auberti




Siphonoperla torrentium




Metanoea








Glossosoma




Leuctra nigra




Lymnaeidae




Hydropsyche siltalai




Electrogena ujhelyii




Rhabdiopteryx




Erpobdellidae




Protonemura intricata




Perlodes




Perla grandis




Asellidae




Sialidae








Protonemura nimborum








Cryptothrix nebulicola




Wormaldia








Ptychopteridae




Hydrophilidae








Ecdyonurus alpinus




Siphonoperla montana








Glossiphoniidae








Drusus annulatus




Cordulegastridae




Ephemerella mucronata




Serratella ignita




Rhithrogena hybrida




Rhithrogena nivata




Anthomyiidae








Leuctra major




Lype




Hydroptilidae




Ecdyonurus torrentis




Drusus biguttatus








Perla marginata




Nemurella pictetii




Ancylus




Tabanidae




Rhithrogena degrangei




Polycentropus








Rhithrogena semicolorata




Rhithrogena dorieri




Potamophylax cingulatus




Drusus melanchaetes








Gyrinidae




Calopterygidae




Hydrobiidae




Goeridae




Brachyptera seticornis




Rhithrogena gratianopolitana




Rhithrogena grischuna




Ecclisopteryx madida




Dinocras








Lepidostomatidae








Rhagionidae




Physidae




Rhyacophila praemorsa




Melampophylax mucoreus




Baetis vernus




Niphargidae




Chloroperla tripunctata




Nemoura marginata








Torleya major




Drusus nigrescens




Rhyacophila intermedia




Agapetus




Nemoura flexuosa




Hydropsyche tenuis




Electrogena lateralis




Drusus muelleri




Haliplidae




Micrasema morosum




Psychomyia pusilla








Caenis macrura




Hydropsyche instabilis




Syrphidae




Siphlonurus lacustris




Rhyacophila stigmatica




Protonemura praecox








Capnia




Corixidae




Planorbidae




Baetis vardarensis








Baetis biceratus




Scathophagidae




Rhyacophila pubescens








Allogamus auricollis




Rhyacophila torrentium








Dolichopodidae




Leuctra schmidi




Dryopidae




Synagapetus dubitans








Leuctra rosinae




Astacidae








Osmylidae








Mystacides








Coenagrionidae




Piscicolidae








Dendrocoelidae








Baetis melanonyx




Glyphotaelius pellucidus




Psephenidae




Gerridae








Protonemura meyeri




Rhithrogena landai




Synagapetus iridipennis




Halesus radiatus




Rhyacophila fasciata








Catagapetus nigrans




Drusus monticola




Lepidoptera




Veliidae




Drusus alpinus








Platycnemididae




Cnidaria




Athripsodes








Caenis rivulorum




Anabolia




Philopotamus variegatus




Rhithrogena allobrogica




Ptilocolepus granulatus




Cloeon dipterum




Baetis nexus




Caenis horaria




Hydropsyche dinarica








Protonemura nimborella




Ernodes




Bithyniidae




Valvatidae




Aphelocheiridae




Chaetopteryx major




Eccisoptyryx guttulata




Baetis niger




Nemoura cambrica




Holocentropus




Besdolus imhoffi




Protonemura auberti




Leuctra inermis




Rhyacophila simulatrix




Hydropsyche saxonica




Rhyacophila dorsalis








Diplectrona atra








Chaoboridae




Consorophylax consors




Habrophlebia eldae




Limnephilus lunatus








Notidobia ciliaris




Baetis liebenauae




Gomphidae




Baetis nubecularis




Oecetis testacea








Leuctra hippopus




Caenis luctuosa








Hymenoptera








Beraea pullata








Mesovelidae




Micrasema setiferum




Cheumatopsyche lepida




Ceraclea annulicornis




Nemoura cinerea




Drusus mixtus








Agrypnia








Habrophlebia fusca




Hydropsyche pellucidula




Sciomyzidae




Halesus rubricollis








Leuctra rauschieri




Curculionidae








Notonectidae




Rhyacophila glareosa




Leuctra pseudosignifera




Potamanthus luteus




Heptagenia sulphurea




Micropterna nycterobia




Ceraclea dissimilis




Chrysomelidae




Rhithrogena carpatoalpina




Leuctra armata




Culicidae



Drusus chrysotus



Rhyacophila rectispina



Acroloidae

