

Interview Reference

Print Edition · 6-up Landscape

Part 1 — Complexity Reference Card
Part 2 — Interview Talk-Through Framework
Part 3 — Study Progress Tracker (331 + NC32)

Complexity Reference

Data Structures · Sorting · Graphs · Patterns

Data Structure Operations					
Structure	Access	Search	Insert	Delete	Space
Array	$O(1)$	$O(n)$	$O(n)$	$O(n)$	$O(n)$
Sorted Array	$O(1)$	$O(\log n)$	$O(n)$	$O(n)$	$O(n)$
Singly Linked List	$O(n)$	$O(n)$	$O(1)$ head	$O(1)$ head	$O(n)$
Doubly Linked List	$O(n)$	$O(n)$	$O(1)$	$O(1)$	$O(n)$
Stack / Queue	$O(n)$	$O(n)$	$O(1)$	$O(1)$	$O(n)$
Hash Map / Set	$O(1)$ avg	$O(1)$ avg	$O(1)$ avg	$O(1)$ avg	$O(n)$
Binary Min-Heap	$O(n)$	$O(n)$	$O(\log n)$	$O(\log n)$	$O(n)$
BST (balanced)	$O(\log n)$	$O(\log n)$	$O(\log n)$	$O(\log n)$	$O(n)$
BST (worst)	$O(n)$	$O(n)$	$O(n)$	$O(n)$	$O(n)$
Trie	–	$O(L)$	$O(L)$	$O(L)$	$O(n \cdot L)$
Graph adj-list	–	$O(V+E)$	$O(1)$	$O(E)$	$O(V+E)$
Graph adj-matrix	–	$O(1)$	$O(1)$	$O(1)$	$O(V^2)$

L=key length avg=average (good hash) V=vertices E=edges

Sorting Algorithms				
Algorithm	Best	Average	Worst	Space
Bubble Sort	$O(n)$	$O(n^2)$	$O(n^2)$	$O(1)$
Selection Sort	$O(n^2)$	$O(n^2)$	$O(n^2)$	$O(1)$
Insertion Sort	$O(n)$	$O(n^2)$	$O(n^2)$	$O(1)$

Merge Sort	$O(n \log n)$	$O(n \log n)$	$O(n \log n)$	$O(n)$
Quick Sort	$O(n \log n)$	$O(n \log n)$	$O(n^2)$	$O(\log n)$
Heap Sort	$O(n \log n)$	$O(n \log n)$	$O(n \log n)$	$O(1)$
Counting Sort	$O(n+k)$	$O(n+k)$	$O(n+k)$	$O(k)$
Radix Sort	$O(nk)$	$O(nk)$	$O(nk)$	$O(n+k)$
Tim Sort	$O(n)$	$O(n \log n)$	$O(n \log n)$	$O(n)$

k=range of values Tim Sort used in Python/Java stdlib

Graph Algorithms		
Algorithm	Time	Space
BFS	$O(V+E)$	$O(V)$
DFS	$O(V+E)$	$O(V)$
Dijkstra	$O(E \log V)$	$O(V)$
Bellman-Ford	$O(V \cdot E)$	$O(V)$
Floyd-Warshall	$O(V^3)$	$O(V^2)$
Topological Sort	$O(V+E)$	$O(V)$
Kruskal MST	$O(E \log E)$	$O(V)$
Prim MST	$O(E \log V)$	$O(V)$
Union-Find	$O(\alpha(n))=O(1)$	$O(n)$
Kosaraju SCC	$O(V+E)$	$O(V)$

alpha=inverse Ackermann (practically constant)

Search & DP Patterns		
Pattern / Algorithm	Time	Space

Linear Search	$O(n)$	$O(1)$
Binary Search	$O(\log n)$	$O(1)$
Two Pointers	$O(n)$	$O(1)$
Sliding Window	$O(n)$	$O(k)$
Prefix Sum	$O(n)$ build	$O(n)$
DP 1-D	$O(n)$	$O(n) \rightarrow O(1)$
DP 2-D	$O(n \cdot m)$	$O(n \cdot m)$
Backtracking	$O(2^n)/O(n!)$	$O(n)$
Memoized Recursion	= DP time	= DP space
KMP String Search	$O(n+m)$	$O(m)$

m=pattern length k=window size nxm=grid dimensions

n → Expected Complexity	
n ≤ 10	$O(n!)$ / $O(2^n)$ — backtracking / brute force
n ≤ 20	$O(2^n)$ — bitmask DP / subsets
n ≤ 100	$O(n^3)$ — triple nested loops
n ≤ 1 000	$O(n^2)$ — nested loops, DP grid
n ≤ 10^5	$O(n \log n)$ — sort + scan, heap, binary search
n ≤ 10^6	$O(n)$ — single pass, hash map
n ≤ 10^9	$O(\log n)$ or $O(1)$ — math / binary search

Interview Talk-Through

5-Step Framework · Scoring · Flags

Interview Framework

The 5-Step Framework (40-45 min total)

Step 1 — UNDERSTAND (3-5 min)

- Restate the problem in your own words out loud
- Ask: empty input? negatives? duplicates? overflow?
- Confirm what to return (index vs value, count vs list)
- Read constraints — they hint at expected complexity

Say:
"Let me make sure I understand correctly..."
"A few quick clarifying questions before I start..."
"n up to 10^5 suggests O(n log n) or better"

Step 2 — MATCH a pattern (1-2 min)

- Map signals to a pattern (use cheat sheet mentally)
- Say the pattern name out loud — shows structured thinking
- If unsure between 2 patterns, say both and explain why

Say:
"This looks like sliding window — longest subarray with condition"
"Sorted input + target sum signals two pointers"
"Overlapping subproblems — I will reach for DP"

Step 3 — BRUTE FORCE (2-3 min)

- Always state brute force — even if you know the optimal
- Say its complexity and WHY it is suboptimal
- Do NOT code it unless specifically asked

Say:
"Naive approach: nested loops giving O(n^2) time, O(1) space"
"I won't implement that — let me think of something better"
"The bottleneck: recomputing the same window from scratch"

Complexity Reference

p.7

Step 4 — OPTIMIZE (3-5 min)

- Explain the key insight that unlocks the better approach
- Walk through ONE example by hand before coding
- State the new complexity explicitly

Say:
"Trade O(n) space for time — hash map drops it to O(1)"
"Array is sorted — binary search instead of scan: O(log n)"
"Let me trace through this example before I code"

Step 5 — CODE + TEST (15-20 min)

- Narrate as you code — never go silent
- Handle edge cases in code (empty, single, all-same)
- Run through the given example, then one edge case
- If stuck: say 'let me think' — never silent > 60 s

Say:
"I'll use a dummy head to simplify edge cases"
"Let me check the base case first — if input is empty..."
"Running example 1... correct. Edge: empty input returns []"

What Interviewers Score

Communication	Narrate your thinking. Never silent > 60 seconds.
Problem Solving	Brute → insight → optimal. Show the full journey.
Code Quality	Readable names, no magic numbers, consistent style.
Testing	Check edge cases yourself before the interviewer asks.
Adaptability	Take hints gracefully. Update approach without ego.
Correctness	Working solution first — optimise only if time allows.

Interview Framework

p.8

Green Flags vs Red Flags

[OK] Ask 2-3 clarifying questions before coding	[X] Silent for > 60 seconds without narrating
[OK] Name the pattern out loud before solving	[X] Jump straight to code without any explanation
[OK] State brute force + complexity before optimising	[X] Ignore edge cases (empty, null, overflow)
[OK] Walk through an example by hand before coding	[X] Present optimal with no mention of brute force
[OK] Catch your own bugs during the trace	[X] Get defensive when interviewer hints at issues
[OK] Say 'let me think' — never go silent	[X] Spend > 5 min on brute force when optimal is clear
[OK] Offer to test edge cases proactively	[X] Not test the solution before declaring done

[OK] = green flag — do this [X] = red flag — avoid this

Interview Framework

p.9

Study Progress Tracker

331 questions · 21 patterns · fewest→most + 32 NeetCode extra

Interview Framework

p.10

Progress Tracker

How to use · Mark each box as you progress

[][] = 4 boxes per question (2x2), one per stage:
[][]

Box 1 — Understood the problem
Box 2 — Coded brute force
Box 3 — Coded optimal solution
Box 4 — Can explain it cold (no notes)
E = Easy M = Medium H = Hard
Patterns ordered: fewest questions first — finish small patterns first!

Graphs 5 q | E:0 M:3 H:2

[][] [][]	Longest Consecutive Sequence	#128 M
[][] [][]	Find the Celebrity	#277 M
[][] [][]	Parallel Courses	#1136 M
[][] [][]	Number of Islands II	#305 H
[][] [][]	String Transforms Into Another String	#1153 H

Greedy 6 q | E:1 M:5 H:0

[][] [][]	Longest Palindrome	#409 E
[][] [][]	Gas Station	#134 M

Interview Framework

p.11

[][] [][]	Largest Number	#179 M
[][] [][]	Wiggle Sort	#280 M
[][] [][]	Array of Doubled Pairs	#954 M
[][] [][]	Longest Palindrome by Concatenating Two Letter Words	#2131 M

JavaScript 7 q | E:0 M:7 H:0

[][] [][]	Debounce	#2627 M
[][] [][]	JSON Deep Equal	#2628 M
[][] [][]	Memoize	#2630 M
[][] [][]	Convert Object to JSON String	#2633 M
[][] [][]	Promise Pool	#2636 M
[][] [][]	Array of Objects to Matrix	#2675 M
[][] [][]	Differences Between Two Objects	#2700 M

String 8 q | E:3 M:5 H:0

[][] [][]	Ransom Note	#383 E
------------------	-------------	--------

Progress Tracker

p.12

[][] [][]	Sentence Similarity	#734 E
[][] [][]	Single Row Keyboard	#1165 E
[][] [][]	String to Integer (atoi)	#8 M
[][] [][]	Group Shifted Strings	#249 M
[][] [][]	Encode and Decode Strings	#271 M
[][] [][]	Design Log Storage System	#635 M
[][] [][]	Alphabet Board Path	#1138 M

Sliding Window 9 q E:0 M:8 H:1		
[][] [][]	Longest Substring Without Repeating Characters	#3 M
[][] [][]	Longest Substring with At Most Two Distinct Characters	#159 M
[][] [][]	Longest Substring with At Most K Distinct Characters	#340 M
[][] [][]	Longest Repeating Character Replacement	#424 M
[][] [][]	Find All Anagrams in a String	#438 M
[][] [][]	Max Consecutive Ones II	#487 M

[][] [][]	Find K-Length Substrings with No Repeated Characters	#1100 M
[][] [][]	Count Number of Nice Subarrays	#1248 M
[][] [][]	Minimum Window Substring	#76 H

Sorting 9 q E:6 M:3 H:0		
[][] [][]	Majority Element	#169 E
[][] [][]	Contains Duplicate	#217 E
[][] [][]	Valid Anagram	#242 E
[][] [][]	Meeting Rooms	#252 E
[][] [][]	Largest Unique Number	#1086 E
[][] [][]	Relative Sort Array	#1122 E
[][] [][]	Group Anagrams	#49 M
[][] [][]	Merge Intervals	#56 M
[][] [][]	Analyze User Website Visit Pattern	#1152 M

Bit Manipulation 10 q E:6 M:4 H:0		
-------------------------------------	--	--

[][] [][]	Add Binary	#67 E
[][] [][]	Single Number	#136 E
[][] [][]	Reverse Bits	#190 E
[][] [][]	Number of 1 Bits	#191 E
[][] [][]	Missing Number	#268 E
[][] [][]	Counting Bits	#338 E
[][] [][]	Subsets	#78 M
[][] [][]	Subsets II	#90 M
[][] [][]	Find the Duplicate Number	#287 M
[][] [][]	Find Root of N-Ary Tree	#1506 M

Backtracking 10 q E:0 M:6 H:4		
[][] [][]	Letter Combinations of a Phone Number	#17 M
[][] [][]	Generate Parentheses	#22 M
[][] [][]	Combination Sum	#39 M
[][] [][]	Permutations	#46 M

[][] [][]	Word Search	#79 M
[][] [][]	Path Sum II	#113 M
[][] [][]	Sudoku Solver	#37 H
[][] [][]	N-Queens	#51 H
[][] [][]	Word Ladder II	#126 H
[][] [][]	Number of Squareful Arrays	#996 H

BFS 10 q E:0 M:6 H:4		
[][] [][]	Walls and Gates	#286 M
[][] [][]	Coin Change	#322 M
[][] [][]	01 Matrix	#542 M
[][] [][]	Rotting Oranges	#994 M
[][] [][]	Minimum Knight Moves	#1197 M
[][] [][]	Shortest Path to Get Food	#1730 M
[][] [][]	Word Ladder	#127 H
[][] [][]	Shortest Distance from All Buildings	#317 H

[][] [][]	Sliding Puzzle	#773 H
[][] [][]	Bus Routes	#815 H

Trie 12 q E:1 M:7 H:4		
[][] [][]	Longest Common Prefix	#14 E
[][] [][]	Word Break	#139 M
[][] [][]	Implement Trie (Prefix Tree)	#208 M
[][] [][]	Design Add and Search Words Data Structure	#211 M
[][] [][]	Add Bold Tag in String	#616 M
[][] [][]	Top K Frequent Words	#692 M
[][] [][]	Longest Word in Dictionary	#720 M
[][] [][]	Design File System	#1166 M
[][] [][]	Word Search II	#212 H
[][] [][]	Palindrome Pairs	#336 H
[][] [][]	Design In-Memory File System	#588 H
[][] [][]	Design Search Autocomplete System	#642 H

Math 12 q E:6 M:5 H:1		
[][] [][]	Palindrome Number	#9 E
[][] [][]	Roman to Integer	#13 E
[][] [][]	Base 7	#504 E
[][] [][]	Confusing Number	#1056 E
[][] [][]	Missing Number in Arithmetic Progression	#1228 E
[][] [][]	Perform String Shifts	#1427 E
[][] [][]	Reverse Integer	#7 M
[][] [][]	Pow(x, n)	#50 M
[][] [][]	Insert Delete GetRandom O(1)	#380 M
[][] [][]	Convert to Base -2	#1017 M
[][] [][]	Find the Number of Distinct Colors Among the Balls	#3160 M
[][] [][]	Text Justification	#68 H

Arrays & Hashing 18 q E:6 M:11 H:1		
--------------------------------------	--	--

[][] [][]	Two Sum	#1 E
[][] [][]	Missing Ranges	#163 E
[][] [][]	Moving Average from Data Stream	#346 E
[][] [][]	Find Anagram Mappings	#760 E
[][] [][]	Counting Elements	#1426 E
[][] [][]	Count Good Triplets	#1534 E
[][] [][]	Insert Interval	#57 M
[][] [][]	Product of Array Except Self	#238 M
[][] [][]	Zigzag Iterator	#281 M
[][] [][]	Range Sum Query – Mutable	#307 M
[][] [][]	4Sum II	#454 M
[][] [][]	Contiguous Array	#525 M
[][] [][]	Subarray Sum Equals K	#560 M
[][] [][]	Pairs of Songs With Total Durations Divisible by 60	#1010 M
[][] [][]	Remove Interval	#1272 M

[][] [][]	First Unique Number	#1429 M
[][] [][]	Find Occurrences of an Element in an Array	#3159 M
[][] [][]	First Missing Positive	#41 H
Two Pointers 19 q E:5 M:14 H:0		
[][] [][]	Merge Sorted Array	#88 E
[][] [][]	Valid Palindrome	#125 E
[][] [][]	Move Zeroes	#283 E
[][] [][]	Valid Word Abbreviation	#408 E
[][] [][]	Squares of a Sorted Array	#977 E
[][] [][]	Container With Most Water	#11 M
[][] [][]	3Sum	#15 M
[][] [][]	3Sum Closest	#16 M
[][] [][]	Next Permutation	#31 M
[][] [][]	Sort Colors	#75 M
[][] [][]	One Edit Distance	#161 M

[][] [][]	Two Sum II – Input Array Is Sorted	#167 M
[][] [][]	Reverse Words in a String II	#186 M
[][] [][]	Rotate Array	#189 M
[][] [][]	K-diff Pairs in an Array	#532 M
[][] [][]	3Sum With Multiplicity	#923 M
[][] [][]	Interval List Intersections	#986 M
[][] [][]	Shortest Way to Form String	#1055 M
[][] [][]	Count the Number of Fair Pairs	#2563 M
Heap 20 q E:0 M:11 H:9		
[][] [][]	Kth Largest Element in an Array	#215 M
[][] [][]	Meeting Rooms II	#253 M
[][] [][]	Top K Frequent Elements	#347 M
[][] [][]	The Maze II	#505 M
[][] [][]	Task Scheduler	#621 M
[][] [][]	Find K Closest Elements	#658 M

[][] [][]	Cheapest Flights Within K Stops	#787 M
[][] [][]	K Closest Points to Origin	#973 M
[][] [][]	Campus Bikes	#1057 M
[][] [][]	Minimum Cost to Connect Sticks	#1167 M
[][] [][]	Diagonal Traverse II	#1424 M
[][] [][]	Merge k Sorted Lists	#23 H
[][] [][]	The Skyline Problem	#218 H
[][] [][]	Closest Binary Search Tree Value II	#272 H
[][] [][]	Find Median from Data Stream	#295 H
[][] [][]	Rearrange String k Distance Apart	#358 H
[][] [][]	The Maze III	#499 H
[][] [][]	Smallest Range Covering Elements from K Lists	#632 H
[][] [][]	Employee Free Time	#759 H
[][] [][]	Constrained Subsequence Sum	#1425 H

[][] [][]	Valid Word Square	#422 E
[][] [][]	Reshape the Matrix	#566 E
[][] [][]	Toeplitz Matrix	#766 E
[][] [][]	Transpose Matrix	#867 E
[][] [][]	Largest Local Values in a Matrix	#2373 E
[][] [][]	Valid Sudoku	#36 M
[][] [][]	Rotate Image	#48 M
[][] [][]	Spiral Matrix	#54 M
[][] [][]	Spiral Matrix II	#59 M
[][] [][]	Minimum Path Sum	#64 M
[][] [][]	Set Matrix Zeroes	#73 M
[][] [][]	Search a 2D Matrix	#74 M
[][] [][]	Maximal Square	#221 M
[][] [][]	Sparse Matrix Multiplication	#311 M
[][] [][]	Diagonal Traverse	#498 M

[][] [][]	Lonely Pixel I	#531 M
[][] [][]	Candy Crush	#723 M
[][] [][]	Image Overlap	#835 M
[][] [][]	Find Smallest Common Element in All Rows	#1198 M
[][] [][]	Number of Submatrices That Sum to Target	#1074 H
Linked List 23 q E:7 M:13 H:3		
[][] [][]	Merge Two Sorted Lists	#21 E
[][] [][]	Linked List Cycle	#141 E
[][] [][]	Reverse Linked List	#206 E
[][] [][]	Palindrome Linked List	#234 E
[][] [][]	Design HashMap	#706 E
[][] [][]	Middle of the Linked List	#876 E
[][] [][]	Delete N Nodes After M Nodes of Linked List	#1474 E
[][] [][]	Add Two Numbers	#2 M
[][] [][]	Remove Nth Node From End of List	#19 M

[][] [][]	Swap Nodes in Pairs	#24 M
[][] [][]	Rotate List	#61 M
[][] [][]	LRU Cache	#146 M
[][] [][]	Sort List	#148 M
[][] [][]	Odd Even Linked List	#328 M
[][] [][]	Plus One Linked List	#369 M
[][] [][]	Flatten a Multilevel Doubly Linked List	#430 M
[][] [][]	Design Circular Queue	#622 M
[][] [][]	Design Linked List	#707 M
[][] [][]	Insert into a Sorted Circular Linked List	#708 M
[][] [][]	Remove Zero Sum Consecutive Nodes from Linked List	#1171 M
[][] [][]	Reverse Nodes in k-Group	#25 H
[][] [][]	All O'one Data Structure	#432 H
[][] [][]	LFU Cache	#460 H
DFS 23 q E:2 M:16 H:5		

[][] [][]	Island Perimeter	#463 E
[][] [][]	Flood Fill	#733 E
[][] [][]	Surrounded Regions	#130 M
[][] [][]	Clone Graph	#133 M
[][] [][]	Number of Islands	#200 M
[][] [][]	Course Schedule	#207 M
[][] [][]	Course Schedule II	#210 M
[][] [][]	Graph Valid Tree	#261 M
[][] [][]	Minimum Height Trees	#310 M
[][] [][]	Number of Connected Components in an Undirected Graph	#323 M
[][] [][]	Pacific Atlantic Water Flow	#417 M
[][] [][]	The Maze	#490 M
[][] [][]	Number of Distinct Islands	#694 M
[][] [][]	Max Area of Island	#695 M
[][] [][]	Accounts Merge	#721 M

[][] [][]	Is Graph Bipartite?	#785 M
[][] [][]	Web Crawler	#1236 M
[][] [][]	Web Crawler Multithreaded	#1242 M
[][] [][]	Alien Dictionary	#269 H
[][] [][]	Longest Increasing Path in a Matrix	#329 H
[][] [][]	Redundant Connection II	#685 H
[][] [][]	Escape a Large Maze	#1036 H
[][] [][]	Critical Connections in a Network	#1192 H

Binary Search 24 q E:5 M:12 H:7		
[][] [][]	Search Insert Position	#35 E
[][] [][]	Sqrt(x)	#69 E
[][] [][]	First Bad Version	#278 E
[][] [][]	Guess Number Higher or Lower	#374 E
[][] [][]	Binary Search	#704 E
[][] [][]	Search in Rotated Sorted Array	#33 M

[][] [][]	Find First and Last Position of Element in Sorted Array	#34 M
[][] [][]	Find Minimum in Rotated Sorted Array	#153 M
[][] [][]	Longest Increasing Subsequence	#300 M
[][] [][]	Design Hit Counter	#362 M
[][] [][]	Random Pick with Weight	#528 M
[][] [][]	Peak Index in a Mountain Array	#852 M
[][] [][]	Time Based Key-Value Store	#981 M
[][] [][]	Capacity to Ship Packages Within D Days	#1011 M
[][] [][]	Missing Element in Sorted Array	#1060 M
[][] [][]	Longest Repeating Substring	#1062 M
[][] [][]	Find the Index of the Large Integer	#1533 M
[][] [][]	Median of Two Sorted Arrays	#4 H
[][] [][]	Count of Smaller Numbers After Self	#315 H
[][] [][]	Split Array Largest Sum	#410 H
[][] [][]	Kth Smallest Number in Multiplication Table	#668 H

[][] [][]	Random Pick with Blacklist	#710 H
[][] [][]	Minimize Max Distance to Gas Station	#774 H
[][] [][]	Maximum Profit in Job Scheduling	#1235 H

Dynamic Programming 24 q E:2 M:16 H:6		
[][] [][]	Climbing Stairs	#70 E
[][] [][]	Best Time to Buy and Sell Stock	#121 E
[][] [][]	Longest Palindromic Substring	#5 M
[][] [][]	Maximum Subarray	#53 M
[][] [][]	Jump Game	#55 M
[][] [][]	Unique Paths	#62 M
[][] [][]	Edit Distance	#72 M
[][] [][]	Decode Ways	#91 M
[][] [][]	Maximum Product Subarray	#152 M
[][] [][]	House Robber	#198 M
[][] [][]	Paint House	#256 M

[][] [][]	Best Time to Buy and Sell Stock with Cooldown	#309 M
[][] [][]	Combination Sum IV	#377 M
[][] [][]	Partition Equal Subset Sum	#416 M
[][] [][]	Non-overlapping Intervals	#435 M
[][] [][]	Longest Palindromic Subsequence	#516 M
[][] [][]	Out of Boundary Paths	#576 M
[][] [][]	Longest Common Subsequence	#1143 M
[][] [][]	Regular Expression Matching	#10 H
[][] [][]	Distinct Subsequences	#115 H
[][] [][]	Best Time to Buy and Sell Stock III	#123 H
[][] [][]	Palindrome Partitioning II	#132 H
[][] [][]	Burst Balloons	#312 H
[][] [][]	Minimum Cost to Merge Stones	#1000 H

Stack 25 q E:3 M:14 H:8		
[][] [][]	Valid Parentheses	#20 E

[][] [][]	Implement Queue using Stacks	#232 E
[][] [][]	Backspace String Compare	#844 E
[][] [][]	Reorder List	#143 M
[][] [][]	Evaluate Reverse Polish Notation	#150 M
[][] [][]	Min Stack	#155 M
[][] [][]	Binary Search Tree Iterator	#173 M
[][] [][]	Basic Calculator II	#227 M
[][] [][]	Verify Preorder Sequence in Binary Search Tree	#255 M
[][] [][]	Decode String	#394 M
[][] [][]	Ternary Expression Parser	#439 M
[][] [][]	Find Permutation	#484 M
[][] [][]	Asteroid Collision	#735 M
[][] [][]	Daily Temperatures	#739 M
[][] [][]	Maximum Width Ramp	#962 M
[][] [][]	Two Sum BSTs	#1214 M

[][] [][]	Buildings With an Ocean View	#1762 M
[][] [][]	Longest Valid Parentheses	#32 H
[][] [][]	Trapping Rain Water	#42 H
[][] [][]	Largest Rectangle in Histogram	#84 H
[][] [][]	Basic Calculator	#224 H
[][] [][]	Sliding Window Maximum	#239 H
[][] [][]	Max Stack	#716 H
[][] [][]	Basic Calculator III	#772 H
[][] [][]	Maximum Frequency Stack	#895 H

Trees & BST 37 q E:11 M:24 H:2		
[][] [][]	Same Tree	#100 E
[][] [][]	Symmetric Tree	#101 E
[][] [][]	Maximum Depth of Binary Tree	#104 E
[][] [][]	Convert Sorted Array to Binary Search Tree	#108 E
[][] [][]	Balanced Binary Tree	#110 E

[][] [][]	Path Sum	#112 E
[][] [][]	Invert Binary Tree	#226 E
[][] [][]	Closest Binary Search Tree Value	#270 E
[][] [][]	Find Mode in Binary Search Tree	#501 E
[][] [][]	Diameter of Binary Tree	#543 E
[][] [][]	Subtree of Another Tree	#572 E
[][] [][]	Validate Binary Search Tree	#98 M
[][] [][]	Binary Tree Level Order Traversal	#102 M
[][] [][]	Binary Tree Zigzag Level Order Traversal	#103 M
[][] [][]	Construct Binary Tree from Preorder and Inorder Traversal	#105 M
[][] [][]	Binary Tree Right Side View	#199 M
[][] [][]	Kth Smallest Element in a BST	#230 M
[][] [][]	Lowest Common Ancestor of a Binary Search Tree	#235 M
[][] [][]	Lowest Common Ancestor of a Binary Tree	#236 M
[][] [][]	Count Univalued Subtrees	#250 M

[][] [][]	Inorder Successor in BST	#285 M
[][] [][]	Binary Tree Longest Consecutive Sequence	#298 M
[][] [][]	Binary Tree Vertical Order Traversal	#314 M
[][] [][]	Largest BST Subtree	#333 M
[][] [][]	Find Leaves of Binary Tree	#366 M
[][] [][]	Path Sum III	#437 M
[][] [][]	Boundary of Binary Tree	#545 M
[][] [][]	Binary Tree Longest Consecutive Sequence II	#549 M
[][] [][]	Kill Process	#582 M
[][] [][]	Maximum Width of Binary Tree	#662 M
[][] [][]	All Nodes Distance K in Binary Tree	#863 M
[][] [][]	Maximum Average Subtree	#1120 M
[][] [][]	Clone N-ary Tree	#1490 M
[][] [][]	Diameter of N-Ary Tree	#1522 M
[][] [][]	Lowest Common Ancestor of a Binary Tree III	#1650 M

[][] [][]	Binary Tree Maximum Path Sum	#124 H
[][] [][]	Serialize and Deserialize Binary Tree	#297 H
NeetCode 32 — Not in 331		
NeetCode 32 — Not in 331 (extra questions)		
These 32 questions appear in NeetCode 150 but not in the main 331 set.		
NC32 — Sliding Window 1 q E:0 M:1 H:0		
[][] [][]	Permutation in String	#567 M
NC32 — Stack 1 q E:0 M:1 H:0		
[][] [][]	Car Fleet	#853 M
NC32 — Binary Search 1 q E:0 M:1 H:0		
[][] [][]	Koko Eating Bananas	#875 M
NC32 — Linked List 1 q E:0 M:1 H:0		
[][] [][]	Copy List with Random Pointer	#138 M
NC32 — Trees 1 q E:0 M:1 H:0		
[][] [][]	Count Good Nodes in Binary Tree	#1448 M

NC32 — Heap / Priority Queue 3 q E:2 M:1 H:0		
[][] [][]	Kth Largest Element in a Stream	#703 E
[][] [][]	Last Stone Weight	#1046 E
[][] [][]	Design Twitter	#355 M
NC32 — Backtracking 2 q E:0 M:2 H:0		
[][] [][]	Combination Sum II	#40 M
[][] [][]	Palindrome Partitioning	#131 M
NC32 — Graphs 1 q E:0 M:1 H:0		
[][] [][]	Redundant Connection	#684 M
NC32 — Advanced Graphs 4 q E:0 M:2 H:2		
[][] [][]	Network Delay Time	#743 M
[][] [][]	Reconstruct Itinerary	#332 H
[][] [][]	Min Cost to Connect All Points	#1584 M
[][] [][]	Swim in Rising Water	#778 H

NC32 — 1-D Dynamic Programming 3 q E:1 M:2 H:0		
[][] [][]	Min Cost Climbing Stairs	#746 E
[][] [][]	House Robber II	#213 M
[][] [][]	Palindromic Substrings	#647 M

NC32 — 2-D Dynamic Programming 3 q E:0 M:3 H:0		
[][] [][]	Coin Change II	#518 M
[][] [][]	Target Sum	#494 M
[][] [][]	Interleaving String	#97 M

NC32 — Greedy 5 q E:0 M:5 H:0		
[][] [][]	Jump Game II	#45 M
[][] [][]	Hand of Straights	#846 M
[][] [][]	Merge Triplets to Form Target Triplet	#1899 M
[][] [][]	Partition Labels	#763 M
[][] [][]	Valid Parenthesis String	#678 M

NC32 — Intervals 1 q E:0 M:0 H:1		
[][] [][]	Minimum Interval to Include Each Query	#1851 H

NC32 — Math & Geometry 4 q E:2 M:2 H:0		
[][] [][]	Happy Number	#202 E
[][] [][]	Plus One	#66 E
[][] [][]	Multiply Strings	#43 M
[][] [][]	Detect Squares	#2013 M

NC32 — Bit Manipulation 1 q E:0 M:1 H:0		
[][] [][]	Sum of Two Integers	#371 M

Total: 331 questions (331 main) + 32 NeetCode extra = 363 questions