



Week 4 Coding Assignment

URL to GitHub Repository:

URL to Public Link of your Video:

Instructions:

1. Follow the **Coding Steps** below to complete this assignment.

- In Eclipse, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed.
- Create a new repository on GitHub for this week's assignment and push your completed code to this dedicated repo.
- Create a video showcasing your work:
 - In this video: record and present your project verbally while showing the results of the working project.
 - Easy way to Create a video: Start a meeting in Zoom, share your screen, open Eclipse with the code and your Console window, start recording & record yourself describing and running the program showing the results.
 - Your video should be a maximum of 5 minutes.
 - Upload your video with a public link.
 - Easy way to Create a Public Video Link: Upload your video recording to YouTube with a public link.

2. In addition, please include the following in your Coding Assignment Document:



Week 4 Coding Assignment

```
Command Prompt
C:\Users\emmak\projects\Week04CodingAssignment>git init
Initialized empty Git repository in C:/Users/emmak/projects/Week04CodingAssignment/.git/

C:\Users\emmak\projects\Week04CodingAssignment>git add .

C:\Users\emmak\projects\Week04CodingAssignment>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md

C:\Users\emmak\projects\Week04CodingAssignment>git commit -am "first commit"
[master (root-commit) b49abf4] first commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

C:\Users\emmak\projects\Week04CodingAssignment>git status
On branch master
nothing to commit, working tree clean

C:\Users\emmak\projects\Week04CodingAssignment>git remote add origin https://github.com/emmakong56/Week04CodingAssignment.git

C:\Users\emmak\projects\Week04CodingAssignment>git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 242 bytes | 242.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/emmakong56/Week04CodingAssignment.git
 * [new branch]      master -> master

C:\Users\emmak\projects\Week04CodingAssignment>
```

- The URL for this week's GitHub repository.

<https://github.com/emmakong56/Week04CodingAssignment>

- The URL of the public link of your video.

https://drive.google.com/file/d/1XG9h_9oreN2eBXWJHifOzJRVwc4NrWxL/view?usp=drive_link 3. Save the Coding Assignment Document as a .pdf and do the following:



Week 4 Coding Assignment

- Push the .pdf to the GitHub repo for this week.
 - Upload the .pdf to the LMS in your Coding Assignment Submission.
-



Week 4 Coding Assignment

Coding Steps — Arrays and Methods

1. Create an array of int called ages that contains the following values: 3, 9, 23, 64, 2, 8, 28, 93.
 - a. Programmatically subtract the value of the first element in the array from the value in the last element of the array (i.e. do not use ages[7] in your code). Print the result to the console.
 - b. Add a new age to your array and repeat the step above to ensure it is dynamic (works for arrays of different lengths).
 - c. Use a loop to iterate through the array and calculate the average age. Print the result to the console.
2. Create an array of String called names that contains the following values: “Sam”, “Tommy”, “Tim”, “Sally”, “Buck”, “Bob”.
 - a. Use a loop to iterate through the array and calculate the average number of letters per name. Print the result to the console.
 - b. Use a loop to iterate through the array again and concatenate all the names together, separated by spaces, and print the result to the console.
3. How do you access the last element of any array?
4. How do you access the first element of any array?
5. Create a new array of int called nameLengths. Write a loop to iterate over the previously created names array and add the length of each name to the nameLengths array.
6. Write a loop to iterate over the nameLengths array and calculate the sum of all the elements in the array. Print the result to the console.
7. Write a method that takes a String, word, and an int, n, as arguments and returns the word concatenated to itself n number of times. (i.e. if I pass in “Hello” and 3, I expect the method to return “HelloHelloHello”).
8. Write a method that takes two Strings, firstName and lastName, and returns a full name (the full name should be the first and the last name as a String separated by a space).
9. Write a method that takes an array of int and returns true if the sum of all the ints in the array is greater than 100.
10. Write a method that takes an array of double and returns the average of all the elements in the array.
11. Write a method that takes two arrays of double and returns true if the average of the elements in the first array is greater than the average of the elements in the second array.
12. Write a method called willBuyDrink that takes a boolean isHotOutside, and a double moneyInPocket, and returns true if it is hot outside and if moneyInPocket is greater than 10.50.
13. Create a method of your own that solves a problem. In comments, write what the method does and why you created it.



Week 4 Coding Assignment

```
package Week04CodingAssignment;

public class Week04CodingAssignment {

    public static void main(String[] args) {

        //This is the method for question 12
        boolean isHotOutside = true;
        double moneyInPocket = 3.50;
        System.out.println(willBuyDrink(isHotOutside, moneyInPocket));

        //This is the method for question 13
        double price1 = 5.25;
        double price2 = 4.25;
        System.out.println(calculateSum(price1, price2));

        //1. Create an array of int called ages that contains the following values:
        3, 9, 23, 64, 2, 8, 28, 93.

        int [] ages = {3,9,23,64,2,8,28,93};

        //a. Programmatically subtract the value of the first element in the array
        from the value in the last element of the array (i.e. do not use ages[7] in your
        code). Print the result to the console.

        int lastMinusFirst = (ages[ages.length-1]- ages[0]);
        System.out.println(lastMinusFirst);

        //b. Add a new age to your array and repeat the step above to ensure it is
        dynamic (works for arrays of different lengths).

        int [] ages2 = {3,9,23,64,2,8,28,93,100};
        int lastMinusFirst2 = (ages2[ages2.length-1]- ages2[0]);
        System.out.println(lastMinusFirst2);

        //c. Use a loop to iterate through the array and calculate the average age.
        Print the result to the console.

        double sum = 0;
        for(int x : ages){
            sum += x;
        }
        System.out.println(sum/ages.length);

        // 2. Create an array of String called names that contains the following
        values: "Sam", "Tommy", "Tim", "Sally", "Buck", "Bob".

        String[] names = {"Sam", "Tommy", "Tim", "Sally", "Buck", "Bob"};

        //a. Use a loop to iterate through the array and calculate the average number
        of letters per name. Print the result to the console.
```



Week 4 Coding Assignment

```
int sum2 = 0;
for(String string : names){
    sum2 += string.length();
}
System.out.println(sum2/names.length);
```

//b. Use a loop to iterate through the array again and concatenate all the names together, separated by spaces, and print the result to the console.

```
String sumOfNames = "";
for(String string : names){
    sumOfNames += string + " ";
}
System.out.println(sumOfNames);
```

//3. How do you access the last element of any array?

```
//    array[array.length - 1]
//    System.out.println(array[array.length - 1]);
```

//4. How do you access the first element of any array?

```
//    array[0]
//    System.out.println(array [0]);
```

// 5. Create a new array of int called nameLengths. Write a loop to iterate over the previously created names array and add the length of each name to the nameLengths array.

```
//String [] names = {"Sam", "Tommy", "Tim", "Sally", "Buck", "Bob"};

int [] nameLengths = new int [names.length];
for(int i = 0; i < names.length; i++) {
    nameLengths[i] = names[i].length();
}
for(int x : nameLengths){
    System.out.println(x);
}
```

// 6. Write a loop to iterate over the nameLengths array and calculate the sum of all the elements in the array. Print the result to the console.

```
for (int i = 0; i < nameLengths.length; i++) {
    sum += nameLengths[i];
}
System.out.println(sum);

//This is the method for question7
System.out.println(concatenateWord("Paper", 3));
//This is the method for question 8
System.out.println(createFullName("Emmanuel", "Ndzi"));
//This is the method for question 9
```



Week 4 Coding Assignment

```
int [] array = {2,3,5,7};
System.out.println(isSumGreaterThan100(array));
//This is the method for question 10
double [] array1 = {5.7, 6.8, 9.2};
System.out.println(calculateAverage(array1));
//This is the method for question 11
double [] Emmanuel = {3.3,4.3, 5.6};
double [] Emmanuell = { 2.6, 4.1, 7.8};
System.out.println(higherAverage(Emmanuel, Emmanuell));

}////End of main method
// 7.      Write a method that takes a String, word, and an int, n, as
arguments and returns the word concatenated to itself n number of times. (i.e. if I
pass in "Hello" and 3, I expect the method to return "HelloHelloHello").

    public static String concatenateWord(String word, int n){
        String result = "";
        for(int index = 1; index <= n; index++){
            result = result + word;
        }
        return result;
    }

// 8.      Write a method that takes two Strings, firstName and lastName,
and returns a full name (the full name should be the first and the last name as a
String separated by a space).

    public static String createFullName(String firstName, String lastName){
        return firstName + " " + lastName;
    }

// 9.      Write a method that takes an array of int and returns true if the
sum of all the ints in the array is greater than 100.

    public static boolean isSumGreaterThan100(int [] array) {
        int sum = 0;
        for (int num : array) {
            sum += num;
        }
        if (sum > 100){
            return true;
        }else{
            return false;
        }
    }

// 10.     Write a method that takes an array of double and returns the
average of all the elements in the array.
```



Week 4 Coding Assignment

```
public static double calculateAverage(double[] array) {  
    double sum = 0;  
    double average;  
    for (double number : array) {  
        sum += number;  
    }  
    average = sum / array.length;  
    return average;  
}
```

// 11. Write a method that takes two arrays of double and returns true if the average of the elements in the first array is greater than the average of the elements in the second array.

```
public static boolean higherAverage(double[] array1, double[] array2) {  
    double sum1 = 0;  
    double sum2 = 0;  
    for (double num : array1) {  
        sum1 += num;  
    }  
    for (double num : array2) {  
        sum2 += num;  
    }  
    double average1 = sum1 / array1.length;  
    double average2 = sum2 / array2.length;  
    if (average1 > average2) {  
        return true;  
    } else {  
        return false;  
    }  
}
```

// 12. Write a method called willBuyDrink that takes a boolean isHotOutside, and a double moneyInPocket, and returns true if it is hot outside and if moneyInPocket is greater than 10.50.

```
public static boolean willBuyDrink(boolean isHotOutside, double  
moneyInPocket) {  
    if (isHotOutside == true && moneyInPocket > 10.50) {  
        return true;  
    } else {  
        return false;  
    }  
}
```

// 13. Create a method of your own that solves a problem. In comments, write what the method does and why you created it.

```
public static double calculateSum(double price1, double price2) {
```




Week 4 Coding Assignment

```
        return price1 + price2;  
    }
```

```
    //This method returns the sum of prices for two grocery items. The  
    total or minimum amount to by two grocery items listed as price1 and price2
```

```
} // End of class
```