

MICRO EAZY ECOSYSTEM • AI INFRASTRUCTURE • 14 SEPTEMBER
2026

Riri answers first

The customer app now has the console's device in its bottom-right corner, and the first contact a Micromart customer has with their lender is **Riri, reading their own account**. She resolves what she can, hands over what she cannot with her working shown, and every hand-off lands in the officer's queue already triaged. This page is what was built on top of Sprint 0, how to show it tomorrow, and what is still yours to decide.

PREPARED FOR Faith Birgen FOR Micromart demo • 15 Sep 2026 READS WITH One Riri • 11 Sep 2026
STATUS Built • uncommitted • not deployed

01 Before the demo — three steps, in order

01

Commit and push both repositories YOURS

Nothing is deployed. Both changes are in the working trees of connected-suite (the server, Riri's brain and the console) and micro-eazy-app (the dock). The app calls routes that only exist after the console deploys, so push the console first and let Vercel finish before the app.

```
# PowerShell, one line at a time. Console first; wait for its Vercel build.
cd C:\GIT\MICRO_EAZY\connected-suite
git add -A
git commit -m "Riri first response"
git push

cd C:\GIT\MICRO_EAZY\micro-eazy-app
git add -A
git commit -m "Riri dock"
git push
```

02

No database change is needed CHECKED

Knowledge packs are versioned in the existing OrgConfig store, customer questions are logged in the existing RiriQueryLog, and hand-offs are ordinary conversation rows with a new author value. No migration, no DDL, no re-seed.



Optional environment variables

DEFAULTS WORK

- RIRI_HANDOFF_SECRET — signs cross-system links. Falls back to a key derived from NEXTAUTH_SECRET.
- PORTAL_APP_URL / CONSOLE_APP_URL — default to portal. and lms.servicesuitecloud.com.
- RIRI_LLM_KEY — only for questions nothing recognises. Without it she says honestly she doesn't know and offers a person. Every money answer is deterministic either way.

02 The demo, in six questions

Signed in as a real Micromart customer on a laptop. Each step shows one property the plan promised; the right-hand column is what to say.

TABLE 1 · DEMO SCRIPT

#	DO THIS	WHAT HAPPENS	WHAT IT PROVES
1	Open the app. Point at the bubble bottom-right.	Riri's nudge: "Ask me anything about your Micromart loan. If I can't sort it out, I'll get you to a person."	She is the first contact, and she says what happens when she fails before anyone asks.
2	Ask "What do I owe?"	The balance, the product and the clearance date, read from Micromart's book, with an <i>Open Repay</i> button and a "From your account" stamp.	The same read Home renders — they cannot disagree. No model involved.
3	Ask "Do I need to dial *334# for Ratiba?"	Answered from Safaricom's agreement, stamped platform.ratiba v1. No thread opened.	The plan's Sprint 2 "done when", verbatim.
4	Ask "When is my next payment?"	She gives the balance and says the instalment schedule isn't on the feed she can read — and she won't work one out. Offers a person.	She never states a figure she didn't read. This is the trap a confident chatbot falls into.
5	Ask "I paid but my balance has not changed." Press <i>Hand this to the team</i> , add a note.	Case ME-XXXXXX opens. Switch to the console → Customer Messages.	The officer sees what was asked, what Riri checked, which pack she used, and the one thing a person must decide — in a violet triage card, at the top of "Needs a reply".
6	In the console, open Riri Knowledge. Ask the preview "What fees do you charge?"	The starter pack answers, stamped as unreviewed. Load it and press Validate — it refuses until Micromart's KRA PIN is entered, because the PIN owns the facts.	Micromart trains Riri on its own JSON without us, every answer names the pack version, and a pack that describes our screens is refused.

KISWAHILI WORKS THROUGHOUT

“Nadaiwa kiasi gani?”, “Ratiba ni nini?”, “Nataka kuongea na mtu” — the record answers, the Ratiba answer and the instant hand-off all come back in Kiswahili. Worth one question in the room.

03 What it looks like

Captured from the app's dev preview on canned answers whose words are the engine's own. Same device, same bubble, same bubbly design as the console — in Micromart's colour.




Figure 1 · Laptop. “What do I owe?” answered from the account, with Open Repay, follow-ups, the source stamp and the thumbs.




Figure 2 · A payment that did not reflect. She answers what she can and makes the hand-off the next step.




Figure 3 · Phone, dark theme. The conversation, the first-run nudge above the tab bar, and the device's home screen.

04 What was built, against the plan

TABLE 2 • SPRINTS 1–6, STATUS ON 14 SEP 2026

#	PLAN DELIVERABLE	STATUS	WHERE
1	Riri Core — five contracts, no app imports; console keeps working.	BUILT Context, Tools (gate in the body), Destination (federated map + signed hand-off) join Host and Corpus. A test walks the import graph and fails on any app import. A folder boundary, not yet a published package.	lib/riri/core/*
2	Riri First Response in the customer app — composer, three outcomes, triaged escalation, deflection logging.	BUILT The dock, ported from the console. Deterministic engine over the customer's own record + corpus; fenced model fallback; instant hand-off for “a person”; triage note; thumbs; console panel counting answered vs handed over.	portal/riri/*, components/riri/*
3	Context descriptor and screen awareness; federated maps; cross-system Autopilot with the signed deep link and “why you are here” bar.	BUILT Both docks send the route. App map (14 screens, drift-tested against App.tsx); console map at /.well-known/riri-map.json. Console → app links are signed and land with the bar.	core/context, federation.ts
4	Tenant training console — upload, validate, preview, version, roll back.	BUILT Settings → Riri Knowledge. Stored in OrgConfig, so every publish is a revision and roll-back is one click.	console/settings/riri
5	ServiceSuite host over the relay; Interchange tools behind consent_ref; Participation Agreement.	PARTIAL ServiceSuite host built — the officer's Riri now reads a bridged customer's loans from the lender's own book (it used to say “no active loans” about Micromart customers with a live balance). The consent gate is in the tool contract and the partner endpoint refuses any question about a person without a consent_ref. Not built: the Interchange tools themselves, and the Participation Agreement — that is a legal document for counsel, and its signing gate would stop live lenders querying.	providers/servicesuite.ts, core/tools.ts
6	Cut C# AiIntelligence over to the HTTP contract; partner embed SDK and web component.	PARTIAL The contract is live in code: POST /api/riri/v1/ask, signed with the relay's own HMAC, keyed on the KRA PIN via RIRI_PARTNER_KEYS, answering from the member's packs with the pack id and version. The web component <riri-assistant> ships as one script. Not done: the C# cutover — it lives in the ServiceSuite repo on Micromart's live server, and is not a change for the night before a board demo.	api/riri/v1/ask, public/riri-embed.js

Also fixed on the way

- **Map drift.** Five console screens had sidebar links but no map entry — including Customer Messages, where Riri's hand-offs land. test:map was 66/67 before; it is 67/67.
- **/messages/new is Riri-first.** Every “Write to us” link in the app (Home, Track, ID check, cruncher) now opens Riri with the link's context;

replies inside an existing conversation still go straight to the person.

- **One read, two readers.** Home's account read moved into `lib/portal/position.ts`; Home and Riri call the same function.

05 What holds her honest

Money answers are code, not a model

`first-response.ts` · 98 pinned cases

- Balance, due date, limit, score, savings, application, Ratiba, KYC and messages are read from the record and formatted — never computed into a new claim.
- A bridged loan's next instalment is refused, not derived.
- An unreachable book never renders as zero.
- A past clearance date is refused (`Loans.DateCleared` is empty).

The model is fenced when it runs at all

`figuresGrounded()`

- Only questions nothing recognised reach it, with the customer's own facts and nothing else.
- Any shilling figure or percentage in its answer that is not in those facts voids the answer.
- The triage note an officer reads is re-derived on the server at hand-off — never assembled in the browser.

06 Decisions and limits worth knowing tonight

- **The Micromart pack is a starter, and says so.** It was assembled from Micromart's published terms and the fee sheet read on 13 Sep (Chap Chap 8.25%/week; PF KSh 400; Micro Eazy PF 6% clamped 650–6,000; CRB KSh 100; late fee 20%). Every answer from it is stamped “Starter pack”. Micromart should review each figure and publish it as theirs.
- **Micromart's KRA PIN is not recorded anywhere in the estate.** The starter's owner is a placeholder; a published pack cannot go live until someone at Micromart enters the PIN in Riri Knowledge. Not guessed.
- **Next instalment is not on the feed** for bridged customers (the schedule table has no index on the loan). Riri says so. Fixing it is a data road, not a Riri change.
- **Pay now is still token-gated** for code-door customers (existing limitation). Riri sends them to Repay; she does not press it.
- **Escalations reach the Customer Messages queue**, not a named officer — the plan's open question, decided by default. Revisit when the deflection panel has a week of rows.
- **Verification done:** both repos type-check; router 68/68, knowledge 74/74, map 67/67, first response 98/98; production builds of both pass (next build, vite build). A real request went through the built console on a native test org (`synctest-ms1v1f4j`) — opener, a Ratiba answer

from the platform pack and a balance from the record, about 2.8 s each from this machine; it logged two rows under that org only. Screens were checked in the dev preview in both themes and at phone width.

- **Not done:** an end-to-end run against Micromart's live book through a real customer session — that needs an OTP to a real handset. Do one pass yourself before the room: ask “What do I owe?”, then “I want to talk to a person”, and open that case in the console.