CALLBOX · LENDING CONSOLE · MICROMART · 15 OCTOBER 2026

Micromart's twelve changes, and the sign-in box that was not ours

The browser's own "Sign in" box over the Lending Console and CallBox doors came from **IIS on servicesuite-in**, not from the LMS: it stamps a Basic-authentication challenge on every wrong-password answer. A browser now never receives that answer. Micromart's broken logo and empty browser tab came from **Supabase storage**, which has refused every file since the move. All twelve of the staff's changes are built and live, except one switch that is yours to turn: the M-Pesa prompt.

For
The founder

Covers
Sign-in · logos · passwords · the 12 staff items

Code
connected-suite, commit b6b41f5 + 6fc0de8 + b955ecf

Status
Live in production, 15 Oct, 03:37 EAT (follow-ups by 03:58)

---

1 The "Sign in · Username · Password" box

It was a **wrong password plus IIS**. On the Lending Console screenshot the password field holds `candariA1!`: the "h" is missing. The LMS answered "Invalid email or password" with HTTP 401, as it always has. On Vercel nothing was added to that answer. On servicesuite-in, IIS has Basic authentication switched on above our site, so it adds `WWW-Authenticate: Basic realm="lms.servicesuitecloud.com"` to every 401 it passes. A browser that sees that header opens its own box. Measured live at 02:12 EAT with a made-up account:

```
HTTP/1.1 401 Unauthorized
X-Powered-By: ARR/3.0
WWW-Authenticate: Basic realm="lms.servicesuitecloud.com"     ← added by IIS, not by the LMS
```

Fixed in the app, so it no longer depends on IIS. A wrong password or a wrong code is now answered 403, with the same message. Any other 401 a browser could receive (a session that expired while a screen was polling) also goes out as 403. Browsers mark their requests with `Sec-Fetch-Mode`; machine callers never do, so their 401s are untouched (`src/lib/server/no-browser-challenge.ts`, started from `src/instrumentation.ts`). The door shows "That email and password don't match" again, the way it did on Vercel.

The proper fix on the server is one command, optional now, which switches IIS's own sign-in off for the LmsNode site only. It is at the end of this report (section 5). `install.ps1 -Iis` now does the same on any rebuild.

2 Micromart's logo and the browser tab

Micromart's and Axe's `Org.logoUrl` still point at Supabase storage, which answers every request **402 exceed_egress_quota**. That left a broken image beside "Micromart Africa" on the CallBox door (the "sketchy" look), a broken logo in every shell's header, and nothing in the tab. Axe's CallBox tab looked fine only because its door has a cut-out mark.

- A logo on retired Supabase storage now gives way to the copy the app ships (`liveLogo` in `src/lib/lms/branding.ts`). Doors, the console, CallBox, analytics, books, people, the wallboard, statements and the dossier all go through it. A logo uploaded again in Settings → Branding is saved on servicesuite-in and is used as-is.
- Micromart's two doors and its CallBox tab now carry **Micromart's bars** (`public/lenders/micromart/mark.png`). The full lockup repeats the name beside the name, and in a 16-pixel tab it is a smudge.



The live Micromart CallBox door, 03:50 EAT. Micromart's bars beside the name, where the broken Supabase image was. The tab carries the same bars.

3 Your passwords: `birgen@techcrast.co.ke` / `chandariA1!`


DOOR	RESULT	WHAT THAT MEANS
Axe · Lending Console	**Works**	Signed in, landed on /console (checked live, 02:20 EAT).
Axe · CallBox	**Works**	Signed in, landed on /desk. One staff row serves both Axe doors.
Micromart · Lending Console	**Not yet**	`chandariA1!` is not your Micromart password today. One staff row serves both Micromart doors, so one change fixes both. This PC holds no credentials for the production database on servicesuite-in. A reset sends a code to your phone, which only you can read. The 30-second step is in section 5.
Micromart · CallBox	**Not yet**	

The plain `lms.servicesuitecloud.com/login` (no lender in the address) signs `birgen@techcrast.co.ke` into your **Techcrast** seat, the oldest one. Use `lms.servicesuitecloud.com/micromart` and `callbox.servicesuitecloud.com/micromart` for Micromart. The CallBox screenshot used a different account (`sm9042256@gmail.com` with a one-time `CD-` password).

4 The twelve changes Micromart's staff asked for

#	STAFF ASKED	WHAT SHIPPED
1	Installment amount on loan details.	The case file's Loan details shows **Installment** (amount, weekly/monthly, how many) as a headline figure, and Installment amount plus Next installment in the list. Below it is the loan's whole **installment schedule**: due date, amount, paid, unpaid, and Paid / Part paid / Overdue / Due today / Upcoming. Read live from `Serviceconnect.loanSchedule`; classic CallBox only ever printed "#" here.
2	Highest value on the work queue by amount to pay, not outstanding balance.	"Highest amount to pay" sorts by CollectBox's `Amounttopay`, with balance as the tie-break. The queue's money column now leads with **To pay**, balance underneath.
3	After working a contract, remove it from the view.	The queue opens on **To work**: a case with an outcome saved today leaves the list. "Worked today · N" brings those back and "All" shows both. "Worked" means the tracker's own flag (classic CallBox, or mirrored from here) **or** CallBox's own record of the save, so a case leaves at once even with the CollectBox mirror off. Back from a case, the queue re-reads itself. A search or an outcome filter always reaches worked cases, so a customer ringing back is still found.
4	Newest to oldest on the work queue.	"Newest first": the cases that reached the band (the agent) most recently, by `LastDateAssigned`, else when the case joined the tracker.
5	Agents see everyone's live floor, as before.	The 13 Oct cut is gone: every agent's Live floor shows the whole floor again. An agent's own day is still on their Overview.
6	The prompt works from the agent's end.	**One switch, yours.** Agents are not blocked by anything in the app: the Request payment button is on every agent's case file, and the send uses the same permission they already use to save outcomes. The prompt is off on this deployment because `MICROMART_DESK_PAY_ENABLED` is not in servicesuite-in's settings: like the Axe switches, it did not survive the move from Vercel. A debit prompt on real handsets is your decision, so I did not turn it on. Section 5, step 2.
7	Downloadable contracts and payments; lock MTD outsourced.	**Download** on the work queue: every case in the list on screen (same filters, same order, up to 20,000) as Excel, with a by-bucket summary. **Download** and **This month** on Recoveries: the payments as Excel, by bucket and by agent. Every workbook carries **the month's book, locked**. Each bucket's cases and amount to pay are taken once when the month opens (at 08:05 on the 1st and never earlier, because overnight the tracker's daily buckets are mid-rebuild; October's is taken at the first look after 08:00 today, and before then the figure is marked provisional). Against that fixed figure: what each bucket has collected and its target. It never moves with the tracker.
8	Customer statement on the borrower's profile.	A **Statement** tab on the case file: the customer's ledger, live from `Serviceconnect.CustomerStatement`, with M-Pesa codes and running balances. It can show this loan or all loans, and has a CSV download. It uses the same reader as the Lending Console's statement.
9	Capture the agent on the promise board.	The board's column is now **Captured by**, with the case's current holder beneath when different. Two real causes fixed. (a) CallBox credited an agent's calls and promises to a fallback seat whenever their CallBox login did not match CollectBox by email or exact name; it now uses the seat linked under Settings → Seats first. (b) CollectBox holds **no promises at all from the last 60 days** (read live). The promises agents take in CallBox stay in CallBox's own record while the mirror is off, so the board now shows those too, marked "CallBox only", with the agent who captured them.
10	Target per category, not in general (Overview).	A **Targets by bucket** card on the Overview. A supervisor sets a monthly KES target for each bucket (Prepayment, Due, Watch 1–3, NPL, Watch 1 Matured) with Set targets. Each row shows the locked book, the target, what was collected this month (with % of target), today, and what is needed per remaining day. An agent sees their own buckets, with their own share beside the team's. Shared and versioned for everyone (`OrgConfig "desk"`), never a browser setting.
11	PTP on the Overview ("what the calls ended in").	"Promised to pay (PTP)" is **pinned first** on What the calls ended in, with its count and the KES promised, even at zero. Before, it fell into "other outcomes" whenever six other outcomes were busier. Every other outcome can now be expanded.

#	STAFF ASKED	WHAT SHIPPED
12	The floor's day, agent by agent: collection per category, not a sum.	On the Overview's "The floor's day, agent by agent" and the Live floor's agent table, each agent carries a chip **per bucket**: every bucket on their team (a zero included), then any other the money came from, never one total.



The case file (preview, invented customer). The new Statement tab beside Loan details; Installment Ksh 5,000 weekly; Next installment #2, Ksh 3,450 by 14 Sept; the installment schedule begins at the foot of the pane. The phone opens docked over the centre, as before.

BUCKET	BOOK · LOCKED	TARGET	COLLECTED THIS MONTH		TODAY	NEEDED A DAY
Prepayment	1.83M · 10,465	18.0M		11.0M 61%	6,220	410K
Due	11,425 · 11,161	9.00M		4.97M 55%	825	237K
Watch 1	7.46M · 7,545	12.0M		9.03M 75%	7,772	175K
Watch 2	9.40M · 1,826	—		371K 4.0% of book	500	—
Watch 3	12.9M · 24,318	1.00M		126K 13%	—	51,438
NPL	226M · 42,244	600K		223K 37%	—	22,149
Watch 1 (Matured)	6.68M · 8,939	4.00M		2.92M 73%	250	63,399
All buckets	KES 265M	KES 44.6M		KES 28.7M 64%	KES 15,567	KES 936K

Targets by bucket on the Overview (preview). The book and the money are Micromart's own figures read live at 03:00; the targets are samples. A supervisor sets them with Set targets.

5 What only you can do

1 · Micromart password (30 seconds)

Open `callbox.servicesuitecloud.com/micromart` → **Forgot password?** → `birgen@techcrast.co.ke` → the code arrives by SMS to your number ending 032 → set `chandariA1!`. That one change covers the Micromart Lending Console and CallBox. Your seeded password from 19 Sep (`Ebirgen@2026!`) may also still work; if it does, change it from the menu at top-right instead.

2 · The M-Pesa prompt for agents (item 6)

On servicesuite-in, in an elevated PowerShell (never `Set-Content` on this file; see the UTF-8 note in the kit):

```
[IO.File]::AppendAllText('C:\LmsNode\lms.env', "`r`nMICROMART_DESK_PAY_ENABLED=true`r`n")
Restart-Service LmsWeb
```

Prompts then go out through ServiceSuite's own path (STKPaymentRequests, the loan's own entity and paybill, Micromart's own callback), exactly as built on 3 Oct. While there, check that `LMS_SERVICESUITE_CREATED_BY` is in the file; the prompt also needs it.

3 · Decide on the CollectBox mirror

Outcomes saved in CallBox reached CollectBox on 13 Oct (15 rows) and **none since the move**. That points to `COLLECTBOX_POSTING_ENABLED` having been left behind with the other Vercel-only switches. While it is off, classic CallBox and Micromart's own reports do not see work done in CallBox. CallBox itself does, and items 3 and 9 now cope with either state. If CallBox is meant to write into CollectBox again, add `COLLECTBOX_POSTING_ENABLED=true` the same way and restart.

4 · Optional: switch IIS's own sign-in off for the LMS site

```
Import-Module WebAdministration
Set-WebConfigurationProperty -PSPath 'MACHINE/WEBROOT/APPHOST' -Location 'LmsNode' `
  -Filter 'system.webServer/security/authentication/basicAuthentication' -Name enabled -Value
$false
```

That touches the LmsNode site only: no other site, no restart, no app-pool recycle. The kit's `bridge/lms-node/iis-auth.ps1` does the same for Windows and Digest authentication and proves it with a test sign-in.

6 Found on the way

- **Times may read three hours late on servicesuite-in.** The SQL connection reads ServiceSuite's times in the process's time zone, and `launch.cjs` pins the process to UTC (`connections.ts` expects Nairobi). Run locally on Nairobi time, a 01:05 penalty reads as 01:05. On the node it would read as 04:05 wherever a page prints a ServiceSuite or CollectBox time. Nothing I built depends on it: "today" comes from SQL Server's own clock, and the month lock is stamped in true time. Worth one look at a case file's timeline against a known call.
- **Classic CallBox stopped capturing promises.** CollectBox has no PromisedToPay rows and no "Promised to pay" calls in the last 60 days. The promise board's old rows date from 2024, and their capturing agents have since left CollectBox's user list. That is why "Captured by" was blank.

- The work queue has **107,228** tracked cases; the month's book by bucket is read in about 0.1 s, and a case's schedule in about 0.4 s.

7 How it was checked

- Type check of the whole project and a production build: clean.
- `npm run test:micromart-feedback`, new: 35 checks covering the 401 rule, logo fallback, queue sort and worked filter (including untouched cases with no date, and only integers reaching the SQL), schedule states, and the targets document. Existing suites: desk pilot 114/114, overview cut 41/41, ConnectBox floor 80/80, sign-in doors: every landing correct.
- Every new query run **read-only** against Micromart's live server before shipping: queue counts and both sorts, the export read, a case schedule, money by bucket, the leaderboard split, outcomes, promises, a month of payments and a statement.
- Checked live after the deploy: a wrong password answers 403 with no `WWW-Authenticate`; a browser calling an API without a session gets 403; all four doors (Micromart and Axe, console and CallBox) serve logos that load, and Micromart's tab shows its bars. Release `20261015-035831-b955ecf`, health green.