**NorzAgapay Data Dictionary**

*Core data behind report submission, barangay coordination, MDRRMO dispatch, field response, and incident resolution.*

Prepared 22 October 2026

This dictionary focuses on the key records in the NorzAgapay web incident cycle: submit a report, review and assign it, record field response, and close and track the incident. Standalone weather monitoring, public broadcasts, and internal notification queues are outside this scope. Table definitions are based on the checked-in schema and migrations.

Report records hold evidence references, response notes, and resolution details; uploaded media files themselves are stored in Supabase Storage. Assignment and history tables preserve who responded and how the incident progressed.

Table Groups

| System Area | Tables | Purpose |
|---|---|---|
| Accounts and barangay context | 4 | These tables identify report submitters, response staff, and barangay jurisdictions. |
| Incident report records | 2 | These tables store reports from submission through review and resolution. |
| Responder units and rosters | 3 | These tables define available MDRRMO teams and the people assigned to each unit. |
| Dispatch, assignments, and crews | 5 | These tables link reports to MDRRMO or barangay responders and record selected crews. |
| Status and assignment history | 3 | These tables preserve report status changes and barangay handoff events. |
| Assistance and transport | 3 | These tables support requests for extra help and injured-person transport. |

Reading the field tables

Allow Null is Yes when the SQL column permits NULL and No when it is required or is a primary key. A dash means that no explicit length, default, or key is declared. PK means primary key, FK identifies the referenced table and column, UQ means unique, and CHECK means the column has a database check constraint. PostgreSQL enum values are listed in the final section.

*Source files: database/schema.sql and database/migrations/*.sql; table usage was checked against the web dashboard and its backend.*

Detailed table definitions

Accounts and barangay context

*These tables identify report submitters, response staff, and barangay jurisdictions.*

**resident_user**

*Resident account used to identify people who submit and track reports.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| full_name | text | — | No | — | — |
| phone | varchar | 15 | No | — | — |
| password_hash | text | — | No | — | — |
| barangay_name | text | — | No | 'Poblacion' | — |
| role | text | — | No | 'resident' | CHECK |
| status | text | — | No | 'active' | — |
| verified | boolean | — | No | false | — |
| last_seen | timestamptz | — | Yes | — | — |
| created_at | timestamptz | — | No | now() | — |
| updated_at | timestamptz | — | No | now() | — |
| false_report_count | integer | — | No | 0 | — |
| username | text | — | Yes | — | UQ |

**users**

*MDRRMO staff and responder accounts used for dispatch and field actions.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| full_name | text | — | No | — | — |
| phone | varchar | 15 | No | — | — |
| password_hash | text | — | No | — | — |
| role | user_role | — | No | 'responder' | — |
| unit_type | unit_type | — | Yes | — | — |
| status | user_status | — | No | 'active' | — |
| verified | boolean | — | No | false | — |
| latitude | double precision | — | Yes | — | — |
| longitude | double precision | — | Yes | — | — |
| last_seen | timestamptz | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| created_at | timestamptz | — | No | now() | — |
| barangay_name | text | — | Yes | — | — |
| updated_at | timestamptz | — | No | now() | — |
| username | text | — | Yes | — | UQ |

### barangay_users

*Barangay staff and responder accounts used for local assignments.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| barangay_id | uuid | — | Yes | — | FK barangays.id |
| full_name | text | — | No | '' | — |
| phone | varchar | 15 | No | — | — |
| password_hash | text | — | No | '' | — |
| role | barangay_role | — | No | 'staff' | — |
| added_by | uuid | — | Yes | — | FK barangay_users.id |
| is_active | boolean | — | No | true | — |
| created_at | timestamptz | — | No | now() | — |
| verification_status | varchar | 32 | Yes | 'pending_document' | — |
| verification_ref_no | varchar | 64 | Yes | — | — |
| position_designation | text | — | Yes | — | — |
| username | text | — | Yes | — | UQ |

### barangays

*Barangay names and locations used to route reports and coordinate response.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| name | text | — | No | — | — |
| latitude | double precision | — | No | — | — |
| longitude | double precision | — | No | — | — |
| flood_risk | risk_level | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| landslide_risk | risk_level | — | Yes | — | — |
| geometry | jsonb | — | Yes | — | — |
| created_at | timestamptz | — | No | now() | — |
| municipality | text | — | No | 'Norzagaray' | — |
| province | text | — | No | 'Bulacan' | — |
| location_latitude | double precision | — | Yes | — | — |
| location_longitude | double precision | — | Yes | — | — |
| location_address | text | — | Yes | — | — |
| location_icon_url | text | — | Yes | — | — |
| location_icon_storage_path | text | — | Yes | — | — |

Incident report records

*These tables store reports from submission through review and resolution.*

**barangay_reports**

*Barangay incident record used for local response updates and resolution.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| type | text | — | No | 'emergency' | — |
| title | text | — | No | — | — |
| specifics | text | — | Yes | — | — |
| description | text | — | Yes | — | — |
| latitude | double precision | — | No | 0 | — |
| longitude | double precision | — | No | 0 | — |
| address | text | — | Yes | — | — |
| incident_occurred_at | timestamptz | — | Yes | — | — |
| incident_time_precision | text | — | No | 'unknown' | — |
| incident_type | text | — | Yes | — | — |
| severity | text | — | Yes | — | — |
| proof_url | text | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| proof_urls | text[] | — | No | '{}' | — |
| proof_type | text | — | No | 'image' | — |
| proof_types | text[] | — | No | '{}' | — |
| evidence_status | text | — | No | 'ready' | — |
| responder_media | jsonb | — | No | '[]' | — |
| reporter_id | uuid | — | Yes | — | FK resident_user.id |
| reporter_type | text | — | Yes | 'resident' | — |
| reporter_name | text | — | Yes | — | — |
| reporter_phone | text | — | Yes | — | — |
| barangay_id | uuid | — | Yes | — | — |
| response_status | text | — | No | 'pending' | — |
| response_notes | text | — | Yes | — | — |
| responder_name | text | — | Yes | — | — |
| responded_by | uuid | — | Yes | — | FK barangay_users.id |
| responded_at | timestamptz | — | Yes | — | — |
| dispatcher_reviewed_by | uuid | — | Yes | — | FK barangay_users.id |
| dispatcher_reviewed_at | timestamptz | — | Yes | — | — |
| dispatched_by | uuid | — | Yes | — | FK barangay_users.id |
| dispatched_at | timestamptz | — | Yes | — | — |
| dispatch_notes | text | — | Yes | — | — |
| accepted_at | timestamptz | — | Yes | — | — |
| arrived_at | timestamptz | — | Yes | — | — |
| arrival_recorded_at | timestamptz | — | Yes | — | — |
| arrival_method | text | — | Yes | — | — |
| arrival_latitude | double precision | — | Yes | — | — |
| arrival_longitude | double precision | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| arrival_accuracy_m | double precision | — | Yes | — | — |
| arrival_distance_m | double precision | — | Yes | — | — |
| travel_distance_m | double precision | — | Yes | — | — |
| travel_distance_accuracy_m | double precision | — | Yes | — | — |
| travel_distance_fix_at | timestamptz | — | Yes | — | — |
| resolved_at | timestamptz | — | Yes | — | — |
| resolved_by | uuid | — | Yes | — | FK barangay_users.id |
| resolved_notes | text | — | Yes | — | — |
| resolution_pdf_status | text | — | No | 'missing' | — |
| resolution_pdf_path | text | — | Yes | — | — |
| resolution_pdf_generated_at | timestamptz | — | Yes | — | — |
| review_outcome | text | — | Yes | — | — |
| review_reason | text | — | Yes | — | — |
| reviewed_by | uuid | — | Yes | — | FK barangay_users.id |
| reviewed_at | timestamptz | — | Yes | — | — |
| escalated_to_mdrrmo | boolean | — | No | false | — |
| escalated_at | timestamptz | — | Yes | — | — |
| mdrrmo_coordination_notes | text | — | Yes | — | — |
| dispatch_incident_id | uuid | — | Yes | — | — |
| lifecycle_revision | bigint | — | No | 0 | — |
| lifecycle_actor_id | uuid | — | Yes | — | — |
| lifecycle_actor_role | text | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| client_request_id | uuid | — | Yes | — | UQ |
| client_submitted_at | timestamptz | — | Yes | — | — |
| status | text | — | No | 'pending' | — |
| created_at | timestamptz | — | No | now() | — |
| updated_at | timestamptz | — | No | now() | — |

**mdrrmo_reports**

*MDRRMO report record with incident details, evidence references, status, and resolution data.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| source_type | text | — | No | 'direct' | — |
| source_barangay_report_id | uuid | — | Yes | — | FK barangay_reports.id |
| type | text | — | No | 'emergency' | — |
| title | text | — | No | — | — |
| specifics | text | — | Yes | — | — |
| description | text | — | Yes | — | — |
| latitude | double precision | — | No | 0 | — |
| longitude | double precision | — | No | 0 | — |
| address | text | — | Yes | — | — |
| incident_occurred_at | timestamptz | — | Yes | — | — |
| incident_time_precision | text | — | No | 'unknown' | — |
| incident_type | text | — | Yes | — | — |
| severity | text | — | Yes | — | — |
| proof_url | text | — | Yes | — | — |
| proof_urls | text[] | — | No | '{}' | — |
| proof_type | text | — | No | 'image' | — |
| proof_types | text[] | — | No | '{}' | — |
| evidence_status | text | — | No | 'ready' | — |
| responder_media | jsonb | — | No | '[]' | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| reporter_id | uuid | — | Yes | — | — |
| reporter_type | text | — | Yes | 'resident' | — |
| reporter_name | text | — | Yes | — | — |
| reporter_phone | text | — | Yes | — | — |
| barangay_id | uuid | — | Yes | — | — |
| barangay_name | text | — | Yes | — | — |
| response_status | text | — | No | 'pending' | — |
| response_notes | text | — | Yes | — | — |
| coordination_notes | text | — | Yes | — | — |
| responder_name | text | — | Yes | — | — |
| responded_by | uuid | — | Yes | — | FK users.id |
| responded_at | timestamptz | — | Yes | — | — |
| dispatcher_reviewed_by | uuid | — | Yes | — | FK users.id |
| dispatcher_reviewed_at | timestamptz | — | Yes | — | — |
| dispatched_by | uuid | — | Yes | — | FK users.id |
| dispatched_at | timestamptz | — | Yes | — | — |
| dispatch_notes | text | — | Yes | — | — |
| accepted_at | timestamptz | — | Yes | — | — |
| travel_distance_m | double precision | — | Yes | — | — |
| arrived_at | timestamptz | — | Yes | — | — |
| resolved_at | timestamptz | — | Yes | — | — |
| resolved_by | uuid | — | Yes | — | FK users.id |
| resolved_notes | text | — | Yes | — | — |
| map_closed_at | timestamptz | — | Yes | — | — |
| map_closed_by | uuid | — | Yes | — | FK users.id |
| resolution_pdf_status | text | — | No | 'missing' | — |
| resolution_pdf_path | text | — | Yes | — | — |
| resolution_pdf_generated_at | timestamptz | — | Yes | — | — |
| dispatch_incident_id | uuid | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| lifecycle_revision | bigint | — | No | 0 | — |
| lifecycle_actor_id | uuid | — | Yes | — | — |
| lifecycle_actor_role | text | — | Yes | — | — |
| client_request_id | uuid | — | Yes | — | UQ |
| client_submitted_at | timestamptz | — | Yes | — | — |
| created_at | timestamptz | — | No | now() | — |
| updated_at | timestamptz | — | No | now() | — |

Responder units and rosters

*These tables define available MDRRMO teams and the people assigned to each unit.*

**officers**

*Responder qualifications and officer details linked to MDRRMO unit rosters.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| name | text | — | No | — | — |
| phone | text | — | Yes | — | — |
| specialization | text | — | No | — | — |
| rank | text | — | Yes | — | — |
| status | text | — | No | 'active' | — |
| created_at | timestamptz | — | No | now() | — |

**respond_units**

*MDRRMO response-unit name, specialization, availability, and activation state.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| unit_name | text | — | No | — | — |
| specialization | text | — | No | — | — |
| officer_ids | uuid[] | — | No | '{}' | — |
| status | text | — | No | 'available' | — |
| is_active | boolean | — | No | false | — |
| activation_mode | text | — | Yes | — | CHECK |
| activated_by | uuid | — | Yes | — | FK users.id |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| activated_at | timestamptz | — | Yes | — | — |
| created_at | timestamptz | — | No | now() | — |

**respond_unit_members**

*Officer and responder membership and roles within each response unit.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| unit_id | uuid | — | No | — | FK respond_units.id; UQ composite |
| officer_id | uuid | — | No | — | FK officers.id; UQ composite |
| responder_user_id | uuid | — | Yes | — | FK users.id |
| member_role | text | — | No | 'unassigned' | — |
| is_active | boolean | — | No | true | — |
| created_at | timestamptz | — | No | now() | — |

Dispatch, assignments, and crews

*These tables link reports to MDRRMO or barangay responders and record selected crews.*

**mdrrmo_report_assignments**

*Links an MDRRMO report to assigned responders and tracks their response state.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| report_id | uuid | — | No | — | UQ composite; FK mdrrmo_reports.id |
| responder_id | uuid | — | No | — | FK users.id; UQ composite |
| assigned_by | uuid | — | Yes | — | FK users.id |
| status | text | — | No | 'assigned' | — |
| assigned_at | timestamptz | — | No | now() | — |
| accepted_at | timestamptz | — | Yes | — | — |
| arrived_at | timestamptz | — | Yes | — | — |
| resolved_at | timestamptz | — | Yes | — | — |
| accepted_by | uuid | — | Yes | — | FK users.id |
| arrived_by | uuid | — | Yes | — | FK users.id |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| resolved_by | uuid | — | Yes | — | FK users.id |
| resolved_by_role | text | — | Yes | — | — |
| removed_by | uuid | — | Yes | — | FK users.id |
| removed_at | timestamptz | — | Yes | — | — |

**barangay_report_assignments**

*Links a barangay report to barangay responders and their response roles.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| report_id | uuid | — | No | — | FK barangay_reports.id; UQ composite |
| responder_id | uuid | — | No | — | FK barangay_users.id; UQ composite |
| role | text | — | No | 'team_leader' | — |
| status | text | — | No | 'assigned' | — |
| assigned_by | uuid | — | Yes | — | FK barangay_users.id |
| assigned_at | timestamptz | — | No | now() | — |
| accepted_at | timestamptz | — | Yes | — | — |
| arrived_at | timestamptz | — | Yes | — | — |
| resolved_at | timestamptz | — | Yes | — | — |
| removed_at | timestamptz | — | Yes | — | — |
| removed_by | uuid | — | Yes | — | FK barangay_users.id |

**mdrrmo_report_barangay_assignments**

*Tracks MDRRMO-to-barangay dispatch, arrival, response, and resolution.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| report_id | uuid | — | No | — | FK mdrrmo_reports.id |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| barangay_id | uuid | — | No | — | FK barangays.id |
| assignment_status | text | — | No | 'active' | — |
| response_status | text | — | No | 'pending' | — |
| assignment_notes | text | — | Yes | — | — |
| assigned_by | uuid | — | Yes | — | FK users.id |
| assigned_at | timestamptz | — | No | now() | — |
| updated_at | timestamptz | — | No | now() | — |
| dispatched_by | uuid | — | Yes | — | FK barangay_users.id |
| dispatched_at | timestamptz | — | Yes | — | — |
| responder_ids | uuid[] | — | No | '{}' | — |
| responder_name | text | — | Yes | — | — |
| incident_type | text | — | Yes | — | — |
| severity | text | — | Yes | — | — |
| response_notes | text | — | Yes | — | — |
| responded_by | uuid | — | Yes | — | FK barangay_users.id |
| responded_at | timestamptz | — | Yes | — | — |
| accepted_at | timestamptz | — | Yes | — | — |
| arrived_at | timestamptz | — | Yes | — | — |
| arrival_method | text | — | Yes | — | — |
| arrival_latitude | double precision | — | Yes | — | — |
| arrival_longitude | double precision | — | Yes | — | — |
| resolved_by | uuid | — | Yes | — | FK barangay_users.id |
| resolved_at | timestamptz | — | Yes | — | — |
| resolved_notes | text | — | Yes | — | — |
| escalated_by | uuid | — | Yes | — | FK barangay_users.id |
| escalated_at | timestamptz | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| escalation_notes | text | — | Yes | — | — |

**mdrrmo_assignment_crew_members**

*Records the MDRRMO crew selected for a responder assignment.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| assignment_id | uuid | — | No | — | FK mdrrmo_report_assignments.id; PK composite |
| unit_member_id | uuid | — | No | — | FK respond_unit_members.id; PK composite |
| member_name_snapshot | text | — | No | — | — |
| member_role_snapshot | text | — | No | — | — |
| selected_at | timestamptz | — | No | now() | — |

**mdrrmo_report_barangay_crew_members**

*Records barangay members selected for a coordinated response.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| assignment_id | uuid | — | No | — | FK mdrrmo_report_barangay_assignments.id; PK composite |
| barangay_id | uuid | — | No | — | FK barangays.id |
| member_id | uuid | — | No | — | FK barangay_users.id; PK composite |
| member_name_snapshot | text | — | No | — | — |
| crew_role | text | — | No | — | CHECK |
| selected_at | timestamptz | — | No | now() | — |

Status and assignment history

*These tables preserve report status changes and barangay handoff events.*

**mdrrmo_report_lifecycle_history**

*Records the MDRRMO report status and action history.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | bigserial | — | No | — | PK |
| report_id | uuid | — | No | — | FK mdrrmo_reports.id |
| event_type | text | — | No | — | — |
| actor_id | uuid | — | Yes | — | — |
| actor_role | text | — | Yes | — | — |
| occurred_at | timestamptz | — | No | now() | — |
| details | jsonb | — | No | {} | — |

**barangay_report_lifecycle_history**

*Records the barangay report status and action history.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | bigserial | — | No | — | PK |
| report_id | uuid | — | No | — | FK barangay_reports.id |
| event_type | text | — | No | — | — |
| actor_id | uuid | — | Yes | — | — |
| actor_role | text | — | Yes | — | — |
| occurred_at | timestamptz | — | No | now() | — |
| details | jsonb | — | No | {} | — |

**mdrrmo_report_barangay_assignment_events**

*Records barangay assignment, reassignment, recall, and coordination events.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| report_id | uuid | — | No | — | FK mdrrmo_reports.id |
| assignment_id | uuid | — | Yes | — | FK mdrrmo_report_barangay_assignments.id |
| from_barangay_id | uuid | — | Yes | — | FK barangays.id |
| to_barangay_id | uuid | — | Yes | — | FK barangays.id |
| event_type | text | — | No | — | CHECK |
| actor_id | uuid | — | Yes | — | — |

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| actor_role | text | — | No | — | — |
| notes | text | — | Yes | — | — |
| created_at | timestamptz | — | No | now() | — |

Assistance and transport

*These tables support requests for extra help and injured-person transport.*

**barangay_assistance_requests**

*Records a barangay request for responders, equipment, resources, or MDRRMO help.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| barangay_id | uuid | — | No | — | FK barangays.id |
| requested_by | uuid | — | No | — | FK barangay_users.id |
| incident_report_id | uuid | — | Yes | — | FK barangay_reports.id |
| incident_title | text | — | Yes | — | — |
| needs_more_manpower | boolean | — | No | false | — |
| needs_resources | boolean | — | No | false | — |
| needs_equipment | boolean | — | No | false | — |
| beyond_barangay_capability | boolean | — | No | false | — |
| explanation | text | — | No | — | — |
| status | text | — | No | 'pending' | — |
| decision | text | — | Yes | — | — |
| dispatcher_notes | text | — | Yes | — | — |
| decided_by | uuid | — | Yes | — | FK barangay_users.id |
| decided_at | timestamptz | — | Yes | — | — |
| team_acknowledged | boolean | — | No | false | — |
| created_at | timestamptz | — | No | now() | — |

**resource_requests**

*Records resource requests submitted for dispatcher review.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | uuid | — | No | gen_random_uuid() | PK |
| requested_by | uuid | — | No | — | FK users.id |
| request_type | text | — | No | — | — |
| sub_type | text | — | Yes | — | — |
| details | text | — | No | — | — |
| dispatcher_notes | text | — | Yes | — | — |
| incident_id | uuid | — | Yes | — | FK incidents.id |
| status | text | — | No | 'pending' | — |
| created_at | timestamptz | — | No | now() | — |
| mdrrmo_report_id | uuid | — | Yes | — | FK mdrrmo_reports.id |

**hospital_directory**

*Stores hospital names and coordinates used to select nearby transport destinations.*

| Column Name | Type | Length | Nullable | Default | Key |
|---|---|---|---|---|---|
| id | text | — | No | — | PK |
| name | text | — | No | — | — |
| address | text | — | No | — | — |
| municipality | text | — | No | — | — |
| province | text | — | No | 'Bulacan' | — |
| latitude | double precision | — | No | — | CHECK |
| longitude | double precision | — | No | — | CHECK |
| source_url | text | — | Yes | — | — |
| active | boolean | — | No | true | — |
| updated_at | timestamptz | — | No | now() | — |

PostgreSQL enum values

These enumerated types appear in the fields listed above. Text fields may also have separate CHECK constraints.

| Enum Type | Allowed Values |
|---|---|
| user_role | master_admin, admin, logistics, dispatcher, responder |

| Enum Type | Allowed Values |
|---|---|
| unit_type | police, fire, medical, Rescue Officer, Swift Water Rescue Officer, Mountain Rescue Officer, Emergency Medical Responder (EMR), Ambulance Officer / EMS Personnel, Fire Response Officer, Evacuation Officer, Safety & Security Officer, Traffic & Road Clearing Officer, Communications Officer, Logistics Response Officer, Damage Assessment Officer |
| user_status | active, inactive, pending_verification, occupied, rejected |
| risk_level | low, moderate, high, critical |
| barangay_role | admin, dispatcher, responder, staff |