



# Order Receipt - Tracking # 30-445814566

Service Type - Sequencing Only



**Thank you for your order**

**INSTRUCTIONS:** Please print this form and include a copy with any submitted samples. For NGS orders EXCEPT EZ services, please submit a Sample Form through your online account. For Regulatory orders, also include the Sample Registration PDF.

Ship Samples to (if applicable)	Customer Information	Payment Details	Customer Shipping Address
GENEWIZ, LLC Attn: NGS 111 Corporate Boulevard Suite H loading dock South Plainfield, NJ 07080 USA 877-GENEWIZ	Name: Hollie Putnam Phone: +1-8085541462 PI: Hollie Putnam Company: UNIVERSITY OF RHODE ISLAND Email: hputnam@uri.edu	Payment Type: CC Credit Card Type: Visa Card Number: CC 7832 Submitted Time: 11/16/2020 2:23 PM Account Manager: Ann Robinson Account Manager Email: Ann.robinson@brooks.com	Hollie Putnam University of Rhode Island 120 Flagg Rd Dept of Biological Sciences Kingston Rhode Island 02881 United States +1-4018749510

Order Name	Strand_WGBS_Test
Order Comments	
Estimated Turnaround Time	10-15 business days
Service Package	Preferred (recommended)
Do you need your samples returned?	Yes, please return my samples after completion of my project.
When do you expect to submit samples?	11/17/2020
Attached file(s)	<b>30-445814566 sample submission form.xls</b>
What type of material are your libraries prepared from?	Genomic DNA
What library preparation kit did you use (e.g. Nextera XT)?	Zymo Pico Methyl-Seq™ Library Prep Kit
How many samples are you submitting?	4
How many total libraries are you submitting?	4
What is the estimated size (in bp) of the libraries?	300
How much data (in millions of reads) do you need per individual library?	20
What sequencing platform and configuration would you like to use? (See FAQ #8)	NovaSeq/HiSeq 2x150 bp
Do your libraries contain the Illumina adapter sequences that meet our guidelines (see FAQ #9)?	Yes
Do your samples contain the standard Illumina sequencing primer binding site(s)?	Yes, for both Read 1 and Read 2
Do your samples contain the standard Illumina indexing primer binding site(s)?	Yes, and they contain dual index sequences (i7 and i5, or i5 alone or equivalent)
How long is each index?	8 bp (most dual index applications)
Please indicate if PhiX spike-in is required for this project	Yes, 20% (recommended for taxon identification (i.e. ITS/16S/18S) and WGBS)
Please indicate if any of the following options apply to your project:	Need de-multiplexing (Please provide index information in sample form)
Do you need a technical consultation with your quote?	No
Special Comments	Would like 1 lane of NovaSeq/HiSeq 2x150

Generated on:11/16/2020 19:23



30-445814566






### CUSTOMER INFORMATION:

**Name:** Hollie Putnam  
**Phone:** +1-8085541462  
**PI:** Hollie Putnam  
**Company:** UNIVERSITY OF RHODE ISLAND  
**Email:** hputnam@uri.edu

### PAYMENT DETAILS:

**Payment Type:** Credit Card  
**Credit Card Type:** Visa  
**Card Number:** CC 7832  
**Submitted Time:** 11/16/2020 2:23 PM

### Estimated Price Information

Created Date	Tracking Number	Service Line	Service Item	Order Name	Total Amount
11/16/2020 10:28 AM	30-445814566	Next Generation Sequencing	Sequencing Only	 30-445814566	Strand_WGBS_Test \$ 1935.00

#### Customer Shipping Address:

Hollie Putnam  
University of Rhode Island  
120 Flagg Rd Dept of Biological  
Sciences  
Kingston Rhode Island 02881  
United States  
Phone : +1-4018749510

#### Billing Address:

Hollie Putnam  
University of Rhode Island  
120 Flagg Rd Dept of Biological  
Sciences  
Kingston Rhode Island 02881  
United States  
Phone :

**Subtotal Amount:**\$ 1935.00

**Savings:**\$ 0.00

**Tax:**\$ 00.00

**Total Amount:**\$ 1935.00