

```
CREATE DATABASE emp_management;
```

```
USE emp_management;
```

```
CREATE TABLE users (  
    user_id INT AUTO_INCREMENT PRIMARY KEY,  
    username VARCHAR(50),  
    password VARCHAR(50),  
    role VARCHAR(20)  
);
```

```
INSERT INTO users(username,password,role)  
VALUES  
( 'hadmin','123','HR'),  
( 'manager1','123','Manager');
```

```
CREATE TABLE employees (  
    employee_id INT AUTO_INCREMENT PRIMARY KEY,  
    full_name VARCHAR(100),  
    position VARCHAR(100),  
    department VARCHAR(100),  
    contact_no VARCHAR(30),  
    performance VARCHAR(50),  
    email VARCHAR(100),  
    address VARCHAR(255),  
    status VARCHAR(50)  
);
```

```
CREATE TABLE employee_credentials (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    employee_id INT,  
    username VARCHAR(50),  
    password VARCHAR(50),  
    first_login INT DEFAULT 0,  
    FOREIGN KEY (employee_id)  
    REFERENCES employees(employee_id)  
);
```

```
CREATE TABLE hr_profiles (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    user_id INT,  
    full_name VARCHAR(100),  
    department VARCHAR(100),  
    position VARCHAR(100),  
    email VARCHAR(100),  
    contact_no VARCHAR(30),  
    address VARCHAR(255),  
    status VARCHAR(50),  
    FOREIGN KEY (user_id)  
    REFERENCES users(user_id)  
);
```

```
INSERT INTO hr_profiles  
(user_id,full_name,department,position,email,contact_no,address,status)  
VALUES
```

```
(  
1,  
'Jennifer Reyes',  
'Human Resources',  
'HR Manager',  
'jennifer.hr@gmail.com',  
'09171234567',  
'Quezon City',  
'Active'  
);
```

```
CREATE TABLE manager_profiles (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    user_id INT,  
    full_name VARCHAR(100),  
    department VARCHAR(100),  
    position VARCHAR(100),  
    email VARCHAR(100),  
    contact_no VARCHAR(30),  
    address VARCHAR(255),  
    status VARCHAR(50),  
    FOREIGN KEY (user_id)  
    REFERENCES users(user_id)  
);
```

```
INSERT INTO manager_profiles
```

(user_id,full_name,department,position,email,contact_no,address,status)

VALUES

(

2,

'Michael Cruz',

'Operations',

'Operations Manager',

'michael.manager@gmail.com',

'09181234567',

'Makati City',

'Active'

);

CREATE TABLE requests (

request_id INT AUTO_INCREMENT PRIMARY KEY,

employee_id INT,

employee_name VARCHAR(100),

request_type VARCHAR(30),

request_date VARCHAR(30),

amount VARCHAR(30),

reason TEXT,

status VARCHAR(30)

);