Drug and Alcohol Testing Results Record

Additional Information





lamo	S		1B. Sample Don	or Medication	2. Reason fo	or Testing
ob Title:	_		Medication	Dosage	Random Periodic Investigation Pre-employment Other:	: 🗆
OOB:	_					
Gender: Male Female			Please cont. on reverse si	de if needed		
3. Proof of Identity	Photog inspec	raphic ID available	□ NO - please o	complete part		
PART 1: Photo ID provided:			ID relate	ed number:		
Part 2: An authorised person e re accurate to the best of my kn		olicitor must sign k	pelow. I can confirm I am	able to identify the sample d	onor and that the deta	ails entered abo
Print name:	Signature:		Relationship to Donor:		Employer:	
Sample Donor						
nterpretation of of my test results by the anderstand this includes any result relating rugs screen and give consent for my sailameless against any loss or damage, donor Signature	ng to medication, who mple to be laboratory	ether declared or undeclar tested to confirm the res	ared at the time of sample colle sults of any initial analysis unde	ction. I understand that a chain of cu ertaken. I hold the individuals and tes	stody maybe performed in ting companies involved wi	light of a non-negat
. Alcohol Plea	se confirm tha	t the sample don	or has not eaten dran	nk (except water), smoked	chewed gum	$\overline{}$
		h in the last 15 m			, j	Please in
coung.			illiates.			
· ·		Reading 1:		g 2:Readin	g 3: F	Reading 4:
sreath Results: sult of screen shown approx BREATH ALCOHO /100ml The UK driving limit is 80mg/100ml.	OL CONCENTRATION					Reading 4: ug/100ml
reath Results: sult of screen shown approx BREATH ALCOHO	second reading f second readin to report results	Reading 1: µg/100ml is required 15 minutes in all cases	μg/100r μg/100r ute wait before taking th	ml μg/100n ne second reading	CLIENT	_
sreath Results: Sult of screen shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a so 2. Further reading required in 3. Last reading will be used	second reading f second readin to report results	Reading 1: µg/100ml is required 15 minutes in all cases	μg/100r μg/100r ute wait before taking th	ml μg/100n ne second reading	CLIENT	ug/100ml CUT-OFF LEV µg/100ml
sult of screen shown approx BREATH ALCOHO (100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a so 2. Further reading required it 3. Last reading will be used 1 confirm the above results results results and the second secon	second reading f second readin to report results ecorded are acc	Reading 1: µg/100ml is required 15 minutes in all cases curate and true	Reading pg/100r pg/100	ml μg/100n ne second reading	CLIENT	ug/100ml CUT-OFF LEV µg/100ml
sult of screen shown approx BREATH ALCOHO /100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a so 2. Further reading required it 3. Last reading will be used I confirm the above results remove one Signature	second reading f second readin to report results ecorded are accelerated	Reading 1: µg/100ml is required 15 minutes in all cases curate and true	Reading pg/100r ute wait before taking the e first. Wait 15 minutes Date: Date:	ml μg/100n ne second reading before taking further readin	CLIENT	ug/100ml CUT-OFF LEV µg/100ml
sult of screen shown approx BREATH ALCOHO (100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a so 2. Further reading required it 3. Last reading will be used I confirm the above results represented the solution of the subsection	second reading f second readin to report results ecorded are acc Is and Resu eg) YES all control lines, wh	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. mere magenta test lines	Reading pg/100r pg/100	ml µg/100m	CLIENT g	ug/100ml CUT-OFF LEV µg/100ml
reath Results: sult of screen shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a so 2. Further reading required it 3. Last reading will be used I confirm the above results report Signature 7. Drug Testing: Detail Sample temperature range (32-38 de Valid results require the presence of	second reading f second readin to report results ecorded are acc Is and Resu eg) YES all control lines, wh	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. mere magenta test lines	Reading pg/100r pg/100	ml µg/100m	CLIENT g	ug/100ml CUT-OFF LEV µg/100ml
reath Results: Sult of screen shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a state of the screen shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 2. Further reading required it as a Last reading will be used to a confirm the above results reported to the screen shown approx Breath Sample temperature range (32-38 decomposition) Valid results require the presence of formed line is a negative regardless to the prosence of the screen shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a state of some state of some shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a state of some st	second reading f second readin to report results ecorded are acc Is and Resu eg) YES all control lines, who f how feint the line Negative	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. nere magenta test lines is is. Non-negative	Pate: Date: Drug Tested Ecstasy (MDMA)	ne second reading before taking further readin Date: nor is considered non-negative for	that particular drug. A Non-negative	ug/100ml CUT-OFF LEV µg/100ml
reath Results: sult of screen shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a second	second reading If second reading Ito report results Is and Results In the line In th	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. nere magenta test lines is is.	Pate: Date: Drug Tested Ecstasy (MDMA) Methadone (MTD)	ne second reading before taking further readin pate: nor is considered non-negative for	CLIENT g Breatha that particular drug. A Non-negative	ug/100ml CUT-OFF LEV µg/100ml
reath Results: sult of screen shown approx BREATH ALCOHO (100ml The UK driving limit is 80mg/100ml.) 1. Result of > 0µg/100ml as 2. Further reading required is 3. Last reading will be used 1 confirm the above results report of the sum of th	second reading f second readin to report results ecorded are acc Is and Resu eg) YES all control lines, who f how feint the line Negative	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. nere magenta test lines is is. Non-negative	Peading pg/100r ute wait before taking the efirst. Wait 15 minutes Date: Date: Drug kit Expiry D s do not form, the sample dor Drug Tested Ecstasy (MDMA) Methadone (MTD) Tramadol (TML)	ne second reading before taking further readin Date: nor is considered non-negative for	CLIENT g Breatha that particular drug. A Non-negative	ug/100ml CUT-OFF LEV µg/100ml
reath Results: sult of screen shown approx BREATH ALCOHO 100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a second	second reading If second reading Ito report results Is and Results In the line	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. nere magenta test lines is is.	Pate: Date: Drug Tested Ecstasy (MDMA) Methadone (MTD)	ne second reading before taking further readin Date: Negative	CLIENT G Breatha That particular drug. A Non-negative	ug/100ml CUT-OFF LEV µg/100ml
sult of screen shown approx BREATH ALCOHOMOMITHE UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml as 2. Further reading required in 3. Last reading will be used a 1 confirm the above results report to 1 confirm th	second reading If second reading Ito report results Is and Results In the line In th	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. nere magenta test lines is is.	Peading pg/100r ute wait before taking the efirst. Wait 15 minutes Date: Date: Drug kit Expiry D s do not form, the sample dor Drug Tested Ecstasy (MDMA) Methadone (MTD) Tramadol (TML)	ne second reading before taking further readin Date: nor is considered non-negative for	CLIENT g Breatha that particular drug. A Non-negative	ug/100ml CUT-OFF LEV µg/100ml
sult of screen shown approx BREATH ALCOHO (100ml The UK driving limit is 80mg/100ml. 1. Result of > 0µg/100ml a so 2. Further reading required it 3. Last reading will be used I confirm the above results report to a some support of the substitution of the substituti	second reading If second reading to report results ecorded are access Is and Results eg) YES all control lines, who for how feint the lines Negative	Reading 1: µg/100ml is required 15 minuted is higher than the sin all cases curate and true Its Sample typ Drug kit Lot no. nere magenta test lines is is.	Peading pg/100r ute wait before taking the efirst. Wait 15 minutes Date: Date: Drug kit Expiry D s do not form, the sample dor Drug Tested Ecstasy (MDMA) Methadone (MTD) Tramadol (TML)	ne second reading before taking further readin Date: Negative	that particular drug. A Non-negative	ug/100ml CUT-OFF LEV µg/100ml

Testers signature