
Europeean Materials Modelling Ontology

Version 1.0.0-alpha2

European Materials Modelling Counsil (EMMC)



October 10, 2020




(e.g. physics, chemistry, material science, engineering)











Information and Communication Technologies (e.g. reasoners, platforms, formats)

Abstract

EMMO is an ontology that is created by the Europeean Materials Modelling Council (EMMC) to provide a formal way to describe the fundamental concepts of physics, chemistry and materials science. EMMO is designed to pave the road for semantic interoperability providing a generic common ground for describing materials, models and data that can be adapted by all domains.

It is a representational framework of predefined classes and axioms (ontology) provided by experts (EMMC) that enables end users (industry, research, academy) to represent real life physical entities (materials, devices), models and properties using ontological signs (individuals) in a standard way to facilitate interactions and exchanges (data, software, knowledge) between all involved material modelling and characterization communities and stakeholders.

Keywords: EMMO, materials science, modelling, characterisation, materials, ontology

Authors:

Emanuele Ghedini, University of Bologne Gerhard Goldbeck, Goldbeck Consulting Jesper Friis, SINTEF Adham Hashibon, Fraunhofer IWM Georg Schmitz, ACCESS

Contents

T	Introduction	2
	What is an ontology	3
	Primitive elements in EMMO	
	Theoretical foundations	
	The structure of EMMO	9
2	EMMO Relations	12
_	Root of EMMO relations	
	Mereotopological branch	
	Connected branch	
	Has Part branch	
	Semiotical branch	19
3	EMMO Classes	22
	EMMO branch	22
	Elementary branch	
	Perspective branch	
	Holistic branch	
	Semiotic branch	
	Sign branch	
	Interpreter branch	36
	Object branch	
	Conventional branch	
	Property branch	
	Process branch	
	Perceptual branch	
	Graphical branch	
	Geometrical branch	
	Symbol branch	
	Mathematical branch	
	Mathematical Symbol branch	
	Mathematical Model branch	
	Mathematical Operator branch	
	Metrological branch	
	Physical Dimension branch	
	Physical Quantity branch	
	Number branch	
	Measurement Unit branch	117
	UTF8 branch	129
	SI Base Unit branch	130
	SI Special Unit branch	132
	Prefixed Unit branch	138
	Metric Prefix branch	
	Quantity branch	
	Base Quantity branch	
	Derived Quantity branch	
	Physical Constant branch	
	Reductionistic branch	

	Expression branch	185
	Physicalistic branch	
	Elementary Particle branch	187
	Subatomic branch	189
	Matter branch	190
	Fluid branch	194
	Mixture branch	198
	State Of Matter branch	205
4	Individuals	212
5	Appendix	213
	The complete taxonomy of EMMO relations	213
	The taxonomy of EMMO classes	213

Chapter 1

Introduction

EMMO is a multidisciplinary effort to develop a standard representational framework (the ontology) based on current materials modelling knowledge, including physical sciences, analytical philosophy and information and communication technologies. This multidisciplinarity is illustrated by the figure on the title page. It provides the connection between the physical world, materials characterisation world and materials modelling world.



Figure 1.1: EMMO provides the connection between the physical world, materials characterisation world and materials modelling world.

EMMO is based on and is consistent with the Review of Materials Modelling, CEN Workshop Agreement and MODA template. However, while these efforts are written for humans, EMMO is defined using the Web Ontology Language (OWL), which is machine readable and allows for machine reasoning. In terms of semantic representation, EMMO brings everything to a much higher level than these foundations.

As illustrated in the figure below, EMMO covers all aspects of materials modelling and characterisation, including:

- the material itself, which must be described in a rigorous way
- the observation process involving an observer that percieves the real world (characterisation)
- the **properties** that are measured or modelled
- the physics laws that describe the material behaviour
- the physical models that approximate the physics laws
- the **solver** including the numerical discretisation method that leads to a solvable mathematical representation under certain simplifying assumptions
- the numerical solver that performs the calculations
- the **post processing** of experimental or simulated data



Figure 1.2: The aspects of materials modelling and characterisation covered by EMMO.

EMMO is released under the Creative Commons license and is available at emmo.info/. The OWL2-DL sources are available in RDF/XML format.

What is an ontology

In short, an ontology is a specification of a conceptualization. The word ontology has a long history in philosophy, in which it refers to the subject of existence. The so-called ontological argument for the existence of God was proposed by Anselm of Canterbury in 1078. He defined God as "that than which nothing greater can be thought", and argued that "if the greatest possible being exists in the mind, it must also exist in reality. If it only exists in the mind, then an even greater being must be possible – one which exists both in the mind and in reality". Even though this example has little to do with todays use of ontologies in e.g. computer science, it illustrates the basic idea; the ontology defines some basic premises (concepts and relations between them) from which it is possible reason to gain new knowledge.

For a more elaborated and modern definition of the ontology we refer the reader to the one provided by Tom Gruber (2009). Another useful introduction to ontologies is the paper Ontology Development 101: A Guide to Creating Your First Ontology by Noy and McGuinness (2001), which is based on the Protege sortware, with which EMMO has been developed.

A taxonomy is a hierarchical representation of classes and subclasses connected via <code>is_a</code> relations. Hence, it is a subset of the ontology excluding all but the <code>is_a</code> relations. The main use of taxonomies is for the organisation of classifications. The figure shows a simple example of a taxonomy illustrating a categorisation of four classes into a hierarchy of more higher of levels of generality.



Figure 1.3: Example of a taxonomy.

In EMMO, the taxonomy is a rooted directed acyclic graph (DAG). This is important since many classification methods relies on this property, see e.g. Valentini (2014) and Robison et al (2015). Note, that EMMO is a DAG does not prevent some classes from having more than one parent. A Variable is for instance both a Mathematical and a Symbol. See appendix for the full EMMO taxonomy.

Primitive elements in EMMO



Figure 1.4: The primitive building blocks of EMMO.

Individuals

Individuals are the basic, "ground level" components of EMMO. They may include concrete objects such as cars, flowers, stars, persons and molecules, as well as abstract individuals such as a measured height, a specific equation and software programs.

Individuals possess attributes in form of axioms that are defined by the user (interpreter) upon declaration.

Classes

Classes represent concepts. They are the building blocks that we use to create an ontology as a representation of knowledge. We distinguish between *defined* and *non-defined* classes.

Defined classes are defined by the requirements for being a member of the class. In the graphical representations of EMMO, defined classes are orange. For instance, in the graph of the top-level entity branch below, The root EMMO and a defined class (defined to be the disjoint union of Item and Collection).

Non-defined classes are defined as an abstract group of objects, whose members are defined as belonging to the class. They are yellow in the graphical representations.

Axioms

Axioms are propositions in a logical framework that define the relations between the individuals and classes. They are used to categorise individuals in classes and to define the *defined* classes.

The simplest form of a class axiom is a class description that just states the existence of the class and gives it an unique identifier. In order to provide more knowledge about the class, class axioms typically contain additional components that state necessary and/or sufficient characteristics of the class. OWL contains three language constructs for combining class descriptions into class axioms:

- Subclass (rdfs:subClassOf) allows one to say that the class extension of a class description is a subset of the class extension of another class description.
- Equivalence (owl:equivalentClass) allows one to say that a class description has exactly the same class extension (i.e. the individuals associated with the class) as another class description.
- Distjointness (owl:disjointWith) allows one to say that the class extension of a class description has no members in common with the class extension of another class description.




Figure 1.5: Example of the top-level branch of EMMO showing some classes and relationships between them.

See the section about Description logic for more information about these language constructs. Axioms are also used to define relations between relations. These are further detailed in the chapter on Relations.

Theoretical foundations

EMMO build upon several theoretical frameworks.

Semiotics

Semiotics is the study of meaning-making. It is the dicipline of formulating something that possibly can exist in a defined space and time in the real world.

Mereotopology

Mereotopology is the combination of **mereology** (science of parthood) and **topology** (mathematical study of the geometrical properties and conservation through deformations). It is introdused via the **Item** class and based on the **mereotopological** relations. Items in EMMO are always topologically connected in space and time. EMMO makes a strong distinction between membership and parthood relations. In contrast to collections, items can only have parts that are themselves items. For further information, see Casati and Varzi "Parts and Places" (1999).

Physics

EMMO is strongly based on physics, with the aim of being able to describe all aspects and all domains of physics, from quantum mechanics to continuum, engeneering, chemistry, etc. EMMO is compatible with both the De Broglie - Bohm and the Copenhagen interpretation of quantum mecanics (see Physical for more comments).

EMMO defines a physics-based parthood hierarchy under Physical by introducing the following concepts (illustrated in the figure below):

- Elementary is the fundamental, non-divisible constituent of entities. In EMMO, elementaries are based on the standard model of physics.
- State is a Physical whose parts does not change during its life time (at the chosen level of granularity). This is consistent with a state within e.g. thermodynamics.
- Existent is a succession of states.




Figure 1.6: Parthood hierarchy under Physical.

Metrology

Metrology is the science of measurements. It introduces units and links them to properties. The description of metrology in EMMO is based on the standards of International System of Quantities (ISQ) and International System of Units (SI).

Description logic

Description logic (DL) is a formal knowledge representation language in which the *axioms* are expressed. It is less expressive than first-order logic (FOL), but commonly used for providing the logical formalism for ontologies and semantic web. EMMO is expressed in the Web Ontology Language (OWL), which in turn is based on DL. This brings along features like reasoning.

Since it is essential to have a basic notion of OWL and DL, we include here a very brief overview. For a proper introduction to OWL and DL, we refer the reader to sources like Grau et.al. (2008), OWL2 Primer and OWL Reference.

OWL distinguishes between six types of class descriptions:

- 1. a class identifier (a IRI reference)
- 2. an exhaustive enumeration of individuals that together form the instances of a class (owl:oneOf)
- 3. a property restriction (owl:someValuesFrom, owl:allValuesFrom, owl:hasValue, owl:cardinality, owl:minCardinality, owl:maxCardinality)
- 4. the intersection of two or more class descriptions (owl:intersectionOf)
- 5. the union of two or more class descriptions (owl:unionOf)
- 6. the complement of a class description (owl:complementOf)

Except for the first, all of these refer to defined classes. The table below shows the notation in OWL, DL and the Manchester OWL syntax, all commonly used for the definitions. The Manchester syntax is used by Protege and is designed to not use DL symbols and to be easy and quick to read and write. Several other syntaxes exist for DL. An interesting example is the pure Python syntax proposed by Lamy (2017), which is used in the open source Owlready2 Python package. The Python API for EMMO is also based on Owlready2.

Table 1.1: Notation for DL and Protege. A and B are classes, R is an active relation, S is an passive relation, a and b are individuals and n is a literal. Inspired by the Great table of Description Logics.

DL	Manchester	Python + Owlready2	Read	Meaning
Constants				
Т		Thing	top	A special class with every individual as an instance
$oxed{oxed} oxed{oxed} oxed{oxed} oxed{oxed} oxed{oxed} oxed{oxed} oxed{oxed}$		Nothing	bottom	The empty class
$A \doteq B$			A is defined to be equal to B	Class definition
$A \sqsubseteq B$	A subclass_of B	class A(B): issubclass(A, B)	all A are B	Class inclusion Test for inclusion
$A \equiv B$	A equivalent_to B	A.equivalent_to.append(BA) is equivalent to B B in A.equivalent_to		Class equivalence
				Test for equivalence

DL	Manchester	Python + Owlready2	Read	Meaning
a:A	a is_a A	a = A()	a is a A	Class assertion (instantiation)
		isinstance(a, A)		Test for instance of
(a,b):R	a object property assertion b	a.R.append(b)	a is R-related to b	Property assertion
(a,n):R	a data property assertion n	a.R.append(n)	a is R-related to n	Data assertion
Constructions				
$A \sqcap B$	A and B	A & B	A and B	Class $intersection$ $(conjunction)$
$A \sqcup B$	A or B	A B	A or B	Class union (disjunction)
$\neg A$	not A	Not(A)	not A	Class complement (negation)
$\{a,b,\ldots\}$	{a, b,}	OneOf([a, b,])	one of a, b,	Class enumeration
$S \equiv R^{-}$	S inverse_of R	Inverse(R) S.inverse == R	S is inverse of R	Property inverse Test for inverse
$\forall R.A$	R only A	R.only(A)	all A with R	Universal $restriction$
$\exists R.A$	R some A	R.some(A)	some A with R	Existential
= nR.A	R exactly n A	R.exactly(n, A)		$restriction \ Cardinality$
$\leq nR.A$	R min n A	R.min(n, A)		$restriction \ Minimum \ cardinality$
$\geq nR.A$	R max n A	R.max(n, A)		restriction Minimum cardinality restriction
$\exists R\{a\}$ Decompositions	R value a	R.value(a)		Value restriction
$A \sqcup B \sqsubseteq \bot$	A disjoint with B	AllDisjoint([A,B])	A disjoint with B	Disjoint
	Б	B in A.disjoints()		Test for disjointness
$\exists R. \top \sqsubseteq A$	R domain A	R.domain = [A]		Classes that the restriction applies
$\top \sqsubseteq \forall R.B$	R range B	R.range = [B]		All classes that can be the value of the restriction

Examples

Here are some examples of different class descriptions using both the DL and Manchester notation.

Equivalence (owl:equivalentTo)

Equivalence (\equiv) defines necessary and sufficient conditions.

Parent is equivalent to mother or father

 $\mathbf{DL} \text{:} \; \mathtt{parent} \equiv \mathtt{mother} \, \vee \, \mathtt{father}$

Manchester: parent equivalent_to mother or father

Inclusion (rdf:subclassOf)

Inclusion (\sqsubseteq) defines necessary conditions.

An employee is a person.

 \mathbf{DL} : employee \sqsubseteq person

Manchester: employee is_a person

Enumeration (owl:oneOf)

The color of a wine is either white, rose or red:

 \mathbf{DL} : wine_color $\equiv \{ \text{white, rose, red} \}$

Manchester: wine_color equivalent_to {white, rose, red}

Existential restriction (owl:someValuesFrom)

A mother is a woman that has a child (some person):

 \mathbf{DL} : mother \equiv woman \sqcap \exists has_child.person

Manchester: mother equivalent_to woman and has_child some person

Universal restriction (owl:allValuesFrom)

All parents that only have daughters:

 \mathbf{DL} : parents_with_only_daughters \equiv person \sqcap \forall has_child.woman

Manchester: parents_with_only_daughters equivalent_to person and has_child only woman

Value restriction (owl:hasValue)

The owl:hasValue restriction allows to define classes based on the existence of particular property values. There must be at least one matching property value.

All children of Mary:

DL: Marys_children \equiv person $\sqcap \exists$ has_parent.{Mary}

Manchester: Marys_children equivalent_to person and has_parent value Mary

Property cardinality (owl:cardinality)

The owl:cardinality restrictions (\geq , \leq or \equiv) allow to define classes based on the maximum (owl:maxCardinality), minimum (owl:minCardinality) or exact (owl:cardinality) number of occurences.

A person with one parent:

 \mathbf{DL} : half_orphant \equiv person and =1has_parent.person

Manchester: half_orphant equivalent_to person and has_parent exactly 1 person

Intersection (owl:intersectionOf)

Individuals of the intersection (\sqcap) of two classes, are simultaneously instances of both classes.

A man is a person that is male:

 $\mathbf{DL}\text{: man} \equiv \mathtt{person} \; \sqcap \; \mathtt{male}$

 ${\bf Manchester:} \; {\tt man \; equivalent_to \; person \; and \; male}$

Union (owl:unionOf)

Individuals of the union (\sqcup) of two classes, are either instances of one or both classes.

A person is a man or woman:

 \mathbf{DL} : person \equiv man \sqcup woman

Manchester: person equivalent_to man or woman

Complement (owl:complementOf)

Individuals of the complement (\neg) of a class, are all individuals that are not member of the class.

Not a man:

 \mathbf{DL} : female $\equiv \neg$ male

Manchester: female equivalent_to not male

The structure of EMMO

The EMMO ontology is structured in shells, expressed by specific ontology fragments, that extends from fundamental concepts to the application domains, following the dependency flow.

Top Level

The EMMO top level is the group of fundamental axioms that constitute the philosophical foundation of the EMMO. Adopting a physicalistic/nominalistic perspective, the EMMO defines real world objects as 4D objects that are always extended in space and time (i.e. real world objects cannot be spaceless nor timeless). For this reason abstract objects, i.e. objects that does not extend in space and time, are forbidden in the EMMO.

EMMO is strongly based on the analytical philosophy dicipline semiotic. The role of abstract objects are in EMMO fulfilled by semiotic objects, i.e. real world objects (e.g. symbol or sign) that stand for other real world objects that are to be interpreted by an agent. These symbols appear in actions (semiotic processes) meant to communicate meaning by establishing relationships between symbols (signs).

Another important building block of from analytical philosophy is atomistic mereology applied to 4D objects. The EMMO calls it 'quantum mereology', since the there is a epistemological limit to how fine we can resolve space and time due to the uncertanity principles.

The mereotopology module introduces the fundamental mereotopological concepts and their relations with the real world objects that they represent. The EMMO uses mereotopology as the ground for all the subsequent ontology modules. The concept of topological connection is used to define the first distinction between ontology entities namely the *Item* and *Collection* classes. Items are causally self-connected objects, while collections are causally disconnected. Quantum mereology is represented by the *Quantum* class. This module introduces also the fundamental mereotopological relations used to distinguish between space and time dimensions.

The physical module, defines the *Physical* objects and the concept of *Void* that plays a fundamental role in the description of multiscale objects and quantum systems. It also define the *Elementary* class, that restricts mereological atomism in space.

In EMMO, the only univocally defined real world object is the *Item* individual called **Universe** that stands for the universe. Every other real world object is a composition of elementaries up to the most comprehensive object; the **Universe**. Intermediate objects are not univocally defined, but their definition is provided according to some specific philosophical perspectives. This is an expression of reductionism (i.e. objects are made of sub-objects) and epistemological pluralism (i.e. objects are always defined according to the perspective of an interpreter, or a class of interpreters).

The *Perspective* class collects the different ways to represent the objects that populate the conceptual region between the elementary and universe levels.




Figure 1.7: The EMMO top level.

Middle Level

The middle level ontologies act as roots for extending the EMMO towards specific application domains.



Figure 1.8: The EMMO perspectives.

The *Reductionistic* perspective class uses the fundamental non-transitive parthood relation, called direct parthood, to provide a powerful granularity description of multiscale real world objects. The EMMO can in principle represents the **Universe** with direct parthood relations as a direct rooted tree up to its elementary constituents.

The *Phenomenic* perspective class introduces the concept of real world objects that express of a recognisable pattern in space or time that impress the user. Under this class the EMMO categorises e.g. formal languages, pictures, geometry, mathematics and sounds. Phenomenic objects can be used in a semiotic process as signs.

The *Physicalistic* perspective class introduces the concept of real world objects that have a meaning for the under applied physics perspective.

The *Holistic* perspective class introduces the concept of real world objects that unfold in time in a way that has a meaning for the EMMO user, through the definition of the classes *Process* and *Participant*. The semiotics module introduces the concepts of semiotics and the *Semiosis* process that has a *Sign*, an *Object* and an *Interpreter* as participants. This forms the basis in EMMO to represent e.g. models, formal languages, theories, information and properties.

EMMO relations

All EMMO relations are subrelations of the relations found in the two roots: mereotopological and semiotical. The relation hierarchy extends more vertically (i.e. more subrelations) than horizontally (i.e. less sibling relations), facilitating the categorisation and inferencing of individuals. See also the chapter EMMO Relations.

Imposing all relations to fall under mereotopology or semiotics is how the EMMO force the developers to respect its perspectives. Two entities are related only by contact or parthood (mereotopology) or by standing one for another (semiosis): no other types of relation are possible within the EMMO.

A unique feature in EMMO, is the introduction of *direct parthood*. As illustrated in the figure below, it is a mereological relation that lacks transitivity. This makes it possible to entities made of parts at different levels



Figure 1.9: The semiotic level, showing both the taxonomy (open black arrows) and other relations as listed in the caption. The inverted arrows corresponds to inverse relations.

of granularity and to go between granularity levels in a well-defined manner. This is paramount for cross scale interoperability. Every material in EMMO is placed on a granularity level and the ontology gives information about the direct upper and direct lower level classes using the non-transitive direct parthood relations.




Figure 1.10: Direct parthood.

Annotations

All entities and relations in EMMO have some attributes, called *annotations*. In some cases, only the required *International Resource Identifier* (IRI) and *relations* are provided. However, descriptive annotations, like *elucidation* and *comment*, are planned to be added for all classes and relations. Possible annotations are:

- Elucidation is a human readable explanation and clearification of the documented class or relation.
- Example clearifies the elucidation through an example. A class may have several examples, each addressing different aspects.
- Comment is a clearifying note complementing the definition and elucidation. A class may have several comments, each clearifying different aspects.
- IRI stands for *international resource identifier*. It is an identifier that uniquely identifies the class or relation. IRIs are similar to URIs, but are not restricted to the ASCII character set. In EMMO, the IRIs are now valid URLs pointing to the stable version of EMMO.
- Relations is a list of relations applying to the current class or relation. The relations for relations are special and will be elaborated on in the introduction to chapter [Relations]. Some of the listed relations are defined in the OWL sources, while other are inferred by the reasoner. The relations are expressed using the Manchester OWL syntax introduced in section Description logic.

Chapter 2

EMMO Relations

In the language of OWL, relations are called *properties*. However, since relations describe relations between classes and individuals and since properties has an other meaning in EMMO, we only call them *relations*.

Resource Description Framework (RDF) is a W3C standard that is widely used for describing informations on the web and is one of the standards that OWL builds on. RDF expresses information in form of *subject-predicate-object* triplets. The subject and object are resources (aka items to describe) and the predicate expresses a relationship between the subject and the object.

In OWL are the subject and object classes or individuals (or data) while the predicate is a relation. An example of an relationship is the statement $dog\ is_a\ animal$. Here dog is the subject, is_a the predicate and animal the object.

OWL distingues between *object properties*, that link classes or individuals to classes or individuals, and *data* properties that link individuals to data values. Since EMMO only deals with classes, we will only be discussing object properties. However, in actual simulation or characterisation applications build on EMMO, datatype propertyes will be important.

The characteristics of the different properties are described by the following property axioms:

- rdf:subPropertyOf is used to define that a property is a subproperty of some other property. For instance, in the figure below showing the relation branch, we see that active_relation is a subproperty or relation. The rdf:subPropertyOf axioms forms a taxonomy-like tree for relations.
- owl:equivalentProperty states that two properties have the same property extension.
- owl:inverseOf axioms relate active relations to their corresponding passive relations, and vice versa. The root relation relation is its own inverse.
- owl:FunctionalProperty is a property that can have only one (unique) value y for each instance x, i.e. there cannot be two distinct values y1 and y2 such that the pairs (x,y1) and (x,y2) are both instances of this property. Both object properties and datatype properties can be declared as "functional".
- $\bullet \quad {\tt owl:InverseFunctionalProperty}$
- owl: TransitiveProperty states that if a pair (x,y) is an instance of P, and the pair (y,z) is instance of P, then we can infer that the pair (x,z) is also an instance of P.
- owl:SymmetricProperty states that if the pair (x,y) is an instance of P, then the pair (y,x) is also an instance of P. A popular example of a symmetric property is the siblingOf relation.
- rdfs:domain specifies which classes the property applies to. Or said differently, the valid values of the subject in a subject-predicate-object triplet.
- rdfs:range specifies the property extension, i.e. the valid values of the *object* in a *subject-predicate-object* triplet.




Figure 2.1: Top-level of the EMMO relation hierarchy.

Root of EMMO relations

EMMORelation

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/top/mereotopology} \# EMMO_ec2472ae_cf4a_46a5_8555_1556f5a6c3c5$

Relations:

- is a owl:ObjectProperty
- is_a owl:SymmetricProperty
- is_a owl:TransitiveProperty
- is_a owl:topObjectProperty
- inverse_of mereotopology.EMMORelation
- domain mereotopology.EMMO
- range mereotopology.EMMO

Mereotopological branch




Figure 2.2: Mereotopological branch.

mereotopological

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_03212fd7_abfd_4828_9c8e_62c293052d4b

Comment: Mereotopology merges mereological and topological concepts and provides relations between wholes, parts, boundaries, etc.

- is a owl:ObjectProperty
- is_a owl:SymmetricProperty
- is a owl:TransitiveProperty
- is_a mereotopology.EMMORelation
- $\bullet \ \ Inverse (mereotopology. EMMOR elation)$
- inverse of mereotopology.mereotopological

disconnected

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/top/mereotopology} \# EMMO_517 \\ \text{dfaf9}_4970_41 \\ \text{ac}_81 \\ \text{ee}_d031627 \\ \text{d}2c7 \\ \text{c} \\ \text{mereotopology} \# EMMO_517 \\ \text{dfaf9}_4970_41 \\ \text{ac}_81 \\ \text{ee}_d031627 \\ \text{d}2c7 \\ \text{c} \\ \text{ee}_d031627 \\ \text{d}2c7 \\ \text{c} \\ \text{ee}_d031627 \\ \text{d}2c7 \\ \text{ee}_d031627 \\ \text{d}2c7 \\ \text{ee}_d031627 \\ \text{d}2c7 \\ \text{ee}_d031627 \\$

Relations:

- is_a owl:ObjectProperty
- is_a owl:SymmetricProperty
- Inverse(mereotopology.mereotopological)
- inverse of mereotopology.disconnected

Connected branch




Figure 2.3: Connected branch.

overcrosses

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_9cb984ca_48ad_4864_b09e_50d3fff19420

Relations:

- is_a owl:ObjectProperty
- is a owl:SymmetricProperty
- is_a mereotopology.hasOverlapWith
- Inverse(mereotopology.hasOverlapWith)
- inverse_of mereotopology.overcrosses

hasContactWith

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/top/mereotopology} \# EMMO_4d6504f1_c470_4ce9_b941_bbbebc9ab05d$

Relations:

- is a owl:ObjectProperty
- is a owl:SymmetricProperty
- is_a mereotopology.connected
- Inverse(mereotopology.connected)
- inverse_of mereotopology.hasContactWith

connected

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_6703954e_34c4_4a15_a9e7_f313760ae1a8

Comment: Causality is a topological property between connected items.

Comment: Items being connected means that there is a topological contact or "interaction" between them.

Relations:

- is_a owl:ObjectProperty
- is_a owl:SymmetricProperty
- is_a mereotopology.mereotopological
- Inverse(mereotopology.mereotopological)
- inverse of mereotopology.connected

encloses

Comment: Enclosure is reflexive and transitive.

Relations:

- is_a owl:ObjectProperty
- is a owl:TransitiveProperty
- is_a mereotopology.connected
- Inverse(mereotopology.connected)

hasOverlapWith

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/top/mereotopology} \# EMMO_d893d373_b579_4867_841e_1c2b31a8d2c6$

Relations:

- is_a owl:ObjectProperty
- is_a owl:SymmetricProperty
- \bullet is_a mereotopology.connected
- Inverse(mereotopology.connected)
- inverse of mereotopology.hasOverlapWith

Has Part branch

has Temporal Direct Part

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/reductionistic} \# EMMO_65a2c5b8_e4d8_4a51_b2f8_e55effc0547d$

Relations:

- \bullet is_a owl:ObjectProperty
- is_a owl:InverseFunctionalProperty
- is_a owl:AsymmetricProperty
- is a owl:IrreflexiveProperty
- is a physical.hasTemporalPart
- domain reductionistic.Existent
- range reductionistic.State

has Spatio Temporal Part

IRI: http://emmo.info/emmo/top/physical#EMMO_6e046dd0_9634_4013_b2b1_9cc468087c83

- is a owl:ObjectProperty
- \bullet is_a owl:TransitiveProperty
- is a mereotopology.hasProperPart




Figure 2.4: Has Part branch.

- domain mereotopology.Item
- range mereotopology.Item

has Temporal Part

IRI: http://emmo.info/emmo/top/physical#EMMO_7afbed84_7593_4a23_bd88_9d9c6b04e8f6

Relations:

- is_a owl:ObjectProperty
- $\bullet \ \ is_a \ owl: Transitive Property$
- $\bullet \hspace{0.1in} is_a \hspace{0.1in} mereotopology.hasProperPart \\$
- $\bullet \;$ domain mereotopology. Item
- range mereotopology.Item

has Spatio Temporal Direct Part

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/reductionistic} \# EMMO_663859e5_add3_4c9e_96fb_c99399de278d$

Relations:

- \bullet is_a owl:ObjectProperty
- $\bullet \ \ is_a \ owl: Inverse Functional Property$
- is_a owl:AsymmetricProperty
- is_a owl:IrreflexiveProperty
- is_a physical.hasSpatioTemporalPart

hasPart

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/top/mereotopology} \# EMMO_17e27c22_37e1_468c_9dd7_95e137f73e7f$

- is_a owl:ObjectProperty
- is a owl:TransitiveProperty
- is_a mereotopology.encloses
- is_a mereotopology.hasOverlapWith

• Inverse(mereotopology.hasOverlapWith)

hasReferenceUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_67fc0a36_8dcb_4ffa_9a43_31074efa3296

Comment: Relates the physical quantity to its unit through spatial direct parthood.

Versioninfo: In EMMO version 1.0.0-alpha2, physical quantities used the hasReferenceUnit object property to relate them to their units via physical dimensionality. This was simplified in 1.0.0-alpha3 in order to make reasoning faster.

The restriction (e.g. for the physical quantity Length)

Length hasReferenceUnit only (hasPhysicsDimension only LengthDimension)

was in 1.0.0-alpha3 changed to

Length hasPhysicsDimension some LengthDimension

Likewise were the universal restrictions on the corresponding unit changed to excistential. E.g.

Metre hasPhysicsDimension only LengthDimension

was changed to

Metre hasPhysicsDimension some LengthDimension

The label of this class was also changed from PhysicsDimension to PhysicalDimension.

Relations:

- is a owl:ObjectProperty
- is_a owl:InverseFunctionalProperty
- is a owl:AsymmetricProperty
- is a owl:IrreflexiveProperty
- $\bullet \hspace{0.1in} is_a \hspace{0.1in} reduction istic. has Spatial Direct Part$
- domain metrology.Quantity
- range metrology.ReferenceUnit

hasQuantityValue

IRI: http://emmo.info/emmo/middle/metrology#EMMO_8ef3cd6d_ae58_4a8d_9fc0_ad8f49015cd0

Comment: Relates a quantity to its reference unit through spatial direct parthood.

Relations:

- is_a owl:ObjectProperty
- \bullet is_a owl:InverseFunctionalProperty
- is a owl:AsymmetricProperty
- is a owl:IrreflexiveProperty
- $\bullet \hspace{0.1in} is_a \hspace{0.1in} reduction istic. has Spatial Direct Part$
- domain metrology.Quantity
- range math.Numerical

hasMember

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_6b7276a4_4b9d_440a_b577_0277539c0fc4

- is a owl:ObjectProperty
- is a owl:AsymmetricProperty
- is_a owl:IrreflexiveProperty
- is a mereotopology.hasProperPart
- domain mereotopology.Collection

• range mereotopology.Item

hasProperParticipant

IRI: http://emmo.info/emmo/middle/holistic#EMMO_c5aae418_1622_4d02_93c5_21159e28e6c1

Relations:

- is a owl:ObjectProperty
- is_a holistic.hasParticipant
- is a mereotopology.hasProperPart

hasProperPart

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_9380ab64_0363_4804_b13f_3a8a94119a76

Relations:

- is_a owl:ObjectProperty
- is_a owl:TransitiveProperty
- is_a mereotopology.hasPart

has Spatial Direct Part

IRI: http://emmo.info/emmo/middle/reductionistic#EMMO b2282816 b7a3 44c6 b2cb 3feff1ceb7fe

Relations:

- is_a owl:ObjectProperty
- is_a owl:InverseFunctionalProperty
- is_a owl:AsymmetricProperty
- is_a owl:IrreflexiveProperty
- is_a physical.hasSpatialPart
- domain reductionistic.State

hasParticipant

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/holistic} \# EMMO_ae2d1a96_bfa1_409a_a7d2_03d69e8a125a$

Comment: Participation is a parthood relation: you must be part (and then be connected) of the process to contribute to it.

Comment: Participation is not under direct parthood since a process is not strictly related to reductionism, but it's a way to categorize temporal regions by the interpreters.

Relations:

- is_a owl:ObjectProperty
- is a mereotopology.hasPart
- domain holistic.Process
- range holistic.Participant

hasSpatialPart

IRI: http://emmo.info/emmo/top/physical#EMMO_f68030be_94b8_4c61_a161_886468558054

- is_a owl:ObjectProperty
- is_a owl:TransitiveProperty
- is a mereotopology.hasProperPart
- domain mereotopology.Item

• range mereotopology.Item

Semiotical branch




Figure 2.5: Semiotical branch.

has Physical Dimension

IRI: http://emmo.info/emmo/middle/metrology#EMMO_bed1d005_b04e_4a90_94cf_02bc678a8569

Relations:

- is_a owl:ObjectProperty
- is_a properties.hasProperty
- ullet range metrology. Physical Dimension

hasIcon

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/semiotics} \# EMMO_39c3815d_8cae_4c8f_b2ff_eeba24bec455$

Relations:

- is a owl:ObjectProperty
- is_a semiotics.hasSign
- range semiotics.Icon

hasIndex

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/semiotics} \# EMMO_297999d6_c9e4_4262_9536_bd524d1c6e21$

- is_a owl:ObjectProperty
- $\bullet \;$ is _a semiotics.has Sign
- range semiotics.Index

hasModel

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO} \underline{24c71baf_6db6_48b9_86c8_8c70cf36db0c}$

Relations:

- is_a owl:ObjectProperty
- is_a semiotics.hasIcon

semiotical

IRI: http://emmo.info/emmo/middle/semiotics#EMMO_2337e25c_3c60_43fc_a8f9_b11a3f974291

Relations:

- is_a owl:ObjectProperty
- \bullet is_a mereotopology.EMMORelation
- Inverse(mereotopology.EMMORelation)

hasInterpretant

IRI: http://emmo.info/emmo/middle/semiotics#EMMO_7fb7fe7e_bdf9_4eeb_adad_e384dd5285c6

Relations:

- is a owl:ObjectProperty
- is_a semiotics.hasSign
- range semiotics.Interpretant

hasSign

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/semiotics} \# EMMO_60577 \\ \text{dea}_9019_4537_ac41_80b0 \\ \text{fb} 563 \\ \text{d} 4111 \\ \text{d} 1111 \\ \text{d} 11111 \\ \text{d} 1111 \\ \text{d$

Relations:

- is_a owl:ObjectProperty
- is a semiotics.semiotical
- domain semiotics. Object
- range semiotics.Sign

hasVariable

IRI: http://emmo.info/emmo/middle/math#EMMO_3446e167_c576_49d6_846c_215bb8878a55

Relations:

- is_a owl:ObjectProperty
- \bullet is_a semiotics.hasConvention
- domain math.Mathematical
- range math. Variable

hasConvention

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/semiotics} \# EMMO_eb3518bf_f799_4f9e_8c3e_ce59af11453b$

- is_a owl:ObjectProperty
- is a semiotics.hasSign
- $\bullet\,\,$ range semiotics. Conventional

hasProperty

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/properties} \# EMMO_e1097637_70d2_4895_973f_2396f04fa204$

- $\bullet\,\,$ is _a semiotics.has Convention
- domain semiotics. Object
- range properties.Property

Chapter 3

EMMO Classes

emmo is a class representing the collection of all the individuals (signs) that are used in the ontology. Individuals are declared by the EMMO users when they want to apply the EMMO to represent the world.

EMMO branch




Figure 3.1: EMMO branch.

The root of all classes used to represent the world. It has two children; collection and item.

collection is the class representing the collection of all the individuals (signs) that represents a collection of non-connected real world objects.

item Is the class that collects all the individuals that are members of a set (it's the most comprehensive set individual). It is the branch of mereotopology.

Item

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_eb3a768e_d53e_4be9_a23b_0714833c36de

Comment: A real world object is self-connected if any two parts that make up the whole are connected to each other (here the concept of connection is primitive).

Alternatively, using the primitive path-connectivity concept we can define a self-connected real world object as an object for which each couple of points is path-connected.

Comment: An 'Item' individual stands for a real world self-connected object which can be represented as a whole made of connected parts (e.g. a car made of components).

In the EMMO, connectivity is the topological foundation of causality.

All physical systems, i.e. systems whose behaviour is explained by physics laws, are represented only by 'Item'-s.

Members of a 'Collection' lack of causality connection, i.e. they do not constitute a physical system as a whole.

Comment: From Latin item, "likewise, just so, moreover".

Relations:

- is_a mereotopology.EMMO
- disjoint_union_of physical.Void, physical.Physical

Collection

IRI: http://emmo.info/emmo/top/mereotopology#EMMO 2d2ecd97 067f 4d0e 950c d746b7700a31

Elucidation: The class of all individuals that stand for a real world not self-connected object.

Comment: A 'Collection' individual stands for a non-self-connected real world object.

A 'Collection' individual is related to each 'Item' individuals of the collection (i.e. the members) through the membership relation.

An 'Item' individual stands for a real world self-connected object which can be represented as a whole made of connected parts (e.g. a car made of components).

Comment: Formally, 'Collection' is axiomatized as the class of individuals that has Member some 'Item'.

A 'Collection' cannot have as member another 'Collection'.

Comment: From Latin collectio, from colligere 'gather together'.

Comment: e.g. the collection of users of a particular software, the collection of atoms that have been part of that just dissociated molecule, or even the collection of atoms that are part of a molecule considered as single individual non-connected objects and not as a mereotopological self-connected fusion.

Relations:

- is a mereotopology.EMMO
- mereotopology.hasMember some mereotopology.Item

Void

IRI: http://emmo.info/emmo/top/physical#EMMO 29072ec4 ffcb 42fb bdc7 26f05a2e9873

Elucidation: A 'Item' that has no 'Physical' parts.

Comment: From Latin vacuus, "empty".

Comment: The void concept is paramount for the representation of physical systems according to quantum theory.

- is a mereotopology. Item
- mereotopology.hasPart only physical.Void

EMMO

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_802d3e92_8770_4f98_a289_ccaaab7fdddf

Elucidation: The class representing the collection of all the individuals declared in this ontology standing for real world objects.

Comment: 'EMMO' is the disjoint union of 'Item' and 'Collection' (covering axiom).

The union implies that 'EMMO' individuals can only be 'Item' individuals (standing for self-connected real world objects) or 'Collection' individuals (standing for a collection of disconnected items).

Disjointness means that a 'Collection' individual cannot be an 'Item' individual and viceversa, representing the fact that a real world object cannot be self-connected and non-self connected at the same time.

Comment: For the EMMO ontologist the whole universe is represented as a 4D path-connected topological manifold (i.e. the spacetime).

A real world object is then a 4D topological sub-region of the universe.

A universe sub-region is isolated and defined as a real world object by the ontologist. Then, through a semiotic process that occurs at meta-ontological level (i.e. outside the ontology). an EMMO ontology entity (e.g. an OWL individual) is assigned to represent that real world object.

The fundamental distinction between real world objects, upon which the EMMO is based, is self-connectedness: a real world object can be self-connected xor not self-connected.

Comment: In the EMMO we will refer to the universe as a Minkowski space, restricting the ontology to special relativity only. However, exension to general relativity, will adding more complexity, should not change the overall approach.

Comment: Mereotopology is the fundamental logical representation used by the EMMO ontologist to characterize the universe and to provide the definitions to connect real world objects to the EMMO concepts.

Parthood relations do not change dimensionality of the real world object referred by an 'EMMO' individual, i.e. every part of a real world object always retains its 4D dimensionality.

The smallest part of a real world object (i.e. a part that has no proper parts) is referred in the EMMO by a 'Quantum' individual.

It follows that, for the EMMO, real world objects of dimensionality lower than 4D (e.g. surfaces, lines) do not exist.

Relations:

- is_a owl:Thing
- equivalent to mereotopology.hasPart some mereotopology.Quantum
- equivalent to Inverse(mereotopology.hasPart) value mereotopology.Universe
- $\bullet \ \ disjoint_union_of\ mereotopology. Collection,\ mereotopology. Item$

Physical

IRI: http://emmo.info/emmo/top/physical#EMMO_c5ddfdba_c074_4aa4_ad6b_1ac4942d300d

Elucidation: A 'Item' that has part some 'Elementary' and whose temporal proper parts are only 'Physical'-s (i.e. it can be perceived without interruptions in time).

Comment: A 'Physical' is the class that contains all the individuals that stand for real world objects that interact physically with the ontologist, i.e. physical objects.

A physical object must be perceived through physical interaction by the ontologist. Then the ontologist can declare an individual standing for the physical object just perceived.

Perception is a subcategory of physical interactions. It is an interaction that stimulate a representation of the physical object within the ontologist (the agent).

Comment: A 'Physical' must include at least an 'Elementary' part, and can include 'Void' parts.

A 'Physical' may include as part also the 'Void' surrounding or enclosed by its 'Physical' sub parts.

There are no particular criteria for 'Physical'-s structure, except that is made of some 'Elementary'-s as proper parts and not only 'Void'.

This is done in order to take into account the quantum nature of physical systems, in which the actual position of sub-components (e.g. electrons in an atom) is not known except for its probability distribution function (according to the Copenhagen interpretation.)

e.g. a real world object that has spatial parts an atom and a cubic light year of void, extending for some time, can be a physical object.

Comment: A 'Physical' with dimensions other than 4D cannot exist, following the restriction of the parent 'EMMO' class.

It follows from the fact that perception is always unfolding in time.

e.g. you always have an aperture time when you take a picture or measure a property. Instantaneous perceptions are idealizations (abstractions) or a very small time measurement.

Comment: From Latin physica "study of nature" (and Ancient Greek φυσικός, "natural").

Here the word relates to things perceived through the senses as opposed to the mind; tangible or concrete.

Comment: In the EMMO there are no relations such as occupiesSpace, since 'Physical'-s are themselves the 4D regions.

Comment: The EMMO can be used to represent real world entities as 'Physical'-s that are easy to connect to classical or quantum mechanical based models.

Classical mechanics poses no representational issues, for the EMMO: the 4D representation of 'Physical'-s is consistent with classical physics systems.

However, the representation of 'Physical'-s that are typically analized through quantum mechanics (e.g. molecules, atoms, clusters), is not straightforward.

1) De Broglie - Bohm interpretation The most simple approach is to rely on Bohmian mechanics, in which each particle is supposed to exists in a specific position between measurements (hidden variables approach), while its trajectory is calculated using a Guiding Equation based on a quantum field calculated with the Schroedinger Equation.

While this approach is really easy to implement in an ontology, since each entity has its own well defined 4D region, its mathematical representation failed to receive large consensus due to the difficulties to include relativistic effects, to be extended to subnuclear scale and the strong non-locality assumtpion of the quantum field.

Nevertheless, the Bohmian mechanics is a numerical approach that is used in electronic models to reduce the computational effort of the solution of Schroedinger Equation.

In practice, an EMMO user can declare a 'physical' individual that stand for the whole quantum system to be described, and at the same time all sub-parts individuals can be declared, having them a well defined position in time, according to De Broglie - Bohm interpretation. The Hamiltonian can be calculated by considering the sub-part individuals.

'physical'-s are then made of 'physical' parts and 'void' parts that stand for the space between 'physical'-s (e.g. the void between electrons and nucleus in an atom).

2) Copenhagen interpretation In this interpretation the properties (e.g. energy level, position, spin) of a particle are not defined in the interval between two measurements and the quantum system is entangled (i.e. properties of particles in the sysyem are correlated) and described by a global wavefunction obtained solving the Schroedinger Equation.

Upon measurement, the wavefunction collapses to a combination of close eigenstates that provide information about bservables of the system components (e.g. position, energy).

The EMMO can be used to represent 'physical'-s that can be related to Copenhagen based models. In practice, the user should follow these steps:

a) define the quantum system as a 'physical' individual (e.g. an H2 molecule) under a specific class (e.g. 'h2_molecule'). This individual is the whole.

- b) define the axioms of the class that describe how many sub-parts are expected for the whole and their class types (e.g. 'h2_molecule' has axioms 'has_proper_part exactly 2 electron' and 'has_proper_part exactly 2 nucleus)
- c) the user can now connect the whole to a Schroedinger equation based model whose Hamiltonian is calculated trough the information coming only from the axioms. No individuals are declared for the subparts!
- d) a measurement done on the quantum system that provides information on the sub-part observables is interpreted as wavefunction collapse and leads to the end of the whole and the declaration of the subparts individuals which can be themselves other quantum systems

e.g. if the outer electron of the H2 molecule interacts with another entity defining its state, then the whole that stands for the entangled H2 molecule becomes a 'physical' made of an electron individual, a quantum system made of one electron and two nuclei and the void between them.

e.g. in the Born-Oppenheimer approximation the user represent the atom by un-entangling nucleus and electronic cloud. The un-entanglement comes in the form of declaration of individual as parts.

e.g. the double slit experiment can be represent in the EMMO as: a) before the slit: a 'physical' that extend in space and has parts 'electron' and 'void', called 'single_electron_wave_function'. 'electron' and 'void' are only in the axioms and not decalred individuals. b) during slit passage: a 'physical' made of one declared individual, the 'electron'. c) after the slit: again 'single_electron_wave_function' d) upon collision with the detector: 'physical' made of one declared individual, the 'electron'.

Comment: The purpose of the 'Physical' branch is to provide a representation of the real world objects, while the models used to name, explain or predict the behaviour of the real world objects lay under the 'Semiotic' branch.

More than one semiotic representation can be connected to the same 'Physical'.

e.g. Navier-Stokes or Euler equation applied to the same fluid are an example of mathematical model used to represent a physical object for some specific interpreter.

Relations:

- is_a mereotopology.Item
- mereotopology.hasPart some physical.Elementary
- $\bullet \ \ physical. has Temporal Part\ only\ physical. Physical$

Individuals:

• mereotopology.Universe

Quantum

IRI: http://emmo.info/emmo/top/mereotopology#EMMO_3f9ae00e_810c_4518_aec2_7200e424cf68

Elucidation: The class of 'EMMO' individuals that stand for real world objects that can't be further divided in time nor in space.

Example: For a physics based ontology the 'Quantum' can stand for the smallest identifiable portion of spacetime defined by the Planck limit in length (1.616e-35 m) and time (5.39e-44 s).

However, the quantum mereotopology approach is not restricted only to physics. For example, in a manpower management ontology, a 'Quantum' can stand for an hour (time) of a worker (space) activity.

Comment: A 'Quantum' is the most fundamental subclass of 'Item', since its individuals stand for the smallest possible self-connected 4D real world objects.

The quantum concept recalls the fact that there is lower epistemological limit to our knowledge of the universe, related to the uncertainty principle.

Comment: A 'Quantum' stands for a 4D real world object.

Comment: A quantum is the EMMO mereological 4D a-tomic entity.

To avoid confusion with the concept of atom coming from physics, we will use the expression quantum mereology, instead of a-tomistic mereology.

Comment: From Latin quantum (plural quanta) "as much as, so much as;", introduced in physics directly from Latin by Max Planck, 1900.

Relations:

- is_a mereotopology.Item
- is_a mereotopology.EMMO
- mereotopology.hasProperPart only owl:Nothing

Elementary branch




Figure 3.2: Elementary branch.

Elementary

IRI: http://emmo.info/emmo/top/physical#EMMO 0f795e3e c602 4577 9a43 d5a231aa1360

Elucidation: The basic constituent of 'item'-s that can be proper partitioned only in time up to quantum level.

Comment: According to mereology, this should be call 'a-tomistic' in the strict etimological sense of the word (from greek, a-tomos: un-divisible).

Mereology based on such items is called atomistic mereology.

However, in order not to confuse the lexicon between mereology and physics (in which an atom is a divisible physical entity) we prefer to call it 'elementary', recalling the concept of elementary particle coming from the standard particles model.

Comment: From Latin elementārius ("elementary"), from elementum ("one of the four elements of antiquity; fundamentals")

Comment: While a 'Quantum' is a-tomistic in time and space, an 'elementary' is a-tomistic only in space, recalling the concept of elementary particle.

Relations:

- is_a physical.Physical
- physical.hasTemporalPart only physical.Elementary
- $\bullet \ \ physical.has Spatial Part\ only\ owl: Nothing$

Perspective branch

Perspective

IRI: http://emmo.info/emmo/top#EMMO 49267eba 5548 4163 8f36 518d65b583f9

Elucidation: The class of individuals that stand for real world objects according to a specific representational perspective.




Figure 3.3: Perspective branch.

Comment: This class is the practical implementation of the EMMO pluralistic approach for which the only objective categorization is provided by the Universe individual and all the Quantum individuals.

Between these two extremes, there are several subjective ways to categorize real world objects, each one provide under a 'Perspective' subclass.

Relations:

• is_a physical.Physical

Holistic branch




Figure 3.4: Holistic branch.

Holistic

IRI: http://emmo.info/emmo/middle/holistic#EMMO 0277f24a ea7f 4917 81b7 fb0406c8fc62

Elucidation: A union of classes that categorize physicals under a holistic perspective: the interest is on the whole 4D object (process) and the role of its 4D parts (participants) without going further into specifying the spatial hierarchy or the temporal position of each part.

Comment: An holistic perspective considers each part of the whole as equally important, without the need of a granularity hierarchy (in time or space).

A molecule of a body can have role in the body evolution, without caring if its part of a specific organ and without specifying the time interval in which this role occurred.

This class allows the picking of parts without necessarily going trough a rigid hierarchy of spatial compositions (e.g. body \rightarrow organ \rightarrow cell \rightarrow molecule) or temporal composition.

Comment: Holism (from Greek όλος holos "all, whole, entire")

Relations:

- is_a top.Perspective
- equivalent to holistic.Process or holistic.Participant

Device

IRI: http://emmo.info/emmo/middle/manufacturing#EMMO_494b372c_cfdf_47d3_a4de_5e037c540de8

Elucidation: An engineered object which is instrumental for reaching a particular purpose through its characteristic functioning process, with particular reference to mechanical or electronic equipment.

Comment: From Old French "deviser", meaning: arrange, plan, contrive.

Literally "dispose in portions," from Vulgar Latin "divisare", frequentative of Latin dividere, meaning "to divide"

Relations:

- is a manufacturing. Engineered
- Inverse(holistic.hasProperParticipant) some manufacturing.DiscreteManufacturing

EngineeredMaterial

IRI: http://emmo.info/emmo/middle/manufacturing#EMMO ec7464a9 d99d 45f8 965b 4e9230ea8356

Comment: A material that is synthesized within a manufacturing process.

Relations:

- is a manufacturing. Engineered
- is_a physicalistic.Material
- Inverse(holistic.hasProperParticipant) some manufacturing.ContinuousManufacturing

Engineered

IRI: http://emmo.info/emmo/middle/manufacturing#EMMO_86ca9b93_1183_4b65_81b8_c0fcd3bba5ad

Elucidation: A 'physical' that stands for a real world object that has been designed and manufactured for a particular purpose.

Example: Car, tire, composite material.

Comment: The 'Engineered' branch represents real world objects that show some level of complexity/heterogeneity in their composition, and are made for a specific use.

Relations:

- is a holistic.Participant
- Inverse(holistic.hasProperParticipant) some manufacturing.Manufacturing

Participant

IRI: http://emmo.info/emmo/middle/holistic#EMMO_49804605_c0fe_4538_abda_f70ba1dc8a5d

Elucidation: A portion of a 'Process' that participates to the process with a specific role.

Comment: In the EMMO the relation of participation to a process falls under mereotopology.

Since topological connection means causality, then the only way for a real world object to participate to a process is to be a part of it.

Relations:

- is a holistic. Holistic
- is_a physical.Physical
- Inverse(holistic.hasParticipant) some holistic.Process

Semiotic branch




Figure 3.5: Semiotic branch.

Semiotic

IRI: http://emmo.info/emmo/middle/semiotics#EMMO_b803f122_4acb_4064_9d71_c1e5fd091fc9

Elucidation: The class of individuals that stands for semiotic objects, i.e. objects that take part on a semiotic process.

Comment: Semiotic subclasse are defined using Peirce's semiotic theory.

"Namely, a sign is something, A, which brings something, B, its interpretant sign determined or created by it, into the same sort of correspondence with something, C, its object, as that in which itself stands to C." (Peirce 1902, NEM 4, 20–21).

The triadic elements: - 'sign': the sign A (e.g. a name) - 'interpretant': the sign B as the effects of the sign A on the interpreter (e.g. the mental concept of what a name means) - 'object': the object C (e.g. the entity to which the sign A and B refer to)

This class includes also the 'interpeter' i.e. the entity that connects the 'sign' to the 'object'

Relations:

- is_a holistic.Participant
- Inverse(holistic.hasProperParticipant) some semiotics.Semiosis
- equivalent to semiotics. Interpreter or semiotics. Object or semiotics. Sign

Sign branch

Sign

IRI: http://emmo.info/emmo/middle/semiotics#EMMO b21a56ed f969 4612 a6ec cb7766f7f31d

Elucidation: An 'Physical' that is used as sign ("semeion" in greek) that stands for another 'Physical' through an semiotic process.

Example: A novel is made of chapters, paragraphs, sentences, words and characters (in a direct parthood mereological hierarchy).

Each of them are 'sign'-s.



Figure 3.6: Sign branch.

A character can be the a-tomistic 'sign' for the class of texts.

The horizontal segment in the character "A" is direct part of "A" but it is not a 'sign' itself.

For plain text we can propose the ASCII symbols, for math the fundamental math symbols.

Comment: A 'Sign' can have temporal-direct-parts which are 'Sign' themselves.

A 'Sign' usually have 'sign' spatial direct parts only up to a certain elementary semiotic level, in which the part is only a 'Physical' and no more a 'Sign' (i.e. it stands for nothing). This elementary semiotic level is peculiar to each particular system of signs (e.g. text, painting).

Just like an 'Elementary' in the 'Physical' branch, each 'Sign' branch should have an a-tomistic mereological part.

Comment: According to Peirce, 'Sign' includes three subcategories: - symbols: that stand for an object through convention - indeces: that stand for an object due to causal continguity - icon: that stand for an object due to similitudes e.g. in shape or composition

Relations:

- is_a semiotics.Semiotic
- equivalent_to semiotics.Index or semiotics.Conventional or semiotics.Icon

ArcMinute

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 1e0b665d db6c 4752 a6d4 262d3a8dbb46

Definition: Measure of plane angle defined as 1/60 or a degree.

Altlabel: MinuteOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCMIN

Relations:

- is_a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value " "

Interpretant

IRI: http://emmo.info/emmo/middle/semiotics#EMMO_054af807_85cd_4a13_8eba_119dfdaaf38b

Elucidation: The interpreter's internal representation of the object in a semiosis process.

Relations:

• is_a semiotics.Sign

Minute

Definition: Non-SI time unit defined as 60 seconds. **Dbpediaentry:** http://dbpedia.org/page/Minute **Qudtentry:** http://qudt.org/vocab/unit/MIN

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.TimeDimension

• perceptual.hasSymbolData value "min"

SpecialUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO 3ee80521 3c23 4dd1 935d 9d522614a3e2

Elucidation: A unit symbol that stands for a derived unit.

Example: Pa stands for N/m2 J stands for N m

Comment: Special units are semiotic shortcuts to more complex composed symbolic objects.

Relations:

 \bullet is_a metrology.DerivedUnit

• is_a metrology.UnitSymbol

• is_a semiotics.Sign

• Inverse(semiotics.hasSign) some metrology.DerivedUnit

AstronomicalUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_053648 \\ \text{ea}_3c0 \\ \text{a}_468 \\ \text{c}_89 \\ \text{cb}_eb009239323 \\ \text{a}_468 \\ \text{c}_89 \\ \text{cb}_eb009239323 \\ \text{c}_89 \\ \text{c}$

Definition: One astronomical unit is defined as exactly 149597870700 m, which is roughly the distance from earth to sun.

Dbpediaentry: http://dbpedia.org/page/Astronomical_unit

 ${\bf Qudtentry:\ http://qudt.org/vocab/unit/PARSEC}$

Wikipediaentry: https://en.wikipedia.org/wiki/Astronomical_unit

Relations:

 \bullet is_a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.LengthDimension

• perceptual.hasSymbolData value "au"

Index

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/semiotics} \# EMMO_0cd58641_824c_4851_907f_f4c3be76630c$

Elucidation: A 'Sign' that stands for an 'Object' due to causal continguity.

Example: Smoke stands for a combustion process (a fire). My facial expression stands for my emotional status.

Relations:

• is a semiotics.Sign

Degree

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_b8830065_3809_41b7_be3c_e33795567fd9$

Definition: Degree is a measurement of plane angle, defined by representing a full rotation as 360 degrees.

Dbpediaentry: http://dbpedia.org/page/Degree_(angle) **Iupacentry:** https://doi.org/10.1351/goldbook.D01560

Qudtentry: http://qudt.org/vocab/unit/DEG

Relations:

- is_a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "°"

Neper

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_b41515a9_28d8_4d78_8165_74b2fc72f89e$

Definition: Unit of measurement for quantities of type level or level difference, which are defined as the natural logarithm of the ratio of power- or field-type quantities.

The value of a ratio in nepers is given by ln(x1/x2) where x1 and x2 are the values of interest (amplitudes), and ln is the natural logarithm. When the values are quadratic in the amplitude (e.g. power), they are first linearised by taking the square root before the logarithm is taken, or equivalently the result is halved.

Wikipedia

Dbpediaentry: http://dbpedia.org/page/Neper

Iupacentry: https://doi.org/10.1351/goldbook.N04106

Qudtentry: http://qudt.org/vocab/unit/NP

Wikipediaentry: https://en.wikipedia.org/wiki/Neper

Relations:

- \bullet is_a units-extension.SIAcceptedSpecialUnit
- \bullet is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "Np"

Litre

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_a155dc93_d266_487e_b5e7_2a2c72d5ebf9$

Definition: A non-SI unit of volume defined as 1 cubic decimetre (dm3),

Iupacentry: https://doi.org/10.1351/goldbook.L03594

Qudtentry: http://qudt.org/vocab/unit/L

- is a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Volume Dimension$
- perceptual.hasSymbolData value "l"

Dalton

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_00dd79e0_31a6_427e_9b9c_90f3097e4a96

Definition: One dalton is defined as one twelfth of the mass of an unbound neutral atom of carbon-12 in its nuclear and electronic ground state.

Dbpediaentry: http://dbpedia.org/page/Unified_atomic_mass_unit

Iupacentry: https://doi.org/10.1351/goldbook.D01514

Qudtentry: http://qudt.org/vocab/unit/Dalton

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.MassDimension
- perceptual.hasSymbolData value "Da"

Bel

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 6c7160fc cc64 46f0 b43b aba65e9952e3

Definition: One bel is defined as ½ ln(10) neper.

Elucidation: Unit of measurement for quantities of type level or level difference.

Comment: Today decibel (one tenth of a bel) is commonly used instead of bel.

Comment: belies used to express the ratio of one value of a power or field quantity to another, on a logarithmic scale, the logarithmic quantity being called the power level or field level, respectively.

Qudtentry: http://qudt.org/vocab/unit/B

Wikipediaentry: https://en.wikipedia.org/wiki/Decibel

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- $\bullet \ \ is_a \ metrology.OffSystemUnit$
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "B"

ArcSecond

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_6a4547ab_3abb_430d_b81b_ce32d47729f5$

Definition: Measure of plane angle defined as 1/3600 or a degree.

Altlabel: SecondOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCSEC

Relations:

- \bullet is_a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- $\bullet \ \ metrology. has Physical Dimension\ some\ metrology. Dimension One$
- perceptual.hasSymbolData value " "

Day

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_28ef05a7_ecc1_4df6_8116_c53251fbd4a8$

Definition: A measure of time defined as 86 400 seconds.

Dbpediaentry: http://dbpedia.org/page/Day

Iupacentry: https://doi.org/10.1351/goldbook.D01527

Qudtentry: http://qudt.org/vocab/unit/DAY

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.TimeDimension
- perceptual.hasSymbolData value "d"

Tonne

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_f8b92999_3cde_46e3_99d5_664da3090a02

Definition: A non-SI unit defined as 1000 kg.

Iupacentry: https://doi.org/10.1351/goldbook.T06394

Qudtentry: http://qudt.org/vocab/unit/TON_M

Wikipediaentry: https://en.wikipedia.org/wiki/Tonne

Relations:

 $\bullet \ \ is_a \ units-extension. SIAccepted Special Unit$

• is a metrology.OffSystemUnit

 $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Mass Dimension$

• perceptual.hasSymbolData value "t"

SIAcceptedSpecialUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_6795a4b8_ffd0_4588_a581_a9413fe49cac$

Elucidation: Non-SI units mentioned in the SI.

Comment: This is a list of units that are not defined as part of the International System of Units (SI), but are otherwise mentioned in the SI brouchure, because either the General Conference on Weights and Measures (CGPM) accepts their use as being multiples or submultiples of SI-units, they have important contemporary application worldwide, or are otherwise commonly encountered worldwide.

Wikipediaentry: https://en.wikipedia.org/wiki/Non-SI_units_mentioned_in_the_SI

Relations:

- is_a metrology.SpecialUnit
- is a metrology.OffSystemUnit
- disjoint_union_of units-extension.Dalton, units-extension.AstronomicalUnit, units-extension.ArcMinute, units-extension.Hour, units-extension.Day, units-extension.ArcSecond, units-extension.Bel, units-extension.Litre, units-extension.Neper, units-extension.Degree, units-extension.Minute, units-extension.Hectare, units-extension.ElectronVolt, units-extension.Tonne

ElectronVolt

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_e29f84db_4c1c_46ae_aa38_c4d47536b972$

Definition: The amount of energy gained (or lost) by the charge of a single electron moving across an electric potential difference of one volt.

Dbpediaentry: http://dbpedia.org/page/Electronvolt **Iupacentry:** https://doi.org/10.1351/goldbook.E02014

Qudtentry: http://qudt.org/vocab/unit/EV

Relations:

• is a units-extension.SIAcceptedSpecialUnit

- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.EnergyDimension
- perceptual.hasSymbolData value "eV"

Hectare

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_d6eb0176_a0d7_4b4e_8df0_50e912be2342$

Definition: A non-SI metric unit of area defined as the square with 100-metre sides.

Dbpediaentry: http://dbpedia.org/page/Hectare

Qudtentry: http://qudt.org/vocab/unit/HA

Wikipediaentry: https://en.wikipedia.org/wiki/Hectare

Relations:

 \bullet is_a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.AreaDimension

• perceptual.hasSymbolData value "ha"

Hour

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_21 ef 2 ed 6_c086_4 d 24_8 a 75_980 d 2 b cc9282 d 24_8 a 75_8 a 75_$

Definition: Measure of time defined as 3600 seconds. **Iupacentry:** https://doi.org/10.1351/goldbook.H02866

Qudtentry: http://qudt.org/vocab/unit/HR

Relations:

- is_a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.TimeDimension
- perceptual.hasSymbolData value "h"

Interpreter branch




Figure 3.7: Interpreter branch.

MeasurementInstrument

IRI: http://emmo.info/emmo/middle/properties#EMMO_f2d5d3ad_2e00_417f_8849_686f3988d929

Relations:

• is_a properties.Observer

Interpreter

IRI: http://emmo.info/emmo/middle/semiotics#EMMO 0527413c b286 4e9c b2d0 03fb2a038dee

Elucidation: The entity (or agent, or observer, or cognitive entity) who connects 'Sign', 'Interpretant' and 'Object'.

Relations:

- is a semiotics. Semiotic
- physical.hasSpatialPart some semiotics.Interpretant

Observer

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/properties\#EMMO_1b52ee70_121e_4d8d_8419_3f97cd0bd89c}$

Elucidation: An 'interpreter' that perceives another 'entity' (the 'object') through a specific perception mechanism and produces a 'property' (the 'sign') that stands for the result of that particular perception.

Relations:

- is_a semiotics.Interpreter
- Inverse(holistic.hasParticipant) some properties.Observation

Object branch




Figure 3.8: Object branch.

Object

IRI: http://emmo.info/emmo/middle/semiotics#EMMO 6f5af708 f825 4feb a0d1 a8d813d3022b

Elucidation: The object, in Peirce semiotics.

Comment: Here is assumed that the concept of 'object' is always relative to a 'semiotic' process. An 'object' does not exists per se, but it's always part of an interpretation.

The EMMO relies on strong reductionism, i.e. everything real is a formless collection of elementary particles: we give a meaning to real world entities only by giving them boundaries and defining them using 'sign'-s.

In this way the 'sign'-ed entity become and 'object', and the 'object' is the basic entity needed in order to apply a logical formalism to the real world entities (i.e. we can speak of it through its sign, and use logics on it through its sign).

Relations:

• is_a semiotics.Semiotic

Conventional branch




Figure 3.9: Conventional branch.

PhysicalLaw

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO_9c32fd69_f480_4130_83b3_fb25d9face14.} \\$

Relations:

• is_a models.NaturalLaw

Parameter

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_d1d436e7_72fc_49cd_863b_7bfb4ba5276a}$

Example: viscosity in the Navier-Stokes equation

Comment: A 'variable' whose value is assumed to be known independently from the equation, but whose value is not explicitated in the equation.

Relations:

• is_a math.Variable

NaturalLaw

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO_db9a009e_f097_43f5_9520_6cbc07e7610b}$

Relations:

• is_a models.Theory

Theory

IRI: http://emmo.info/emmo/middle/models#EMMO_8d2d9374_ef3a_47e6_8595_6bc208e07519

Elucidation: A 'conventional' that stand for a 'physical'.

Comment: The 'theory' is e.g. a proposition, a book or a paper whose sub-symbols suggest in the mind of the interpreter an interpretant structure that can represent a 'physical'.

It is not an 'icon' (like a math equation), because it has no common resemblance or logical structure with the 'physical'.

In Peirce semiotics: legisign-symbol-argument

Relations:

• is_a semiotics.Conventional

Constant

IRI: http://emmo.info/emmo/middle/math#EMMO_ae15fb4f_8e4d_41de_a0f9_3997f89ba6a2

Elucidation: A 'varaible' that stand for a well known constant.

Example: π refers to the constant number ~3.14

Relations:

• is a math. Variable

• Inverse(math.hasVariable) only math.Numerical

Unknown

IRI: http://emmo.info/emmo/middle/math#EMMO_fe7e56ce_118b_4243_9aad_20eb9f4f31f6

Elucidation: The dependent variable for which an equation has been written.

Example: Velocity, for the Navier-Stokes equation.

Relations:

• is a math. Variable

MaterialLaw

IRI: http://emmo.info/emmo/middle/models#EMMO_f19ff3b4_6bfe_4c41_a2b2_9affd39c140b

Relations:

• is_a models.NaturalLaw

Variable

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_1eed0732_e3f1_4b2c_a9c4_b4e75eeb5895$

Elucidation: A 'Variable' is a symbolic object that stands for a numerical defined 'Mathematical' object like e.g. a number, a vector, a matrix.

Example: x k

Relations:

- is a math.Mathematical
- \bullet is_a semiotics.Conventional
- $\bullet \ \ Inverse (math.has Variable) \ some \ math. Mathematical$

Conventional

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/semiotics} \# EMMO_35d2e130_6e01_41ed_94f7_00b333d46cf9$

Elucidation: A 'Sign' that stands for an 'Object' through convention, norm or habit, without any resemblance to it.

Comment: In Peirce semiotics this kind of sign category is called symbol. However, since symbol is also used in formal languages, the name is changed in conventional.

Relations:

• is a semiotics. Sign

Property branch




Figure 3.10: Property branch.

ModelledQuantitativeProperty

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/properties\#EMMO_d0200cf1_e4f4_45ae_873f_b9359daea3cd} \\ \textbf{Relations:}$

 $\bullet \ \ is_a \ metrology. Quantitative Property$

MeasuredQuantitativeProperty

 $\label{lem:lem:moinfo/emmo/middle/properties\#EMMO} IRI: \ http://emmo.info/emmo/middle/properties\#EMMO_873b0ab3_88e6_4054_b901_5531e01f14a4$ Relations:

• is_a metrology.QuantitativeProperty

QuantitativeProperty

IRI: http://emmo.info/emmo/middle/metrology#EMMO_dd4a7f3e_ef56_466c_ac1a_d2716b5f87ec

Definition: "A property of a phenomenon, body, or substance, where the property has a magnitude that can be expressed by means of a number and a reference" ISO 80000-1

"A reference can be a measurement unit, a measurement procedure, a reference material, or a combination of such." International vocabulary of metrology (VIM)

Elucidation: A 'Quantity' that can be quantified with respect to a standardized reference physical instance (e.g. the prototype meter bar, the kg prototype) or method (e.g. resilience) through a measurement process.

Comment: A quantitative property is always expressed as a quantity (i.e. a number and a reference unit). For the EMMO, a nominalistic ontology, there is no property as abstract object.

A property is a sign that stands for an object according to a specific code shared by some observers.

For quantititative properties, one possible code that is shared between the scientific community (the observers) is the SI system of units.

Comment: Subclasses of 'QuantitativeProperty' classify objects according to the type semiosis that is used to connect the property to the object (e.g. by measurement, by convention, by modelling).

Relations:

- is_a metrology.Quantity
- is a properties. Objective Property
- $\bullet \ \ equivalent_to \ properties. Measured Quantitative Property \ or \ properties. Modelled Quantitative Property \ or \ properties. Conventional Quantitative Property \\$

SubjectiveProperty

IRI: http://emmo.info/emmo/middle/properties#EMMO 251cfb4f 5c75 4778 91ed 6c8395212fd8

Elucidation: A 'Property' that cannot be univocally determined and depends on an agent (e.g. a human individual, a community) acting as black-box.

Example: The beauty of that girl. The style of your clothing.

Comment: The word subjective means that a non-well defined or an unknown procedure is used for the definition of the property.

This happens due to e.g. the complexity of the object, the lack of a underlying model for the representation of the object, the non-well specified meaning of the property symbols.

A 'SubjectiveProperty' cannot be used to univocally compare 'Object'-s.

e.g. you cannot evaluate the beauty of a person on objective basis.

Relations:

• is_a properties.Property

NominalProperty

IRI: http://emmo.info/emmo/middle/properties#EMMO 909415d1 7c43 4d5e bbeb 7e1910159f66

Elucidation: An 'Objective Property' that cannot be quantified.

Example: CFC is a 'sign' that stands for the fact that the morphology of atoms composing the microstructure of an entity is predominantly Cubic Face Centered

A color is a nominal property.

Sex of a human being.

Comment: "Property of a phenomenon, body, or substance, where the property has no magnitude."

"A nominal property has a value, which can be expressed in words, by alphanumerical codes, or by other means."

International vocabulary of metrology (VIM)

Relations:

• is_a properties.ObjectiveProperty

Property

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/properties} \# EMMO_b7bcff25_ffc3_474e_9ab5_01b1664bd4ba$

Elucidation: A 'Perceptual' referring to a specific code that is used as 'Conventional' sign to represent an 'Object' according to a specific interaction mechanism by an 'Observer'.

(A property is always a partial representation of an 'Object' since it reflects the 'Object' capability to be part of a specific 'Observation' process)

Example: Hardness is a subclass of properties.

Vickers hardness is a subclass of hardness that involves the procedures and instruments defined by the standard hardness test.

Example: Let's define the class 'colour' as the subclass of the properties that involve photon emission and an electromagnetic radiation sensible observer.

An individual C of this class 'colour' can be defined be declaring the process individual (e.g. daylight illumination) and the observer (e.g. my eyes)

Stating that an entity E hasProperty C, we mean that it can be observed by such setup of process + observer (i.e. observed by my eyes under daylight).

This definition can be generalized by using a generic human eye, so that the observer can be a generic human.

This can be used in material characterization, to define exactly the type of measurement done, including the instrument type.

Comment: A 'Property' is a sort of name or label that we put upon objects that interact with an observer in the same specific way.

e.g. "hot" objects are objects that interact with an observer through a perception mechanism aimed to perceive an heat source.

Comment: We know real world entities through observation/perception.

A non-perceivable real world entity does not exist (or it exists on a plane of existance that has no intersection with us and we can say nothing about it).

Perception/observation of a real wolrd entity occurs when the entity stimulate an observer in a peculiar way through a well defined perception channel.

For this reason each property is related to a specific observation process which involves a specific observer with its own perception mechanisms.

The observation process (e.g. a look, a photo shot, a measurement) is performed by an observer (e.g. you, a camera, an instrument) through a specific perception mechanism (e.g. retina impression, CMOS excitation, piezoelectric sensor activation) and involves an observed entity.

An observation is a semiotic process, since it stimulate an interpretant within the interpreter who can communicate the perception result to other interpreters through a sign which is the property.

Property subclasses are specializations that depend on the type of observation processes.

e.g. the property 'colour' is related to a process that involves emission or interaction of photon and an observer who can perceive electromagnetic radiation in the visible frequency range.

Properties usually relies on symbolic systems (e.g. for colour it can be palette or RGB).

Relations:

- is_a semiotics.Conventional
- $\bullet \;\; \text{Inverse}(\text{holistic.hasParticipant}) \; \text{some properties.Observation}$
- Inverse(properties.hasProperty) some semiotics.Object
- disjoint_union_of properties.SubjectiveProperty, properties.ObjectiveProperty

ObjectiveProperty

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/properties} \# EMMO_2a888cdf_ec4a_4ec5_af1c_0343372fc978$

Elucidation: A 'Property' that is determined by each 'Observer' following a well defined 'Observation' procedure through a specific perception channel.

Comment: The word objective does not mean that each observation will provide the same results. It means that the observation followed a well defined procedure.

Comment: This class refers to what is commonly known as physical property, i.e. a measurable property of physical system, whether is quantifiable or not.

Relations:

• is_a properties.Property

ConventionalQuantitativeProperty

IRI: http://emmo.info/emmo/middle/properties#EMMO_d8aa8e1f_b650_416d_88a0_5118de945456

Elucidation: A quantitative property attributed by agreement to a quantity for a given purpose.

Example: The thermal conductivity of a copper sample in my laboratory can be assumed to be the conductivity that appears in the vendor specification. This value has been obtained by measurement of a sample which is not the one I have in my laboratory. This conductivity value is then a conventional quantitative property assigned to my sample through a semiotic process in which no actual measurement is done by my laboratory.

If I don't believe the vendor, then I can measure the actual thermal conductivity. I then perform a measurement process that semiotically assign another value for the conductivity, which is a measured property, since is part of a measurement process.

Then I have two different physical quantities that are properties thanks to two different semiotic processes.

Comment: A property that is associated to an object by convention, or assumption.

Relations:

• is a metrology.QuantitativeProperty

Icon branch




Figure 3.11: Icon branch.

Icon

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/semiotics} \# EMMO_d7788d1a_020d_4c78_85a1_13563fcec168$

Elucidation: A 'Sign' that stands for an 'Object' by resembling or imitating it, in shape or by sharing a similar logical structure.

Example: A picture that reproduces the aspect of a person.

An equation that reproduces the logical connection of the properties of a physical entity.

Comment: Three subtypes of icon are possible:

- (a) the image, which depends on a simple quality (e.g. picture)
- (b) the diagram, whose internal relations, mainly dyadic or so taken, represent by analogy the relations in something (e.g. math formula, geometric flowchart)
- (c) the metaphor, which represents the representative character of a sign by representing a parallelism in something else

[Wikipedia]

Relations:

• is_a semiotics.Sign

Model

IRI: http://emmo.info/emmo/middle/models#EMMO_939483b1_0148_43d1_8b35_851d2cd5d939

Elucidation: A 'sign' that not only stands for a 'physical' or a 'process', but it is also a simplified representation, aimed to assist calculations for its description or for predictions of its behaviour.

A 'model' represents a 'physical' or a 'process' by direct similitude (e.g. small scale replica) or by capturing in a logical framework the relations between its properties (e.g. mathematical model).

Comment: A 'model' prediction is always a prediction of the properties of an entity, since an entity is known by an interpreter only through perception.

Relations:

- is a semiotics.Icon
- equivalent_to Inverse(models.hasModel) some physical.Physical

Process branch




Figure 3.12: Process branch.

ContinuousManufacturing

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/manufacturing} \# EMMO_71 \\ \text{d}1c8 \\ \text{f}0_c6 \\ \text{e}3_44 \\ \text{b}5_a4 \\ \text{b}6_1 \\ \text{b}74 \\ \text{ff}35698 \\ \text{a}460_1 \\ \text{b}74 \\$

Elucidation: A manufacturing process whose product is the result of the combination of more substances.

Example: Synthesis of materials, the preparation of a cake.

Relations:

• is a manufacturing. Manufacturing

Process

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/holistic} \# EMMO_43e9a05d_98af_41b4_92f6_00f79a09bfce$

Elucidation: A temporal part of a physical that identifies a particular type of evolution in time.

Comment: A 'Process' is always a 'Physical', since a 'Void' does not have elements that evolves in time.

Comment: Following the common definition of process, the reader may think that every 'Physical' should be a process, since every 4D object always has a time dimension.

However, in the EMMO we restrict the meaning of the word process to 'Physical'-s whose evolution in time have a particular meaning for the ontologist (i.e. every 4D object unfolds in time, but not every 4D object may be of interest for the ontologist).

A 'Process' is not only something that unfolds in time (which is automatically represented in a 4D ontology), but something that has a meaning for the ontologist (i.e. that the ontologist can separate from the rest of the 4D physical for any reason).

Relations:

- is a holistic. Holistic
- is a physical. Physical
- holistic.hasParticipant some holistic.Participant

Measurement

IRI: http://emmo.info/emmo/middle/properties#EMMO_463bcfda_867b_41d9_a967_211d4d437cfb

Elucidation: An 'observation' that results in a quantitative comparison of a 'property' of an 'object' with a standard reference.

Relations:

- is a properties. Observation
- $\bullet \ \ holistic. has Participant \ some \ metrology. Quantitative Property$
- holistic.hasParticipant some properties.MeasurementInstrument

Theorization

IRI: http://emmo.info/emmo/middle/models#EMMO 6c739b1a a774 4416 bb31 1961486fa9ed

Elucidation: The 'semiosis' process of interpreting a 'physical' and provide a complec sign, 'theory' that stands for it and explain it to another interpreter.

Relations:

• is_a properties.Observation

PhysicalPhenomenon

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO}_314d0bd5_67ed_437e_a609_36d46147cea7$

Elucidation: A 'process' that is recognized by physical sciences and is catogrized accordingly.

Comment: While every 'process' in the EMMO involves physical objects, this class is devoted to represent real world objects that express a phenomenon relevant for the ontologist.

Relations:

• is a holistic.Process

DiscreteManufacturing

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/manufacturing} \# EMMO_8786cb47_8e1f_4968_9b15_f6d41fc51252$

Elucidation: A manufacturing process aimed to the production of a device made of specific components.

Example: Assemblying a bicycle, building a car.

Relations:

• is a manufacturing. Manufacturing

Experiment

IRI: http://emmo.info/emmo/middle/models#EMMO_22522299_4091_4d1f_82a2_3890492df6db

Elucidation: An experiment is a process that is intended to replicate a physical phenomenon in a controlled environment.

Relations:

- is a properties. Observation
- holistic.hasParticipant some models.PhysicalPhenomenon

Manufacturing

IRI: http://emmo.info/emmo/middle/manufacturing#EMMO_a4d66059_5dd3_4b90_b4cb_10960559441b

Elucidation: The process of transforming raw materials into a product by the use of manual labor, machinery or chemical/biological processes.

Comment: From Latin manufacture: "made by hand".

Relations:

- is a holistic.Process
- $\bullet\,$ holistic.
has Proper Participant some manufacturing. Engineered

Observation

IRI: http://emmo.info/emmo/middle/properties#EMMO 10a5fd39 06aa 4648 9e70 f962a9cb2069

Elucidation: A 'Semiosis' that involves an 'Observer' that perceives another 'Physical' (the 'Object') through a specific perception mechanism and produces a 'Property' (the 'Sign') that stands for the result of that particular perception.

Relations:

- \bullet is_a semiotics. Semiosis
- holistic.hasParticipant some properties.Observer
- holistic.hasParticipant some properties.Property

Semiosis

IRI: http://emmo.info/emmo/middle/semiotics#EMMO_008fd3b2_4013_451f_8827_52bceab11841

Elucidation: A 'Process', that has participant an 'Interpreter', that is aimed to produce a 'Sign' representing another participant, the 'Object'.

Example: Me looking a cat and saying loud: "Cat!" \rightarrow the semiosis process

me \rightarrow interpreter cat \rightarrow object (in Peirce semiotics) the cat perceived by my mind \rightarrow interpretant "Cat!" \rightarrow sign, the produced sign

Relations:

• is_a holistic.Process

- holistic.hasProperParticipant some semiotics.Interpreter
- holistic.hasProperParticipant some semiotics.Object
- holistic.hasProperParticipant some semiotics.Sign

Perceptual branch




Figure 3.13: Perceptual branch.

Perceptual

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_649bf97b_4397_4005_90d9_219755d92e34

Elucidation: A 'Physical' which stands for a real world object that can stimulate a perception (e.g. a mental impression, the excitation of a sensor) to an interpreter (human or non-human).

Example: A line scratched on a surface. A sound. A smell. The word 'cat' and the sound of the word 'cat' (the first one is graphical and the second acoustical).

Example: The meta-semiotic process: I see a cloud in the sky. Since I'm an EMMO ontologist, I create an individual named Cloud under the 'Impression' class. This semiotic process occurs at meta-level: it's how I use the EMMO as tool for a direct representation of the world.

The semiotic process within EMMO: My friend looks at the same cloud and says: "It is an elephant". I use the EMMO to record this experience by declaring: - my friend as MyFriend individual, belonging to 'Interpreter' classes - the sound of the word "elephant" as an acoustical impression individual named ElephantWord, belonging to 'Impression' - a relation hasSign between Cloud and ElephantWord, that makes ElephantWord also belonging to 'Sign' class and Cloud belonging also to 'Object' class - a 'Semiosis' individual called MyFriendElephantCloud that hasParticipant: Cloud, ElephantWord and MyFriend, respectively as object, sign and interpreter.

Comment: 'Perceptual' includes real world objects that: - are part of a communication system (e.g. words, speech, alphabets) - are not part of a communication system, but can be identified and referred by an interpreter

Comment: A 'Perceptual' is a meta-object, meaning that is addressed by the ontologist (the meta-interpreter) in a meta-semiotic process occurring outside the EMMO.

A 'Perceptual' becomes an 'Object', when it is part of a 'Semiotic' process described by the ontologist through the EMMO.

Comment: From Latin perceptiō ("a receiving or collecting, perception, comprehension"), from perceptus ("perceived, observed").

Comment: This class is the most general superclass for the categorization of real world objects that are recognizable by an interpreter (agent).

A 'Perceptual' can stand for something else in a semiotic process (acting as sign or as object).

However, a perceptual is not necessarily a 'Sign' (e.g. a line sketched on a blackboard is a recognizable 'Perceptual' but it may stand for nothing).

Relations:

• is_a top.Perspective

Acoustical

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_4b3afb22_27cf_4ce3_88bc_492bfccb546b$

Elucidation: A 'Perceptual' which stands for a real world object whose spatiotemporal pattern makes it identifiable by an observer as a sound.

Comment: 'acoustical' refers to the perception mechanism of the observer that can occur through a microphone, a ear.

Relations:

• is_a perceptual.Perceptual

Graphical branch




Figure 3.14: Graphical branch.

IdiomaticSymbol

IRI: http://emmo.info/emmo/middle/metrology#EMMO_0a318776_b067_4de0_a2a6_cba2cf6333f8

Relations:

- is_a perceptual.Idiomatic
- is_a perceptual.Symbol
- $\bullet\,$ equivalent_to perceptual. Idiomatic and perceptual. Symbol

Python

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_add2e29d_6d87_4b78_9706_588e25557093$

Relations:

• is_a perceptual.Software

Idiomatic

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_48716718_225f_4c88_89e2_d819d30c90a2$

Elucidation: A language object that follows syntactic rules of a an idiom (e.g. english, italian).

Relations:

• is_a perceptual.Language

String

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_50ea1ec5_f157_41b0_b46b_a9032f17ca10

Elucidation: A physical made of more than one symbol sequentially arranged.

Example: The word "cat" considered as a collection of 'symbol'-s respecting the rules of english language.

In this example the 'symbolic' entity "cat" is not related to the real cat, but it is only a word (like it would be to an italian person that ignores the meaning of this english word).

If an 'interpreter' skilled in english language is involved in a 'semiotic' process with this word, that "cat" became also a 'sign' i.e. it became for the 'interpreter' a representation for a real cat.

Comment: A string is made of concatenated symbols whose arrangement is one-dimensional. Each symbol can have only one previous and one next neighborhood (bidirectional list).

Comment: A string is not requested to respect any syntactic rule: it's simply directly made of symbols.

Relations:

- $\bullet \ \ is_a \ perceptual. Symbolic Composition$
- is a reductionistic.State
- reductionistic.hasSpatialDirectPart some perceptual.Symbol
- reductionistic.hasSpatialDirectPart only perceptual.Symbol

Inequality

IRI: http://emmo.info/emmo/middle/math#EMMO_0b6ebe5a_0026_4bef_a1c1_5be00df9f98e

Elucidation: A relation which makes a non-equal comparison between two numbers or other mathematical expressions.

Example: f(x) > 0

Relations:

• is a math.MathematicalFormula

MathematicalFormula

IRI: http://emmo.info/emmo/middle/math#EMMO_88470739_03d3_4c47_a03e_b30a1288d50c

Elucidation: A mathematical string that can be evaluated as true or false.

Relations:

- is_a math.Mathematical
- is_a perceptual.SymbolicComposition

Language

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_d8d2144e_5c8d_455d_a643_5caf4d8d9df8$

Elucidation: A language object is a symbolic object respecting a specific language syntactic rules (a well-formed formula).

Relations:

• is_a perceptual.Symbolic

C++

IRI: http://emmo.info/emmo/middle/perceptual#EMMO 64aba1e5 24b7 4140 8eb4 676c35698e79

Elucidation: A language object respecting the syntactic rules of C++.

Relations:

• is a perceptual.Software

Java

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_09007bc0_b5f2_4fb9_af01_caf948cf2044

Relations:

• is_a perceptual.Software

FunctionDefinition

IRI: http://emmo.info/emmo/middle/math#EMMO 4bc29b0f 8fcc 4026 a291 f9774a66d9b8

Elucidation: A function defined using functional notation.

Example: y = f(x)

Relations:

• is_a math.DefiningEquation

MaterialRelation

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO_e5438930_04e7_4d42_ade5_3700d4a52ab7 and all the statements of the statement of the sta$

Elucidation: An 'equation' that stands for a physical assumption specific to a material, and provides an expression for a 'physics_quantity' (the dependent variable) as function of other variables, physics_quantity or data (independent variables).

Example: The Lennard-Jones potential.

A force field.

An Hamiltonian.

Comment: A material_relation can e.g. return a predefined number, return a database query, be an equation that depends on other physics_quantities.

Relations:

- is_a math.Equation
- $\bullet \ \ reduction is tic. has Spatial Direct Part\ some\ metrology. Physical Quantity$

Symbolic

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_057e7d57_aff0_49de_911a_8861d85cef40

Elucidation: An 'Graphical' that stands for a token or a composition of tokens from one or more alphabets, without necessarily respecting syntactic rules.

Example: fe780 emmo !5*a cat for(i=0;i< N;++i)

Relations:

• is_a perceptual.Graphical

Software

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_8681074a_e225_4e38_b586_e85b0f43ce38$

Elucidation: A language object that follows syntactic rules of a programming language.

Relations:

• is_a perceptual.Language

PhysicsEquation

IRI: http://emmo.info/emmo/middle/models#EMMO_27c5d8c6_8af7_4d63_beb1_ec37cd8b3fa3

Elucidation: An 'equation' that stands for a 'physical_law' by mathematically defining the relations between physics_quantities.

Example: The Newton's equation of motion.

The Schrödinger equation.

The Navier-Stokes equation.

Relations:

- is a math.Equation
- \bullet is a models.MathematicalModel
- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ some\ metrology.PhysicalQuantity}$
- Inverse(models.hasModel) some models.PhysicalPhenomenon

SymbolicComposition

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_89a0c87c_0804_4013_937a_6fe234d9499c

Elucidation: A symbolic entity made of other symbolic entities according to a specific spatial configuration.

Comment: This class collects individuals that represents arrangements of strings, or other symbolic compositions, without any particular predifined arrangement schema.

Relations:

- \bullet is_a perceptual.Symbolic
- physical.hasSpatialPart some perceptual.Symbolic

Pictorial

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_1da53c06_9577_4008_8652_272fa3b62be7

Elucidation: A 'Graphical' that stands for a real world object that shows a recognizable pictorial pattern without being necessarily associated to a symbolic language.

Example: A drawing of a cat. A circle on a paper sheet. The Mona Lisa.

Relations:

• is a perceptual.Graphical

Graphical

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_c74 da 218_9147_4f03_92 d1_8894 abca55f3$

Elucidation: A 'Perceptual' which stands for a real world object whose spatial configuration shows a pattern identifiable by an observer.

Example: 'Graphical' objects include writings, pictures, sketches ...

Comment: From the Ancient Greek $\gamma\rho\alpha\phi\dot{\eta}$ (graphé) which means drawing, painting, writing, a writing, description, and from $\gamma\rho\dot{\alpha}\phi\omega$ (gráphō) which means scratch, carve.

Relations:

• is_a perceptual.Perceptual

DefiningEquation

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_29afdf54_90ae_4c98_8845_fa9ea3f143a8$

Elucidation: An equation that define a new variable in terms of other mathematical entities.

Example: The definition of velocity as v = dx/dt.

The definition of density as mass/volume.

$$y = f(x)$$

Relations:

• is a math.Equation

Equation

IRI: http://emmo.info/emmo/middle/math#EMMO_e56ee3eb_7609_4ae1_8bed_51974f0960a6

Elucidation: The class of 'mathematical'-s that stand for a statement of equality between two mathematical expressions.

Example: $2+3 = 5 \text{ x}^2 + 3x = 5x \text{ dv/dt} = a \sin(x) = y$

Comment: An equation with variables can always be represented as:

$$f(v0, v1, ..., vn) = g(v0, v1, ..., vn)$$

where f is the left hand and g the right hand side expressions and v0, v1, ..., vn are the variables.

Relations:

- is_a math.MathematicalFormula
- is_a reductionistic.State
- is a math.Mathematical
- reductionistic.hasSpatialDirectPart some math.Expression

ArithmeticEquation

IRI: http://emmo.info/emmo/middle/math#EMMO_a6138ba7_e365_4f2d_b6b4_fe5a5918d403

Example: 1 + 1 = 2

Relations:

• is_a math.Equation

AlgebricEquation

IRI: http://emmo.info/emmo/middle/math#EMMO_98d65021_4574_4890_b2fb_46430841077f

Example: 2 * a - b = c

Comment: An 'equation' that has parts two 'polynomial'-s

Relations:

• is a math.Equation

• reductionistic.hasSpatialDirectPart some math.AlgebricExpression

Geometrical branch




Figure 3.15: Geometrical branch.

EuclideanSpace

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_5f278af9_8593_4e27_a717_ccc9e07a0ddf Relations:

• is a perceptual.3-manifold

Circle

 $\label{lem:lem:moinfo} \textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_b2a234a8_579a_422c_9305_b8f7e72c76cd \\ \textbf{Relations:}$

• is_a perceptual.1-manifold

Curve

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_0ef4ff4a_5458_4f2a_b51f_4689d472a3f2 Relations:

 \bullet is_a perceptual.1-manifold

3-manifold

 $\label{lem:lem:moinfo} \textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \\ \# EMMO_46f0f8df_4dc6_418f_8036_10427a3a288e \\ \textbf{Relations:}$

• is_a perceptual.Geometrical

Point

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_39362460_2a97_4367_8f93_0418c2ac9a08 \\ \textbf{Relations:}$

 \bullet is_a perceptual.0-manifold

1-manifold

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_0c576e13_4ee7_4f3d_bfe9_1614243df018 Relations:

• is_a perceptual.Geometrical

0-manifold

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_0ab0485c_9e5b_4257_a679_90a2dfba5c7c Relations:

• is_a perceptual.Geometrical

Torus

 $\label{lem:lem:moinfo} \textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_86060335_31c2_4820_b433_27c64aea0366\\ \textbf{Relations:}$

• is_a perceptual.2-manifold

Line

 $\label{lem:lem:moinfo/emmo/middle/perceptual \#EMMO_3e309118_e8b7_4021_80f4_642d2df65d94\\ \textbf{Relations:}$

• is a perceptual.1-manifold

Plane

$$\label{lem:lem:mo_info_emmo_middle_perceptual} \begin{split} \textbf{IRI:} \ & \text{http://emmo.info/emmo/middle/perceptual} \\ \textbf{\#EMMO}_25f5ca8e_8f7f_44d8_a392_bd3fe8894458 \\ \textbf{Relations:} \end{split}$$

• is_a perceptual.2-manifold

Geometrical

IRI: http://emmo.info/emmo/middle/perceptual#EMMO b5957cef a287 442d a3ce fd39f20ba1cd

Elucidation: A 'graphical' aimed to represent a geometrical concept.

Comment: A 'geometrical' stands for real world objects that express a geometrical concept.

This can be achieved in many different ways. For example, a line can be expressed by: a) an equation like y=mx+q, which is both an 'equation' and a 'geometrical' b) a line drawn with a pencil on a paper, which is simply a 'graphical' object c) a set of axioms, when the properties of a line are inferred by the interpreter reading them, that are both 'graphical' and also 'formula'

The case a) is a geometrical and mathematical, b) is geometrical and pictorial, while c) is geometrical and a composition of idiomatic strings.

Relations:

 \bullet is_a perceptual.Graphical

Sphere

 $\label{lem:lem:moinfo} \textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_d7bf784a_db94_4dd9_861c_54f262846fbf \\ \textbf{Relations:}$

• is_a perceptual.2-manifold

2-manifold

 $\label{lem:lem:mo_sinfo} \textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \\ \# EMMO_9268958f_7f54_48ab_a693_febe2645892b \\ \textbf{Relations:}$

• is_a perceptual.Geometrical

Symbol branch




Figure 3.16: Symbol branch.

LengthFractionUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_cdc962d8_f3ea_4764_a57a_c7caa4859179$

Elucidation: Unit for quantities of dimension one that are the fraction of two lengths.

Example: Unit for plane angle.

Relations:

 $\bullet\,\,$ is _a units-extension. FractionUnit

MassFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_18448443_dcf1_49b8_a321_cf46e2c393e1

Elucidation: Unit for quantities of dimension one that are the fraction of two masses.

Example: Unit for mass fraction.

Relations:

ullet is_a units-extension.FractionUnit

IdiomaticSymbol

IRI: http://emmo.info/emmo/middle/metrology#EMMO_0a318776_b067_4de0_a2a6_cba2cf6333f8

Relations:

- \bullet is_a perceptual.Idiomatic
- is_a perceptual.Symbol
- equivalent_to perceptual.Idiomatic and perceptual.Symbol

ArcMinute

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_1e0b665d_db6c_4752_a6d4_262d3a8dbb46$

Definition: Measure of plane angle defined as 1/60 or a degree.

Altlabel: MinuteOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCMIN

Relations:

• is a units-extension.SIAcceptedSpecialUnit

• is a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some metrology.DimensionOne

• perceptual.hasSymbolData value " "

Symbol

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_a1083d0a_c1fb_471f_8e20_a98f881ad527

Elucidation: The class of individuals that stand for an elementary mark of a specific symbolic code (alphabet).

Example: The class of letter "A" is the symbol as idea and the letter A that you see on the screen is the mark.

Comment: Subclasses of 'Symbol' are alphabets, in formal languages terminology.

A 'Symbol' is atomic for that alphabet, i.e. it has no parts that are symbols for the same alphabet. e.g. a math symbol is not made of other math symbols

A Symbol may be a String in another language. e.g. "Bq" is the symbol for Becquerel units when dealing with metrology, or a string of "B" and "q" symbols when dealing with characters.

Comment: Symbols of a formal language need not be symbols of anything. For instance there are logical constants which do not refer to any idea, but rather serve as a form of punctuation in the language (e.g. parentheses).

Symbols of a formal language must be capable of being specified without any reference to any interpretation of them. (Wikipedia)

Comment: The class is the idea of the symbol, while the individual of that class stands for a specific mark (or token) of that idea.

Relations:

• is_a perceptual.Symbolic

Minute

IRI: http://emmo.info/emmo/middle/units-extension#EMMO cabb20f0 05c7 448f 9485 e129725f15a4

Definition: Non-SI time unit defined as 60 seconds.

Dbpediaentry: http://dbpedia.org/page/Minute
Qudtentry: http://qudt.org/vocab/unit/MIN

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.TimeDimension
- perceptual.hasSymbolData value "min"

AstronomicalUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_053648ea_3c0a_468c_89cb_eb009239323a$

Definition: One astronomical unit is defined as exactly 149597870700 m, which is roughly the distance from

earth to sun.

 ${\bf Dbpediaentry:}\ http://dbpedia.org/page/Astronomical_unit$

Qudtentry: http://qudt.org/vocab/unit/PARSEC

Wikipediaentry: https://en.wikipedia.org/wiki/Astronomical_unit

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

 \bullet is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.LengthDimension

• perceptual.hasSymbolData value "au"

Gram

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_f992dc76_f9a6_45f6_8873_c8e20d16fbbe$

Definition: Gram is defined as one thousandth of the SI unit kilogram.

Iupacentry: https://doi.org/10.1351/goldbook.G02680 Wikipediaentry: https://en.wikipedia.org/wiki/Gram

Relations:

• is_a metrology.UnitSymbol

• is_a units-extension.CGSUnit

• metrology.hasPhysicalDimension some isq.MassDimension

• perceptual.hasSymbolData value "g"

Radian

IRI: http://emmo.info/emmo/middle/siunits#EMMO_a121bb1d_5225_4c78_809b_0268c3012208

Elucidation: Measure of plane angle.

Comment: Dimensionless measurement unit for plane angle.

Iupacentry: https://doi.org/10.1351/goldbook.R05036

Qudtentry: http://qudt.org/vocab/unit/RAD

Relations:

- is_a units-extension. LengthFractionUnit

• is a owl:Nothing

• metrology.hasPhysicalDimension some metrology.DimensionOne

• perceptual.hasSymbolData value "rad"

• equivalent_to siunits.Steradian

Neper

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_b41515a9_28d8_4d78_8165_74b2fc72f89e$

Definition: Unit of measurement for quantities of type level or level difference, which are defined as the natural logarithm of the ratio of power- or field-type quantities.

The value of a ratio in nepers is given by ln(x1/x2) where x1 and x2 are the values of interest (amplitudes), and ln is the natural logarithm. When the values are quadratic in the amplitude (e.g. power), they are first linearised by taking the square root before the logarithm is taken, or equivalently the result is halved.

Wikipedia

Dbpediaentry: http://dbpedia.org/page/Neper

Iupacentry: https://doi.org/10.1351/goldbook.N04106

Qudtentry: http://qudt.org/vocab/unit/NP

Wikipediaentry: https://en.wikipedia.org/wiki/Neper

Relations:

• is a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some metrology.DimensionOne

• perceptual.hasSymbolData value "Np"

Ångström

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_27c530c4_dfcd_486e_b324_54ad4448cd26$

Definition: Measure of length defined as 1e-10 metres.

Altlabel: Angstrom

Comment: Ångström is not mentioned in the SI system and deprecated by the International Bureau of Weights and Measures (BIPM).

Dispite of that, it is often used in the natural sciences and technology.

Dbpediaentry: http://dbpedia.org/page/%C3%85ngstr%C3%B6m

Iupacentry: https://doi.org/10.1351/goldbook.N00350
Qudtentry: http://qudt.org/vocab/unit/ANGSTROM

Wikipediaentry: https://en.wikipedia.org/wiki/Angstrom

Relations:

- is_a metrology.UnitSymbol
- is_a metrology.OffSystemUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Length Dimension$
- perceptual.hasSymbolData value "Å"

FractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO c2f5ee66 579c 44c6 a2e9 fa2eaa9fa4da

Elucidation: Unit for fractions of quantities of the same kind, to aid the understanding of the quantity being expressed.

Comment: Quantities that are ratios of quantities of the same kind (for example length ratios and amount fractions) have the option of being expressed with units (m/m, mol/mol to aid the understanding of the quantity being expressed and also allow the use of SI prefixes, if this is desirable (μ m/m, nmol/mol). – SI Brochure

Relations:

• is_a metrology.UnitOne

Dalton

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_00dd79e0_31a6_427e_9b9c_90f3097e4a96

Definition: One dalton is defined as one twelfth of the mass of an unbound neutral atom of carbon-12 in its nuclear and electronic ground state.

Dbpediaentry: http://dbpedia.org/page/Unified_atomic_mass_unit

Iupacentry: https://doi.org/10.1351/goldbook.D01514

Qudtentry: http://qudt.org/vocab/unit/Dalton

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.MassDimension
- perceptual.hasSymbolData value "Da"

Bel

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 6c7160fc cc64 46f0 b43b aba65e9952e3

Definition: One bel is defined as ½ ln(10) neper.

Elucidation: Unit of measurement for quantities of type level or level difference.

Comment: Today decibel (one tenth of a bel) is commonly used instead of bel.

Comment: belies used to express the ratio of one value of a power or field quantity to another, on a logarithmic scale, the logarithmic quantity being called the power level or field level, respectively.

Qudtentry: http://qudt.org/vocab/unit/B

Wikipediaentry: https://en.wikipedia.org/wiki/Decibel

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- $\bullet \ \ is_a \ metrology.OffSystemUnit$
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "B"

VolumeFractionUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_9 \text{fd1e79d_41d1_44f8_8142_66dbdf0fc7ad} + \text{IRI:} \ \text{IRI:$

Elucidation: Unit for quantities of dimension one that are the fraction of two volumes.

Example: Unit for volume fraction.

Relations:

• is a units-extension.FractionUnit

BaseUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_db716151_6b73_45ff_910c_d182fdcbb4f5

Elucidation: A set of units that correspond to the base quantities in a system of units.

Relations:

• is_a metrology.UnitSymbol

AreaFractionUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_6f4d704a_a7c6_4c07_b8a7_ea0bab04128f$

Elucidation: Unit for quantities of dimension one that are the fraction of two areas.

Example: Unit for solid angle.

Relations:

• is a units-extension.FractionUnit

Day

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_28ef05a7_ecc1_4df6_8116_c53251fbd4a8

Definition: A measure of time defined as 86 400 seconds.

Dbpediaentry: http://dbpedia.org/page/Day

Iupacentry: https://doi.org/10.1351/goldbook.D01527

Qudtentry: http://qudt.org/vocab/unit/DAY

Relations:

• is a units-extension.SIAcceptedSpecialUnit

• is a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.TimeDimension

• perceptual.hasSymbolData value "d"

ElectronVolt

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_e29f84db_4c1c_46ae_aa38_c4d47536b972

Definition: The amount of energy gained (or lost) by the charge of a single electron moving across an electric

potential difference of one volt.

Dbpediaentry: http://dbpedia.org/page/Electronvolt **Iupacentry:** https://doi.org/10.1351/goldbook.E02014

Qudtentry: http://qudt.org/vocab/unit/EV

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- $\bullet \;$ is_a metrology. OffSystemUnit
- metrology.hasPhysicalDimension some isq.EnergyDimension
- perceptual.hasSymbolData value "eV"

Letter

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_bed2 fe4c_dc7e_43a8_8200_6aac44030bff$

Relations:

• is_a perceptual.Symbol

Spacing

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_432192c4_111f_4e80_b7cd_c6ce1c1129ea$

Relations:

• is a perceptual. Symbol

Hour

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_21ef2ed6_c086_4d24_8a75_980d2bcc9282

Definition: Measure of time defined as 3600 seconds. **Iupacentry:** https://doi.org/10.1351/goldbook.H02866

Qudtentry: http://qudt.org/vocab/unit/HR

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.TimeDimension
- perceptual.hasSymbolData value "h"

MetrologicalSymbol

IRI: http://emmo.info/emmo/middle/metrology#EMMO 50a3552e 859a 4ff7 946d 76d537cabce6

Elucidation: A symbol that stands for a concept in the language of the meterological domain of ISO 80000.

Relations:

- is_a metrology.Metrological
- is a perceptual. Symbol
- $\bullet \ \ {\rm mereotopology.hasProperPart\ only\ not\ metrology.} Metrological$
- equivalent_to metrology.Metrological and perceptual.Symbol

PureNumberUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_15d62b55_38ea_4aec_b7c4_25db1a2e5a01$

Elucidation: Unit for dimensionless units that cannot be expressed as a 'FractionUnit'.

Example: Unit of AtomicNumber

Relations:

• is a metrology.UnitOne

SpeedFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_e7bc8939_7ff8_4917_beb5_c42730b390f3

Elucidation: Unit for quantities of dimension one that are the fraction of two speeds.

Example: Unit for refractive index.

Relations:

• is_a units-extension.FractionUnit

Steradian

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO_cf3dd6cc_c5d6_4b3d_aef4_82f3b7a361af2} \\$

Elucidation: Dimensionless measurement unit for solid angle.

Iupacentry: https://doi.org/10.1351/goldbook.S05971

Qudtentry: http://qudt.org/vocab/unit/SR

Relations:

- is_a units-extension.AreaFractionUnit
- is_a owl:Nothing

- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "sr"
- equivalent_to owl:Nothing

SpecialUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_3 ee 80521_3 c 23_4 d d 1_935 d_9d522614 a 3 e 22614 a 22614 a 3 e 22614 a 22$

Elucidation: A unit symbol that stands for a derived unit.

Example: Pa stands for N/m2 J stands for N m

Comment: Special units are semiotic shortcuts to more complex composed symbolic objects.

Relations:

- is_a metrology.DerivedUnit
- is_a metrology.UnitSymbol
- is a semiotics. Sign
- Inverse(semiotics.hasSign) some metrology.DerivedUnit

Punctuation

IRI: http://emmo.info/emmo/middle/perceptual#EMMO_a817035a_3e3c_4709_8ede_3205df3031a3

Relations:

• is_a perceptual.Symbol

Degree

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_b8830065_3809_41b7_be3c_e33795567fd9$

Definition: Degree is a measurement of plane angle, defined by representing a full rotation as 360 degrees.

Dbpediaentry: http://dbpedia.org/page/Degree_(angle) **Iupacentry:** https://doi.org/10.1351/goldbook.D01560

Qudtentry: http://qudt.org/vocab/unit/DEG

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "°"

AmountFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO f76f5a24 d703 4e8c b368 f9a7777cb73a

Elucidation: Unit for quantities of dimension one that are the fraction of two amount of substance.

Example: Unit for amount fraction.

Relations:

ullet is_a units-extension.FractionUnit

Numeral

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_74b05aed_66bf_43c8_aa2c_752a9ca8be03$

Relations:

• is_a perceptual.Symbol

Litre

IRI: http://emmo.info/emmo/middle/units-extension#EMMO a155dc93 d266 487e b5e7 2a2c72d5ebf9

Definition: A non-SI unit of volume defined as 1 cubic decimetre (dm3),

Iupacentry: https://doi.org/10.1351/goldbook.L03594

Qudtentry: http://qudt.org/vocab/unit/L

Relations:

• is a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.VolumeDimension

• perceptual.hasSymbolData value "l"

UnitOne

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_5ebd5e01_0ed3_49a2_a30d_cd05cbe72978$

Elucidation: Represents the number 1, used as an explicit unit to say something has no units.

Example: Refractive index or volume fraction.

Example: Typically used for ratios of two units whos dimensions cancels out.

Qudtentry: http://qudt.org/vocab/unit/UNITLESS

Relations:

• is_a metrology.BaseUnit

• metrology.hasPhysicalDimension some metrology.DimensionOne

ArcSecond

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 6a4547ab 3abb 430d b81b ce32d47729f5

Definition: Measure of plane angle defined as 1/3600 or a degree.

Altlabel: SecondOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCSEC

Relations:

- $\bullet \ \ is_a \ units-extension. SIAccepted Special Unit$
- is a metrology.OffSystemUnit
- $\bullet \ \ {\rm metrology.hasPhysicalDimension\ some\ metrology.DimensionOne}$
- perceptual.hasSymbolData value " "

UnitSymbol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_216f448e_cdbc_4aeb_a529_7a5fe7fc38bb$

Elucidation: A symbol that stands for a single unit.

Example: Some examples are "Pa", "m" and "J".

Relations:

- is a metrology.MetrologicalSymbol
- is a metrology.NonPrefixedUnit
- equivalent_to metrology.MeasurementUnit and perceptual.Symbol
- disjoint_union_of metrology.SpecialUnit, metrology.BaseUnit

Tonne

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_f8b92999_3cde_46e3_99d5_664da3090a02$

Definition: A non-SI unit defined as 1000 kg.

Iupacentry: https://doi.org/10.1351/goldbook.T06394
Qudtentry: http://qudt.org/vocab/unit/TON_M

Wikipediaentry: https://en.wikipedia.org/wiki/Tonne

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.MassDimension

• perceptual.hasSymbolData value "t"

Hectare

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_d6eb0176_a0d7_4b4e_8df0_50e912be2342

Definition: A non-SI metric unit of area defined as the square with 100-metre sides.

Dbpediaentry: http://dbpedia.org/page/Hectare

Qudtentry: http://qudt.org/vocab/unit/HA

Wikipediaentry: https://en.wikipedia.org/wiki/Hectare

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- \bullet is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.AreaDimension
- perceptual.hasSymbolData value "ha"

SIUnitSymbol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO}_32129 \text{fb5}_\text{df25}_48 \text{fd}_\text{a}29 \text{c}_18 \text{a}2 \text{f}22 \text{a}2 \text{d}d5$

Relations:

- is a metrology.UnitSymbol
- is a siunits.SICoherentUnit
- disjoint_union_of siunits.SIBaseUnit, siunits.SISpecialUnit

SIAcceptedSpecialUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_6795a4b8_ffd0_4588_a581_a9413fe49cac$

Elucidation: Non-SI units mentioned in the SI.

Comment: This is a list of units that are not defined as part of the International System of Units (SI), but are otherwise mentioned in the SI brouchure, because either the General Conference on Weights and Measures (CGPM) accepts their use as being multiples or submultiples of SI-units, they have important contemporary application worldwide, or are otherwise commonly encountered worldwide.

Wikipediaentry: https://en.wikipedia.org/wiki/Non-SI_units_mentioned_in_the_SI

Relations:

- is_a metrology.SpecialUnit
- is_a metrology.OffSystemUnit
- disjoint_union_of units-extension.Dalton, units-extension.AstronomicalUnit, units-extension.ArcMinute, units-extension.Hour, units-extension.Day, units-extension.ArcSecond, units-extension.Bel, units-extension.Litre, units-extension.Neper, units-extension.Degree, units-extension.Minute, units-extension.Hectare, units-extension.ElectronVolt, units-extension.Tonne

Mathematical branch




Figure 3.17: Mathematical branch.

MathematicalFormula

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/math\#EMMO_88470739_03d3_4c47_a03e_b30a1288d50c$

Elucidation: A mathematical string that can be evaluated as true or false.

Relations:

- is a math.Mathematical
- is_a perceptual.SymbolicComposition

Vector

IRI: http://emmo.info/emmo/middle/math#EMMO_06658d8d_dcde_4fc9_aae1_17f71c0bcdec

Relations:

 \bullet is_a math.Array

Parameter

IRI: http://emmo.info/emmo/middle/math#EMMO_d1d436e7_72fc_49cd_863b_7bfb4ba5276a

Example: viscosity in the Navier-Stokes equation

Comment: A 'variable' whose value is assumed to be known independently from the equation, but whose value is not explicitated in the equation.

Relations:

• is a math. Variable

DefiningEquation

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_29afdf54_90ae_4c98_8845_fa9ea3f143a8$

Elucidation: An equation that define a new variable in terms of other mathematical entities.

Example: The definition of velocity as v = dx/dt.

The definition of density as mass/volume.

y = f(x)

Relations:

• is_a math.Equation

Matrix

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_1cba0b27_15d0_4326_933f_379d0b3565b6}$

Relations:

• is_a math.Array

Constant

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_ae15fb4f_8e4d_41de_a0f9_3997f89ba6a2}$

Elucidation: A 'varaible' that stand for a well known constant.

Example: π refers to the constant number ~3.14

Relations:

- is_a math.Variable
- Inverse(math.hasVariable) only math.Numerical

Array

IRI: http://emmo.info/emmo/middle/math#EMMO_28fbea28_2204_4613_87ff_6d877b855fcd%20

Relations:

 \bullet is_a math.Mathematical

Unknown

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_fe7e56ce_118b_4243_9aad_20eb9f4f31f6}$

Elucidation: The dependent variable for which an equation has been written.

Example: Velocity, for the Navier-Stokes equation.

Relations:

• is a math. Variable

Equation

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_e56ee3eb_7609_4ae1_8bed_51974f0960a6}$

Elucidation: The class of 'mathematical'-s that stand for a statement of equality between two mathematical expressions.

Example: $2+3 = 5 \text{ x}^2 + 3x = 5x \text{ dv/dt} = a \sin(x) = y$

Comment: An equation with variables can always be represented as:

$$f(v0, v1, ..., vn) = g(v0, v1, ..., vn)$$

where f is the left hand and g the right hand side expressions and v0, v1, ..., vn are the variables.

Relations:

- is a math.MathematicalFormula
- is a reductionistic.State
- \bullet is_a math.Mathematical
- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ some\ math. Expression}$

Inequality

IRI: http://emmo.info/emmo/middle/math#EMMO_0b6ebe5a_0026_4bef_a1c1_5be00df9f98e

Elucidation: A relation which makes a non-equal comparison between two numbers or other mathematical expressions.

Example: f(x) > 0

Relations:

• is a math.MathematicalFormula

ArithmeticEquation

IRI: http://emmo.info/emmo/middle/math#EMMO_a6138ba7_e365_4f2d_b6b4_fe5a5918d403

Example: 1 + 1 = 2

Relations:

• is_a math.Equation

Mathematical

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_54ee6b5e_5261_44a8_86eb_5717e7fdb9d0$

Elucidation: The class of general mathematical symbolic objects respecting mathematical syntactic rules.

Relations:

• is_a perceptual.Language

Variable

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_1eed0732_e3f1_4b2c_a9c4_b4e75eeb5895$

Elucidation: A 'Variable' is a symbolic object that stands for a numerical defined 'Mathematical' object like e.g. a number, a vector, a matrix.

Example: x k

Relations:

- \bullet is_a math.Mathematical
- is_a semiotics.Conventional
- Inverse(math.hasVariable) some math.Mathematical

Numerical

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_4ce76d7f_03f8_45b6_9003_90052a79bfaa} \\ \textbf{IRI:} \ \textbf{IRI:}$

Elucidation: A 'Mathematical' that has no unknown value, i.e. all its 'Variable"-s parts refers to a 'Number' (for scalars that have a built-in datatype) or to another 'Numerical' (for complex numerical data structures that should rely on external implementations).

Relations:

• is a math.Mathematical

MaterialRelation

IRI: http://emmo.info/emmo/middle/models#EMMO_e5438930_04e7_4d42_ade5_3700d4a52ab7

Elucidation: An 'equation' that stands for a physical assumption specific to a material, and provides an expression for a 'physics_quantity' (the dependent variable) as function of other variables, physics_quantity or data (independent variables).

Example: The Lennard-Jones potential.

A force field.

An Hamiltonian.

Comment: A material_relation can e.g. return a predefined number, return a database query, be an equation that depends on other physics_quantities.

Relations:

- is_a math.Equation
- reductionistic.hasSpatialDirectPart some metrology.PhysicalQuantity

PhysicsEquation

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO} \underline{27c5d8c6} \underline{8af7} \underline{4d63} \underline{beb1} \underline{ec37cd8b3fa3}$

Elucidation: An 'equation' that stands for a 'physical_law' by mathematically defining the relations between physics_quantities.

Example: The Newton's equation of motion.

The Schrödinger equation.

The Navier-Stokes equation.

Relations:

- is_a math.Equation
- is a models.MathematicalModel
- reductionistic.hasSpatialDirectPart some metrology.PhysicalQuantity
- Inverse(models.hasModel) some models.PhysicalPhenomenon

Function Definition

IRI: http://emmo.info/emmo/middle/math#EMMO 4bc29b0f 8fcc 4026 a291 f9774a66d9b8

Elucidation: A function defined using functional notation.

Example: y = f(x)

Relations:

• is a math.DefiningEquation

AlgebricEquation

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/math\#EMMO_98d65021_4574_4890_b2fb_46430841077f$

Example: 2 * a - b = c

Comment: An 'equation' that has parts two 'polynomial'-s

Relations:

• is a math.Equation

• reductionistic.hasSpatialDirectPart some math.AlgebricExpression

Mathematical Symbol branch




Figure 3.18: Mathematical Symbol branch.

Equals

IRI: http://emmo.info/emmo/middle/math#EMMO_535d75a4_1972_40bc_88c6_ca566386934f

Elucidation: The equals symbol.

Relations:

- \bullet is_a math.MathematicalSymbol
- is a math.Mathematical
- \bullet is_a perceptual.Symbol
- equivalent_to perceptual.hasSymbolData value "="

MathematicalSymbol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_5be83f9c_a4ba_4b9a_be1a_5bfc6e891231$

Relations:

- \bullet is_a math.Mathematical
- is a perceptual.Symbol
- mereotopology.hasProperPart only not math.Mathematical
- equivalent_to math.Mathematical and perceptual.Symbol

Mathematical Model branch

${\bf DataBasedModel}$

IRI: http://emmo.info/emmo/middle/models#EMMO a4b14b83 9392 4a5f a2e8 b2b58793f59b




Figure 3.19: Mathematical Model branch.

Elucidation: A computational model that uses existing data to create new insight into the behaviour of a system.

Relations:

• is_a models.MathematicalModel

MathematicalModel

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO_f7ed665b_c2e1_42bc_889b_6b42ed3a36f0}$

Comment: A mathematical model can be defined as a description of a system using mathematical concepts and language to facilitate proper explanation of a system or to study the effects of different components and to make predictions on patterns of behaviour.

Abramowitz and Stegun, 1968

Relations:

- is_a math.Mathematical
- is_a models.Model
- equivalent_to math.Mathematical and models.Model

ContinuumModel

IRI: http://emmo.info/emmo/middle/models#EMMO 4456a5d2 16a6 4ee1 9a8e 5c75956b28ea

Elucidation: A physics-based model based on a physics equation describing the behaviour of continuum volume.

Relations:

• is a models.PhysicsBasedModel

ElectronicModel

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO_6eca09be_17e9_445e_abc9_000aa61b7a11}$

Elucidation: A physics-based model based on a physics equation describing the behaviour of electrons.

Example: Density functional theory. Hartree-Fock.

Relations:

• is_a models.PhysicsBasedModel

PhysicsBasedModel

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO_b29fd350_39aa_4af7_9459_3faa0544cba6$

Elucidation: A solvable set of one Physics Equation and one or more Materials Relations.

Relations:

- is a models.MathematicalModel
- physical.hasSpatialPart some models.PhysicsEquation
- physical.hasSpatialPart some models.MaterialRelation

PhysicsEquation

IRI: http://emmo.info/emmo/middle/models#EMMO_27c5d8c6_8af7_4d63_beb1_ec37cd8b3fa3

Elucidation: An 'equation' that stands for a 'physical_law' by mathematically defining the relations between physics_quantities.

Example: The Newton's equation of motion.

The Schrödinger equation.

The Navier-Stokes equation.

Relations:

- is_a math.Equation
- is_a models.MathematicalModel
- reductionistic.hasSpatialDirectPart some metrology.PhysicalQuantity
- Inverse(models.hasModel) some models.PhysicalPhenomenon

MesoscopicModel

IRI: http://emmo.info/emmo/middle/models#EMMO_53935db0_af45_4426_b9e9_244a0d77db00

Elucidation: A physics-based model based on a physics equation describing the behaviour of mesoscopic entities, i.e. a set of bounded atoms like a molecule, bead or nanoparticle.

Relations:

 \bullet is_a models.PhysicsBasedModel

AtomisticModel

IRI: http://emmo.info/emmo/middle/models#EMMO_84cadc45_6758_46f2_ba2a_5ead65c70213

Elucidation: A physics-based model based on a physics equation describing the behaviour of atoms.

Relations:

• is_a models.PhysicsBasedModel

Mathematical Operator branch

DifferentialOperator

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_f8a2fe9f_458b_4771_9aba_a50e76afc52d}$

Relations:

 \bullet is_a math.MathematicalOperator




Figure 3.20: Mathematical Operator branch.

Minus

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_46d5643b_9706_4b67_8bea_ed77d60265392} \\$

Relations:

- $\bullet \hspace{0.1in} is_a \hspace{0.1in} math. Arithmetic Operator$
- equivalent_to perceptual.hasSymbolData value "-"

Mathematical Operator

Relations:

- is_a math.MathematicalSymbol
- \bullet is_a math.Mathematical
- is_a perceptual.Symbol

Multiplication

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/math\#EMMO_2b1303e8_d4c3_453b_9918_76f1d009543f1) \\ + 2 (10.0016) (10.0016$

Relations:

- is_a math.ArithmeticOperator
- equivalent to perceptual.hasSymbolData value "*"

Plus

IRI: http://emmo.info/emmo/middle/math#EMMO_8de14a59_660b_454f_aff8_76a07ce185f4

- \bullet is_a math.ArithmeticOperator
- equivalent_to perceptual.hasSymbolData value "+"

Gradient

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_b5c58790_fb2d_42eb_b184_2a3f6ca60acb}$

Relations:

- is a math.DifferentialOperator
- equivalent_to perceptual.has Symbol
Data value " ∇ "

Exponent

IRI: http://emmo.info/emmo/middle/math#EMMO_223d9523_4169_4ecd_b8af_acad1215e1ff

Relations:

• is_a math.AlgebricOperator

ArithmeticOperator

IRI: http://emmo.info/emmo/middle/math#EMMO_707f0cd1_941c_4b57_9f20_d0ba30cd6ff3

Relations:

• is_a math.AlgebricOperator

Division

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO} \underline{a365b3c1} \underline{7bde} \underline{41d7} \underline{a15b} \underline{2820762e85f4}$

Relations:

- is a math.ArithmeticOperator
- equivalent_to perceptual.hasSymbolData value "/"

AlgebricOperator

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_3c424d37_cf62_41b1_ac9d_a316f8d113d6}$

Relations:

• is a math.MathematicalOperator

Laplacian

IRI: http://emmo.info/emmo/middle/math#EMMO_048a14e3_65fb_457d_8695_948965c89492

Relations:

- \bullet is_a math.DifferentialOperator
- equivalent_to perceptual.has Symbol
Data value " $\!\Delta\!$ "

Metrological branch

LengthFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_cdc962d8_f3ea_4764_a57a_c7caa4859179

Elucidation: Unit for quantities of dimension one that are the fraction of two lengths.

Example: Unit for plane angle.




Figure 3.21: Metrological branch.

• is a units-extension.FractionUnit

MassFractionUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_18448443_dcf1_49b8_a321_cf46e2c393e12dcf46e2c396e12dcf46e12dcf66e12dc$

Elucidation: Unit for quantities of dimension one that are the fraction of two masses.

Example: Unit for mass fraction.

Relations:

• is a units-extension.FractionUnit

ArcMinute

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_1e0b665d_db6c_4752_a6d4_262d3a8dbb46$

Definition: Measure of plane angle defined as 1/60 or a degree.

Altlabel: MinuteOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCMIN

Relations:

- is_a units-extension.SIAcceptedSpecialUnit
- \bullet is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value " "

ReferenceUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_18ce 5200_00f5_45bb_8c6f_6fb 128cd 41ae$

Comment: A reference can be a measurement unit, a measurement procedure, a reference material, or a combination of such. International vocabulary of metrology (VIM)

Comment: A symbolic is recognized as reference unit also if it is not part of a quatity (e.g. as in the sentence "the Bq is the reference unit of Becquerel").

For this reason we can't declare the axiom: ReferenceUnit SubClassOf: inverse(hasReferenceUnit) some Quantity because there exist reference units without being part of a quantity.

This is peculiar to EMMO, where quantities (symbolic) are distinct with properties (semiotics).

Relations:

• is_a metrology.Metrological

Minute

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_cabb20f0_05c7_448f_9485_e129725f15a4

Definition: Non-SI time unit defined as 60 seconds.

Dbpediaentry: http://dbpedia.org/page/Minute
Qudtentry: http://qudt.org/vocab/unit/MIN

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.TimeDimension

• perceptual.hasSymbolData value "min"

AstronomicalUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 053648ea 3c0a 468c 89cb eb009239323a

Definition: One astronomical unit is defined as exactly 149597870700 m, which is roughly the distance from earth to sun.

Dbpediaentry: http://dbpedia.org/page/Astronomical_unit

Qudtentry: http://qudt.org/vocab/unit/PARSEC

 $\textbf{Wikipedia} entry: \ \text{https://en.wikipedia.org/wiki/Astronomical_unit}$

Relations:

 \bullet is_a units-extension.SIAcceptedSpecialUnit

• is a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.LengthDimension

• perceptual.hasSymbolData value "au"

Gram

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_f992dc76_f9a6_45f6_8873_c8e20d16fbbe$

Definition: Gram is defined as one thousandth of the SI unit kilogram.

Iupacentry: https://doi.org/10.1351/goldbook.G02680 Wikipediaentry: https://en.wikipedia.org/wiki/Gram

Relations:

• is_a metrology.UnitSymbol

• is_a units-extension.CGSUnit

• metrology.hasPhysicalDimension some isq.MassDimension

• perceptual.hasSymbolData value "g"

Radian

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO_a121bb1d_5225_4c78_809b_0268c3012208}$

Elucidation: Measure of plane angle.

 ${\bf Comment:}\ {\bf Dimensionless}\ {\bf measurement}\ {\bf unit}\ {\bf for}\ {\bf plane}\ {\bf angle}.$

Iupacentry: https://doi.org/10.1351/goldbook.R05036

Qudtentry: http://qudt.org/vocab/unit/RAD

Relations:

• is a units-extension.LengthFractionUnit

- is a owl:Nothing
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "rad"
- equivalent_to siunits.Steradian

Neper

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_b41515a9_28d8_4d78_8165_74b2fc72f89e

Definition: Unit of measurement for quantities of type level or level difference, which are defined as the natural logarithm of the ratio of power- or field-type quantities.

The value of a ratio in nepers is given by ln(x1/x2) where x1 and x2 are the values of interest (amplitudes), and ln is the natural logarithm. When the values are quadratic in the amplitude (e.g. power), they are first linearised by taking the square root before the logarithm is taken, or equivalently the result is halved.

Wikipedia

Dbpediaentry: http://dbpedia.org/page/Neper

Iupacentry: https://doi.org/10.1351/goldbook.N04106

Qudtentry: http://qudt.org/vocab/unit/NP

Wikipediaentry: https://en.wikipedia.org/wiki/Neper

Relations:

- $\bullet \ \ is_a \ units-extension. SIAccepted Special Unit$
- $\bullet\,$ is _a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "Np"

Ångström

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_27c530c4_dfcd_486e_b324_54ad4448cd26$

Definition: Measure of length defined as 1e-10 metres.

Altlabel: Angstrom

Comment: Ångström is not mentioned in the SI system and deprecated by the International Bureau of Weights and Measures (BIPM).

Dispite of that, it is often used in the natural sciences and technology.

Dbpediaentry: http://dbpedia.org/page/%C3%85ngstr%C3%B6m

Iupacentry: https://doi.org/10.1351/goldbook.N00350

Qudtentry: http://qudt.org/vocab/unit/ANGSTROM

Wikipediaentry: https://en.wikipedia.org/wiki/Angstrom

Relations:

- is_a metrology.UnitSymbol
- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.LengthDimension
- perceptual.hasSymbolData value "Å"

FractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_c2f5ee66_579c_44c6_a2e9_fa2eaa9fa4da

Elucidation: Unit for fractions of quantities of the same kind, to aid the understanding of the quantity being expressed.

Comment: Quantities that are ratios of quantities of the same kind (for example length ratios and amount fractions) have the option of being expressed with units (m/m, mol/mol to aid the understanding of the quantity being expressed and also allow the use of SI prefixes, if this is desirable (μ m/m, nmol/mol). – SI Brochure

Relations:

• is_a metrology.UnitOne

Dalton

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 00dd79e0 31a6 427e 9b9c 90f3097e4a96

Definition: One dalton is defined as one twelfth of the mass of an unbound neutral atom of carbon-12 in its nuclear and electronic ground state.

Dbpediaentry: http://dbpedia.org/page/Unified_atomic_mass_unit

Iupacentry: https://doi.org/10.1351/goldbook.D01514

Qudtentry: http://qudt.org/vocab/unit/Dalton

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

• is a metrology.OffSystemUnit

 $\bullet \ \ {\rm metrology.hasPhysicalDimension\ some\ isq. Mass Dimension}$

• perceptual.hasSymbolData value "Da"

Bel

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 6c7160fc cc64 46f0 b43b aba65e9952e3

Definition: One bel is defined as ½ ln(10) neper.

Elucidation: Unit of measurement for quantities of type level or level difference.

Comment: Today decibel (one tenth of a bel) is commonly used instead of bel.

Comment: bel is used to express the ratio of one value of a power or field quantity to another, on a logarithmic scale, the logarithmic quantity being called the power level or field level, respectively.

Qudtentry: http://qudt.org/vocab/unit/B

Wikipediaentry: https://en.wikipedia.org/wiki/Decibel

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some metrology.DimensionOne} \\$
- perceptual.hasSymbolData value "B"

VolumeFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_9fd1e79d_41d1_44f8_8142_66dbdf0fc7ad

Elucidation: Unit for quantities of dimension one that are the fraction of two volumes.

Example: Unit for volume fraction.

Relations:

 \bullet is_a units-extension.FractionUnit

BaseUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_db716151_6b73_45ff_910c_d182fdcbb4f5

Elucidation: A set of units that correspond to the base quantities in a system of units.

Relations:

• is_a metrology.UnitSymbol

AreaFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_6f4d704a_a7c6_4c07_b8a7_ea0bab04128f

Elucidation: Unit for quantities of dimension one that are the fraction of two areas.

Example: Unit for solid angle.

Relations:

• is a units-extension.FractionUnit

Day

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_28ef05a7_ecc1_4df6_8116_c53251fbd4a8 \\ \text{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_28ef05a7_ecc1_4df6_8116_ecc1_4df$

Definition: A measure of time defined as 86 400 seconds.

Dbpediaentry: http://dbpedia.org/page/Day

Iupacentry: https://doi.org/10.1351/goldbook.D01527

Qudtentry: http://qudt.org/vocab/unit/DAY

Relations:

• is a units-extension.SIAcceptedSpecialUnit

- $\bullet \;$ is _a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.TimeDimension
- perceptual.hasSymbolData value "d"

ElectronVolt

IRI: http://emmo.info/emmo/middle/units-extension#EMMO e29f84db 4c1c 46ae aa38 c4d47536b972

Definition: The amount of energy gained (or lost) by the charge of a single electron moving across an electric potential difference of one volt.

Dbpediaentry: http://dbpedia.org/page/Electronvolt **Iupacentry:** https://doi.org/10.1351/goldbook.E02014

Qudtentry: http://qudt.org/vocab/unit/EV

- is_a units-extension.SIAcceptedSpecialUnit
- \bullet is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.EnergyDimension
- perceptual.hasSymbolData value "eV"

Hour

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_21 \text{ef2ed6}_c086_4 \text{d}24_8 \text{a}75_980 \text{d}2bcc9282$

Definition: Measure of time defined as 3600 seconds. **Iupacentry:** https://doi.org/10.1351/goldbook.H02866

Qudtentry: http://qudt.org/vocab/unit/HR

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

• is_a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.TimeDimension

• perceptual.hasSymbolData value "h"

MetrologicalSymbol

IRI: http://emmo.info/emmo/middle/metrology#EMMO 50a3552e 859a 4ff7 946d 76d537cabce6

Elucidation: A symbol that stands for a concept in the language of the meterological domain of ISO 80000.

Relations:

- is a metrology. Metrological
- is a perceptual. Symbol
- $\bullet \ \ {\rm mereotopology.hasProperPart\ only\ not\ metrology.} Metrological$

• equivalent_to metrology.Metrological and perceptual.Symbol

PureNumberUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_15d62b55_38ea_4aec_b7c4_25db1a2e5a01$

Elucidation: Unit for dimensionless units that cannot be expressed as a 'FractionUnit'.

Example: Unit of AtomicNumber

Relations:

• is a metrology.UnitOne

SpeedFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_e7bc8939_7ff8_4917_beb5_c42730b390f3

Elucidation: Unit for quantities of dimension one that are the fraction of two speeds.

Example: Unit for refractive index.

Relations:

• is_a units-extension.FractionUnit

Steradian

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO_cf3dd6cc_c5d6_4b3d_aef4_82f3b7a361af2} \\$

Elucidation: Dimensionless measurement unit for solid angle.

Iupacentry: https://doi.org/10.1351/goldbook.S05971

Qudtentry: http://qudt.org/vocab/unit/SR

- is_a units-extension.AreaFractionUnit
- is_a owl:Nothing

- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "sr"
- equivalent_to owl:Nothing

SpecialUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_3ee80521_3c23_4dd1_935d_9d522614a3e2

Elucidation: A unit symbol that stands for a derived unit.

Example: Pa stands for N/m2 J stands for N m

Comment: Special units are semiotic shortcuts to more complex composed symbolic objects.

Relations:

 $\bullet \;$ is _a metrology. DerivedUnit

• is_a metrology.UnitSymbol

 $\bullet\,$ is_a semiotics. Sign

 $\bullet \ \ Inverse (semiotics.has Sign) \ some \ metrology. Derived Unit$

Degree

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_b8830065_3809_41b7_be3c_e33795567fd9

Definition: Degree is a measurement of plane angle, defined by representing a full rotation as 360 degrees.

Dbpediaentry: http://dbpedia.org/page/Degree_(angle) **Iupacentry:** https://doi.org/10.1351/goldbook.D01560

Qudtentry: http://qudt.org/vocab/unit/DEG

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

• is a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some metrology.DimensionOne

• perceptual.hasSymbolData value "°"

ProcedureUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO c9c8f824 9127 4f93 bc21 69fe78a7f6f2

Elucidation: A reference unit provided by a measurement procedure.

Example: Rockwell C hardness of a given sample (150 kg load): 43.5HRC(150 kg)

Relations:

• is_a metrology.ReferenceUnit

AmountFractionUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_f76f5a24_d703_4e8c_b368_f9a7777cb73a$

Elucidation: Unit for quantities of dimension one that are the fraction of two amount of substance.

Example: Unit for amount fraction.

Relations:

• is_a units-extension.FractionUnit

Litre

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_a155dc93_d266_487e_b5e7_2a2c72d5ebf9$

Definition: A non-SI unit of volume defined as 1 cubic decimetre (dm3),

Iupacentry: https://doi.org/10.1351/goldbook.L03594

Qudtentry: http://qudt.org/vocab/unit/L

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

- is_a metrology.OffSystemUnit
- $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.VolumeDimension} \\$
- perceptual.hasSymbolData value "l"

StandardUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO acd1a504 ca32 4f30 86ad 0b62cea5bc02

Elucidation: A reference unit provided by a reference material. International vocabulary of metrology (VIM)

Example: Arbitrary amount-of-substance concentration of lutropin in a given sample of plasma (WHO international standard 80/552): 5.0 International Unit/l

Relations:

• is_a metrology.ReferenceUnit

Metrological

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_985 bec21_989f_4b9e_a4b3_735d88099c3c$

Elucidation: A language object used in metrology.

Comment: Metrology includes all theoretical and practical aspects of measurement, whatever the measurement uncertainty and field of application.

- International vocabulary of metrology (VIM)

Comment: This language domain makes use of ISO 80000 concepts.

Relations:

• is a perceptual.Language

UnitOne

IRI: http://emmo.info/emmo/middle/metrology#EMMO_5ebd5e01_0ed3_49a2_a30d_cd05cbe72978

Elucidation: Represents the number 1, used as an explicit unit to say something has no units.

Example: Refractive index or volume fraction.

Example: Typically used for ratios of two units whos dimensions cancels out.

Qudtentry: http://qudt.org/vocab/unit/UNITLESS

- is a metrology.BaseUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne

ArcSecond

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_6a4547ab_3abb_430d_b81b_ce32d47729f5

Definition: Measure of plane angle defined as 1/3600 or a degree.

Altlabel: SecondOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCSEC

Relations:

- is_a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ metrology. Dimension One$
- perceptual.hasSymbolData value " "

UnitSymbol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_216f448e_cdbc_4aeb_a529_7a5fe7fc38bb$

Elucidation: A symbol that stands for a single unit. Example: Some examples are "Pa", "m" and "J".

Relations:

- is_a metrology.NonPrefixedUnit
- equivalent to metrology. Measurement Unit and perceptual. Symbol
- disjoint union of metrology. Special Unit, metrology. Base Unit

Tonne

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_f8b92999_3cde_46e3_99d5_664da3090a02

Definition: A non-SI unit defined as 1000 kg.

Iupacentry: https://doi.org/10.1351/goldbook.T06394

Qudtentry: http://qudt.org/vocab/unit/TON_M

Wikipediaentry: https://en.wikipedia.org/wiki/Tonne

Relations:

- \bullet is_a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.MassDimension
- perceptual.hasSymbolData value "t"

Hectare

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_d6eb0176_a0d7_4b4e_8df0_50e912be2342

Definition: A non-SI metric unit of area defined as the square with 100-metre sides.

Dbpediaentry: http://dbpedia.org/page/Hectare **Qudtentry:** http://qudt.org/vocab/unit/HA

Wikipediaentry: https://en.wikipedia.org/wiki/Hectare

- is a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} Area Dimension \\$

• perceptual.hasSymbolData value "ha"

SIUnitSymbol

IRI: http://emmo.info/emmo/middle/siunits#EMMO_32129fb5_df25_48fd_a29c_18a2f22a2dd5

Relations:

- is_a metrology.UnitSymbol
- $\bullet \;$ is _a siunits.SICoherentUnit
- disjoint union of siunits.SIBaseUnit, siunits.SISpecialUnit

SIAcceptedSpecialUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_6795a4b8_ffd0_4588_a581_a9413fe49cac$

Elucidation: Non-SI units mentioned in the SI.

Comment: This is a list of units that are not defined as part of the International System of Units (SI), but are otherwise mentioned in the SI brouchure, because either the General Conference on Weights and Measures (CGPM) accepts their use as being multiples or submultiples of SI-units, they have important contemporary application worldwide, or are otherwise commonly encountered worldwide.

Wikipediaentry: https://en.wikipedia.org/wiki/Non-SI_units_mentioned_in_the_SI

Relations:

- is_a metrology.SpecialUnit
- is_a metrology.OffSystemUnit
- disjoint_union_of units-extension.Dalton, units-extension.AstronomicalUnit, units-extension.ArcMinute, units-extension.Hour, units-extension.Day, units-extension.ArcSecond, units-extension.Bel, units-extension.Litre, units-extension.Neper, units-extension.Degree, units-extension.Minute, units-extension.Hectare, units-extension.ElectronVolt, units-extension.Tonne

Physical Dimension branch

TimeDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_02e894c3_b793_4197_b120_3442e08f58d1$

Relations:

- $\bullet \ \ is_a \ metrology. Physical Dimension$
- equivalent_to perceptual.hasSymbol Data value "T+1 L0 M0 I
0 $\Theta 0$ N0 J0"

Entropy Dimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_3ecff38b_b3cf_4a78_b49f_8580abf8715b

Relations:

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-2 L+2 M+1 I0 Θ -1 N0 J0"

SpeedDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_4f5c7c54_1c63_4d17_b12b_ea0792c2b187$

- is a metrology. Physical Dimension
- ullet equivalent_to isq.VelocityDimension




Figure 3.22: Physical Dimension branch. ${}^{85}_{}$

• equivalent to perceptual.hasSymbolData value "T-1 L+1 M0 I0 Θ0 N0 J0"

PhysicalDimension

IRI: http://emmo.info/emmo/middle/metrology#EMMO_9895a1b4_f0a5_4167_ac5e_97db40b8bfcc

Elucidation: A symbol that, following SI specifications, describe the physical dimensionality of a physical quantity and the exponents of the base units in a measurement unit.

Comment: All physical quantities, with the exception of counts, are derived quantities, which may be written in terms of base quantities according to the equations of physics. The dimensions of the derived quantities are written as products of powers of the dimensions of the base quantities using the equations that relate the derived quantities to the base quantities. In general the dimension of any quantity Q is written in the form of a dimensional product,

$$\dim Q = T^{\alpha} L^{\beta} M^{\gamma} I^{\delta} \Theta^{\epsilon} N^{\zeta} J^{\eta}$$

where the exponents α , β , γ , δ , ϵ , ζ and η , which are generally small integers, which can be positive, negative, or zero, are called the dimensional exponents. (SI brochure)

Comment: The conventional symbolic representation of the dimension of a base quantity is a single upper case letter in roman (upright) type. The conventional symbolic representation of the dimension of a derived quantity is the product of powers of the dimensions of the base quantities according to the definition of the derived quantity. The dimension of a quantity Q is denoted by dim Q. ISO 80000-1

Comment: The expression used by the EMMO for physical dimensions is a metrological symbol (but a string at meta level, i.e. the ontologist level) like this:

Ta Lb Mc Id Θ e Nf Jg

where a, b, c, d, e, f and g are 0 or signed integers.

Regex for the physical dimension symbol for the EMMO is: $^T([+-][1-9]|0)$ L([+-][1-9]|0) M([+-][1-9]|0) I([+-][1-9]|0) $^T([+-][1-9]|0)$ N([+-][1-9]|0) $^T([+-][1-9]|0)$ N([+-][1-9]|0) $^T([+-][1-9]|0)$ N([+-][1-9]|0) N([+-][1-9]|0) $^T([+-][1-9]|0)$ N([+-][1-9]|0) N([+-][1

Examples of correspondance between base units and physical dimensions are: mol \rightarrow T0 L0 M0 I0 Θ 0 N+1 J0 s \rightarrow T+1 L0 M0 I0 Θ 0 N0 J0 A/m2 \rightarrow T0 L0 M-2 I+1 Θ 0 N0 J0

Relations:

- is_a metrology.MetrologicalSymbol
- ullet is_a metrology.Metrological
- is_a perceptual.Symbol

ElectricResistanceDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_7610efb8_c7c6_4684_abc1_774783c62472}$

Relations:

- is a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-3 L+2 M+1 I-2 $\Theta 0$ N0 J0"

AbsorbedDoseDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_847f1d9f_205e_46c1_8cb6_a9e479421f88

- is a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbol Data value "T-2 L+2 M0 I
0 $\Theta0$ N0 J0"

Inductance Dimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_585e0ff0_9429_4d3c_b578_58abb1ba21d1 Relations:

- $\bullet \;$ is _a metrology. PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-2 L+2 M+1 I-2 Θ0 N0 J0"

AreaDimension

 $\label{lem:info} \textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO}_33433bb1_c68f_45ee_a466_f01e2c57b214\\ \textbf{Relations:}$

- is a metrology.PhysicalDimension
- perceptual.hasSymbolData value "T0 L2 M0 I0 Θ0 N0 J0"

LuminousEfficacyDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_5c003f53_20a2_4bd7_8445_58187e582578 Relations:

- is a metrology.PhysicalDimension
- equivalent to perceptual.hasSymbolData value "T+3 L-1 M-1 IO \O 00 NO J+1"

MagneticFluxDensityDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_ec903946_ddc9_464a_903c_7373e0d1eeb5 } \\ \textbf{Relations:}$

- \bullet is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-2 L0 M+1 I-1 Θ0 N0 J0"

IlluminanceDimension

 $\label{lem:lem:moinfo} \textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_} 668e6ead_1530_40cc_ad5e_24b880edff50\\ \textbf{Relations:}$

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T0 L-2 M0 I0 Θ0 N0 J+1"

ForceDimension

Relations:

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_53e825d9_1a09_483c_baa7_37501ebfbe1c} \\ \textbf{IRI:} \ \text{IRI:} \ \text{IR$

- \bullet is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbol Data value "T-2 L+1 M+1 I
0 $\Theta 0$ N0 J0"

ElectricConductanceDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_321af35f_f0cc_4a5c_b4fe_8c2c0303fb0c Relations:

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbol Data value "T+3 L-2 M-1 I+2 $\Theta 0$ N
0 J0"

EnergyDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_f6070071_d054_4b17_9d2d_f446f7147d0f

Relations:

- $\bullet \;$ is _a metrology. PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-2 L+2 M+1 I0 Θ0 N0 J0"

DimensionOne

IRI: http://emmo.info/emmo/middle/metrology#EMMO_3227b821_26a5_4c7c_9c01_5c24483e0bd0

Comment: "The unit one is the neutral element of any system of units – necessary and present automatically." SI Brochure

Relations:

- is a metrology.PhysicalDimension
- equivalent to perceptual.has Symbol
Data value "T0 L0 M0 I0 $\Theta 0$ N0 J0"

PressureDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_53bd0c90_41c3_46e2_8779_cd2a80f7e18b}$

Relations:

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-2 L-1 M+1 I0 Θ0 N0 J0"

ElectricPotentialDimension

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/isq\#EMMO_2e7e5796_4a80_4d73_bb84_f31138446c0c$

Relations:

- is a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-3 L+2 M+1 I-1 $\Theta 0$ N0 J0"

${\bf Magnetic Dipole Moment Dimension}$

IRI: http://emmo.info/emmo/middle/isq#EMMO_1c2226a9_22f0_40c8_8928_5a01d398f96e

Relations:

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T+1 L+1 M0 I+1 $\Theta0$ N0 J0"

LengthDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_b3600e73_3e05_479d_9714_c041c3acf5cc

- is a metrology.PhysicalDimension
- equivalent to perceptual.hasSymbolData value "T0 L+1 M0 I0 Θ0 N0 J0"

ElectricCurrentDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_d5f3e0e5_fc7d_4e64_86ad_555e74aaff84 Relations:

- $\bullet \;$ is _a metrology. PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T0 L0 M0 I+1 Θ0 N0 J0"

MagneticFluxDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_4c49ab58_a6f6_409e_b849_f873ae1dcbee Relations:

- is_a metrology.PhysicalDimension
- equivalent to perceptual.hasSymbolData value "T-2 L+2 M+1 I-1 Θ0 N0 J0"

FrequencyDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_515b5579_d526_4842_9e6f_ecc34db6f368} \\ \textbf{Relations:}$

- is a metrology.PhysicalDimension
- equivalent to perceptual.hasSymbolData value "T-1 L0 M0 I0 Θ0 N0 J0"

ElectricChargeDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_ab79e92b_5377_454d_be06_d61b50db295a} \\ \textbf{Relations:}$

- \bullet is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T+1 L0 M0 I+1 Θ0 N0 J0"

Temperature Dimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_a77a0a4b_6bd2_42b2_be27_4b63cebbb59e Relations:

- \bullet is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T0 L0 M0 I0 Θ +1 N0 J0"

MassDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_77e9dc31_5b19_463e_b000_44c6e79f98aa} \\ \textbf{IRI:} \ \text{IRI:} \ \text{IR$

Relations:

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.has Symbol
Data value "T0 L0 M+1 I0 $\Theta 0$ N0 J0"

VolumeDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_9141801c_c539_4c72_b423_8c74ff6b8f05

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.has Symbol
Data value "T0 L+3 M0 I0 $\Theta 0$ N0 J0"

CapacitanceDimension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_b14d9be5_f81e_469b_abca_379c2e83feab}$

Relations:

- $\bullet \;$ is _a metrology. PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T+4 L-2 M-1 I+2 Θ0 N0 J0"

CatalyticActivityDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO ce7d4720 aa20 4a8c 93e8 df41a35b6723

Relations:

- is a metrology.PhysicalDimension
- equivalent to perceptual.hasSymbolData value "T-1 L0 M0 I0 Θ0 N+1 J0"

AngularMomentumDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_501f9b3a_c469_48f7_9281_2e6a8d805d7a

Relations:

- is a metrology.PhysicalDimension
- equivalent to perceptual.hasSymbolData value "T-1 L+2 M+1 I0 Θ0 N0 J0"

AmountDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_e501069c_34d3_4dc7_ac87_c90c7342192b

Comment: "In the name "amount of substance", the word "substance" will typically be replaced by words to specify the substance concerned in any particular application, for example "amount of hydrogen chloride, HCl", or "amount of benzene, C6H6". It is important to give a precise definition of the entity involved (as emphasized in the definition of the mole); this should preferably be done by specifying the molecular chemical formula of the material involved. Although the word "amount" has a more general dictionary definition, the abbreviation of the full name "amount of substance" to "amount" may be used for brevity." SI Brochure

Relations:

- is_a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbol Data value "T0 L0 M0 I
0 $\Theta 0$ N+1 J0"

LuminousIntensityDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_14ff4393_0f28_4fb4_abc7_c2cc00bc761d

Relations:

- is a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T0 L0 M0 I0 Θ0 N0 J+1"

PerAmountDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO af24ae20 8ef2 435a 86a1 2ea44488b318

- $\bullet \ \ is_a \ metrology. Physical Dimension$
- equivalent to perceptual.hasSymbolData value "T0 L0 M0 I0 Θ0 N-1 J0"

PowerDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_c8d084ad_f88e_4596_8e4d_982c6655ce6f

Relations:

- $\bullet \;$ is _a metrology.PhysicalDimension
- equivalent_to perceptual.hasSymbolData value "T-3 L+2 M+1 I0 Θ 0 N0 J0"

VelocityDimension

IRI: http://emmo.info/emmo/middle/isq#EMMO_f84792eb_ec64_4a6b_941f_c9f3e9ef052c

Relations:

- is a metrology.PhysicalDimension
- equivalent_to perceptual.has Symbol
Data value "T-1 L+1 M0 I0 $\Theta0$ N0 J0"

Physical Quantity branch




Figure 3.23: Physical Quantity branch.

Weight

IRI: http://emmo.info/emmo/middle/isq#EMMO_04cf0295_3e8f_4693_a87f_3130d125cf05

Comment: Force of gravity acting on a body.

Dbpediaentry: http://dbpedia.org/page/Weight

Iupacentry: https://doi.org/10.1351/goldbook.W06668

Physical dimension: T-2 L+1 M+1 IO OO NO JO

Relations:

• is_a isq. Force

Permittivity

IRI: http://emmo.info/emmo/middle/isq#EMMO_0ee5779e_d798_4ee5_9bfe_c392d5bea112

Comment: Measure for how the polarization of a material is affected by the application of an external electric field.

Dbpediaentry: http://dbpedia.org/page/Permittivity **Iupacentry:** https://doi.org/10.1351/goldbook.P04507

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Permittivity

Physical dimension: T+4 L-3 M-1 I+2 $\Theta 0$ N0 J0

• is_a isq.ISQDerivedQuantity

BoltzmannConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_ffc7735f_c177_46a4_98e9_a54440d29209

Elucidation: A physical constant relating energy at the individual particle level with temperature. It is the gas constant R divided by the Avogadro constant.

Comment: The DBpedia definition (http://dbpedia.org/page/Boltzmann_constant) is outdated as May 20, 2019. It is now an exact quantity.

Dbpediaentry: http://dbpedia.org/page/Boltzmann_constant

 $\textbf{Iupacentry:}\ \, https://doi.org/10.1351/goldbook.B00695$

Physical dimension: T-2 L+2 M+1 I0 Θ -1 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_BoltzmannConstant

Relations:

• is_a isq.Entropy

• is_a isq.SIExactConstant

VacuumMagneticPermeability

IRI: http://emmo.info/emmo/middle/isq#EMMO de021e4f 918f 47ef a67b 11120f56b9d7

Comment: The DBpedia and UIPAC Gold Book definitions (http://dbpedia.org/page/Vacuum_permeability, https://doi.org/10.1351/goldbook.P04504) are outdated since May 20, 2019. It is now a measured constant.

Comment: The value of magnetic permeability in a classical vacuum.

Physical dimension: T-2 L+1 M+1 I-2 \O 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_MagneticConstant

Relations:

• is_a isq.Permeability

• is a metrology.MeasuredConstant

MagneticFieldStrength

IRI: http://emmo.info/emmo/middle/isq#EMMO_b4895f75_41c8_4fd9_b6d6_4d5f7c99c423

Comment: Strength of a magnetic field. Commonly denoted H.

Dbpediaentry: http://dbpedia.org/page/Magnetic_field **Iupacentry:** https://doi.org/10.1351/goldbook.M03683

Physical dimension: T0 L-1 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

MagneticFlux

IRI: http://emmo.info/emmo/middle/isq#EMMO_3b931698_937e_49be_ab1b_36fa52d91181

Elucidation: Measure of magnetism, taking account of the strength and the extent of a magnetic field.

Dbpediaentry: http://dbpedia.org/page/Magnetic_flux **Iupacentry:** https://doi.org/10.1351/goldbook.M03684

Physical dimension: T-2 L+2 M+1 I-1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

InternalEnergy

IRI: http://emmo.info/emmo/middle/isq#EMMO_830b59f7_d047_438c_90cd_62845749efcb

Elucidation: A state quantity equal to the difference between the total energy of a system and the sum of the macroscopic kinetic and potential energies of the system.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-04-20

Altlabel: ThermodynamicEnergy

Dbpediaentry: http://dbpedia.org/page/Internal_energy **Iupacentry:** https://doi.org/10.1351/goldbook.I03103

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/InternalEnergy

Physical dimension: T-2 L+2 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.Energy

Capacitance

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_99dba333_0dbd_4f75_8841_8c0f97fd58e2$

Elucidation: The derivative of the electric charge of a system with respect to the electric potential.

Altlabel: ElectricCapacitance

Dbpediaentry: http://dbpedia.org/page/Capacitance **Iupacentry:** https://doi.org/10.1351/goldbook.C00791 **Physical dimension:** T+4 L-2 M-1 I+2 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

RefractiveIndex

IRI: http://emmo.info/emmo/middle/isq#EMMO_5eedba4d_105b_44d8_b1bc_e33606276ea2

Comment: Factor by which the phase velocity of light is reduced in a medium.

Dbpediaentry: http://dbpedia.org/page/Refractive_index **Iupacentry:** https://doi.org/10.1351/goldbook.R05240

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.SpeedFractionUnit

MassFraction

IRI: http://emmo.info/emmo/middle/isq#EMMO_7c055d65_2929_40e1_af4f_4bf10995ad50

Comment: Mass of a constituent divided by the total mass of all constituents in the mixture.

Dbpediaentry: http://dbpedia.org/page/Mass_fraction_(chemistry)

Iupacentry: https://doi.org/10.1351/goldbook.M03722

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/MassFraction

Physical dimension: T0 L0 M0 I0 Θ0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.MassFractionUnit

VonKlitzingConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO eb561764 276e 413d a8cb 3a3154fd9bf8

Definition: The von Klitzing constant is defined as Planck constant divided by the square of the elementary

charge.

Comment: Resistance quantum.

Physical dimension: T-3 L+2 M+1 I-2 $\Theta0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value VonKlitzingConstant

Relations:

 $\bullet\,$ is _a isq.ElectricResistance

• is_a isq.SIExactConstant

Permeability

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_09663630_1b84_4202_91e6_e641104f579e}$

Comment: Measure for how the magnetization of material is affected by the application of an external magnetic

field .

 $\textbf{Dbpediaentry:} \ \text{http://dbpedia.org/page/Permeability_(electromagnetism)}$

Iupacentry: https://doi.org/10.1351/goldbook.P04503

Physical dimension: T-2 L+1 M+1 I-2 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

MagneticFluxDensity

IRI: http://emmo.info/emmo/middle/isq#EMMO_961d1aba_f75e_4411_aaa4_457f7516ed6b

Elucidation: Strength of the magnetic field.

Comment: Often denoted B.

Dbpediaentry: http://dbpedia.org/page/Magnetic_field **Iupacentry:** https://doi.org/10.1351/goldbook.M03686

Physical dimension: T-2 L0 M+1 I-1 Θ 0 N0 J0

Relations:

RatioQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_faab3f84_e475_4a46_af9c_7d249f0b9aef

Elucidation: The class of quantities that are the ratio of two quantities with the same physical dimensionality.

Example: refractive index, volume fraction, fine structure constant

Comment: Quantities defined as ratios Q=A/B having equal dimensions in numerator and denominator are dimensionless quantities but still have a physical dimension defined as $\dim(A)/\dim(B)$.

Johansson, Ingvar (2010). "Metrological thinking needs the notions of parametric quantities, units and dimensions". Metrologia. 47 (3): 219-230. doi:10.1088/0026-1394/47/3/012. ISSN 0026-1394.

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Seealso: https://iopscience.iop.org/article/10.1088/0026-1394/47/3/012

Relations:

• is_a isq.ISQDimensionlessQuantity

Torque

IRI: http://emmo.info/emmo/middle/isq#EMMO aaf9dd7f 0474 40d0 9606 02def8515249

Elucidation: The effectiveness of a force to produce rotation about an axis, measured by the product of the force and the perpendicular distance from the line of action of the force to the axis.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-26

Comment: Even though torque has the same physical dimension as energy, it is not of the same kind and can not be measured with energy units like joule or electron volt.

Dbpediaentry: http://dbpedia.org/page/Torque

Iupacentry: https://doi.org/10.1351/goldbook.T06400

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Torque

Physical dimension: T-2 L+2 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Wavenumber

IRI: http://emmo.info/emmo/middle/isq#EMMO d859588d 44dc 4614 bc75 5fcd0058acc8

Comment: The number of waves per unit length along the direction of propagation.

Dbpediaentry: http://dbpedia.org/page/Wavenumber **Iupacentry:** https://doi.org/10.1351/goldbook.W06664

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Wavenumber

Physical dimension: T0 L-1 M0 I0 $\Theta0$ N0 J0

Relations:

 \bullet is_a isq.ReciprocalLength

AreaDensity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_afea89af_ef16_4bdb_99d5_f3b2f4c85a6c}$

Comment: Mass per unit area.

Dbpediaentry: http://dbpedia.org/page/Area_density **Iupacentry:** https://doi.org/10.1351/goldbook.S06167

Physical dimension: T0 L-2 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricCharge

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/isq\#EMMO_1604f495_328a_4f28_9962_f4cc210739dd$

Elucidation: The physical property of matter that causes it to experience a force when placed in an electro-

magnetic field.

Altlabel: Charge

Dbpediaentry: http://dbpedia.org/page/Electric_charge **Iupacentry:** https://doi.org/10.1351/goldbook.E01923

Physical dimension: T+1 L0 M0 I+1 $\Theta0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricalConductivity

IRI: http://emmo.info/emmo/middle/isq#EMMO_cde4368c_1d4d_4c94_8548_604749523c6d

Comment: Measure of a material's ability to conduct an electric current.

Conductivity is equeal to the resiprocal of resistivity.

Dbpediaentry: http://dbpedia.org/page/Electrical_resistivity_and_conductivity

 $\textbf{Iupacentry:}\ \, https://doi.org/10.1351/goldbook.C01245$

Physical dimension: T+3 L-3 M-1 I+2 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

PositionVector

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_44da6d75_54a4_4aa8_bd3a_156f6e9abb8e}$

Definition: Vector r characterizing a point P in a point space with a given origin point O.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-12

Altlabel: Position

Comment: In the usual geometrical three-dimensional space, position vectors are quantities of the dimension length.

– IEC

Comment: Position vectors are so-called bounded vectors, i.e. their magnitude and direction depend on the particular coordinate system used.

- ISO 80000-3

Physical dimension: T0 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.Length

ProtonMass

IRI: http://emmo.info/emmo/middle/isq#EMMO_8d689295_7d84_421b_bc01_d5cceb2c2086

Comment: The rest mass of a proton.

Iupacentry: https://doi.org/10.1351/goldbook.P04914

Physical dimension: T0 L0 M+1 I0 $\Theta0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value ProtonMass

Relations:

• is a isq.Mass

• is a metrology.MeasuredConstant

ThermodynamicTemperature

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/isq\#EMMO_affe07e4_e9bc_4852_86c6_69e26182a17f$

Elucidation: Thermodynamic temperature is the absolute measure of temperature. It is defined by the third law of thermodynamics in which the theoretically lowest temperature is the null or zero point.

Dbpediaentry: http://dbpedia.org/page/Thermodynamic temperature

Iupacentry: https://doi.org/10.1351/goldbook.T06321

Physical dimension: T0 L0 M0 I0 Θ +1 N0 J0

Relations:

• is_a isq.ISQBaseQuantity

Density

IRI: http://emmo.info/emmo/middle/isq#EMMO 06448f64 8db6 4304 8b2c e785dba82044

Comment: Mass per volume.

Dbpediaentry: http://dbpedia.org/page/Density

Iupacentry: https://doi.org/10.1351/goldbook.D01590

Physical dimension: T0 L-3 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Energy

IRI: http://emmo.info/emmo/middle/isq#EMMO_31ec09ba_1713_42cb_83c7_b38bf6f9ced2

Elucidation: A property of objects which can be transferred to other objects or converted into different forms.

Comment: Energy is often defined as "ability of a system to perform work", but it might be misleading since is not necessarily available to do work.

Dbpediaentry: http://dbpedia.org/page/Energy

Iupacentry: https://doi.org/10.1351/goldbook.E02101

Physical dimension: T-2 L+2 M+1 I0 Θ0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Volume

IRI: http://emmo.info/emmo/middle/isq#EMMO_fla51559_aa3d_43a0_9327_918039f0dfed

Comment: Extent of an object in space.

Dbpediaentry: http://dbpedia.org/page/Volume Physicaldimension: T0 L-3 M0 I0 Θ0 N0 J0

Relations:

• is a isq.ISQDerivedQuantity

Electrical Resistivity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_e150fa8d_06dc_4bb8_bf95_04e2aea529c1$

Comment: Electric field strength divided by the current density.

Dbpediaentry: http://dbpedia.org/page/Electrical_resistivity_and_conductivity

Iupacentry: https://doi.org/10.1351/goldbook.R05316

Physical dimension: T-3 L+3 M+1 I-2 $\Theta 0$ N0 J0

Relations:

• is a isq.ISQDerivedQuantity

Illuminance

IRI: http://emmo.info/emmo/middle/isq#EMMO_b51fbd00_a857_4132_9711_0ef70e7bdd20

Definition: The total luminous flux incident on a surface, per unit area.

Dbpediaentry: http://dbpedia.org/page/Illuminance **Iupacentry:** https://doi.org/10.1351/goldbook.I02941

Physical dimension: T0 L-2 M0 I0 $\Theta0$ N0 J+1

Relations:

• is_a isq.ISQDerivedQuantity

DoseEquivalent

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_3df10765_f6ff_4c9e_be3d_10b1809d78bd}$

Elucidation: A dose quantity used in the International Commission on Radiological Protection (ICRP) system

of radiological protection.

Dbpediaentry: http://dbpedia.org/page/Energy

Iupacentry: https://doi.org/10.1351/goldbook.E02101

Physical dimension: T-2 L+2 M0 I0 Θ 0 N0 J0

Relations:

Entropy

IRI: http://emmo.info/emmo/middle/isq#EMMO_9bbab0be_f9cc_4f46_9f46_0fd271911b79

Comment: Logarithmic measure of the number of available states of a system.

Comment: May also be referred to as a measure of order of a system.

Dbpediaentry: http://dbpedia.org/page/Entropy

Iupacentry: https://doi.org/10.1351/goldbook.E02149

Physical dimension: T-2 L+2 M+1 I0 Θ -1 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Work

IRI: http://emmo.info/emmo/middle/isq#EMMO 624d72ee e676 4470 9434 c22b4190d3d5

Definition: Product of force and displacement. **Dbpediaentry:** http://dbpedia.org/page/Heat

Dbpediaentry: http://dbpedia.org/page/Work_(physics) **Iupacentry:** https://doi.org/10.1351/goldbook.W06684

Physical dimension: T-2 L+2 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.Energy

CelsiusTemperature

IRI: http://emmo.info/emmo/middle/isq#EMMO 66bc9029 f473 45ff bab9 c3509ff37a22

Elucidation: An objective comparative measure of hot or cold.

Temperature is a relative quantity that can be used to express temperature differences. Unlike ThermodynamicTemperature, it cannot express absolute temperatures.

Dbpediaentry: http://dbpedia.org/page/Temperature **Iupacentry:** https://doi.org/10.1351/goldbook.T06261

Physicaldimension: T-1 L0 M0 I0 Θ 0 N+1 J0

Relations:

• is_a isq.ISQDerivedQuantity

CurrentDensity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_7c8007b0_58a7_4486_bf1c_4772852caca0}$

Comment: Electric current divided by the cross-sectional area it is passing through.

Dbpediaentry: http://dbpedia.org/page/Current_density **Iupacentry:** https://doi.org/10.1351/goldbook.E01928

Physical dimension: To L-2 M0 I+1 Θ 0 N0 J0

Relations:

Power

IRI: http://emmo.info/emmo/middle/isq#EMMO_09b9021b_f97b_43eb_b83d_0a764b472bc2

Elucidation: Rate of transfer of energy per unit time.

Dbpediaentry: http://dbpedia.org/page/Power_(physics)

Iupacentry: https://doi.org/10.1351/goldbook.P04792

Physical dimension: T-3 L+2 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Vergence

IRI: http://emmo.info/emmo/middle/isq#EMMO_1e7603a7_1365_49b8_b5e5_3711c8e6b904

Comment: In geometrical optics, vergence describes the curvature of optical wavefronts.

Dbpediaentry: http://dbpedia.org/page/Vergence

Physical dimension: T0 L-1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Area

IRI: http://emmo.info/emmo/middle/isq#EMMO_96f39f77_44dc_491b_8fa7_30d887fe0890

Comment: Extent of a surface.

Dbpediaentry: http://dbpedia.org/page/Area

Iupacentry: https://doi.org/10.1351/goldbook.A00429

Physical dimension: T0 L+2 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ISQDimensionlessQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_a66427d1_9932_4363_9ec5_7d91f2bfda1e

Elucidation: A quantity to which no physical dimension is assigned and with a corresponding unit of measurement in the SI of the unit one.

Dbpediaentry: http://dbpedia.org/page/Dimensionless_quantity

Iupacentry: https://doi.org/10.1351/goldbook.D01742

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Dimensionless_quantity

Relations:

AmountFraction

IRI: http://emmo.info/emmo/middle/isq#EMMO_04b3300c_98bd_42dc_a3b5_e6c29d69f1ac

Definition: The amount of a constituent divided by the total amount of all constituents in a mixture.

Altlabel: MoleFraction

Dbpediaentry: http://dbpedia.org/page/Mole_fraction **Iupacentry:** https://doi.org/10.1351/goldbook.A00296

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/AmountOfSubstanceFraction

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.AmountFractionUnit

VolumeFraction

IRI: http://emmo.info/emmo/middle/isq#EMMO a8eb87b5 4d10 4137 a75c e04ee59ca095

Elucidation: Volume of a constituent of a mixture divided by the sum of volumes of all constituents prior to

mixing.

Dbpediaentry: http://dbpedia.org/page/Volume_fraction

Iupacentry: https://doi.org/10.1351/goldbook.V06643

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/VolumeFraction

Physical dimension: T0 L0 M0 I0 Θ0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.VolumeFractionUnit

ISQBaseQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_1a4c1a97_88a7_4d8e_b2f9_2ca58e92dde4

Elucidation: Base quantities defined in the International System of Quantities (ISQ).

Wikipediaentry: https://en.wikipedia.org/wiki/International_System_of_Quantities

Relations:

- is a isq.InternationalSystemOfQuantity
- is_a metrology.BaseQuantity
- disjoint_union_of isq.LuminousIntensity, isq.AmountOfSubstance, isq.ThermodynamicTemperature, isq.ElectricCurrent, isq.Length, isq.Time, isq.Mass

RybergConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO a3c78d6f ae49 47c8 a634 9b6d86b79382

Comment: The Rydberg constant represents the limiting value of the highest wavenumber (the inverse wavelength) of any photon that can be emitted from the hydrogen atom, or, alternatively, the wavenumber of the lowest-energy photon capable of ionizing the hydrogen atom from its ground state.

Dbpediaentry: http://dbpedia.org/page/Rydberg_constant

Iupacentry: https://doi.org/10.1351/goldbook.R05430

Physical dimension: T0 L-1 M0 I0 $\Theta0$ N0 J0 Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_RybergConstant

Relations:

- is_a isq.Wavenumber
- is_a metrology.MeasuredConstant

SolidAngle

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_e7c9f7fd_e534_4441_88fe_1fec6cb20f26 }$

Elucidation: Ratio of area on a sphere to its radius squared.

Dbpediaentry: http://dbpedia.org/page/Solid_angle **Iupacentry:** https://doi.org/10.1351/goldbook.S05732

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.AreaFractionUnit

MassConcentration

IRI: http://emmo.info/emmo/middle/isq#EMMO 16f2fe60 2db7 43ca 8fee 5b3e416bfe87

Comment: Mass of a constituent divided by the volume of the mixture.

Dbpediaentry: http://dbpedia.org/page/Mass_concentration_(chemistry)

Iupacentry: https://doi.org/10.1351/goldbook.M03713

Physical dimension: T0 L-3 M+1 I0 Θ0 N0 J0

Relations:

• is a isq.Density

AbsorbedDose

IRI: http://emmo.info/emmo/middle/isq#EMMO 8e5dd473 808b 4a8a b7cd 63068c12ff57

Definition: Energy imparted to matter by ionizing radiation in a suitable small element of volume divided by the mass of that element of volume.

Dbpediaentry: http://dbpedia.org/page/Absorbed_dose **Iupacentry:** https://doi.org/10.1351/goldbook.A00031

Physicaldimension: T-2 L+2 M0 I0 Θ 0 N0 J0

Relations:

 $\bullet \ \ is_a \ isq. ISQDerived Quantity$

ISQDerivedQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_2946d40b_24a1_47fa_8176_e3f79bb45064

Elucidation: Derived quantities defined in the International System of Quantities (ISQ).

- $\bullet \ \ is_a \ isq. International System Of Quantity$
- is_a metrology.DerivedQuantity

ElectricCurrent

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_c995ae70_3b84_4ebb_bcfc_69e6a281bb88$

Elucidation: A flow of electric charge.

Dbpediaentry: http://dbpedia.org/page/Electric_current **Iupacentry:** https://doi.org/10.1351/goldbook.E01927

Physical dimension: T0 L0 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ISQBaseQuantity

PureNumberQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_ba882f34_0d71_4e4f_9d92_0c076c633a2c

Elucidation: A pure number, typically the number of something. **Example:** 1, i, π , the number of protons in the nucleus of an atom

Comment: According to the SI brochure counting does not automatically qualify a quantity as an amount of substance.

This quantity is used only to describe the outcome of a counting process, without regard of the type of entities.

"There are also some quantities that cannot be described in terms of the seven base quantities of the SI, but have the nature of a count. Examples are a number of molecules, a number of cellular or biomolecular entities (for example copies of a particular nucleic acid sequence), or degeneracy in quantum mechanics. Counting quantities are also quantities with the associated unit one."

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is a isq.ISQDimensionlessQuantity

Heat

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_12d4ba9b_2f89_4ea3_b206_cd376f96c875}$

Comment: Heat is energy in transfer to or from a thermodynamic system, by mechanisms other than thermodynamic work or transfer of matter.

Iupacentry: https://doi.org/10.1351/goldbook.H02752

Physical dimension: T-2 L+2 M+1 I0 Θ0 N0 J0

Relations:

• is_a isq.Energy

LuminousFlux

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_e2ee1c98_497a_4f66_b4ed_5711496a848e}$

Elucidation: Perceived power of light.

Dbpediaentry: http://dbpedia.org/page/Luminous_flux **Iupacentry:** https://doi.org/10.1351/goldbook.L03646

Physical dimension: T0 L0 M0 I0 $\Theta0$ N0 J+1

Relations:

VacuumElectricPermittivity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_61a32ae9_8200_473a_bd55_59a9899996f4}$

Comment: The DBpedia definition (http://dbpedia.org/page/Vacuum_permittivity) is outdated since May

20, 2019. It is now a measured constant.

Comment: The value of the absolute dielectric permittivity of classical vacuum.

 $\textbf{Iupacentry:}\ \text{https://doi.org/} 10.1351/goldbook.P04508$

Physical dimension: T+4 L-3 M-1 I+2 $\Theta 0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElectricConstant

Relations:

• is a isq.Permittivity

• is a metrology.MeasuredConstant

Frequency

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO} \underline{852b4ab8_fc29}\underline{4749}\underline{a8c7}\underline{b92d4fca7d5a}$

Elucidation: Number of periods per time interval.

Dbpediaentry: http://dbpedia.org/page/Frequency

Iupacentry: https://doi.org/10.1351/goldbook.FT07383

Physical dimension: T-1 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricPotential

IRI: http://emmo.info/emmo/middle/isq#EMMO_4f2d3939_91b1_4001_b8ab_7d19074bf845

Elucidation: Energy required to move a unit charge through an electric field from a reference point.

Altlabel: Voltage

Dbpediaentry: http://dbpedia.org/page/Voltage

 $\textbf{Iupacentry:}\ \text{https://doi.org/} 10.1351/goldbook.A00424$

Physical dimension: T-3 L+2 M+1 I-1 $\Theta0$ N0 J0

Relations:

 $\bullet \ \ is_a \ isq. ISQDerived Quantity$

AngularMomentum

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_66d01570_36dd_42fd_844d_29b81b029cd5}$

Comment: Measure of the extent and direction an object rotates about a reference point.

Dbpediaentry: http://dbpedia.org/page/Angular_momentum

Iupacentry: https://doi.org/10.1351/goldbook.A00353

Physical dimension: T-1 L+2 M+1 I0 Θ 0 N0 J0

Relations:

MagneticDipoleMoment

IRI: http://emmo.info/emmo/middle/isq#EMMO_81e767f1_59b1_4d7a_bf69_17f322241831

Elucidation: Vector quantity μ causing a change to its energy ΔW in an external magnetic field of field flux density B:

\$\Updelta\$W = -\$\upmu\$ · B

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=121-11-55

Iso80000ref: 10-9.1

Comment: For an atom or nucleus, this energy is quantized and can be written as:

 $W = g \simeq M B$

where g is the appropriate g factor, μ is mostly the Bohr magneton or nuclear magneton, M is magnetic quantum number, and B is magnitude of the magnetic flux density.

- ISO 80000

Dbpediaentry: http://dbpedia.org/page/Magnetic_moment **Iupacentry:** http://goldbook.iupac.org/terms/view/M03688

Physical dimension: T0 L+2 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Inductance

IRI: http://emmo.info/emmo/middle/isq#EMMO_04cc9451_5306_45d0_8554_22cee4d6e785

Elucidation: A property of an electrical conductor by which a change in current through it induces an electromotive force in both the conductor itself and in any nearby conductors by mutual inductance.

Altlabel: ElectricInductance

Dbpediaentry: http://dbpedia.org/page/Inductance Iupacentry: https://doi.org/10.1351/goldbook.M04076 Physicaldimension: T-2 L+2 M+1 I-2 Θ0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

HyperfineTransitionFrequencyOfCs

IRI: http://emmo.info/emmo/middle/isq#EMMO_f96feb3f_4438_4e43_aa44_7458c4d87fc2

Elucidation: The frequency standard in the SI system in which the photon absorption by transitions between the two hyperfine ground states of caesium-133 atoms are used to control the output frequency.

Physical dimension: T-1 L0 M0 I0 Θ 0 N0 J0

- $\bullet \quad is_a \ isq. Frequency$
- \bullet is_a isq.SIExactConstant

Probability

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_0a88be81_343d_4388_92c1_09228ff95ada} \\ \textbf{IRI:} \ \text{IRI:} \ \text{IR$

Elucidation: Probability is a dimensionless quantity that can attain values between 0 and 1; zero denotes the impossible event and 1 denotes a certain event.

Comment: The propability for a certain outcome, is the ratio between the number of events leading to the given outcome and the total number of events.

Iupacentry: https://doi.org/10.1351/goldbook.P04855

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only metrology.UnitOne

ElementaryCharge

Elucidation: The magnitude of the electric charge carried by a single electron.

Comment: The DBpedia definition (http://dbpedia.org/page/Elementary_charge) is outdated as May 20,

2019. It is now an exact quantity.

 ${\bf Dbpediaentry:}\ http://dbpedia.org/page/Elementary_charge$

Iupacentry: https://doi.org/10.1351/goldbook.E02032

Physical dimension: T+1 L0 M0 I+1 $\Theta0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElementaryCharge

Relations:

 $\bullet \ \ is_a \ isq.ElectricCharge$

• is a isq.SIExactConstant

Luminance

IRI: http://emmo.info/emmo/middle/isq#EMMO_97589322_710c_4af4_9431_1e5027f2be42

Comment: Measured in cd/m². Not to confuse with Illuminance, which is measured in lux (cd sr/m²).

Comment: a photometric measure of the luminous intensity per unit area of light travelling in a given direction.

 ${\bf Dbpediaentry:}\ http://dbpedia.org/page/Luminance$

 $\textbf{Iupacentry:}\ \text{https://doi.org/} 10.1351/goldbook.L03640$

Physical dimension: T0 L-2 M0 I0 Θ 0 N0 J+1

Relations:

• is_a isq.ISQDerivedQuantity

KineticEnergy

IRI: http://emmo.info/emmo/middle/isq#EMMO ac540a9d 0131 43f6 a33b 17e5cfc432ed

Elucidation: The energy of an object due to its motion.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-49

Dbpediaentry: http://dbpedia.org/page/Kinetic_energy **Iupacentry:** https://doi.org/10.1351/goldbook.K03402

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/KineticEnergy

Physical dimension: T-2 L+2 M+1 I0 Θ 0 N0 J0

Relations:

• is a isq.Energy

Time

IRI: http://emmo.info/emmo/middle/isq#EMMO_d4f7d378_5e3b_468a_baa1_a7e98358cda7

Definition: One-dimensional subspace of space-time, which is locally orthogonal to space.

Elucidation: The indefinite continued progress of existence and events that occur in apparently irreversible

succession from the past through the present to the future.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-01-03

Comment: Time can be seen as the duration of an event or, more operationally, as "what clocks read".

Dbpediaentry: http://dbpedia.org/page/Time

Iupacentry: https://doi.org/10.1351/goldbook.T06375

Physical dimension: T+1 L0 M0 I0 O0 N0 J0

Relations:

• is_a isq.ISQBaseQuantity

ElectricResistance

IRI: http://emmo.info/emmo/middle/isq#EMMO_e88f75d6_9a17_4cfc_bdf7_43d7cea5a9a1

Elucidation: Measure of the difficulty to pass an electric current through a material.

Altlabel: Resistance

Comment: Inverse of 'ElectricalConductance'.

Dbpediaentry: http://dbpedia.org/page/Electrical_resistance_and_conductance

 $\textbf{Iupacentry:}\ \, \texttt{https://doi.org/10.1351/goldbook.E01936}$

Physical dimension: T-3 L+2 M+1 I-2 $\Theta0~\mathrm{N0~J0}$

Relations:

• is_a isq.ISQDerivedQuantity

ElectronCharge

IRI: http://emmo.info/emmo/middle/isq#EMMO cc01751d dd05 429b 9d0c 1b7a74d1f277

Definition: The charge of an electron.

Comment: The negative of ElementaryCharge.

 $\textbf{Iupacentry:}\ \text{https://doi.org/} 10.1351/goldbook.E01982$

Physical dimension: T+1 L0 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ElectricCharge

• is_a isq.SIExactConstant

Stress

IRI: http://emmo.info/emmo/middle/isq#EMMO_d1917609_db5e_4b8a_9b76_ef1d6f860a81

Comment: Force per unit oriented surface area .

Comment: Measure of the internal forces that neighboring particles of a continuous material exert on each

other.

Dbpediaentry: http://dbpedia.org/page/Stress_(mechanics)

Physical dimension: T-2 L-1 M+1 I0 Θ0 N0 J0

Relations:

• is_a isq.Pressure

Length

IRI: http://emmo.info/emmo/middle/isq#EMMO_cd2cd0de_e0cc_4ef1_b27e_2e88db027bac

Elucidation: Extend of a spatial dimension.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-01-19

Comment: Length is a non-negative additive quantity attributed to a one-dimensional object in space.

Dbpediaentry: http://dbpedia.org/page/Length

Iupacentry: https://doi.org/10.1351/goldbook.L03498

Physical dimension: T0 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQBaseQuantity

ElectronMass

IRI: http://emmo.info/emmo/middle/isq#EMMO 44fc8c60 7a9c 49af a046 e1878c88862c

Comment: The rest mass of an electron.

 ${\bf Dbpe diaentry:}\ \, {\rm http://dbpe dia.org/page/Electron_rest_mass}$

Iupacentry: https://doi.org/10.1351/goldbook.E02008

Physicaldimension: T0 L0 M+1 I0 Θ0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElectronMass

Relations:

• is_a isq.Mass

• is_a metrology.MeasuredConstant

Speed

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO} \underline{81369540} \underline{1b0e} \underline{471b} \underline{9bae} \underline{6801af22800e}$

Comment: Length per unit time.

Speed in the absolute value of the velocity.

Dbpediaentry: http://dbpedia.org/page/Speed

Iupacentry: https://doi.org/10.1351/goldbook.S05852

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Speed

Physical dimension: T-1 L+1 M0 I0 $\Theta0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

AtomicMass

IRI: http://emmo.info/emmo/middle/isq#EMMO_27367073_ed8a_481a_9b07_f836dfe31f7f

Definition: The mass of an atom in the ground state.

Comment: Since the nucleus account for nearly all of the total mass of atoms (with the electrons and nuclear binding energy making minor contributions), the atomic mass measured in Da has nearly the same value as the mass number.

Comment: The atomic mass is often expressed as an average of the commonly found isotopes.

Iupacentry: https://doi.org/10.1351/goldbook.A00496

Physical dimension: T0 L0 M+1 I0 Θ 0 N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Atomic_mass

Relations:

• is_a isq.Mass

AtomicNumber

IRI: http://emmo.info/emmo/middle/isq#EMMO_07de47e0_6bb6_45b9_b55a_4f238efbb105

Definition: Number of protons in an atomic nucleus.

Dbpediaentry: http://dbpedia.org/page/Atomic_number **Iupacentry:** https://doi.org/10.1351/goldbook.A00499

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.PureNumberQuantity

LuminousIntensity

IRI: http://emmo.info/emmo/middle/isq#EMMO 50bf79a6 a48b 424d 9d2c 813bd631231a

Elucidation: A measure of the wavelength-weighted power emitted by a light source in a particular direction per unit solid angle. It is based on the luminosity function, which is a standardized model of the sensitivity of the human eye.

Dbpediaentry: http://dbpedia.org/page/Luminous_intensity

Physical dimension: T0 L0 M0 I0 Θ0 N0 J+1

Relations:

• is_a isq.ISQBaseQuantity

CentreOfMass

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_9d8f708a_f291_4d72_80ec_362c6e6bbca6$

Elucidation: The unique point where the weighted relative position of the distributed mass of an Item sums to zero. Equivalently, it is the point where if a force is applied to the Item, causes the Item to move in direction of force without rotation.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-12

Comment: In non-relativistic physics, the centre of mass doesn't depend on the chosen reference frame.

Dbpediaentry: http://dbpedia.org/page/Center_of_mass

Physical dimension: T0 L+1 M0 I0 Θ 0 N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Center_of_mass

Relations:

• is_a isq.PositionVector

Acceleration

IRI: http://emmo.info/emmo/middle/isq#EMMO e37ac288 aa60 415a 8cb7 c375724ac8e1

Comment: Derivative of velocity with respect to time.

Dbpediaentry: http://dbpedia.org/page/Acceleration

Iupacentry: https://doi.org/10.1351/goldbook.A00051

Physical dimension: T-2 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

CatalyticActivity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_bd67d149_24c2_4bc9_833a_c2bc26f98fd3$

Elucidation: Increase in the rate of reaction of a specified chemical reaction that an enzyme produces in a

specific assay system.

Iupacentry: https://doi.org/10.1351/goldbook.C00881

Physical dimension: T-1 L0 M0 I0 Θ 0 N+1 J0

Relations:

• is_a isq.ISQDerivedQuantity

PlanckConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_76cc4efc_231e_42b4_be83_2547681caed6

Elucidation: The quantum of action.

Dbpediaentry: http://dbpedia.org/page/Planck_constant **Iupacentry:** https://doi.org/10.1351/goldbook.P04685

Physical dimension: T-1 L+2 M+1 I0 $\Theta0~\mathrm{N0}~\mathrm{J0}$

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value PlankConstant

Relations:

is_a isq.AngularMomentumis_a isq.SIExactConstant

Enthalpy

IRI: http://emmo.info/emmo/middle/isq#EMMO_4091d5ec_a4df_42b9_a073_9a090839279f

Comment: Measurement of energy in a thermodynamic system.

Dbpediaentry: http://dbpedia.org/page/Enthalpy **Iupacentry:** https://doi.org/10.1351/goldbook.E02141

Physical dimension: T-2 L+2 M+1 I0 Θ0 N0 J0

Relations:

• is_a isq.Energy

ChemicalPotential

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO} \underline{88fc5d1b} \underline{d3ab} \underline{4626} \underline{b24c} \underline{915ebe7400ca}$

Comment: Energy per unit change in amount of substance.

Dbpediaentry: http://dbpedia.org/page/Chemical potential

Iupacentry: https://doi.org/10.1351/goldbook.C01032

Physical dimension: T-2 L+2 M+1 I0 Θ0 N-1 J0

Relations:

• is_a isq.ISQDerivedQuantity

PhysicalQuantity

IRI: http://emmo.info/emmo/middle/metrology#EMMO 02c0621e a527 4790 8a0f 2bb51973c819

Elucidation: A 'Mathematical' entity that is made of a 'Numeral' and a 'MeasurementUnit' defined by a physical law, connected to a physical entity through a model perspective. Measurement is done according to the same model.

Comment: In the same system of quantities, dim $\rho B = ML-3$ is the quantity dimension of mass concentration of component B, and ML-3 is also the quantity dimension of mass density, ρ . ISO 80000-1

Comment: Measured or simulated 'physical propertiy'-s are always defined by a physical law, connected to a physical entity through a model perspective and measurement is done according to the same model.

Systems of units suggests that this is the correct approach, since except for the fundamental units (length, time, charge) every other unit is derived by mathematical relations between these fundamental units, implying a physical laws or definitions.

Comment: Measurement units of quantities of the same quantity dimension may be designated by the same name and symbol even when the quantities are not of the same kind.

For example, joule per kelvin and J/K are respectively the name and symbol of both a measurement unit of heat capacity and a measurement unit of entropy, which are generally not considered to be quantities of the same kind.

However, in some cases special measurement unit names are restricted to be used with quantities of specific kind only.

For example, the measurement unit 'second to the power minus one' (1/s) is called hertz (Hz) when used for frequencies and becquerel (Bq) when used for activities of radionuclides.

As another example, the joule (J) is used as a unit of energy, but never as a unit of moment of force, i.e. the newton metre $(N \cdot m)$.

Comment: — quantities of the same kind have the same quantity dimension, — quantities of different quantity dimensions are always of different kinds, and — quantities having the same quantity dimension are not necessarily of the same kind. ISO 80000-1

- is a math.Mathematical
- is a metrology.Quantity
- metrology.hasReferenceUnit only metrology.MeasurementUnit
- disjoint union of metrology. Derived Quantity, metrology. Base Quantity

Angle

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_f3dd74c0_f480_49e8_9764_33b78638c235}$

Definition: Ratio of circular arc length to radius.

Altlabel: PlaneAngle

Dbpediaentry: http://dbpedia.org/page/Angle

Iupacentry: https://doi.org/10.1351/goldbook.A00346

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.LengthFractionUnit

Force

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_1f087811_06cb_42d5_90fb_25d0e7e068ef}$

Elucidation: Any interaction that, when unopposed, will change the motion of an object.

Dbpediaentry: http://dbpedia.org/page/Force

 $\textbf{Iupacentry:}\ \, \text{https://doi.org/} 10.1351/goldbook.F02480$

Physical dimension: T-2 L+1 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricConductance

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_ffb73b1e_5786_43e4_a964_cb32ac7affb7$

Elucidation: Measure of the ease for electric current to pass through a material.

Altlabel: Conductance

Comment: Inverse of 'ElectricalResistance'.

 $\textbf{Dbpediaentry:}\ \text{http://dbpedia.org/page/Electrical_resistance_and_conductance}$

Iupacentry: https://doi.org/10.1351/goldbook.E01925

Physical dimension: T+3 L-2 M-1 I+2 $\Theta 0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

MassNumber

IRI: http://emmo.info/emmo/middle/isq#EMMO_dc6c8de0_cfc4_4c66_a7dc_8f720e732d54

 $\textbf{Definition:} \ \ \text{Number of nucleons in an atomic nucleus.}$

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.PureNumberQuantity

${\bf SpeedOf Light In Vacuum}$

IRI: http://emmo.info/emmo/middle/isq#EMMO_99296e55_53f7_4333_9e06_760ad175a1b9

Elucidation: The speed of light in vacuum.

Dbpediaentry: http://dbpedia.org/page/Speed_of_light **Iupacentry:** https://doi.org/10.1351/goldbook.S05854

Physical dimension: T-1 L+1 M0 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_SpeedOfLightInVacuum

Relations:

• is_a isq.Speed

 $\bullet \ \ is_a \ isq.SIExactConstant$

Strain

IRI: http://emmo.info/emmo/middle/isq#EMMO acf636d4 9ac2 4ce3 960a d54338e6cae3

Elucidation: Change of the relative positions of parts of a body, excluding a displacement of the body as a whole.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-57

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Strain

Physicaldimension: T0 L0 M0 I0 Θ0 N0 J0

Relations:

• is a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.LengthFractionUnit

ElectricalImpedance

IRI: http://emmo.info/emmo/middle/isq#EMMO_79a02de5_b884_4eab_bc18_f67997d597a2

Comment: Measure of the opposition that a circuit presents to a current when a voltage is applied.

Dbpediaentry: http://dbpedia.org/page/Electrical_impedance

Physical dimension: T-3 L+2 M+1 I-2 $\Theta0~\mathrm{N0~J0}$

Relations:

• is_a isq.ElectricResistance

Mass

IRI: http://emmo.info/emmo/middle/isq#EMMO_ed4af7ae_63a2_497e_bb88_2309619ea405

Elucidation: Property of a physical body that express its resistance to acceleration (a change in its state of motion) when a force is applied.

motion) when a force is applica.

Dbpediaentry: http://dbpedia.org/page/Mass

Iupacentry: https://doi.org/10.1351/goldbook.M03709

Physical dimension: T0 L0 M+1 I0 O0 N0 J0

Relations:

• is a isq.ISQBaseQuantity

• Inverse(properties.hasProperty) only physicalistic.Matter

AmountConcentration

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_d5be1faf_0c56_4f5a_9b78_581e6dee949f}$

Altlabel: Concentration

Altlabel: MolarConcentration

Altlabel: Molarity

Comment: The amount of a constituent divided by the volume of the mixture.

Dbpediaentry: http://dbpedia.org/page/Molar_concentration

Iupacentry: https://doi.org/10.1351/goldbook.A00295

Physicaldimension: T0 L-3 M0 I0 Θ 0 N+1 J0

Relations:

• is a isq.ISQDerivedQuantity

PotentialEnergy

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_4c151909_6f26_4ef9_b43d_7c9e9514883a} \\ \textbf{IRI:} \ \text{IRI:} \ \text{IR$

Elucidation: The energy possessed by a body by virtue of its position or orientation in a potential field.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-48

Dbpediaentry: http://dbpedia.org/page/Potential_energy

Iupacentry: https://doi.org/10.1351/goldbook.P04778

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/PotentialEnergy

Physical dimension: T-2 L+2 M+1 I0 Θ0 N0 J0

Relations:

• is_a isq.Energy

Pressure

IRI: http://emmo.info/emmo/middle/isq#EMMO 50a44256 9dc5 434b bad4 74a4d9a29989

Elucidation: The force applied perpendicular to the surface of an object per unit area over which that force

is distributed.

Dbpediaentry: http://dbpedia.org/page/Pressure

Iupacentry: https://doi.org/10.1351/goldbook.P04819

Physical dimension: T-2 L-1 M+1 I0 Θ0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricalReactance

IRI: http://emmo.info/emmo/middle/isq#EMMO_92b2fb85_2143_4bc7_bbca_df3e6944bfc1

Comment: The opposition of a circuit element to a change in current or voltage, due to that element's

inductance or capacitance.

Dbpediaentry: http://dbpedia.org/page/Electrical_reactance

Physical dimension: T-3 L+2 M+1 I-2 Θ 0 N0 J0

• is_a isq.ElectricResistance

Velocity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO}_0329f1f5_8339_4ce4_8505_a264c6d606ba$

Definition: Vector quantity giving the rate of change of a position vector.

- ISO 80000-3

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-01-32

Iso80000ref: 3-10.1

Comment: The velocity depends on the choice of the reference frame. Proper transformation between frames must be used: Galilean for non-relativistic description, Lorentzian for relativistic description.

- IEC, note 2

Comment: The velocity is related to a point described by its position vector. The point may localize a particle, or be attached to any other object such as a body or a wave.

- IEC, note 1

Physical dimension: T-1 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.Speed

${\bf Electric Dipole Moment}$

IRI: http://emmo.info/emmo/middle/isq#EMMO_1a179ce4_3724_47f8_bee5_6292e3ac9942

Elucidation: An electric dipole, vector quantity of magnitude equal to the product of the positive charge and the distance between the charges and directed from the negative charge to the positive charge.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=121-11-35 **Iecentry:** http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=121-11-36

Dbpediaentry: http://dbpedia.org/page/Electric_dipole_moment

Iupacentry: https://doi.org/10.1351/goldbook.E01929

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/ElectricDipoleMoment

Physical dimension: T+1 L+1 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ReciprocalLength

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_ecec2983_7c26_4f8d_a981_51ca29668baf}$

Elucidation: The inverse of length.

Dbpediaentry: http://dbpedia.org/page/Reciprocal_length

Physical dimension: T0 L-1 M0 I0 $\Theta0$ N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Reciprocal_length

Relations:

• is a isq.ISQDerivedQuantity

RadiantFlux

IRI: http://emmo.info/emmo/middle/isq#EMMO_e46f3f24_c2ec_4552_8dd4_cfc5c0a89c09

Comment: The radiant energy emitted, reflected, transmitted or received, per unit time.

Dbpediaentry: http://dbpedia.org/page/Radiant_flux **Iupacentry:** https://doi.org/10.1351/goldbook.R05046

Physical dimension: T-3 L+2 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.Power

Momentum

IRI: http://emmo.info/emmo/middle/isq#EMMO_43776fc9_d712_4571_85f0_72183678039a

Comment: Product of mass and velocity.

Dbpediaentry: http://dbpedia.org/page/Momentum **Iupacentry:** https://doi.org/10.1351/goldbook.M04007

Physical dimension: T-1 L+1 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Radioactivity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_8d3da9ac_2265_4382_bee5_db72046722f8}$

Elucidation: Decays per unit time.

Iupacentry: https://doi.org/10.1351/goldbook.A00114

Physical dimension: T-1 L0 M0 I0 $\Theta0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

AmountOfSubstance

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO} \underline{8159c26a} \underline{494b} \underline{4fa0} \underline{9959} \underline{10888f152298}$

Elucidation: The number of elementary entities present.

 ${\bf Dbpediaentry:}\ http://dbpedia.org/page/Amount_of_substance$

Iupacentry: https://doi.org/10.1351/goldbook.A00297

Physical dimension: T0 L0 M0 I0 Θ 0 N+1 J0

Relations:

• is a isq.ISQBaseQuantity

InternationalSystemOfQuantity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_f35cff4d_dc09_44cf_a729_22fb79e3bfb2$

Elucidation: Quantities declared under the ISO 80000.

Seealso: https://www.iso.org/obp/ui/#iso:std:iso:80000:-1:ed-1:v1:en:sec:3.1

Wikipediaentry: https://en.wikipedia.org/wiki/International_System_of_Quantities

Relations:

• is_a metrology.PhysicalQuantity

Number branch




Figure 3.24: Number branch.

Boolean

IRI: http://emmo.info/emmo/middle/math#EMMO_54dc83cb_06e1_4739_9e45_bc09cead7f48

Relations:

- is a math.Number
- math.hasNumericalData only type
- equivalent_to math.hasNumericalData some type

Real

IRI: http://emmo.info/emmo/middle/math#EMMO 18d180e4 5e3e 42f7 820c e08951223486

Relations:

- is a math.Number
- math.hasNumericalData only type
- math.hasNumericalData exactly 1 type
- equivalent_to math.hasNumericalData some type

Integer

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_f8bd64d5_5d3e_4ad4_a46e_c30714fecb7f}$

- is a math.Number
- math.hasNumericalData only type
- math.hasNumericalData exactly 1 type
- equivalent_to math.hasNumericalData some type

Number

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_21f56795_ee72_4858_b571_11cfaa59c1a8$

Elucidation: A numerical data value.

Comment: A number is actually a string (e.g. 1.4, 1e-8) of numerical digits and other symbols. However, in order not to increase complexity of the taxonomy and relations, here we take a number as an "atomic" object (i.e. we do not include digits in the EMMO as alphabet for numbers).

A 'Number' individual provide the link between the ontology and the actual data, through the data property has Numerical Value.

Comment: In math usually number and numeral are distinct concepts, the numeral being the symbol or a composition of symbols (e.g. 3.14, 010010, three) and the number is the idea behind it.

More than one numeral stand for the same number.

In the EMMO abstract entities does not exists, and numbers are simply defined by other numerals, so that a number is the class of all the numerals that are equivalent (e.g. 3 and 0011 are numerals that stands for the same number).

Or alternatively, an integer numeral may also stands for a set of a specific cardinality (e.g. 3 stands for a set of three apples). Rational and real numbers are simply a syntactic arrangment of integers (digits, in decimal system).

The fact that you can't give a name to a number without using a numeral or, in case of positive integers, without referring to a real world objects set with specific cardinality, suggests that the abstract concept of number is not a concept that can be practically used.

For these reasons, the EMMO will consider numerals and numbers as the same concept.

Relations:

- is a math.Numerical
- is_a math.MathematicalSymbol
- is_a perceptual.Symbol

Measurement Unit branch




Figure 3.25: Measurement Unit branch.

LengthFractionUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_cdc962d8_f3ea_4764_a57a_c7caa4859179$

Elucidation: Unit for quantities of dimension one that are the fraction of two lengths.

Example: Unit for plane angle.

 \bullet is_a units-extension.FractionUnit

MassFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_18448443_dcf1_49b8_a321_cf46e2c393e1

Elucidation: Unit for quantities of dimension one that are the fraction of two masses.

Example: Unit for mass fraction.

Relations:

• is a units-extension.FractionUnit

ArcMinute

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_1e0b665d_db6c_4752_a6d4_262d3a8dbb46

Definition: Measure of plane angle defined as 1/60 or a degree.

Altlabel: MinuteOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCMIN

Relations:

- $\bullet \ \ is_a \ units-extension. SIAccepted Special Unit$
- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value " "

ColumnMetre

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_e9eaeeb5_620c_4dab_8f72_269ff85d0634

Elucidation: Measurement unit for electric dipole moment.

Relations:

- $\bullet \ \ is_a \ siunits. SIC oherent Derived Unit$
- $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} \\ \text{MagneticDipoleMomentDimension}$

Minute

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_cabb20f0_05c7_448f_9485_e129725f15a4

Definition: Non-SI time unit defined as 60 seconds. **Dbpediaentry:** http://dbpedia.org/page/Minute

Qudtentry: http://qudt.org/vocab/unit/MIN

- $\bullet \ \ is_a \ units-extension. SIAccepted Special Unit$
- is_a metrology.OffSystemUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Time Dimension$
- perceptual.hasSymbolData value "min"

NewtonMetre

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_c10b7090_7284_4719_8e15_c743b13ca6ad$

Elucidation: SI coherent measurement unit for torque.

Comment: Note that the physical dimension is the same as for Joule.

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/newtonMetre

Relations:

• is a siunits.SICoherentDerivedUnit

• metrology.hasPhysicalDimension some isq.EnergyDimension

DerivedUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_08b308d4_31cd_4779_a784_aa92fc730f39$

Elucidation: Derived units are defined as products of powers of the base units corresponding to the relations defining the derived quantities in terms of the base quantities.

Relations:

• is a metrology.NonPrefixedUnit

AstronomicalUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_053648ea_3c0a_468c_89cb_eb009239323a

Definition: One astronomical unit is defined as exactly 149597870700 m, which is roughly the distance from earth to sun.

Dbpediaentry: http://dbpedia.org/page/Astronomical_unit

Qudtentry: http://qudt.org/vocab/unit/PARSEC

Wikipediaentry: https://en.wikipedia.org/wiki/Astronomical_unit

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.LengthDimension
- perceptual.hasSymbolData value "au"

Gram

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_f992dc76_f9a6_45f6_8873_c8e20d16fbbe

Definition: Gram is defined as one thousandth of the SI unit kilogram.

Iupacentry: https://doi.org/10.1351/goldbook.G02680 Wikipediaentry: https://en.wikipedia.org/wiki/Gram

- is a metrology.UnitSymbol
- is_a units-extension.CGSUnit
- metrology.hasPhysicalDimension some isq.MassDimension
- perceptual.hasSymbolData value "g"

Radian

IRI: http://emmo.info/emmo/middle/siunits#EMMO_a121bb1d_5225_4c78_809b_0268c3012208

Elucidation: Measure of plane angle.

Comment: Dimensionless measurement unit for plane angle.

Iupacentry: https://doi.org/10.1351/goldbook.R05036

Qudtentry: http://qudt.org/vocab/unit/RAD

Relations:

• is_a units-extension.LengthFractionUnit

- is a owl:Nothing
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "rad"
- equivalent_to siunits.Steradian

Neper

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_b41515a9_28d8_4d78_8165_74b2fc72f89e$

Definition: Unit of measurement for quantities of type level or level difference, which are defined as the natural logarithm of the ratio of power- or field-type quantities.

The value of a ratio in nepers is given by ln(x1/x2) where x1 and x2 are the values of interest (amplitudes), and ln is the natural logarithm. When the values are quadratic in the amplitude (e.g. power), they are first linearised by taking the square root before the logarithm is taken, or equivalently the result is halved.

Wikipedia

Dbpediaentry: http://dbpedia.org/page/Neper

Iupacentry: https://doi.org/10.1351/goldbook.N04106

Qudtentry: http://qudt.org/vocab/unit/NP

Wikipediaentry: https://en.wikipedia.org/wiki/Neper

Relations:

- $\bullet \ \ is_a \ units-extension. SIAccepted Special Unit$
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "Np"

CubicMetre

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_a055d311_9990_40a5_b2f2_288412f5d6a5

Elucidation: SI coherent measurement unit for volume.

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/cubicMetre

Relations:

- is a siunits.SICoherentDerivedUnit
- $\bullet \ \ {\rm metrology.hasPhysicalDimension} \ \ {\rm some} \ \ {\rm isq.VolumeDimension}$

Ångström

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 27c530c4 dfcd 486e b324 54ad4448cd26

Definition: Measure of length defined as 1e-10 metres.

Altlabel: Angstrom

Comment: Ångström is not mentioned in the SI system and deprecated by the International Bureau of Weights and Measures (BIPM).

Dispite of that, it is often used in the natural sciences and technology.

Dbpediaentry: http://dbpedia.org/page/%C3%85ngstr%C3%B6m

Iupacentry: https://doi.org/10.1351/goldbook.N00350
Qudtentry: http://qudt.org/vocab/unit/ANGSTROM

Wikipediaentry: https://en.wikipedia.org/wiki/Angstrom

Relations:

- is_a metrology.UnitSymbol
- $\bullet \;$ is _a metrology.OffSystemUnit
- $\bullet \ \ {\rm metrology.hasPhysicalDimension} \ \ {\rm some} \ \ {\rm isq.LengthDimension}$
- perceptual.hasSymbolData value "Å"

FractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO c2f5ee66 579c 44c6 a2e9 fa2eaa9fa4da

Elucidation: Unit for fractions of quantities of the same kind, to aid the understanding of the quantity being expressed.

Comment: Quantities that are ratios of quantities of the same kind (for example length ratios and amount fractions) have the option of being expressed with units (m/m, mol/mol to aid the understanding of the quantity being expressed and also allow the use of SI prefixes, if this is desirable (μ m/m, nmol/mol). – SI Brochure

Relations:

• is_a metrology.UnitOne

Dalton

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_00dd79e0_31a6_427e_9b9c_90f3097e4a96

Definition: One dalton is defined as one twelfth of the mass of an unbound neutral atom of carbon-12 in its nuclear and electronic ground state.

Dbpediaentry: http://dbpedia.org/page/Unified_atomic_mass_unit

Iupacentry: https://doi.org/10.1351/goldbook.D01514

Qudtentry: http://qudt.org/vocab/unit/Dalton

Relations:

- is a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Mass Dimension$
- perceptual.hasSymbolData value "Da"

SIPrefixedUnit

IRI: http://emmo.info/emmo/middle/siunits#EMMO d41ce84b 4317 41fb a5d1 6cd281fca106

Elucidation: A SI base or special unit with a metric prefix.

Comment: The presence of the prefix makes this units non-coherent with SI system.

- is a metrology.PrefixedUnit
- \bullet is_a siunits.SINonCoherentUnit

Bel

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_6c7160fc_cc64_46f0_b43b_aba65e9952e3

Definition: One bel is defined as ½ ln(10) neper.

Elucidation: Unit of measurement for quantities of type level or level difference.

Comment: Today decibel (one tenth of a bel) is commonly used instead of bel.

Comment: bel is used to express the ratio of one value of a power or field quantity to another, on a logarithmic

scale, the logarithmic quantity being called the power level or field level, respectively.

Qudtentry: http://qudt.org/vocab/unit/B

Wikipediaentry: https://en.wikipedia.org/wiki/Decibel

Relations:

 \bullet is_a units-extension.SIAcceptedSpecialUnit

- is a metrology.OffSystemUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ metrology. Dimension One$
- perceptual.hasSymbolData value "B"

VolumeFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO 9fd1e79d 41d1 44f8 8142 66dbdf0fc7ad

Elucidation: Unit for quantities of dimension one that are the fraction of two volumes.

Example: Unit for volume fraction.

Relations:

 \bullet is_a units-extension.FractionUnit

BaseUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO db716151 6b73 45ff 910c d182fdcbb4f5

Elucidation: A set of units that correspond to the base quantities in a system of units.

Relations:

 \bullet is_a metrology.UnitSymbol

SIUnit

IRI: http://emmo.info/emmo/middle/siunits#EMMO_feb03a8a_bbb6_4918_a891_46713ef557f4

Elucidation: The set of units provided by the SI referring to the ISQ.

Comment: The complete set of SI units includes both the coherent set and the multiples and sub-multiples formed by using the SI prefixes.

Comment: The names, symbols and prefixes of SI units are defined by the General Conference on Weights and Measures (CGPM).

https://en.wikipedia.org/wiki/General Conference on Weights and Measures

- $\bullet \ \ is_a \ metrology. Measurement Unit$
- disjoint_union_of siunits.SICoherentDerivedUnit, siunits.SIBaseUnit, siunits.SINonCoherentDerivedUnit, siunits.SIPrefixedUnit, siunits.SISpecialUnit

AreaFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_6f4d704a_a7c6_4c07_b8a7_ea0bab04128f

Elucidation: Unit for quantities of dimension one that are the fraction of two areas.

Example: Unit for solid angle.

Relations:

• is a units-extension.FractionUnit

Day

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_28ef05a7_ecc1_4df6_8116_c53251fbd4a8

Definition: A measure of time defined as 86 400 seconds.

Dbpediaentry: http://dbpedia.org/page/Day

Iupacentry: https://doi.org/10.1351/goldbook.D01527

Qudtentry: http://qudt.org/vocab/unit/DAY

Relations:

• is a units-extension.SIAcceptedSpecialUnit

• is a metrology.OffSystemUnit

• metrology.hasPhysicalDimension some isq.TimeDimension

• perceptual.hasSymbolData value "d"

NonPrefixedUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_868ae137_4d25_493e_b270_21ea3d94849e

Elucidation: A measurement unit symbol that do not have a metric prefix as a direct spatial part.

Relations:

- is_a metrology.MeasurementUnit
- $\bullet \quad {\rm reductionistic.has Spatial Direct Part\ only\ not\ metrology. Metric Prefix}$
- $\bullet \ \ {\it equivalent_to} \ \ {\it metrology}. Derived Unit \ or \ metrology. Unit Symbol$

ElectronVolt

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_e29f84db_4c1c_46ae_aa38_c4d47536b972

Definition: The amount of energy gained (or lost) by the charge of a single electron moving across an electric potential difference of one volt.

Dbpediaentry: http://dbpedia.org/page/Electronvolt **Iupacentry:** https://doi.org/10.1351/goldbook.E02014

Qudtentry: http://qudt.org/vocab/unit/EV

- is a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.EnergyDimension
- perceptual.hasSymbolData value "eV"

Hour

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_21 \text{ef2ed6}_c086_4 \text{d}24_8 \text{a}75_980 \text{d}2bcc9282$

Definition: Measure of time defined as 3600 seconds. **Iupacentry:** https://doi.org/10.1351/goldbook.H02866

Qudtentry: http://qudt.org/vocab/unit/HR

Relations:

- is_a units-extension.SIAcceptedSpecialUnit
- is_a metrology.OffSystemUnit
- $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} \\ \text{TimeDimension}$
- perceptual.hasSymbolData value "h"

SICoherentUnit

IRI: http://emmo.info/emmo/middle/siunits#EMMO 707c6032 e272 4a20 98b5 d35c4f67be68

Comment: Derived units are defined as products of powers of the base units. When the numerical factor of this product is one, the derived units are called coherent derived units. The base and coherent derived units of the SI form a coherent set, designated the set of coherent SI units.

Relations:

- is_a metrology.NonPrefixedUnit
- is a siunits.SIUnit
- disjoint union of siunits.SICoherentDerivedUnit, siunits.SIBaseUnit, siunits.SISpecialUnit

OffSystemUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_591e02fd_8d37_45a6_9d11_bb21cef391a0

Elucidation: A unit that does not belong to any system of units.

Example: eV barn

Relations:

• is_a metrology.MeasurementUnit

SICoherentDerivedUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_1273 eb 34_ de 48_43 a9_925 f_104110469 dd 2222 f_1041104669 dd 2222 f_104110469 dd 2222 f_1041104669 dd 2222 f_1041104669 dd 2222 f_1041104669 dd$

Elucidation: A SI derived unit whos numerical factor in front of the product of SI base units is one.

Example: m/s kg/m³

Comment: This class collects all units that are products or powers of SI base or SI special units only.

Relations:

- is_a metrology.DerivedUnit
- $\bullet \;$ is _a siunits.SICoherentUnit

PureNumberUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_15d62b55_38ea_4aec_b7c4_25db1a2e5a01a2$

Elucidation: Unit for dimensionless units that cannot be expressed as a 'FractionUnit'.

Example: Unit of AtomicNumber

• is_a metrology.UnitOne

SpeedFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_e7bc8939_7ff8_4917_beb5_c42730b390f3

Elucidation: Unit for quantities of dimension one that are the fraction of two speeds.

Example: Unit for refractive index.

Relations:

• is a units-extension.FractionUnit

SINonCoherentDerivedUnit

IRI: http://emmo.info/emmo/middle/siunits#EMMO_60b78cc3_6011_4134_95ab_956f56d4bdc1

Elucidation: A derived unit whos numerical factor in front of the product of base units is NOT equal to one.

Relations:

• is a siunits.SINonCoherentUnit

Steradian

IRI: http://emmo.info/emmo/middle/siunits#EMMO_cf3dd6cc_c5d6_4b3d_aef4_82f3b7a361af

Elucidation: Dimensionless measurement unit for solid angle.

Iupacentry: https://doi.org/10.1351/goldbook.S05971

Qudtentry: http://qudt.org/vocab/unit/SR

Relations:

• is_a units-extension.AreaFractionUnit

• is_a owl:Nothing

• metrology.hasPhysicalDimension some metrology.DimensionOne

• perceptual.hasSymbolData value "sr"

• equivalent_to owl:Nothing

SpecialUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_3 ee 80521_3 c 23_4 d d 1_935 d_9d522614 a 3 e 22614 a 22614 a 3 e 22614 a 22$

Elucidation: A unit symbol that stands for a derived unit.

Example: Pa stands for N/m2 J stands for N m

Comment: Special units are semiotic shortcuts to more complex composed symbolic objects.

Relations:

ullet is_a metrology.DerivedUnit

• is_a metrology.UnitSymbol

• is_a semiotics.Sign

• Inverse(semiotics.hasSign) some metrology.DerivedUnit

Degree

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_b8830065_3809_41b7_be3c_e33795567fd9

Definition: Degree is a measurement of plane angle, defined by representing a full rotation as 360 degrees.

Dbpediaentry: http://dbpedia.org/page/Degree_(angle) **Iupacentry:** https://doi.org/10.1351/goldbook.D01560

Qudtentry: http://qudt.org/vocab/unit/DEG

Relations:

- is_a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.hasSymbolData value "°"

SquareMetre

 $\textbf{IRI:}\ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_b0d1c460_d06b_4c7f_8832_148bc1c8e7dc$

Elucidation: SI coherent measurement unit for area.

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/squareMetre

Relations:

- is a siunits.SICoherentDerivedUnit
- metrology.hasPhysicalDimension some isq.AreaDimension

CGSUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_52e4cb25_da39_45e2_a6db_063ec5730499

Elucidation: The centimetre–gram–second (CGS) system of units.

Comment: CGS is a variant of the metric system.

 $\textbf{Wikipediaentry:} \ \text{https://en.wikipedia.org/wiki/Centimetre} \% E2\% 80\% 93 \text{gram} \% E2\% 80\% 93 \text{second_system_of_units}$

Relations:

• is_a metrology.MeasurementUnit

AmountFractionUnit

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_f76f5a24_d703_4e8c_b368_f9a7777cb73a

Elucidation: Unit for quantities of dimension one that are the fraction of two amount of substance.

Example: Unit for amount fraction.

Relations:

• is_a units-extension.FractionUnit

Litre

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_a155dc93_d266_487e_b5e7_2a2c72d5ebf9$

Definition: A non-SI unit of volume defined as 1 cubic decimetre (dm3),

Iupacentry: https://doi.org/10.1351/goldbook.L03594

Qudtentry: http://qudt.org/vocab/unit/L

- is_a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.VolumeDimension
- perceptual.hasSymbolData value "l"

MetrePerSecond

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_4a27950a_0d31_4175_bd4e_14995aa94702

Elucidation: SI coherent measurement unit for speed.

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/metrePerSecond-Time

Relations:

- \bullet is_a siunits.SICoherentDerivedUnit
- metrology.hasPhysicalDimension some isq.VelocityDimension

UnitOne

IRI: http://emmo.info/emmo/middle/metrology#EMMO_5ebd5e01_0ed3_49a2_a30d_cd05cbe72978

Elucidation: Represents the number 1, used as an explicit unit to say something has no units.

Example: Refractive index or volume fraction.

Example: Typically used for ratios of two units whos dimensions cancels out.

Qudtentry: http://qudt.org/vocab/unit/UNITLESS

Relations:

- is_a metrology.BaseUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne

SINonCoherentUnit

IRI: http://emmo.info/emmo/middle/siunits#EMMO 8246541a f1f6 4d03 8bd7 fc6b76d17375

Relations:

- is a siunits.SIUnit
- disjoint_union_of siunits.SINonCoherentDerivedUnit, siunits.SIPrefixedUnit

ArcSecond

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \# EMMO_6a4547ab_3abb_430d_b81b_ce32d47729f5$

Definition: Measure of plane angle defined as 1/3600 or a degree.

Altlabel: SecondOfArc

Qudtentry: http://qudt.org/vocab/unit/ARCSEC

- \bullet is_a units-extension.SIAcceptedSpecialUnit
- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some metrology.DimensionOne
- perceptual.has Symbol
Data value " "

UnitSymbol

IRI: http://emmo.info/emmo/middle/metrology#EMMO_216f448e_cdbc_4aeb_a529_7a5fe7fc38bb

Elucidation: A symbol that stands for a single unit. Example: Some examples are "Pa", "m" and "J".

Relations:

• is_a metrology.MetrologicalSymbol

- is a metrology.NonPrefixedUnit
- $\bullet \;$ equivalent_to metrology. MeasurementUnit and perceptual.Symbol
- disjoint_union_of metrology.SpecialUnit, metrology.BaseUnit

Tonne

IRI: http://emmo.info/emmo/middle/units-extension#EMMO f8b92999 3cde 46e3 99d5 664da3090a02

Definition: A non-SI unit defined as 1000 kg.

Iupacentry: https://doi.org/10.1351/goldbook.T06394

Qudtentry: http://qudt.org/vocab/unit/TON_M

Wikipediaentry: https://en.wikipedia.org/wiki/Tonne

Relations:

• is_a units-extension.SIAcceptedSpecialUnit

- is a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.MassDimension
- perceptual.hasSymbolData value "t"

MeasurementUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_b081b346_7279_46ef_9a3d_2c088fcd79f4$

Elucidation: A 'Quantity' that stands for the standard reference magnitude of a specific class of measurement processes, defined and adopted by convention or by law.

The numerical quantity value of the 'MeasurementUnit' is conventionally 1 and does not appear.

Quantitative measurement results are expressed as a multiple of the 'MeasurementUnit'.

Comment: "Real scalar quantity, defined and adopted by convention, with which any other quantity of the same kind can be compared to express the ratio of the second quantity to the first one as a number" ISO 80000-1

Comment: "Unit symbols are mathematical entities and not abbreviations."

"Symbols for units are treated as mathematical entities. In expressing the value of a quantity as the product of a numerical value and a unit, both the numerical value and the unit may be treated by the ordinary rules of algebra."

https://www.bipm.org/utils/common/pdf/si-brochure/SI-Brochure-9-EN.pdf

Comment: While the SI brochure treats 'MeasurementUnit' as a 'PhysicalQuantity', in the EMMO this is not possible since the latter always has two direct parts, a 'Numerical' and a 'MeasurementUnit', while the former a single 'Symbol'.

SI distinguishes between a quantity (an abstract concept) and the quantity value (a number and a reference). The EMMO, following strict nominalism, considers a SI quantity as a SI quantity value, collapsing the two concepts into one: the 'Quantity'.

So, for the EMMO the symbol "kg" is not a physical quantity but a 'MeasurementUnit', while the string "1 kg" is 'Physical Quantity'.

Relations:

• is_a metrology.ReferenceUnit

- is a semiotics. Object
- metrology.hasPhysicalDimension exactly 1 metrology.PhysicalDimension
- disjoint_union_of metrology.NonPrefixedUnit, metrology.PrefixedUnit

Hectare

IRI: http://emmo.info/emmo/middle/units-extension#EMMO_d6eb0176_a0d7_4b4e_8df0_50e912be2342

Definition: A non-SI metric unit of area defined as the square with 100-metre sides.

Dbpediaentry: http://dbpedia.org/page/Hectare

Qudtentry: http://qudt.org/vocab/unit/HA

Wikipediaentry: https://en.wikipedia.org/wiki/Hectare

Relations:

• is a units-extension.SIAcceptedSpecialUnit

- is_a metrology.OffSystemUnit
- metrology.hasPhysicalDimension some isq.AreaDimension
- perceptual.hasSymbolData value "ha"

SIUnitSymbol

IRI: http://emmo.info/emmo/middle/siunits#EMMO 32129fb5 df25 48fd a29c 18a2f22a2dd5

Relations:

- \bullet is_a metrology.UnitSymbol
- is a siunits.SICoherentUnit
- $\bullet \ \ disjoint_union_of \ siunits. SIB ase Unit, \ siunits. SISpecial Unit$

SIAcceptedSpecialUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/units-extension} \\ \# EMMO_6795a4b8_ffd0_4588_a581_a9413fe49cac$

Elucidation: Non-SI units mentioned in the SI.

Comment: This is a list of units that are not defined as part of the International System of Units (SI), but are otherwise mentioned in the SI brouchure, because either the General Conference on Weights and Measures (CGPM) accepts their use as being multiples or submultiples of SI-units, they have important contemporary application worldwide, or are otherwise commonly encountered worldwide.

Wikipediaentry: https://en.wikipedia.org/wiki/Non-SI_units_mentioned_in_the_SI

Relations:

- is_a metrology.SpecialUnit
- is_a metrology.OffSystemUnit
- disjoint_union_of units-extension.Dalton, units-extension.AstronomicalUnit, units-extension.ArcMinute, units-extension.Hour, units-extension.Day, units-extension.ArcSecond, units-extension.Bel, units-extension.Litre, units-extension.Neper, units-extension.Degree, units-extension.Minute, units-extension.Hectare, units-extension.ElectronVolt, units-extension.Tonne

UTF8 branch



Figure 3.26: UTF8 branch.

UTF8

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_e13b2173_1 \\ \text{dec_4b97_9ac1_1dc4b418612a}$

Relations:

• is_a perceptual.Symbol

SI Base Unit branch




Figure 3.27: SI Base Unit branch.

Mole

IRI: http://emmo.info/emmo/middle/siunits#EMMO df6eeb01 1b41 4bd8 9257 a04fbd7cf000

Definition: The mole, symbol mol, is the SI unit of amount of substance. One mole contains exactly 6.022 140 76×1023 elementary entities. This number is the fixed numerical value of the Avogadro constant, NA, when expressed in the unit mol-1 and is called the Avogadro number. The amount of substance, symbol n, of a system is a measure of the number of specified elementary entities. An elementary entity may be an atom, a molecule, an ion, an electron, any other particle or specified group of particles.

Iupacentry: https://doi.org/10.1351/goldbook.M03980

Qudtentry: http://qudt.org/vocab/unit/MOL

Relations:

• is_a siunits.SIBaseUnit

- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Amount Dimension$
- perceptual.hasSymbolData value "mol"

Second

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_314ba716_2d3d_4462_9a4f_d3419ae1df43$

Definition: The second, symbol s, is the SI unit of time. It is defined by taking the fixed numerical value of the caesium frequency $\nabla \nu \text{Cs}$, the unperturbed ground-state hyperfine transition frequency of the caesium 133 atom, to be 9192631770 when expressed in the unit Hz, which is equal to s-1.

Iupacentry: https://doi.org/10.1351/goldbook.S05513

Qudtentry: http://qudt.org/vocab/unit/SEC

- is a siunits.SIBaseUnit
- metrology.hasPhysicalDimension some isq.TimeDimension
- perceptual.hasSymbolData value "s"

Metre

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_7 db11 dbf_a643_464a_9b56_07 eabcc3e9c5$

Definition: The metre, symbol m, is the SI unit of length. It is defined by taking the fixed numerical value of the speed of light in vacuum c to be 299792458 when expressed in the unit m s-1, where the second is defined in terms of $\nabla \nu \text{Cs}$.

Iupacentry: https://doi.org/10.1351/goldbook.M03884

Qudtentry: http://qudt.org/vocab/unit/M

Relations:

- is_a siunits.SIBaseUnit
- metrology.hasPhysicalDimension some isq.LengthDimension
- perceptual.hasSymbolData value "m"

Kelvin

IRI: http://emmo.info/emmo/middle/siunits#EMMO 2e5e45fc f52c 4294 bdc2 5ed7a06dfce7

Definition: The kelvin, symbol K, is the SI unit of thermodynamic temperature. It is defined by taking the fixed numerical value of the Boltzmann constant k to be $1.380649 \times 10-23$ when expressed in the unit J K-1, which is equal to kg m² s-2 K-1, where the kilogram, metre and second are defined in terms of h, c and $\nabla \nu$ Cs.

Iupacentry: https://doi.org/10.1351/goldbook.K03374

Qudtentry: http://qudt.org/vocab/unit/K

Relations:

- is a siunits.SIBaseUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Temperature Dimension$
- perceptual.hasSymbolData value "K"

Ampere

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_db5dd38d_ac79_4af6_8782_fee7e7150ae8$

Definition: The ampere, symbol A, is the SI unit of electric current. It is defined by taking the fixed numerical value of the elementary charge e to be 1.602176634×10 -19 when expressed in the unit C, which is equal to A s, where the second is defined in terms of $\nabla \nu$ Cs.

Iupacentry: https://doi.org/10.1351/goldbook.A00300

Qudtentry: http://qudt.org/vocab/unit/A

Relations:

- is a siunits.SIBaseUnit
- $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} \\ \text{ElectricCurrentDimension}$
- perceptual.hasSymbolData value "A"

SIBaseUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_3a185e6c_9e19_4776_b583_19c978156aa0$

Elucidation: The base units in the SI system.

Seealso: https://www.bipm.org/utils/common/pdf/si-brochure/SI-Brochure-9-EN.pdf

- is_a metrology.BaseUnit
- is a siunits.SIUnitSymbol
- disjoint_union_of siunits.Kelvin, siunits.Second, siunits.Metre, siunits.Candela, siunits.Kilogram, siunits.Ampere, siunits.Mole

Kilogram

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO_9bfd6f1e_b0ce_459c_beb7_8f1f41708bba}$

Definition: The kilogram, symbol kg, is the SI unit of mass. It is defined by taking the fixed numerical value of the Planck constant h to be $6.62607015\times10\text{-}34$ when expressed in the unit J s, which is equal to kg m² s-1, where the metre and the second are defined in terms of c and $\nabla\nu$ Cs.

Iupacentry: https://doi.org/10.1351/goldbook.K03391

Qudtentry: http://qudt.org/vocab/unit/KiloGM

Relations:

• is_a siunits.SIBaseUnit

- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Mass Dimension$
- perceptual.hasSymbolData value "kg"

Candela

IRI: http://emmo.info/emmo/middle/siunits#EMMO 8d00f093 3f45 4ea3 986c b3545c3c2f4c

Definition: The candela, symbol cd, is the SI unit of luminous intensity in a given direction. It is defined by taking the fixed numerical value of the luminous efficacy of monochromatic radiation of frequency 540×1012 Hz, Kcd, to be 683 when expressed in the unit lm W-1, which is equal to cd sr W-1, or cd sr kg-1 m-2 s3, where the kilogram, metre and second are defined in terms of h, c and $\nabla \nu \text{Cs}$.

Iupacentry: https://doi.org/10.1351/goldbook.C00787

Qudtentry: http://qudt.org/vocab/unit/CD

Relations:

 \bullet is_a siunits.SIBaseUnit

- $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.LuminousIntensityDimension} \\$
- perceptual.hasSymbolData value "cd"

SI Special Unit branch

Pascal

IRI: http://emmo.info/emmo/middle/siunits#EMMO_a80dc6f5_b1aa_41a7_a3a8_cd5040da2162

Comment: Measurement unit for pressure.

Iupacentry: https://doi.org/10.1351/goldbook.P04442

Qudtentry: http://qudt.org/vocab/unit/PA

Relations:

- \bullet is_a siunits.SISpecialUnit
- metrology.hasPhysicalDimension some isq.PressureDimension
- perceptual.hasSymbolData value "Pa"

Farad

IRI: http://emmo.info/emmo/middle/siunits#EMMO a9201b2f e6de 442a b3a6 d292a5820bc5

Comment: Measurement unit for electric capacitance. Iupacentry: https://doi.org/10.1351/goldbook.F02320

Qudtentry: http://qudt.org/vocab/unit/FARAD




Figure 3.28: SI Special Unit branch.

- is a siunits.SISpecialUnit
- metrology.hasPhysicalDimension some isq.CapacitanceDimension
- perceptual.hasSymbolData value "F"

Henry

IRI: http://emmo.info/emmo/middle/siunits#EMMO fab003c8 f7a6 4346 9988 7161325ed7a3

Comment: Measurement unit for electrical inductance. Iupacentry: https://doi.org/10.1351/goldbook.H02782

Qudtentry: http://qudt.org/vocab/unit/H

Relations:

- is_a siunits.SISpecialUnit
- metrology.hasPhysicalDimension some isq.InductanceDimension
- perceptual.hasSymbolData value "H"

Siemens

IRI: http://emmo.info/emmo/middle/siunits#EMMO f2523820 04a6 44ab bb67 8237dda2b0c2

Comment: Measurement unit for electrical conductance.

Relations:

- is_a siunits.SISpecialUnit
- $\bullet \ \ metrology. has Physical Dimension \ some \ is q. Electric Conductance Dimension$
- perceptual.hasSymbolData value "S"

Newton

IRI: http://emmo.info/emmo/middle/siunits#EMMO_a979c531_f9fa_4a6e_93c1_a2960241ca64

Comment: Measurement unit for force.

Iupacentry: https://doi.org/10.1351/goldbook.N04135

Qudtentry: http://qudt.org/vocab/unit/N

Relations:

- is a siunits.SISpecialUnit
- metrology.hasPhysicalDimension some isq.ForceDimension
- perceptual.hasSymbolData value "N"

Joule

IRI: http://emmo.info/emmo/middle/siunits#EMMO_8a70dea4_d6ab_4260_b931_a3e990982416

Comment: Measurement unit for energy.

Iupacentry: https://doi.org/10.1351/goldbook.J03363

 ${\bf Qudtentry:}\ http://qudt.org/vocab/unit/J$

- \bullet is_a siunits.SISpecialUnit
- metrology.hasPhysicalDimension some isq.EnergyDimension
- perceptual.hasSymbolData value "J"

Lux

IRI: http://emmo.info/emmo/middle/siunits#EMMO_da1dd4a7_c611_4ad4_bef6_7646f28aa598

Comment: Measurement unit for illuminance.

Iupacentry: https://doi.org/10.1351/goldbook.L03651

Qudtentry: http://qudt.org/vocab/unit/LUX

Relations:

 \bullet is_a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.IlluminanceDimension

• perceptual.hasSymbolData value "lx"

Hertz

IRI: http://emmo.info/emmo/middle/siunits#EMMO e75f580e 52bf 4dd5 af70 df409cec08fd

Comment: Measurement unit for frequence.

Iupacentry: https://doi.org/10.1351/goldbook.H02785

Qudtentry: http://qudt.org/vocab/unit/HZ

Relations:

• is_a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.FrequencyDimension

• perceptual.hasSymbolData value "Hz"

Weber

IRI: http://emmo.info/emmo/middle/siunits#EMMO_d7f11b34_a121_4519_87c0_aa754f1c4737

Comment: Measurement unit for magnetic flux.

Iupacentry: https://doi.org/10.1351/goldbook.W06666

Qudtentry: http://qudt.org/vocab/unit/WB

Relations:

 $\bullet \ \ is_a \ siunits. SISpecial Unit$

• metrology.hasPhysicalDimension some isq.MagneticFluxDimension

• perceptual.hasSymbolData value "Wb"

Katal

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_33b67e69_3645_4c73_b100_5ea6759221b4$

Comment: Measurement unit for catalytic activity.

Iupacentry: https://doi.org/10.1351/goldbook.K03372

Qudtentry: http://qudt.org/vocab/unit/KAT

Relations:

• is a siunits.SISpecialUnit

 $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} \textbf{CatalyticActivityDimension} \\$

• perceptual.hasSymbolData value "kat"

Volt

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/siunits\#EMMO_e2207e91_02b0_4a8a_b13e_61d2a2a839f1$

Comment: Measurement unit for voltage.

Iupacentry: https://doi.org/10.1351/goldbook.V06634

Qudtentry: http://qudt.org/vocab/unit/V

Relations:

• is_a siunits.SISpecialUnit

 $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} \\ \text{ElectricPotentialDimension}$

• perceptual.hasSymbolData value "V"

Lumen

IRI: http://emmo.info/emmo/middle/siunits#EMMO d7b7fd1e 645a 42cb 8f40 85f0d034d3ae

Comment: Measurement unit for luminous flux.

Iupacentry: https://doi.org/10.1351/goldbook.L03639

Qudtentry: http://qudt.org/vocab/unit/LM

Relations:

• is_a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.LuminousIntensityDimension

• perceptual.hasSymbolData value "lm"

Sievert

IRI: http://emmo.info/emmo/middle/siunits#EMMO_dc232f53_8ed8_4ddd_9f41_cc057985eadb

Comment: Measurement unit for equivalent doseof ionizing radiation.

Sievert is derived from absorbed dose, but takes into account the biological effectiveness of the radiation, which is dependent on the radiation type and energy.

Iupacentry: https://doi.org/10.1351/goldbook.S05658

Qudtentry: http://qudt.org/vocab/unit/SV

Wikipediaentry: https://en.wikipedia.org/wiki/Equivalent dose

Relations:

• is_a siunits.SISpecialUnit

 $\bullet \ \ metrology. has Physical Dimension \ some \ isq. Absorbed Dose Dimension$

• perceptual.hasSymbolData value "Sv"

Becquerel

IRI: http://emmo.info/emmo/middle/siunits#EMMO_b71e4ba5_8f73_4199_8c96_7ea7f94d9e2a

Definition: Radioactive decays per second. **Comment:** Unit for radioactive activity.

Iupacentry: https://doi.org/10.1351/goldbook.B00624

Qudtentry: http://qudt.org/vocab/unit/BQ

Relations:

• is_a siunits.SISpecialUnit

 $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} \\ \text{FrequencyDimension}$

• perceptual.hasSymbolData value "Bq"

DegreeCelsius

IRI: http://emmo.info/emmo/middle/siunits#EMMO_b20be325_8bfd_4237_bee7_201ab0fd9c75

Comment: Measurement unit for Celsius temperature. This unit can only be used for expressing temperature

differences.

Iupacentry: https://doi.org/10.1351/goldbook.D01561

Qudtentry: http://qudt.org/vocab/unit/DEG_C

Relations:

 \bullet is_a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.TemperatureDimension

• perceptual.hasSymbolData value "°C"

Ohm

IRI: http://emmo.info/emmo/middle/siunits#EMMO 59c10c5c 47bd 4348 ba39 38836607dfa1

Comment: Measurement unit for resistance.

Iupacentry: https://doi.org/10.1351/goldbook.O04280

Qudtentry: http://qudt.org/vocab/unit/OHM

Relations:

• is a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.ElectricResistanceDimension

• perceptual.has Symbol
Data value " Ω "

Tesla

IRI: http://emmo.info/emmo/middle/siunits#EMMO acb50123 87a2 4753 b36c f87114ad4de2

Comment: Measurement unit for magnetic flux density or induction.

Iupacentry: https://doi.org/10.1351/goldbook.T06283

Qudtentry: http://qudt.org/vocab/unit/T

Relations:

• is a siunits.SISpecialUnit

 $\bullet \hspace{0.2cm} \text{metrology.hasPhysicalDimension some isq.} \\ \text{MagneticFluxDensityDimension}$

• perceptual.hasSymbolData value "T"

Coulomb

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \\ \# EMMO_696 \\ \text{ed} \\ 548_9477_45 \\ \text{ea}_993 \\ \text{c}_6a8f5271914 \\ \text{a}_6a8f5271914 \\ \text{emmo.info/emmo/middle/siunits} \\ \# EMMO_696 \\ \text{ed} \\ 548_9477_45 \\ \text{ea}_993 \\ \text{c}_6a8f5271914 \\ \text{emmo.info/emmo/middle/siunits} \\ \# EMMO_696 \\ \text{ed} \\ 548_9477_45 \\ \text{ea}_993 \\ \text{c}_6a8f5271914 \\ \text{emmo.info/emmo/middle/siunits} \\ \# EMMO_696 \\ \text{ed} \\ 548_9477_45 \\ \text{emmo.info/emmo/middle/siunits} \\ \# EMMO_696 \\ \text{ed} \\ 548_9477_45 \\ \text{emmo.info/emmo/middle/siunits} \\ \# EMMO_696 \\ \text{emmo.info/emmo/middle/siuni$

Comment: Measurement unit for electric charge.

Iupacentry: https://doi.org/10.1351/goldbook.C01365

Qudtentry: http://qudt.org/vocab/unit/C

Relations:

 $\bullet \;$ is _a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.ElectricChargeDimension

• perceptual.hasSymbolData value "C"

Gray

IRI: http://emmo.info/emmo/middle/siunits#EMMO_00199e76_69dc_45b6_a9c6_98cc90cdc0f5

Comment: Measurement unit for absorbed dose.

Iupacentry: https://doi.org/10.1351/goldbook.G02696

Qudtentry: http://qudt.org/vocab/unit/GRAY

Relations:

• is a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.AbsorbedDoseDimension

• perceptual.hasSymbolData value "Gy"

Watt

IRI: http://emmo.info/emmo/middle/siunits#EMMO 080052a1 f295 44be a60f 1326ce13f1ba

Comment: Measurement unit for power.

Iupacentry: https://doi.org/10.1351/goldbook.W06656

Qudtentry: http://qudt.org/vocab/unit/W

Relations:

• is_a siunits.SISpecialUnit

• metrology.hasPhysicalDimension some isq.PowerDimension

• perceptual.hasSymbolData value "W"

SISpecialUnit

IRI: http://emmo.info/emmo/middle/siunits#EMMO_e9ffc696_5228_4ff9_8a60_0f5e05e9931b

Elucidation: The 22 derived units that are given a special name in the SI system that stands for units derived by SI base units.

Comment: These units are SI coherent by definition.

Wikipediaentry: https://en.wikipedia.org/wiki/International_System_of_Units#Derived_units

Relations:

- is a metrology.SpecialUnit
- is_a siunits.SIUnitSymbol
- disjoint_union_of siunits.Gray, siunits.Watt, siunits.Katal, siunits.Ohm, siunits.Coulomb, siunits.Joule, siunits.Radian, siunits.Pascal, siunits.Farad, siunits.Newton, siunits.Tesla, siunits.DegreeCelsius, siunits.Becquerel, siunits.Steradian, siunits.Lumen, siunits.Weber, siunits.Lux, siunits.Sievert, siunits.Volt, siunits.Hertz, siunits.Siemens, siunits.Henry

Prefixed Unit branch

PrefixedUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_c6d4a5e0_7e95_44df_a6db_84ee0a8bbc8e$

Elucidation: A measurement unit that is made of a metric prefix and a unit symbol.

- is_a metrology.MeasurementUnit
- is a reductionistic.State
- reductionistic.hasSpatialDirectPart only (metrology.UnitSymbol or metrology.MetricPrefix)
- reductionistic.hasSpatialDirectPart exactly 1 metrology.UnitSymbol




Figure 3.29: Prefixed Unit branch.

- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ exactly\ 1\ metrology. MetricPrefix}$
- disjoint_union_of metrology.MultipleUnit, metrology.SubMultipleUnit

MultipleUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_62f0d847_3603_45b4_bfc4_dd4511355ff2

Elucidation: Measurement unit obtained by multiplying a given measurement unit by an integer greater than one.

Relations:

• is_a metrology.PrefixedUnit

SubMultipleUnit

IRI: http://emmo.info/emmo/middle/metrology#EMMO_a2f94f33_71fa_443c_a1fb_d1685fc537ec

Elucidation: Measurement unit obtained by dividing a given measurement unit by an integer greater than one.

Relations:

• is_a metrology.PrefixedUnit

SIPrefixedUnit

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_d41ce84b_4317_41fb_a5d1_6cd281fca106$

Elucidation: A SI base or special unit with a metric prefix.

Comment: The presence of the prefix makes this units non-coherent with SI system.

Relations:

- is a metrology.PrefixedUnit
- is_a siunits.SINonCoherentUnit

Metric Prefix branch

SIMetricPrefix

IRI: http://emmo.info/emmo/middle/siunits#EMMO_471cb92b_edca_4cf9_bce8_a75084d876b8

Relations:

• is a metrology.MetricPrefix




Figure 3.30: Metric Prefix branch. $141\,$

• disjoint_union_of siunits.Pico, siunits.Deci, siunits.Deka, siunits.Hecto, siunits.Femto, siunits.Zepto, siunits.Tera, siunits.Atto, siunits.Peta, siunits.Exa, siunits.Mega, siunits.Kilo, siunits.Micro, siunits.Milli, siunits.Giga, siunits.Centi, siunits.Zetta, siunits.Nano, siunits.Yotta, siunits.Yocto

Micro

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_9 ff 3 b f 8 e_2168_406 e_8251_1 d 158 fc 948 a e_2168_406 e_8251_1 d 158 e_2168_406 e_8251_1 d 158 e_868 a e_868_406 e_868_406 e_868 a e_868 a$

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e-06
- perceptual.hasSymbolData value "µ"

Kilo

IRI: http://emmo.info/emmo/middle/siunits#EMMO_74931b1b_c133_4e59_9a75_1bf0e1626201

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1000.0
- perceptual.hasSymbolData value "k"

Exa

IRI: http://emmo.info/emmo/middle/siunits#EMMO 5cf9f86c 86f5 40c4 846d 60371f670e0a

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e+18
- perceptual.hasSymbolData value "E"

Zepto

IRI: http://emmo.info/emmo/middle/siunits#EMMO_254472c6_3dbd_4f02_bc43_571389cd281f

Relations:

- is_a siunits.SIMetricPrefix
- $\bullet~$ Inverse (math.hasVariable) only math.hasNumerical Data value 1e-21
- perceptual.hasSymbolData value "z"

Femto

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO} \underline{23bfe79a_cade_48f1_9a8c_fd96e6bac8ba}$

Relations:

- is_a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e-15
- perceptual.hasSymbolData value "f"

Tera

Relations:

• is_a siunits.SIMetricPrefix

- perceptual.hasSymbolData value "T"

Yocto

IRI: http://emmo.info/emmo/middle/siunits#EMMO_f5769206_9257_4b08_bf7b_dad7868c6afc

Relations:

- $\bullet\,\,$ is_a siunits. SIMetricPrefix
- $\bullet\,$ Inverse (math.has Variable) only math.has Numerical
Data value 1e-24
- perceptual.hasSymbolData value "y"

Yotta

IRI: http://emmo.info/emmo/middle/siunits#EMMO_e79c62ff_10ad_4ec0_baba_c19ddd4eaa11

Relations:

- \bullet is_a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e+24
- perceptual.hasSymbolData value "Y"

MetricPrefix

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_7d2afa66_ae9e_4095_a9bf_421d0be401b6$

Elucidation: Dimensionless multiplicative unit prefix.

Seealso: https://en.wikipedia.org/wiki/Metric_prefix

Relations:

- is_a math.MathematicalSymbol
- is_a math.Constant
- $\bullet \ \ is_a \ metrology. Metrological Symbol$
- is a metrology.Metrological
- is_a perceptual.Symbol

Deci

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \\ \# EMMO_1181c938_c8f0_4ad6_bc7a_2bfdc0903d29$

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 0.1
- perceptual.hasSymbolData value "d"

Hecto

IRI: http://emmo.info/emmo/middle/siunits#EMMO_21aaefc1_3f86_4208_b7db_a755f31f0f8c

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 100.0
- perceptual.hasSymbolData value "h"

Nano

IRI: http://emmo.info/emmo/middle/siunits#EMMO_e1981c25_7c55_4020_aa7a_d2e14ced86d4

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e-09
- perceptual.hasSymbolData value "n"

Atto

IRI: http://emmo.info/emmo/middle/siunits#EMMO_42955b2d_b465_4666_86cc_ea3c2d685753

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e-18
- perceptual.hasSymbolData value "a"

Zetta

IRI: http://emmo.info/emmo/middle/siunits#EMMO_daa9ee97_4c5f_42e5_918c_44d7523e8958

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e+21
- perceptual.hasSymbolData value "Z"

Peta

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO}_43a6b269_da31_4bb6_a537_c97df4fff32a$

Relations:

- is a siunits.SIMetricPrefix
- perceptual.hasSymbolData value "P"

Pico

IRI: http://emmo.info/emmo/middle/siunits#EMMO_068c4e58_2470_4b1c_8454_010dd4906100

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1e-12
- perceptual.hasSymbolData value "p"

Mega

IRI: http://emmo.info/emmo/middle/siunits#EMMO_5eaecadc_4f0d_4a3a_afc7_1fc0b83cc928

- is_a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 1000000.0
- perceptual.hasSymbolData value "M"

Centi

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_b55cd09a_e54d_4eb1_81dd_03c29d1b878e$

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 0.01
- perceptual.hasSymbolData value "c"

Giga

IRI: http://emmo.info/emmo/middle/siunits#EMMO_a8eb4bbb_1bd3_4ad4_b114_2789bcbd2134

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 10000000000.0
- perceptual.hasSymbolData value "G"

Deka

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits} \# EMMO_1d8b370b_c672_4d0c_964e_eaafcbf2f51f$

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 10.0
- perceptual.hasSymbolData value "da"

Milli

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/siunits\#EMMO} \underline{a3a701ed} \underline{a6f7d} \underline{4a10} \underline{9aee} \underline{dfa1961fc7b7}$

Relations:

- is a siunits.SIMetricPrefix
- Inverse(math.hasVariable) only math.hasNumericalData value 0.001
- perceptual.hasSymbolData value "m"

Quantity branch




Figure 3.31: Quantity branch.

ConventionalQuantitativeProperty

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/properties\#EMMO_d8aa8e1f_b650_416d_88a0_5118de945456}$

Elucidation: A quantitative property attributed by agreement to a quantity for a given purpose.

Example: The thermal conductivity of a copper sample in my laboratory can be assumed to be the conductivity that appears in the vendor specification. This value has been obtained by measurement of a sample which is not the one I have in my laboratory. This conductivity value is then a conventional quantitative property assigned to my sample through a semiotic process in which no actual measurement is done by my laboratory.

If I don't believe the vendor, then I can measure the actual thermal conductivity. I then perform a measurement process that semiotically assign another value for the conductivity, which is a measured property, since is part of a measurement process.

Then I have two different physical quantities that are properties thanks to two different semiotic processes.

Comment: A property that is associated to an object by convention, or assumption.

Relations:

• is_a metrology.QuantitativeProperty

ModelledQuantitativeProperty

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/properties} \# EMMO_d0200cf1_e4f4_45ae_873f_b9359daea3cd$

Relations:

• is a metrology.QuantitativeProperty

Ordinal Quantity

IRI: http://emmo.info/emmo/middle/metrology#EMMO c46f091c 0420 4c1a af30 0a2c8ebcf7d7

Elucidation: "Quantity, defined by a conventional measurement procedure, for which a total ordering relation can be established, according to magnitude, with other quantities of the same kind, but for which no algebraic operations among those quantities exist" International vocabulary of metrology (VIM)

Example: Hardness Resilience

Comment: "Ordinal quantities, such as Rockwell C hardness, are usually not considered to be part of a system of quantities because they are related to other quantities through empirical relations only." International vocabulary of metrology (VIM)

Relations:

• is_a metrology.Quantity

QuantitativeProperty

IRI: http://emmo.info/emmo/middle/metrology#EMMO_dd4a7f3e_ef56_466c_ac1a_d2716b5f87ec

Definition: "A property of a phenomenon, body, or substance, where the property has a magnitude that can be expressed by means of a number and a reference" ISO 80000-1

"A reference can be a measurement unit, a measurement procedure, a reference material, or a combination of such." International vocabulary of metrology (VIM)

Elucidation: A 'Quantity' that can be quantified with respect to a standardized reference physical instance (e.g. the prototype meter bar, the kg prototype) or method (e.g. resilience) through a measurement process.

Comment: A quantitative property is always expressed as a quantity (i.e. a number and a reference unit). For the EMMO, a nominalistic ontology, there is no property as abstract object.

A property is a sign that stands for an object according to a specific code shared by some observers.

For quantititative properties, one possible code that is shared between the scientific community (the observers) is the SI system of units.

Comment: Subclasses of 'QuantitativeProperty' classify objects according to the type semiosis that is used to connect the property to the object (e.g. by measurement, by convention, by modelling).

Relations:

- is_a metrology.Quantity
- is_a properties.ObjectiveProperty
- equivalent_to properties.MeasuredQuantitativeProperty or properties.ModelledQuantitativeProperty or properties.ConventionalQuantitativeProperty

MeasuredQuantitativeProperty

IRI: http://emmo.info/emmo/middle/properties#EMMO_873b0ab3_88e6_4054_b901_5531e01f14a4

Relations:

• is_a metrology.QuantitativeProperty

Quantity

IRI: http://emmo.info/emmo/middle/metrology#EMMO_f658c301_ce93_46cf_9639_4eace2c5d1d5

Elucidation: A symbolic that has parts a reference unit and a numerical object separated by a space expressing the value of a quantitative property (expressed as the product of the numerical and the unit).

Example: 6.8 m 0.9 km 8 K 6 MeV 43.5 HRC(150 kg)

Comment: A quantity is not necessarily a property, since it is possible to write "10 kg", without assigning this quantity to a specific object.

However, a quantitative property is always a quantity.

Comment: Referred as Quantity Value in International vocabulary of metrology (VIM)

Comment: SI distinguishes between a quantity (an abstract concept) and the quantity value (a number and a reference).

The EMMO, following strict nominalism, denies the existence of abstract objects and then collapses the two concepts of SI quantity and SI quantity value into a single one: the 'Quantity'.

So, for the EMMO the symbol "kg" is not a physical quantity but simply a 'Symbolic' object categorized as a 'MeasurementUnit'.

While the string "1 kg" is a 'Physical Quantity'.

Relations:

- is a metrology.Metrological
- is a reductionistic.State
- $\bullet \ \ \mathrm{metrology.hasReferenceUnit} \ \ \mathrm{exactly} \ \ 1 \ \ \mathrm{metrology.ReferenceUnit}$
- metrology.hasQuantityValue exactly 1 math.Numerical
- disjoint_union_of metrology.PhysicalQuantity, metrology.OrdinalQuantity

Base Quantity branch

Time

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_d4f7d378_5e3b_468a_baa1_a7e98358cda7 } \\$

Definition: One-dimensional subspace of space-time, which is locally orthogonal to space.

Elucidation: The indefinite continued progress of existence and events that occur in apparently irreversible succession from the past through the present to the future.




Figure 3.32: Base Quantity branch.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-01-03

Comment: Time can be seen as the duration of an event or, more operationally, as "what clocks read".

Dbpediaentry: http://dbpedia.org/page/Time

Iupacentry: https://doi.org/10.1351/goldbook.T06375

Physical dimension: T+1 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQBaseQuantity

ISQBaseQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_1a4c1a97_88a7_4d8e_b2f9_2ca58e92dde4

Elucidation: Base quantities defined in the International System of Quantities (ISQ). Wikipediaentry: https://en.wikipedia.org/wiki/International_System_of_Quantities

Relations:

- is a isq.InternationalSystemOfQuantity
- is a metrology.BaseQuantity
- disjoint_union_of isq.LuminousIntensity, isq.AmountOfSubstance, isq.ThermodynamicTemperature, isq.ElectricCurrent, isq.Length, isq.Time, isq.Mass

Length

IRI: http://emmo.info/emmo/middle/isq#EMMO_cd2cd0de_e0cc_4ef1_b27e_2e88db027bac

Elucidation: Extend of a spatial dimension.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-01-19

Comment: Length is a non-negative additive quantity attributed to a one-dimensional object in space.

Dbpediaentry: http://dbpedia.org/page/Length

Iupacentry: https://doi.org/10.1351/goldbook.L03498

Physical dimension: T0 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQBaseQuantity

ElectronMass

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_44fc8c60_7a9c_49af_a046_e1878c88862c } \\ \textbf{IRI:} \ \textbf{I$

Comment: The rest mass of an electron.

Dbpediaentry: http://dbpedia.org/page/Electron_rest_mass

Iupacentry: https://doi.org/10.1351/goldbook.E02008

Physical dimension: T0 L0 M+1 I0 Θ0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElectronMass

Relations:

• is_a isq.Mass

• is a metrology.MeasuredConstant

BaseQuantity

IRI: http://emmo.info/emmo/middle/metrology#EMMO acaaa124 3dde 48b6 86e6 6ec6f364f408

Elucidation: "Quantity in a conventionally chosen subset of a given system of quantities, where no quantity in the subset can be expressed in terms of the other quantities within that subset" ISO 80000-1

Relations:

• is_a metrology.PhysicalQuantity

• metrology.hasReferenceUnit only metrology.BaseUnit

PositionVector

IRI: http://emmo.info/emmo/middle/isq#EMMO_44da6d75_54a4_4aa8_bd3a_156f6e9abb8e

Definition: Vector r characterizing a point P in a point space with a given origin point O.

 $\textbf{Iecentry:}\ \ \text{http://www.electropedia.org/iev/iev.nsf/display?openform\&ievref=} 113-03-12$

Altlabel: Position

Comment: In the usual geometrical three-dimensional space, position vectors are quantities of the dimension length.

- IEC

Comment: Position vectors are so-called bounded vectors, i.e. their magnitude and direction depend on the particular coordinate system used.

- ISO 80000-3

Physical dimension: T0 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.Length

AtomicMass

IRI: http://emmo.info/emmo/middle/isq#EMMO_27367073_ed8a_481a_9b07_f836dfe31f7f

Definition: The mass of an atom in the ground state.

Comment: Since the nucleus account for nearly all of the total mass of atoms (with the electrons and nuclear binding energy making minor contributions), the atomic mass measured in Da has nearly the same value as the mass number.

Comment: The atomic mass is often expressed as an average of the commonly found isotopes.

Iupacentry: https://doi.org/10.1351/goldbook.A00496

Physical dimension: T0 L0 M+1 I0 Θ 0 N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Atomic_mass

Relations:

• is a isq.Mass

LuminousIntensity

IRI: http://emmo.info/emmo/middle/isq#EMMO 50bf79a6 a48b 424d 9d2c 813bd631231a

Elucidation: A measure of the wavelength-weighted power emitted by a light source in a particular direction per unit solid angle. It is based on the luminosity function, which is a standardized model of the sensitivity of the human eye.

Dbpediaentry: http://dbpedia.org/page/Luminous_intensity

Physical dimension: T0 L0 M0 I0 Θ0 N0 J+1

Relations:

• is_a isq.ISQBaseQuantity

ElectricCurrent

IRI: http://emmo.info/emmo/middle/isq#EMMO c995ae70 3b84 4ebb bcfc 69e6a281bb88

Elucidation: A flow of electric charge.

Dbpediaentry: http://dbpedia.org/page/Electric_current **Iupacentry:** https://doi.org/10.1351/goldbook.E01927

Physical dimension: T0 L0 M0 I+1 Θ0 N0 J0

Relations:

• is a isq.ISQBaseQuantity

ThermodynamicTemperature

IRI: http://emmo.info/emmo/middle/isq#EMMO affe07e4 e9bc 4852 86c6 69e26182a17f

Elucidation: Thermodynamic temperature is the absolute measure of temperature. It is defined by the third law of thermodynamics in which the theoretically lowest temperature is the null or zero point.

Dbpediaentry: http://dbpedia.org/page/Thermodynamic_temperature

Iupacentry: https://doi.org/10.1351/goldbook.T06321

Physical dimension: T0 L0 M0 I0 Θ +1 N0 J0

Relations:

• is a isq.ISQBaseQuantity

CentreOfMass

IRI: http://emmo.info/emmo/middle/isq#EMMO_9d8f708a_f291_4d72_80ec_362c6e6bbca6

Elucidation: The unique point where the weighted relative position of the distributed mass of an Item sums to zero. Equivalently, it is the point where if a force is applied to the Item, causes the Item to move in direction of force without rotation.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-12

Comment: In non-relativistic physics, the centre of mass doesn't depend on the chosen reference frame.

Dbpediaentry: http://dbpedia.org/page/Center_of_mass

Physical dimension: T0 L+1 M0 I0 Θ 0 N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Center_of_mass

Relations:

• is_a isq.PositionVector

ProtonMass

IRI: http://emmo.info/emmo/middle/isq#EMMO 8d689295 7d84 421b bc01 d5cceb2c2086

Comment: The rest mass of a proton.

Iupacentry: https://doi.org/10.1351/goldbook.P04914

Physical dimension: T0 L0 M+1 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ProtonMass

Relations:

• is_a isq.Mass

• is a metrology.MeasuredConstant

AmountOfSubstance

IRI: http://emmo.info/emmo/middle/isq#EMMO_8159c26a_494b_4fa0_9959_10888f152298

Elucidation: The number of elementary entities present.

Dbpediaentry: http://dbpedia.org/page/Amount_of_substance

Iupacentry: https://doi.org/10.1351/goldbook.A00297

Physical dimension: T0 L0 M0 I0 Θ 0 N+1 J0

Relations:

• is_a isq.ISQBaseQuantity

Mass

IRI: http://emmo.info/emmo/middle/isq#EMMO_ed4af7ae_63a2_497e_bb88_2309619ea405

Elucidation: Property of a physical body that express its resistance to acceleration (a change in its state of

motion) when a force is applied.

Dbpediaentry: http://dbpedia.org/page/Mass

Iupacentry: https://doi.org/10.1351/goldbook.M03709

Physical dimension: T0 L0 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQBaseQuantity

• Inverse(properties.hasProperty) only physicalistic.Matter

Derived Quantity branch

Weight

IRI: http://emmo.info/emmo/middle/isq#EMMO 04cf0295 3e8f 4693 a87f 3130d125cf05

Comment: Force of gravity acting on a body.




Figure 3.33: Derived Quantity branch. 152

Dbpediaentry: http://dbpedia.org/page/Weight

Iupacentry: https://doi.org/10.1351/goldbook.W06668

Physical dimension: T-2 L+1 M+1 I0 Θ0 N0 J0

Relations:

• is a isq.Force

Permittivity

IRI: http://emmo.info/emmo/middle/isq#EMMO 0ee5779e d798 4ee5 9bfe c392d5bea112

Comment: Measure for how the polarization of a material is affected by the application of an external electric

field.

Dbpediaentry: http://dbpedia.org/page/Permittivity **Iupacentry:** https://doi.org/10.1351/goldbook.P04507

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Permittivity

Physical dimension: T+4 L-3 M-1 I+2 \O0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

BoltzmannConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_ffc7735f_c177_46a4_98e9_a54440d29209

Elucidation: A physical constant relating energy at the individual particle level with temperature. It is the gas constant R divided by the Avogadro constant.

Comment: The DBpedia definition (http://dbpedia.org/page/Boltzmann_constant) is outdated as May 20, 2019. It is now an exact quantity.

Dbpediaentry: http://dbpedia.org/page/Boltzmann_constant

Iupacentry: https://doi.org/10.1351/goldbook.B00695

Physical dimension: T-2 L+2 M+1 I0 Θ -1 N0 J0

 ${\bf Qudtentry:\ http://physics.nist.gov/cuu/CODATA-Value_BoltzmannConstant}$

Relations:

• is_a isq.Entropy

 $\bullet \ \ is_a \ isq.SIExactConstant$

VacuumMagneticPermeability

IRI: http://emmo.info/emmo/middle/isq#EMMO_de021e4f_918f_47ef_a67b_11120f56b9d7

Comment: The DBpedia and UIPAC Gold Book definitions (http://dbpedia.org/page/Vacuum_permeability, https://doi.org/10.1351/goldbook.P04504) are outdated since May 20, 2019. It is now a measured constant.

Comment: The value of magnetic permeability in a classical vacuum.

Physical dimension: T-2 L+1 M+1 I-2 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_MagneticConstant

Relations:

• is a isq.Permeability

 $\bullet \ \ is_a \ metrology. Measured Constant$

MagneticFieldStrength

IRI: http://emmo.info/emmo/middle/isq#EMMO_b4895f75_41c8_4fd9_b6d6_4d5f7c99c423

Comment: Strength of a magnetic field. Commonly denoted H.

Dbpediaentry: http://dbpedia.org/page/Magnetic_field **Iupacentry:** https://doi.org/10.1351/goldbook.M03683

Physical dimension: T0 L-1 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

MagneticFlux

IRI: http://emmo.info/emmo/middle/isq#EMMO_3b931698_937e_49be_ab1b_36fa52d91181

Elucidation: Measure of magnetism, taking account of the strength and the extent of a magnetic field.

Dbpediaentry: http://dbpedia.org/page/Magnetic_flux **Iupacentry:** https://doi.org/10.1351/goldbook.M03684

Physical dimension: T-2 L+2 M+1 I-1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

InternalEnergy

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_830b59f7_d047_438c_90cd_62845749efcb}$

Elucidation: A state quantity equal to the difference between the total energy of a system and the sum of the macroscopic kinetic and potential energies of the system.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-04-20

Altlabel: ThermodynamicEnergy

Dbpediaentry: http://dbpedia.org/page/Internal_energy **Iupacentry:** https://doi.org/10.1351/goldbook.I03103

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/InternalEnergy

Physical dimension: T-2 L+2 M+1 IO OO NO JO

Relations:

• is_a isq.Energy

Capacitance

IRI: http://emmo.info/emmo/middle/isq#EMMO_99dba333_0dbd_4f75_8841_8c0f97fd58e2

Elucidation: The derivative of the electric charge of a system with respect to the electric potential.

Altlabel: ElectricCapacitance

Dbpediaentry: http://dbpedia.org/page/Capacitance Iupacentry: https://doi.org/10.1351/goldbook.C00791 Physicaldimension: T+4 L-2 M-1 I+2 Θ0 N0 J0

Relations:

RefractiveIndex

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_5eedba4d_105b_44d8_b1bc_e33606276ea22} \\ \textbf{IRI:} \ \text{IRI:} \ \text{IRI:}$

Comment: Factor by which the phase velocity of light is reduced in a medium.

Dbpediaentry: http://dbpedia.org/page/Refractive_index

Iupacentry: https://doi.org/10.1351/goldbook.R05240

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.SpeedFractionUnit

MassFraction

IRI: http://emmo.info/emmo/middle/isq#EMMO_7c055d65_2929_40e1_af4f_4bf10995ad50

Comment: Mass of a constituent divided by the total mass of all constituents in the mixture.

Dbpediaentry: http://dbpedia.org/page/Mass_fraction_(chemistry)

Iupacentry: https://doi.org/10.1351/goldbook.M03722

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/MassFraction

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.MassFractionUnit

VonKlitzingConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_eb561764_276e_413d_a8cb_3a3154fd9bf8

Definition: The von Klitzing constant is defined as Planck constant divided by the square of the elementary

charge.

Comment: Resistance quantum.

Physical dimension: T-3 L+2 M+1 I-2 \O 0 N0 J0

 ${\bf Qudtentry:}\ http://physics.nist.gov/cuu/CODATA-Value_VonKlitzingConstant$

Relations:

 \bullet is_a isq.ElectricResistance

• is_a isq.SIExactConstant

Permeability

IRI: http://emmo.info/emmo/middle/isq#EMMO_09663630_1b84_4202_91e6_e641104f579e

Comment: Measure for how the magnetization of material is affected by the application of an external magnetic

field.

Dbpediaentry: http://dbpedia.org/page/Permeability (electromagnetism)

Iupacentry: https://doi.org/10.1351/goldbook.P04503

Physical dimension: T-2 L+1 M+1 I-2 \O 0 N0 J0

Relations:

MagneticFluxDensity

IRI: http://emmo.info/emmo/middle/isq#EMMO_961d1aba_f75e_4411_aaa4_457f7516ed6b

Elucidation: Strength of the magnetic field.

Comment: Often denoted B.

Dbpediaentry: http://dbpedia.org/page/Magnetic_field **Iupacentry:** https://doi.org/10.1351/goldbook.M03686

Physical dimension: T-2 L0 M+1 I-1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

RatioQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO faab3f84 e475 4a46 af9c 7d249f0b9aef

Elucidation: The class of quantities that are the ratio of two quantities with the same physical dimensionality.

Example: refractive index, volume fraction, fine structure constant

Comment: Quantities defined as ratios Q=A/B having equal dimensions in numerator and denominator are dimensionless quantities but still have a physical dimension defined as $\dim(A)/\dim(B)$.

Johansson, Ingvar (2010). "Metrological thinking needs the notions of parametric quantities, units and dimensions". Metrologia. 47 (3): 219-230. doi:10.1088/0026-1394/47/3/012. ISSN 0026-1394.

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Seealso: https://iopscience.iop.org/article/10.1088/0026-1394/47/3/012

Relations:

• is_a isq.ISQDimensionlessQuantity

Torque

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_aaf9dd7f_0474_40d0_9606_02def8515249}$

Elucidation: The effectiveness of a force to produce rotation about an axis, measured by the product of the force and the perpendicular distance from the line of action of the force to the axis.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-26

Comment: Even though torque has the same physical dimension as energy, it is not of the same kind and can not be measured with energy units like joule or electron volt.

Dbpediaentry: http://dbpedia.org/page/Torque

Iupacentry: https://doi.org/10.1351/goldbook.T06400

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Torque

Physical dimension: T-2 L+2 M+1 I0 $\Theta0~\mathrm{N0}~\mathrm{J0}$

Relations:

Wavenumber

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_d859588d_44dc_4614_bc75_5fcd0058acc8}$

Comment: The number of waves per unit length along the direction of propagation.

Dbpediaentry: http://dbpedia.org/page/Wavenumber **Iupacentry:** https://doi.org/10.1351/goldbook.W06664

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Wavenumber

Physical dimension: T0 L-1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ReciprocalLength

AreaDensity

IRI: http://emmo.info/emmo/middle/isq#EMMO afea89af ef16 4bdb 99d5 f3b2f4c85a6c

Comment: Mass per unit area.

Dbpediaentry: http://dbpedia.org/page/Area_density **Iupacentry:** https://doi.org/10.1351/goldbook.S06167

Physical dimension: To L-2 M+1 IO Θ 0 NO J0

Relations:

• is a isq.ISQDerivedQuantity

ElectricCharge

IRI: http://emmo.info/emmo/middle/isq#EMMO_1604f495_328a_4f28_9962_f4cc210739dd

Elucidation: The physical property of matter that causes it to experience a force when placed in an electro-

magnetic field.

Altlabel: Charge

Dbpediaentry: http://dbpedia.org/page/Electric_charge **Iupacentry:** https://doi.org/10.1351/goldbook.E01923

Physical dimension: T+1 L0 M0 I+1 \text{ \text{O}}0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricalConductivity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_cde} 4368c_1d4d_4c94_8548_604749523c6d$

Comment: Measure of a material's ability to conduct an electric current.

Conductivity is equeal to the resiprocal of resistivity.

Dbpediaentry: http://dbpedia.org/page/Electrical_resistivity_and_conductivity

Iupacentry: https://doi.org/10.1351/goldbook.C01245 Physical dimension: T+3 L-3 M-1 I+2 $\Theta0$ N0 J0

Relations:

DerivedQuantity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_71f6ab56_342c_484b_bbe0_de86b7367cb3$

Elucidation: "Quantity, in a system of quantities, defined in terms of the base quantities of that system".

Relations:

• is_a metrology.PhysicalQuantity

Density

IRI: http://emmo.info/emmo/middle/isq#EMMO_06448f64_8db6_4304_8b2c_e785dba82044

Comment: Mass per volume.

Dbpediaentry: http://dbpedia.org/page/Density

Iupacentry: https://doi.org/10.1351/goldbook.D01590

Physical dimension: T0 L-3 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Energy

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_31ec09ba_1713_42cb_83c7_b38bf6f9ced2$

Elucidation: A property of objects which can be transferred to other objects or converted into different forms.

Comment: Energy is often defined as "ability of a system to perform work", but it might be misleading since

is not necessarily available to do work.

Dbpediaentry: http://dbpedia.org/page/Energy

Iupacentry: https://doi.org/10.1351/goldbook.E02101

Physical dimension: T-2 L+2 M+1 IO OO NO JO

Relations:

• is_a isq.ISQDerivedQuantity

Volume

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_f1a51559_aa3d_43a0_9327_918039f0dfed}$

Comment: Extent of an object in space.

Dbpediaentry: http://dbpedia.org/page/Volume

Physical dimension: T0 L-3 M0 I0 $\Theta0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Electrical Resistivity

IRI: http://emmo.info/emmo/middle/isq#EMMO_e150fa8d_06dc_4bb8_bf95_04e2aea529c1

Comment: Electric field strength divided by the current density.

Dbpediaentry: http://dbpedia.org/page/Electrical_resistivity_and_conductivity

Iupacentry: https://doi.org/10.1351/goldbook.R05316

Physical dimension: T-3 L+3 M+1 I-2 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Illuminance

IRI: http://emmo.info/emmo/middle/isq#EMMO b51fbd00 a857 4132 9711 0ef70e7bdd20

Definition: The total luminous flux incident on a surface, per unit area.

Dbpediaentry: http://dbpedia.org/page/Illuminance **Iupacentry:** https://doi.org/10.1351/goldbook.I02941

Physical dimension: T0 L-2 M0 I0 Θ 0 N0 J+1

Relations:

• is a isq.ISQDerivedQuantity

DoseEquivalent

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_3df10765_f6ff_4c9e_be3d_10b1809d78bd}$

Elucidation: A dose quantity used in the International Commission on Radiological Protection (ICRP) system

of radiological protection.

Dbpediaentry: http://dbpedia.org/page/Energy

Iupacentry: https://doi.org/10.1351/goldbook.E02101

Physical dimension: T-2 L+2 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Entropy

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_9bbab0be_f9cc_4f46_9f46_0fd271911b79}$

Comment: Logarithmic measure of the number of available states of a system.

Comment: May also be referred to as a measure of order of a system.

Dbpediaentry: http://dbpedia.org/page/Entropy

Iupacentry: https://doi.org/10.1351/goldbook.E02149

Physical dimension: T-2 L+2 M+1 I0 Θ -1 N0 J0

Relations:

• is a isq.ISQDerivedQuantity

Work

IRI: http://emmo.info/emmo/middle/isq#EMMO_624d72ee_e676_4470_9434_c22b4190d3d5

Definition: Product of force and displacement. **Dbpediaentry:** http://dbpedia.org/page/Heat

Dbpediaentry: http://dbpedia.org/page/Work_(physics) **Iupacentry:** https://doi.org/10.1351/goldbook.W06684

Physicaldimension: T-2 L+2 M+1 I0 Θ 0 N0 J0

• is_a isq.Energy

CelsiusTemperature

IRI: http://emmo.info/emmo/middle/isq#EMMO_66bc9029_f473_45ff_bab9_c3509ff37a22

Elucidation: An objective comparative measure of hot or cold.

Temperature is a relative quantity that can be used to express temperature differences. Unlike Thermodynam-

ic Temperature, it cannot express absolute temperatures.

Dbpediaentry: http://dbpedia.org/page/Temperature **Iupacentry:** https://doi.org/10.1351/goldbook.T06261

Physical dimension: T-1 L0 M0 I0 Θ 0 N+1 J0

Relations:

• is_a isq.ISQDerivedQuantity

CurrentDensity

IRI: http://emmo.info/emmo/middle/isq#EMMO_7c8007b0_58a7_4486_bf1c_4772852caca0

Comment: Electric current divided by the cross-sectional area it is passing through.

Dbpediaentry: http://dbpedia.org/page/Current_density **Iupacentry:** https://doi.org/10.1351/goldbook.E01928

Physical dimension: T0 L-2 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Power

IRI: http://emmo.info/emmo/middle/isq#EMMO_09b9021b_f97b_43eb_b83d_0a764b472bc2

Elucidation: Rate of transfer of energy per unit time.

Dbpediaentry: http://dbpedia.org/page/Power_(physics)

Iupacentry: https://doi.org/10.1351/goldbook.P04792

Physical dimension: T-3 L+2 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Vergence

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_1e7603a7_1365_49b8_b5e5_3711c8e6b904a} = 1.00 \pm 1.00 \pm$

Comment: In geometrical optics, vergence describes the curvature of optical wavefronts.

Dbpediaentry: http://dbpedia.org/page/Vergence **Physicaldimension:** T0 L-1 M0 I0 Θ 0 N0 J0

Relations:

 \bullet is_a isq.ISQDerivedQuantity

Area

IRI: http://emmo.info/emmo/middle/isq#EMMO_96f39f77_44dc_491b_8fa7_30d887fe0890

Comment: Extent of a surface.

Dbpediaentry: http://dbpedia.org/page/Area

Iupacentry: https://doi.org/10.1351/goldbook.A00429

Physical dimension: T0 L+2 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ISQDimensionlessQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_a66427d1_9932_4363_9ec5_7d91f2bfda1e

Elucidation: A quantity to which no physical dimension is assigned and with a corresponding unit of measure-

ment in the SI of the unit one.

Dbpediaentry: http://dbpedia.org/page/Dimensionless_quantity

Iupacentry: https://doi.org/10.1351/goldbook.D01742

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Dimensionless_quantity

Relations:

• is_a isq.ISQDerivedQuantity

AmountFraction

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_04b3300c_98bd_42dc_a3b5_e6c29d69f1ac} \\ \textbf{IRI:} \ \text{IRI:} \ \text{IR$

Definition: The amount of a constituent divided by the total amount of all constituents in a mixture.

Altlabel: MoleFraction

Dbpediaentry: http://dbpedia.org/page/Mole_fraction **Iupacentry:** https://doi.org/10.1351/goldbook.A00296

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/AmountOfSubstanceFraction

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is a isq.RatioQuantity

 $\bullet \hspace{0.2cm} \text{metrology.hasReferenceUnit} \hspace{0.2cm} \text{only units-extension.AmountFractionUnit} \\$

VolumeFraction

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO} \underline{a8eb87b5} \underline{4d10} \underline{4137} \underline{a75c} \underline{e04ee59ca095}$

Elucidation: Volume of a constituent of a mixture divided by the sum of volumes of all constituents prior to

mixing.

Dbpediaentry: http://dbpedia.org/page/Volume_fraction

Iupacentry: https://doi.org/10.1351/goldbook.V06643

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/VolumeFraction

Physicaldimension: T0 L0 M0 I0 Θ0 N0 J0

- is a isq.RatioQuantity
- metrology.hasReferenceUnit only units-extension.VolumeFractionUnit

RybergConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_a3c78d6f_ae49_47c8_a634_9b6d86b79382

Comment: The Rydberg constant represents the limiting value of the highest wavenumber (the inverse wavelength) of any photon that can be emitted from the hydrogen atom, or, alternatively, the wavenumber of the lowest-energy photon capable of ionizing the hydrogen atom from its ground state.

Dbpediaentry: http://dbpedia.org/page/Rydberg_constant

Iupacentry: https://doi.org/10.1351/goldbook.R05430

Physical dimension: T0 L-1 M0 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value RybergConstant

Relations:

• is a isq.Wavenumber

• is_a metrology.MeasuredConstant

SolidAngle

IRI: http://emmo.info/emmo/middle/isq#EMMO e7c9f7fd e534 4441 88fe 1fec6cb20f26

Elucidation: Ratio of area on a sphere to its radius squared.

Dbpediaentry: http://dbpedia.org/page/Solid_angle **Iupacentry:** https://doi.org/10.1351/goldbook.S05732

Physicaldimension: T0 L0 M0 I0 Θ0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.AreaFractionUnit

MassConcentration

IRI: http://emmo.info/emmo/middle/isq#EMMO 16f2fe60 2db7 43ca 8fee 5b3e416bfe87

Comment: Mass of a constituent divided by the volume of the mixture.

Dbpediaentry: http://dbpedia.org/page/Mass_concentration_(chemistry)

Iupacentry: https://doi.org/10.1351/goldbook.M03713

Physical dimension: T0 L-3 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.Density

AbsorbedDose

IRI: http://emmo.info/emmo/middle/isq#EMMO_8e5dd473_808b_4a8a_b7cd_63068c12ff57

Definition: Energy imparted to matter by ionizing radiation in a suitable small element of volume divided by

the mass of that element of volume.

Dbpediaentry: http://dbpedia.org/page/Absorbed_dose **Iupacentry:** https://doi.org/10.1351/goldbook.A00031

Physical dimension: T-2 L+2 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ISQDerivedQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_2946d40b_24a1_47fa_8176_e3f79bb45064

Elucidation: Derived quantities defined in the International System of Quantities (ISQ).

Relations:

- is_a isq.InternationalSystemOfQuantity
- is a metrology. Derived Quantity

PureNumberQuantity

IRI: http://emmo.info/emmo/middle/isq#EMMO_ba882f34_0d71_4e4f_9d92_0c076c633a2c

Elucidation: A pure number, typically the number of something.

Example: 1, i, π , the number of protons in the nucleus of an atom

Comment: According to the SI brochure counting does not automatically qualify a quantity as an amount of substance.

This quantity is used only to describe the outcome of a counting process, without regard of the type of entities.

"There are also some quantities that cannot be described in terms of the seven base quantities of the SI, but have the nature of a count. Examples are a number of molecules, a number of cellular or biomolecular entities (for example copies of a particular nucleic acid sequence), or degeneracy in quantum mechanics. Counting quantities are also quantities with the associated unit one."

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is a isq.ISQDimensionlessQuantity

Heat

IRI: http://emmo.info/emmo/middle/isq#EMMO_12d4ba9b_2f89_4ea3_b206_cd376f96c875

Comment: Heat is energy in transfer to or from a thermodynamic system, by mechanisms other than thermodynamic work or transfer of matter.

Iupacentry: https://doi.org/10.1351/goldbook.H02752

Physical dimension: T-2 L+2 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.Energy

LuminousFlux

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_e2ee1c98_497a_4f66_b4ed_5711496a848e}$

Elucidation: Perceived power of light.

Dbpediaentry: http://dbpedia.org/page/Luminous_flux **Iupacentry:** https://doi.org/10.1351/goldbook.L03646

Physical dimension: T0 L0 M0 I0 Θ0 N0 J+1

Relations:

VacuumElectricPermittivity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_61a32ae9_8200_473a_bd55_59a9899996f4}$

Comment: The DBpedia definition (http://dbpedia.org/page/Vacuum_permittivity) is outdated since May

20, 2019. It is now a measured constant.

Comment: The value of the absolute dielectric permittivity of classical vacuum.

 $\textbf{Iupacentry:}\ \, https://doi.org/10.1351/goldbook.P04508$

Physical dimension: T+4 L-3 M-1 I+2 $\Theta0~\mathrm{N0~J0}$

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElectricConstant

Relations:

• is a isq.Permittivity

• is a metrology.MeasuredConstant

Frequency

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO} \underline{852b4ab8} \underline{fc29} \underline{4749} \underline{a8c7} \underline{b92d4fca7d5a}$

Elucidation: Number of periods per time interval.

Dbpediaentry: http://dbpedia.org/page/Frequency

Iupacentry: https://doi.org/10.1351/goldbook.FT07383

Physical dimension: T-1 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricPotential

IRI: http://emmo.info/emmo/middle/isq#EMMO_4f2d3939_91b1_4001_b8ab_7d19074bf845

Elucidation: Energy required to move a unit charge through an electric field from a reference point.

Altlabel: Voltage

Dbpediaentry: http://dbpedia.org/page/Voltage

Iupacentry: https://doi.org/10.1351/goldbook.A00424

Physical dimension: T-3 L+2 M+1 I-1 $\Theta0$ N0 J0

Relations:

• is a isq.ISQDerivedQuantity

AngularMomentum

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_66d01570_36dd_42fd_844d_29b81b029cd5}$

Comment: Measure of the extent and direction an object rotates about a reference point.

Dbpediaentry: http://dbpedia.org/page/Angular_momentum

Iupacentry: https://doi.org/10.1351/goldbook.A00353

Physical dimension: T-1 L+2 M+1 I0 Θ 0 N0 J0

Relations:

MagneticDipoleMoment

IRI: http://emmo.info/emmo/middle/isq#EMMO_81e767f1_59b1_4d7a_bf69_17f322241831

Elucidation: Vector quantity μ causing a change to its energy ΔW in an external magnetic field of field flux density B:

 $\Omega = -\sum - \$

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=121-11-55

Iso80000ref: 10-9.1

Comment: For an atom or nucleus, this energy is quantized and can be written as:

 $W = g \simeq M B$

where g is the appropriate g factor, μ is mostly the Bohr magneton or nuclear magneton, M is magnetic quantum number, and B is magnitude of the magnetic flux density.

- ISO 80000

Dbpediaentry: http://dbpedia.org/page/Magnetic_moment **Iupacentry:** http://goldbook.iupac.org/terms/view/M03688

Physical dimension: T0 L+2 M0 I+1 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Inductance

IRI: http://emmo.info/emmo/middle/isq#EMMO_04cc9451_5306_45d0_8554_22cee4d6e785

Elucidation: A property of an electrical conductor by which a change in current through it induces an electromotive force in both the conductor itself and in any nearby conductors by mutual inductance.

Altlabel: ElectricInductance

Dbpediaentry: http://dbpedia.org/page/Inductance Iupacentry: https://doi.org/10.1351/goldbook.M04076 Physicaldimension: T-2 L+2 M+1 I-2 Θ0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Hyperfine Transition Frequency Of Cs

IRI: http://emmo.info/emmo/middle/isq#EMMO_f96feb3f_4438_4e43_aa44_7458c4d87fc2

Elucidation: The frequency standard in the SI system in which the photon absorption by transitions between the two hyperfine ground states of caesium-133 atoms are used to control the output frequency.

Physical dimension: T-1 L0 M0 I0 Θ 0 N0 J0

- $\bullet \ \ is_a \ isq. Frequency$
- \bullet is_a isq.SIExactConstant

Probability

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_0a88be81_343d_4388_92c1_09228ff95ada} \\ \textbf{IRI:} \ \text{IRI:} \ \text{IR$

Elucidation: Probability is a dimensionless quantity that can attain values between 0 and 1; zero denotes the impossible event and 1 denotes a certain event.

Comment: The propability for a certain outcome, is the ratio between the number of events leading to the given outcome and the total number of events.

Iupacentry: https://doi.org/10.1351/goldbook.P04855

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.RatioQuantity

• metrology.hasReferenceUnit only metrology.UnitOne

ElementaryCharge

Elucidation: The magnitude of the electric charge carried by a single electron.

Comment: The DBpedia definition (http://dbpedia.org/page/Elementary_charge) is outdated as May 20,

2019. It is now an exact quantity.

Dbpediaentry: http://dbpedia.org/page/Elementary_charge

Iupacentry: https://doi.org/10.1351/goldbook.E02032

Physical dimension: T+1 L0 M0 I+1 $\Theta0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElementaryCharge

Relations:

• is a isq.ElectricCharge

• is a isq.SIExactConstant

Luminance

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_97589322_710c_4af4_9431_1e5027f2be422} = 1.00 \pm 0.00 \pm$

Comment: Measured in cd/m². Not to confuse with Illuminance, which is measured in lux (cd sr/m²).

Comment: a photometric measure of the luminous intensity per unit area of light travelling in a given direction.

Dbpediaentry: http://dbpedia.org/page/Luminance

 $\textbf{Iupacentry:}\ \text{https://doi.org/} 10.1351/goldbook.L03640$

Physical dimension: T0 L-2 M0 I0 Θ 0 N0 J+1

Relations:

• is_a isq.ISQDerivedQuantity

KineticEnergy

IRI: http://emmo.info/emmo/middle/isq#EMMO ac540a9d 0131 43f6 a33b 17e5cfc432ed

Elucidation: The energy of an object due to its motion.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-49

Dbpediaentry: http://dbpedia.org/page/Kinetic_energy **Iupacentry:** https://doi.org/10.1351/goldbook.K03402

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/KineticEnergy

Physical dimension: T-2 L+2 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.Energy

ElectricResistance

IRI: http://emmo.info/emmo/middle/isq#EMMO_e88f75d6_9a17_4cfc_bdf7_43d7cea5a9a1

Elucidation: Measure of the difficulty to pass an electric current through a material.

Altlabel: Resistance

Comment: Inverse of 'ElectricalConductance'.

Dbpediaentry: http://dbpedia.org/page/Electrical_resistance_and_conductance

 $\textbf{Iupacentry:}\ \text{https://doi.org/} 10.1351/goldbook.E01936$

Physical dimension: T-3 L+2 M+1 I-2 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectronCharge

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_cc01751d_dd05_429b_9d0c_1b7a74d1f277}$

Definition: The charge of an electron.

Comment: The negative of ElementaryCharge.

Iupacentry: https://doi.org/10.1351/goldbook.E01982

Physical dimension: T+1 L0 M0 I+1 $\Theta0$ N0 J0

Relations:

is_a isq.ElectricCharge is_a isq.SIExactConstant

Stress

IRI: http://emmo.info/emmo/middle/isq#EMMO_d1917609_db5e_4b8a_9b76_ef1d6f860a81

Comment: Force per unit oriented surface area .

Comment: Measure of the internal forces that neighboring particles of a continuous material exert on each

other.

Dbpediaentry: http://dbpedia.org/page/Stress_(mechanics)

Physical dimension: T-2 L-1 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.Pressure

Speed

IRI: http://emmo.info/emmo/middle/isq#EMMO_81369540_1b0e_471b_9bae_6801af22800e

Comment: Length per unit time.

Speed in the absolute value of the velocity.

Dbpediaentry: http://dbpedia.org/page/Speed

Iupacentry: https://doi.org/10.1351/goldbook.S05852

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Speed

Physical dimension: T-1 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

AtomicNumber

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_07de47e0_6bb6_45b9_b55a_4f238efbb105$

Definition: Number of protons in an atomic nucleus.

Dbpediaentry: http://dbpedia.org/page/Atomic_number **Iupacentry:** https://doi.org/10.1351/goldbook.A00499

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.PureNumberQuantity

Acceleration

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_e37ac288_aa60_415a_8cb7_c375724ac8e1$

Comment: Derivative of velocity with respect to time.

Dbpediaentry: http://dbpedia.org/page/Acceleration

Iupacentry: https://doi.org/10.1351/goldbook.A00051

Physical dimension: T-2 L+1 M0 I0 $\Theta0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

CatalyticActivity

IRI: http://emmo.info/emmo/middle/isq#EMMO_bd67d149_24c2_4bc9_833a_c2bc26f98fd3

Elucidation: Increase in the rate of reaction of a specified chemical reaction that an enzyme produces in a specific assay system.

Iupacentry: https://doi.org/10.1351/goldbook.C00881

Physical dimension: T-1 L0 M0 I0 Θ 0 N+1 J0

Relations:

PlanckConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_76cc4efc_231e_42b4_be83_2547681caed6

Elucidation: The quantum of action.

Dbpediaentry: http://dbpedia.org/page/Planck_constant **Iupacentry:** https://doi.org/10.1351/goldbook.P04685

Physical dimension: T-1 L+2 M+1 I0 $\Theta 0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_PlankConstant

Relations:

is_a isq.AngularMomentumis a isq.SIExactConstant

Enthalpy

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_4091d5ec_a4df_42b9_a073_9a090839279f}$

Comment: Measurement of energy in a thermodynamic system.

Dbpediaentry: http://dbpedia.org/page/Enthalpy **Iupacentry:** https://doi.org/10.1351/goldbook.E02141

Physical dimension: T-2 L+2 M+1 I0 $\Theta 0~\mathrm{N0}~\mathrm{J0}$

Relations:

• is_a isq.Energy

ChemicalPotential

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO} \underline{88fc5d1b} \underline{d3ab} \underline{4626} \underline{b24c} \underline{915ebe7400ca}$

Comment: Energy per unit change in amount of substance.

Dbpediaentry: http://dbpedia.org/page/Chemical_potential

Iupacentry: https://doi.org/10.1351/goldbook.C01032 Physicaldimension: T-2 L+2 M+1 I0 Θ 0 N-1 J0

Relations:

• is_a isq.ISQDerivedQuantity

Angle

IRI: http://emmo.info/emmo/middle/isq#EMMO_f3dd74c0_f480_49e8_9764_33b78638c235

Definition: Ratio of circular arc length to radius.

Altlabel: PlaneAngle

Dbpediaentry: http://dbpedia.org/page/Angle

Iupacentry: https://doi.org/10.1351/goldbook.A00346

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.LengthFractionUnit

Force

IRI: http://emmo.info/emmo/middle/isq#EMMO_1f087811_06cb_42d5_90fb_25d0e7e068ef

Elucidation: Any interaction that, when unopposed, will change the motion of an object.

Dbpediaentry: http://dbpedia.org/page/Force

Iupacentry: https://doi.org/10.1351/goldbook.F02480

Physical dimension: T-2 L+1 M+1 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricConductance

IRI: http://emmo.info/emmo/middle/isq#EMMO_ffb73b1e_5786_43e4_a964_cb32ac7affb7

Elucidation: Measure of the ease for electric current to pass through a material.

Altlabel: Conductance

Comment: Inverse of 'ElectricalResistance'.

Dbpediaentry: http://dbpedia.org/page/Electrical_resistance_and_conductance

Iupacentry: https://doi.org/10.1351/goldbook.E01925 Physicaldimension: T+3 L-2 M-1 I+2 $\Theta0$ N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

MassNumber

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_dc6c8de0_cfc4_4c66_a7dc_8f720e732d54}$

Definition: Number of nucleons in an atomic nucleus.

Physical dimension: T0 L0 M0 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.PureNumberQuantity

SpeedOfLightInVacuum

IRI: http://emmo.info/emmo/middle/isq#EMMO_99296e55_53f7_4333_9e06_760ad175a1b9

Elucidation: The speed of light in vacuum.

Dbpediaentry: http://dbpedia.org/page/Speed_of_light **Iupacentry:** https://doi.org/10.1351/goldbook.S05854

Physical dimension: T-1 L+1 M0 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value SpeedOfLightInVacuum

Relations:

• is_a isq.Speed

• is_a isq.SIExactConstant

Strain

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_acf636d4_9ac2_4ce3_960a_d54338e6cae3 = 2000 + 20$

Elucidation: Change of the relative positions of parts of a body, excluding a displacement of the body as a

whole.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-57

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/Strain

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Relations:

• is a isq.RatioQuantity

• metrology.hasReferenceUnit only units-extension.LengthFractionUnit

ElectricalImpedance

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_79a02de5_b884_4eab_bc18_f67997d597a2}$

Comment: Measure of the opposition that a circuit presents to a current when a voltage is applied.

Dbpediaentry: http://dbpedia.org/page/Electrical_impedance

Physical dimension: T-3 L+2 M+1 I-2 Θ 0 N0 J0

Relations:

• is a isq.ElectricResistance

AmountConcentration

IRI: http://emmo.info/emmo/middle/isq#EMMO_d5be1faf_0c56_4f5a_9b78_581e6dee949f

Altlabel: Concentration

Altlabel: MolarConcentration

Altlabel: Molarity

Comment: The amount of a constituent divided by the volume of the mixture.

Dbpediaentry: http://dbpedia.org/page/Molar_concentration

Iupacentry: https://doi.org/10.1351/goldbook.A00295

Physicaldimension: T0 L-3 M0 I0 Θ 0 N+1 J0

Relations:

• is a isq.ISQDerivedQuantity

PotentialEnergy

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_4c151909_6f26_4ef9_b43d_7c9e9514883a} \\ \textbf{2.1} \ \textbf{2.2} \ \textbf$

Elucidation: The energy possessed by a body by virtue of its position or orientation in a potential field.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-03-48

 ${\bf Dbpediaentry:\ http://dbpedia.org/page/Potential_energy}$

Iupacentry: https://doi.org/10.1351/goldbook.P04778

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/PotentialEnergy

Physical dimension: T-2 L+2 M+1 I0 $\Theta 0$ N0 J0

• is_a isq.Energy

Pressure

IRI: http://emmo.info/emmo/middle/isq#EMMO_50a44256_9dc5_434b_bad4_74a4d9a29989

Elucidation: The force applied perpendicular to the surface of an object per unit area over which that force

is distributed.

Dbpediaentry: http://dbpedia.org/page/Pressure

Iupacentry: https://doi.org/10.1351/goldbook.P04819

Physical dimension: T-2 L-1 M+1 I0 Θ0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

ElectricalReactance

IRI: http://emmo.info/emmo/middle/isq#EMMO_92b2fb85_2143_4bc7_bbca_df3e6944bfc1

Comment: The opposition of a circuit element to a change in current or voltage, due to that element's

inductance or capacitance.

Dbpediaentry: http://dbpedia.org/page/Electrical_reactance

Physical dimension: T-3 L+2 M+1 I-2 Θ 0 N0 J0

Relations:

• is a isq.ElectricResistance

Velocity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_0329f1f5_8339_4ce4_8505_a264c6d606ba}$

Definition: Vector quantity giving the rate of change of a position vector.

- ISO 80000-3

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=113-01-32

Iso80000ref: 3-10.1

Comment: The velocity depends on the choice of the reference frame. Proper transformation between frames must be used: Galilean for non-relativistic description, Lorentzian for relativistic description.

- IEC, note 2

Comment: The velocity is related to a point described by its position vector. The point may localize a particle, or be attached to any other object such as a body or a wave.

– IEC, note 1

Physical dimension: T-1 L+1 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.Speed

ElectricDipoleMoment

IRI: http://emmo.info/emmo/middle/isq#EMMO_1a179ce4_3724_47f8_bee5_6292e3ac9942

Elucidation: An electric dipole, vector quantity of magnitude equal to the product of the positive charge and the distance between the charges and directed from the negative charge to the positive charge.

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=121-11-35

Iecentry: http://www.electropedia.org/iev/iev.nsf/display?openform&ievref=121-11-36

Dbpediaentry: http://dbpedia.org/page/Electric dipole moment

Iupacentry: https://doi.org/10.1351/goldbook.E01929

Ommatch: http://www.ontology-of-units-of-measure.org/resource/om-2/ElectricDipoleMoment

Physical dimension: T+1 L+1 M0 I+1 Θ 0 N0 J0

Relations:

• is a isq.ISQDerivedQuantity

ReciprocalLength

IRI: http://emmo.info/emmo/middle/isq#EMMO ecec2983 7c26 4f8d a981 51ca29668baf

Elucidation: The inverse of length.

Dbpediaentry: http://dbpedia.org/page/Reciprocal_length

Physical dimension: T0 L-1 M0 I0 Θ 0 N0 J0

Wikipediaentry: https://en.wikipedia.org/wiki/Reciprocal_length

Relations:

• is_a isq.ISQDerivedQuantity

RadiantFlux

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_e46f3f24_c2ec_4552_8dd4_cfc5c0a89c09$

Comment: The radiant energy emitted, reflected, transmitted or received, per unit time.

Dbpediaentry: http://dbpedia.org/page/Radiant_flux **Iupacentry:** https://doi.org/10.1351/goldbook.R05046

Physical dimension: T-3 L+2 M+1 I0 $\Theta 0$ N0 J0

Relations:

• is_a isq.Power

Momentum

IRI: http://emmo.info/emmo/middle/isq#EMMO_43776fc9_d712_4571_85f0_72183678039a

Comment: Product of mass and velocity.

Dbpediaentry: http://dbpedia.org/page/Momentum **Iupacentry:** https://doi.org/10.1351/goldbook.M04007

Physical dimension: T-1 L+1 M+1 I0 Θ 0 N0 J0

Relations:

Radioactivity

IRI: http://emmo.info/emmo/middle/isq#EMMO_8d3da9ac_2265_4382_bee5_db72046722f8

Elucidation: Decays per unit time.

Iupacentry: https://doi.org/10.1351/goldbook.A00114

Physical dimension: T-1 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.ISQDerivedQuantity

Physical Constant branch




Figure 3.34: Physical Constant branch.

JosephsonConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_ba380bc6_2bfd_4f11_94c7_b3cbaafd1631

Elucidation: Inverse of the magnetic flux quantum.

20, 2019. It is now an exact quantity.

Physical dimension: T+2 L-1 M-1 I+1 $\Theta0~\mathrm{N0}~\mathrm{J0}$

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_JosephsonConstant

Relations:

• is_a isq.SIExactConstant

VacuumElectricPermittivity

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/isq\#EMMO_61a32ae9_8200_473a_bd55_59a9899996f4$

Comment: The DBpedia definition (http://dbpedia.org/page/Vacuum_permittivity) is outdated since May

20, 2019. It is now a measured constant.

 $\textbf{Comment:} \ \ \textbf{The value of the absolute dielectric permittivity of classical vacuum.}$

Iupacentry: https://doi.org/10.1351/goldbook.P04508

Physical dimension: T+4 L-3 M-1 I+2 $\Theta 0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElectricConstant

Relations:

 $\bullet \ \ is_a \ isq. Permittivity$

• is a metrology.MeasuredConstant

BoltzmannConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_ffc7735f_c177_46a4_98e9_a54440d29209

Elucidation: A physical constant relating energy at the individual particle level with temperature. It is the gas constant R divided by the Avogadro constant.

Comment: The DBpedia definition (http://dbpedia.org/page/Boltzmann_constant) is outdated as May 20, 2019. It is now an exact quantity.

Dbpediaentry: http://dbpedia.org/page/Boltzmann_constant

Iupacentry: https://doi.org/10.1351/goldbook.B00695

Physical dimension: T-2 L+2 M+1 I0 Θ -1 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_BoltzmannConstant

Relations:

• is_a isq.Entropy

 \bullet is_a isq.SIExactConstant

VacuumMagneticPermeability

IRI: http://emmo.info/emmo/middle/isq#EMMO_de021e4f_918f_47ef_a67b_11120f56b9d7

Comment: The DBpedia and UIPAC Gold Book definitions (http://dbpedia.org/page/Vacuum_permeability, https://doi.org/10.1351/goldbook.P04504) are outdated since May 20, 2019. It is now a measured constant.

Comment: The value of magnetic permeability in a classical vacuum.

Physical dimension: T-2 L+1 M+1 I-2 $\Theta 0$ N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_MagneticConstant

Relations:

• is a isq.Permeability

• is a metrology. Measured Constant

HyperfineTransitionFrequencyOfCs

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_f96feb3f_4438_4e43_aa44_7458c4d87fc2$

Elucidation: The frequency standard in the SI system in which the photon absorption by transitions between the two hyperfine ground states of caesium-133 atoms are used to control the output frequency.

Physical dimension: T-1 L0 M0 I0 Θ 0 N0 J0

Relations:

• is_a isq.Frequency

• is_a isq.SIExactConstant

SpeedOfLightInVacuum

IRI: http://emmo.info/emmo/middle/isq#EMMO_99296e55_53f7_4333_9e06_760ad175a1b9

Elucidation: The speed of light in vacuum.

Dbpediaentry: http://dbpedia.org/page/Speed_of_light **Iupacentry:** https://doi.org/10.1351/goldbook.S05854

Physical dimension: T-1 L+1 M0 I0 Θ0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_SpeedOfLightInVacuum

- is a isq.Speed
- is a isq.SIExactConstant

NewtonianConstantOfGravity

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_da831168_975a_41f8_baae_279c298569da$

Comment: Physical constant in Newton's law of gravitation and in Einstein's general theory of relativity.

Dbpediaentry: http://dbpedia.org/page/Gravitational_constant

Iupacentry: https://doi.org/10.1351/goldbook.G02695

Physical dimension: T-2 L+3 M-1 I0 Θ0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_NewtonianConstantOfGravity

Relations:

• is_a metrology.MeasuredConstant

ElementaryCharge

IRI: http://emmo.info/emmo/middle/isq#EMMO_58a650f0_a638_4743_8439_535a325e5c4c

Elucidation: The magnitude of the electric charge carried by a single electron.

Comment: The DBpedia definition (http://dbpedia.org/page/Elementary_charge) is outdated as May 20,

2019. It is now an exact quantity.

Dbpediaentry: http://dbpedia.org/page/Elementary_charge

Iupacentry: https://doi.org/10.1351/goldbook.E02032

Physical dimension: T+1 L0 M0 I+1 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElementaryCharge

Relations:

is_a isq.ElectricCharge is_a isq.SIExactConstant

VonKlitzingConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO eb561764 276e 413d a8cb 3a3154fd9bf8

Definition: The von Klitzing constant is defined as Planck constant divided by the square of the elementary

charge.

Comment: Resistance quantum.

Physical dimension: T-3 L+2 M+1 I-2 Θ0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_VonKlitzingConstant

Relations:

 $\bullet \;$ is _a isq.ElectricResistance

• is a isq.SIExactConstant

FineStructureConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_d7d2ca25_03e1_4099_9220_c1a58df13ad0

Comment: A fundamental physical constant characterizing the strength of the electromagnetic interaction

between elementary charged particles.

Dbpediaentry: http://dbpedia.org/page/Fine-structure_constant

Iupacentry: https://doi.org/10.1351/goldbook.F02389

Physical dimension: T0 L0 M0 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_FineStructureConstant

Relations:

• is a metrology.MeasuredConstant

MolarGasConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO ad6c76cf b400 423e 820f cf0c4e77f455

Elucidation: Equivalent to the Boltzmann constant, but expressed in units of energy per temperature incre-

ment per mole (rather than energy per temperature increment per particle).

Dbpediaentry: http://dbpedia.org/page/Gas_constant Iupacentry: https://doi.org/10.1351/goldbook.G02579 Physicaldimension: T-2 L+2 M+1 I0 Θ-1 N-1 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_MolarGasConstant

Relations:

• is a isq.SIExactConstant

ElectronCharge

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_cc01751d_dd05_429b_9d0c_1b7a74d1f277}$

Definition: The charge of an electron.

Comment: The negative of ElementaryCharge.

Iupacentry: https://doi.org/10.1351/goldbook.E01982

Physical dimension: T+1 L0 M0 I+1 Θ 0 N0 J0

Relations:

is_a isq.ElectricCharge is_a isq.SIExactConstant

ElectronMass

IRI: http://emmo.info/emmo/middle/isq#EMMO 44fc8c60 7a9c 49af a046 e1878c88862c

Comment: The rest mass of an electron.

Dbpediaentry: http://dbpedia.org/page/Electron_rest_mass

Iupacentry: https://doi.org/10.1351/goldbook.E02008

Physical dimension: T0 L0 M+1 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ElectronMass

Relations:

• is_a isq.Mass

• is_a metrology.MeasuredConstant

RybergConstant

 $\textbf{IRI:} \ http://emmo.info/emmo/middle/isq\#EMMO_a3c78d6f_ae49_47c8_a634_9b6d86b79382$

Comment: The Rydberg constant represents the limiting value of the highest wavenumber (the inverse wavelength) of any photon that can be emitted from the hydrogen atom, or, alternatively, the wavenumber of the lowest-energy photon capable of ionizing the hydrogen atom from its ground state.

Dbpediaentry: http://dbpedia.org/page/Rydberg_constant

Iupacentry: https://doi.org/10.1351/goldbook.R05430

Physical dimension: T0 L-1 M0 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_RybergConstant

Relations:

• is a isq.Wavenumber

• is a metrology.MeasuredConstant

LuminousEfficacyOf540THzRadiation

IRI: http://emmo.info/emmo/middle/isq#EMMO_506f7823_52bc_40cb_be07_b3b1e10cce13

Elucidation: The luminous efficacy of monochromatic radiation of frequency 540×10 12 Hz, K cd , is a technical constant that gives an exact numerical relationship between the purely physical characteristics of the radiant power stimulating the human eye (W) and its photobiological response defined by the luminous flux due to the spectral responsivity of a standard observer (lm) at a frequency of 540×10 12 hertz.

Comment: Defines the Candela unit in the SI system.

Physical dimension: T+3 L-1 M-1 I0 Θ 0 N0 J+1

Relations:

• is_a isq.SIExactConstant

AvogadroConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO 176cae33 b83e 4cd2 a6bc 281f42f0ccc8

Elucidation: The number of constituent particles, usually atoms or molecules, that are contained in the amount of substance given by one mole.

Comment: The DBpedia definition (http://dbpedia.org/page/Avogadro_constant) is outdated as May 20, 2019. It is now an exact quantity.

Dbpediaentry: http://dbpedia.org/page/Avogadro_constant

Iupacentry: https://doi.org/10.1351/goldbook.A00543

Physical dimension: T0 L0 M0 I0 Θ 0 N-1 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value AvogadroConstant

Relations:

• is_a isq.SIExactConstant

MeasuredConstant

IRI: http://emmo.info/emmo/middle/metrology#EMMO 3f15d200 c97b 42c8 8ac0 d81d150361e2

Elucidation: For a given unit system, measured constants are physical constants that are not used to define the unit system. Hence, these constants have to be measured and will therefore be associated with an uncertainty.

• is_a metrology.PhysicalConstant

SIExactConstant

IRI: http://emmo.info/emmo/middle/isq#EMMO_f2ca6dd0_0e5f_4392_a92d_cafdae6cfc95

Elucidation: Physical constant that by definition (after the latest revision of the SI system that was enforsed May 2019) has a known exact numerical value when expressed in SI units.

Relations:

• is a metrology.ExactConstant

ExactConstant

IRI: http://emmo.info/emmo/middle/metrology#EMMO_89762966_8076_4f7c_b745_f718d653e8e2

Comment: Physical constant used to define a unit system. Hence, when expressed in that unit system they have an exact value with no associated uncertainty.

Relations:

 $\bullet \ \ is_a \ metrology. Physical Constant$

ProtonMass

IRI: http://emmo.info/emmo/middle/isq#EMMO_8d689295_7d84_421b_bc01_d5cceb2c2086

Comment: The rest mass of a proton.

Iupacentry: https://doi.org/10.1351/goldbook.P04914

Physical dimension: T0 L0 M+1 I0 Θ 0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_ProtonMass

Relations:

• is a isq.Mass

• is_a metrology.MeasuredConstant

PhysicalConstant

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/metrology} \# EMMO_b953f2b1_c8d1_4dd9_b630_d3ef6580c2bb + \text{c} +$

Comment: Physical constants are categorised into "exact" and measured constants.

With "exact" constants, we refer to physical constants that have an exact numerical value after the revision of the SI system that was enforsed May 2019.

Wikipediaentry: https://en.wikipedia.org/wiki/List_of_physical_constants

Relations:

 $\bullet \;$ is _a metrology.PhysicalQuantity

• disjoint_union_of metrology.MeasuredConstant, metrology.ExactConstant

PlanckConstant

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/isq\#EMMO_76cc4efc_231e_42b4_be83_2547681caed6}$

Elucidation: The quantum of action.

Dbpediaentry: http://dbpedia.org/page/Planck_constant

Iupacentry: https://doi.org/10.1351/goldbook.P04685

Physical dimension: T-1 L+2 M+1 I0 Θ0 N0 J0

Qudtentry: http://physics.nist.gov/cuu/CODATA-Value_PlankConstant

Relations:

is_a isq.AngularMomentum is_a isq.SIExactConstant

Reductionistic branch




Figure 3.35: Reductionistic branch.

Existent

IRI: http://emmo.info/emmo/middle/reductionistic#EMMO 52211e5e d767 4812 845e eb6b402c476a

Elucidation: A 'Physical' which is a tessellation of 'State' temporal direct parts.

Comment: 'Existent' is the EMMO class to be used for representing real world physical objects under a reductionistic perspective (i.e. objects come from the composition of sub-part objects, both in time and space).

'Existent' class collects all individuals that stand for physical objects that can be structured in well defined temporal sub-parts called states, through the temporal direct parthood relation.

This class provides a first granularity hierarchy in time, and a way to axiomatize tessellation principles for a specific whole with a non-transitivity relation (direct parthood) that helps to retain the granularity levels.

e.g. a car, a supersaturated gas with nucleating nanoparticles, an atom that becomes ionized and then recombines with an electron.

Comment: An 'Existent' individual stands for a real world object for which the ontologist wants to provide univocal tessellation in time.

By definition, the tiles are represented by 'State'-s individual.

Tiles are related to the 'Existent' through temporal direct parthood, enforcing non-transitivity and inverse-functionality.

Comment: Being has Temporal Direct Part a proper parthood relation, there cannot be 'Existent' made of a single 'State'.

Moreover, due to inverse functionality, a 'State' can be part of only one 'Existent', preventing overlapping between 'Existent'-s.

Comment: ex-sistere (latin): to stay (to persist through time) outside others of the same type (to be distinct from the rest).

- \bullet is_a reductionistic.Reductionistic
- $\bullet \quad {\rm reductionistic. has Temporal Direct Part\ some\ reductionistic. State}$
- reductionistic.hasTemporalDirectPart only reductionistic.State

BondedAtom

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_8303a247_f9d9_4616_bdcd_f5cbd7b298e3$

Elucidation: An bonded atom that shares at least one electron to the atom-based entity of which is part of.

Comment: A real bond between atoms is always something hybrid between covalent, metallic and ionic.

In general, metallic and ionic bonds have atoms sharing electrons.

Comment: The bond types that are covered by this definition are the strong electonic bonds: covalent, metallic and ionic.

Comment: This class can be used to represent molecules as simplified quantum systems, in which outer molecule shared electrons are un-entangled with the inner shells of the atoms composing the molecule.

Relations:

• is a materials. Atom

Neutron

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_df808271_df91_4f27_ba59_fa423c51896c$

Relations:

 \bullet is_a materials.Nucleon

Proton

IRI: http://emmo.info/emmo/middle/materials#EMMO_8f87e700_99a8_4427_8ffb_e493de05c217

Relations:

- is a materials. Nucleon
- properties.hasProperty some isq.ElementaryCharge
- $\bullet \ \ properties. has Property \ some \ is q. Proton Mass$

String

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/perceptual} \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 46 b_a 9032 f 17 ca 10_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 ea 1 ec 5_f 157_41 b 0_b 1000 emmo/middle/perceptual \# EMMO_50 emm$

Elucidation: A physical made of more than one symbol sequentially arranged.

Example: The word "cat" considered as a collection of 'symbol'-s respecting the rules of english language.

In this example the 'symbolic' entity "cat" is not related to the real cat, but it is only a word (like it would be to an italian person that ignores the meaning of this english word).

If an 'interpreter' skilled in english language is involved in a 'semiotic' process with this word, that "cat" became also a 'sign' i.e. it became for the 'interpreter' a representation for a real cat.

Comment: A string is made of concatenated symbols whose arrangement is one-dimensional. Each symbol can have only one previous and one next neighborhood (bidirectional list).

Comment: A string is not requested to respect any syntactic rule: it's simply directly made of symbols.

- is_a perceptual.SymbolicComposition
- is a reductionistic.State
- reductionistic.hasSpatialDirectPart some perceptual.Symbol
- reductionistic.hasSpatialDirectPart only perceptual.Symbol

State

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/reductionistic} \# EMMO_36c79456_e29c_400d_8bd3_0eedddb82652$

Elucidation: A 'Physical' which is a tessellation of spatial direct parts.

Example: e.g. the existent in my glass is declared at t = t_start as made of two direct parts: the ice and the water. It will continue to exists as state as long as the ice is completely melt at t = t_end. The new state will be completely made of water. Between t_start and t_end there is an exchange of molecules between the ice and the water, but this does not affect the existence of the two states.

If we partition the existent in my glass as ice surrounded by several molecules (we do not use the object water as direct part) then the appearance of a molecule coming from the ice will cause a state to end and another state to begin.

Comment: Direct partitions declaration is a choice of the ontologist that choses the classes to be used as direct parts, according to its own world view.

A 'State' can always be direct partitioned in 'Elementary'-s and 'Void' or 'Physical'.

e.g. the water in my glass can be seen as a single object without declaring direct parts, or as made of H2O molecules direct parts.

Comment: The definition of 'State' implies that its spatial direct parts (i.e. 'physicals') are not gained or lost during its temporal extension (they exist from the left to the right side of the time interval), so that the cardinality of spatial direct parts in a 'State' is constant.

This does not mean that there cannot be a change in the internal structure of the 'State' direct parts. It means only that this change must not affect the existence of the direct part itself.

There is no change in granularity or cardinality of direct parts of a 'State'.

The use of spatial direct parthood in 'State' definition means that a 'State' cannot overlap in space another 'State'.

Comment: The usefulness of 'State' is that it makes it possible to describe the evolution in time of an 'Existent' in terms of series of 'State'-s that can take into account the disappearance or appearance of parts within a 'Physical'.

A 'State' is a recognizable granularity level of matter, in the sense that its direct parts do not appear or disappear within its lifetime as it can be for a generic 'Existent'.

Comment: There is no change in granularity or cardinality of parts within a state.

The use of spatial direct parthood in state definition means that a state cannot overlap in space another state that is direct part of the same whole.

Relations:

- is a reductionistic.Reductionistic
- reductionistic.hasSpatialDirectPart some physical.Physical

Nucleon

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_50781fd9_a9e4_46ad_b7be_4500371d188d$

Relations:

- \bullet is_a materials.Subatomic
- \bullet is_a reductionistic.State
- reductionistic.hasSpatialDirectPart some physicalistic.Quark
- disjoint_union_of materials. Proton, materials. Neutron

Reductionistic

IRI: http://emmo.info/emmo/middle/reductionistic#EMMO 15db234d ecaf 4715 9838 4b4ec424fb13

Elucidation: A class devoted to categorize 'Physical'-s according to their granularity relations, first in terms of time evolution (Existent) and then in terms of their composition (State), up to the spatial a-tomistic element (Elementary).

Comment: Direct parthood is the relation used to build the class hierarchy (and the granularity hierarchy) for this perspective.

Relations:

- is_a top.Perspective
- equivalent to reductionistic. State or reductionistic. Existent

MaterialRelation

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/models\#EMMO_e5438930_04e7_4d42_ade5_3700d4a52ab7 } \\$

Elucidation: An 'equation' that stands for a physical assumption specific to a material, and provides an expression for a 'physics_quantity' (the dependent variable) as function of other variables, physics_quantity or data (independent variables).

Example: The Lennard-Jones potential.

A force field.

An Hamiltonian.

Comment: A material_relation can e.g. return a predefined number, return a database query, be an equation that depends on other physics_quantities.

Relations:

- is a math.Equation
- reductionistic.hasSpatialDirectPart some metrology.PhysicalQuantity

PhysicsEquation

IRI: http://emmo.info/emmo/middle/models#EMMO 27c5d8c6 8af7 4d63 beb1 ec37cd8b3fa3

Elucidation: An 'equation' that stands for a 'physical_law' by mathematically defining the relations between physics_quantities.

Example: The Newton's equation of motion.

The Schrödinger equation.

The Navier-Stokes equation.

Relations:

- \bullet is_a math.Equation
- is a models.MathematicalModel
- reductionistic.hasSpatialDirectPart some metrology.PhysicalQuantity
- $\bullet \ \ Inverse (models. has Model) \ some \ models. Physical Phenomenon$

FunctionDefinition

IRI: http://emmo.info/emmo/middle/math#EMMO_4bc29b0f_8fcc_4026_a291_f9774a66d9b8

Elucidation: A function defined using functional notation.

Example: y = f(x)

Relations:

• is a math.DefiningEquation

IonAtom

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_db03061b_db31_4132_a47a_6a634846578b$

Elucidation: A standalone atom with an unbalanced number of electrons with respect to its atomic number.

Comment: The ion_atom is the basic part of a pure ionic bonded compound i.e. without eclectron sharing,

Relations:

• is a materials.StandaloneAtom

NeutralAtom

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4588526f_8553_4f4d_aa73_a483e88d599b$

Elucidation: A standalone atom that has no net charge.

Relations:

• is a materials.StandaloneAtom

DefiningEquation

IRI: http://emmo.info/emmo/middle/math#EMMO_29afdf54_90ae_4c98_8845_fa9ea3f143a8

Elucidation: An equation that define a new variable in terms of other mathematical entities.

Example: The definition of velocity as v = dx/dt.

The definition of density as mass/volume.

y = f(x)

Relations:

• is_a math.Equation

StandaloneAtom

IRI: http://emmo.info/emmo/middle/materials#EMMO_2fd3f574_5e93_47fe_afca_ed80b0a21ab4

Elucidation: An atom that does not share electrons with other atoms.

Comment: A standalone atom can be bonded with other atoms by intermolecular forces (i.e. dipole–dipole, London dispersion force, hydrogen bonding), since this bonds does not involve electron sharing.

Relations:

- is a materials. Atom
- disjoint_union_of materials.NeutralAtom, materials.IonAtom

ElectronCloud

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_1067b97a_84f8_4d22_8ace_b842b8ce355c$

Elucidation: A 'spacetime' that stands for a quantum system made of electrons.

- is_a materials.Subatomic
- is a reductionistic.State
- $\bullet \ \ reduction is tic. has Spatial Direct Part\ some\ physical is tic. Electron$

Nucleus

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_f835f4d4_c665_403d_ab25_dca5cc74be52$

Relations:

- is a materials.Subatomic
- is_a reductionistic.State
- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ some\ materials.Nucleon}$

Equation

IRI: http://emmo.info/emmo/middle/math#EMMO_e56ee3eb_7609_4ae1_8bed_51974f0960a6

Elucidation: The class of 'mathematical'-s that stand for a statement of equality between two mathematical expressions.

Example: $2+3 = 5 \text{ x}^2 + 3x = 5x \text{ dv/dt} = a \sin(x) = y$

Comment: An equation with variables can always be represented as:

f(v0, v1, ..., vn) = g(v0, v1, ..., vn)

where f is the left hand and g the right hand side expressions and v0, v1, ..., vn are the variables.

Relations:

- is a math.MathematicalFormula
- is_a reductionistic.State
- is a math.Mathematical
- reductionistic.hasSpatialDirectPart some math.Expression

Atom

IRI: http://emmo.info/emmo/middle/materials#EMMO_eb77076b_a104_42ac_a065_798b2d2809ad

Elucidation: A standalone atom has direct part one 'nucleus' and one 'electron' cloud'.

An O 'atom' within an O2 'molecule' is an 'e-bonded_atom'.

In this material branch, H atom is a particular case, with respect to higher atomic number atoms, since as soon as it shares its electron it has no nucleus entangled electron cloud.

We cannot say that H2 molecule has direct part two H atoms, but has direct part two H nucleus.

Comment: An 'atom' is a 'nucleus' surrounded by an 'electron_cloud', i.e. a quantum system made of one or more bounded electrons.

Relations:

- \bullet is_a physicalistic.Matter
- is_a reductionistic.State
- properties.hasProperty some isq.AtomicNumber
- properties.hasProperty some isq.AtomicMass
- properties.hasProperty some isq.MagneticDipoleMoment
- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ some\ materials.} Electron Cloud$
- $\bullet \ \ reduction is tic. has Spatial Direct Part\ some\ materials. Nucleus$

ArithmeticEquation

IRI: http://emmo.info/emmo/middle/math#EMMO a6138ba7 e365 4f2d b6b4 fe5a5918d403

Example: 1 + 1 = 2

Relations:

• is_a math.Equation

AlgebricEquation

IRI: http://emmo.info/emmo/middle/math#EMMO_98d65021_4574_4890_b2fb_46430841077f

Example: 2 * a - b = c

Comment: An 'equation' that has parts two 'polynomial'-s

Relations:

• is a math.Equation

• reductionistic.hasSpatialDirectPart some math.AlgebricExpression

Expression branch




Figure 3.36: Expression branch.

Expression

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_f9bc8b52_85e9_4b53_b969_dd7724d5b8e4}$

Elucidation: A well-formed finite combination of mathematical symbols according to some specific rules.

Relations:

• is a math.Mathematical

 \bullet is_a perceptual.SymbolicComposition

AlgebricExpression

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO_1aed91a3_d00c_48af_8f43_a0c958b2512a$

Example: 2x+3

Comment: An expression that has parts only integer constants, variables, and the algebraic operations (addition, subtraction, multiplication, division and exponentiation by an exponent that is a rational number)

Relations:

• is_a math.Expression

Polynomial

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/math\#EMMO} \underline{91447ec0} \underline{\text{fb55}} \underline{49f2} \underline{85a5} \underline{3172dff6482c}$

Example: $2 * x^2 + x + 3$

Relations:

• is_a math.AlgebricExpression

ArithmeticExpression

IRI: http://emmo.info/emmo/middle/math#EMMO_89083bab_f69c_4d06_bf6d_62973b56cdc7

Example: 2+2

Relations:

• is a math.AlgebricExpression

• is a not reductionistic.hasSpatialDirectPart some math.Variable

Physicalistic branch




Figure 3.37: Physicalistic branch.

Vacuum

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/physicalistic} \# EMMO_3c218 \\ \text{fbe_} 60c9_4597_8 \\ \text{bcf_} 41eb1773 \\ \text{af1} \\ \text{from the properties of the prop$

Elucidation: A 'Physical' with no 'Massive' parts.

Relations:

• is_a physicalistic.Field

• equivalent_to physicalistic. Field and not physicalistic. Matter

Field

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_70dac51e_bddd_48c2_8a98_7d8395e91fc2

Elucidation: A 'Physical' with 'Massless' parts that are mediators of interactions.

Comment: The concepts of matter and field for classical physics, upon which we can categorize physical entities, are replaced in quantum physics by the more general concepts of quantum field.

Here the class 'Field' refers to the quantum field of massless bosonic particles (i.e. photons, gluons), while the class 'Matter' refers to the quantum field of massive fermionic or bosonic particles (e.g. quarks, electrons).

- is_a physicalistic.Physicalistic
- is_a physical.Physical

- mereotopology.hasPart some physicalistic.Massless
- physical.hasTemporalPart only physicalistic.Field

Physicalistic

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_98ada9d8_f1c8_4f13_99b5_d890f5354152

Elucidation: The perspective for which physical objects are categorized only by concepts coming from applied physical sciences.

Relations:

- is_a top.Perspective
- ullet equivalent_to physicalistic.Matter or physicalistic.Field

Elementary Particle branch




Figure 3.38: Elementary Particle branch.

Massive

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_385b8f6e_43ac_4596_ad76_ac322c68b7ca

Elucidation: The union of classes of elementary particles that possess mass.

Relations:

- is_a physicalistic.ElementaryParticle
- $\bullet\,$ equivalent_to physicalistic. Quark or physicalistic. Electron

Quark

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_72d53756_7fb1_46ed_980f_83f47efbe105

Elucidation: The class of individuals that stand for quarks elementary particles.

- \bullet is_a physicalistic.Massive
- is_a physical.Elementary

Graviton

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/physicalistic} \# EMMO_eb3c61f0_3983_4346_a0c6_e7f6b90a67a8$

Elucidation: The class of individuals that stand for gravitons elementary particles.

Comment: While this particle is only supposed to exist, the EMMO approach to classical and quantum systems represents fields as made of particles.

For this reason graviton is an useful concept to homogenize the approach between different fields.

Relations:

- is_a physicalistic.Massless
- is_a physical.Elementary

ElementaryParticle

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/physicalistic} \# EMMO_c26a0340_d619_4928_b1a1_1a04e88bb89d$

Elucidation: The union of all classes categorizing elementary particles according to the Standard Model.

Comment: Only a subset of elementary particles from the Standard Model are here included for the sake of simplicity.

Relations:

- is_a physicalistic.Physicalistic
- is_a physical.Elementary
- disjoint_union_of physicalistic.Photon, physicalistic.Quark, physicalistic.Gluon, physicalistic.Electron, physicalistic.Graviton

Gluon

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_7db59e56_f68b_48b7_ae99_891c35ae5c3b

Elucidation: The class of individuals that stand for gluons elementary particles.

Relations:

- $\bullet\,\,$ is _a physicalistic.Massless
- is_a physical.Elementary

Photon

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_25f8b804_9a0b_4387_a3e7_b35bce5365ee

Elucidation: The class of individuals that stand for photons elementary particles.

Relations:

- is_a physicalistic.Massless
- is_a physical.Elementary

Electron

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/physicalistic} \# EMMO_8043 d3c6_a4c1_4089_ba34_9744e28e5b3d$

Elucidation: The class of individuals that stand for electrons elemntary particles.

- is_a physicalistic.Massive
- is a physicalistic.Matter
- is a physical. Elementary
- properties.hasProperty some isq.ElectronMass

• properties.hasProperty some isq.ElectronCharge

Massless

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_e5488299_8dab_4ebb_900a_26d2abed8396

Elucidation: The union of classes of elementary particles that do not possess mass.

Relations:

- is_a physicalistic.ElementaryParticle
- equivalent_to physicalistic.Photon or physicalistic.Gluon or physicalistic.Graviton

Subatomic branch




Figure 3.39: Subatomic branch.

Nucleus

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_f835f4d4_c665_403d_ab25_dca5cc74be52$

Relations:

- \bullet is_a materials.Subatomic
- \bullet is_a reductionistic.State
- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ some\ materials.Nucleon}$

Subatomic

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_7d66bde4_b68d_41cc_b5fc_6fd98c5e2ff0 + 2000 +$

Relations:

• is_a physicalistic.Matter

Nucleon

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_50781 \text{fd9} \underline{\hspace{0.1cm}} \text{a} 9 \text{e} 4\underline{\hspace{0.1cm}} 46 \text{ad} \underline{\hspace{0.1cm}} \text{b} 7 \text{be} \underline{\hspace{0.1cm}} 4500371 \text{d} 188 \text{d} 200371 \text{d$

- is_a materials.Subatomic
- $\bullet\,\,$ is _a reductionistic. State

- reductionistic.hasSpatialDirectPart some physicalistic.Quark
- disjoint_union_of materials.Proton, materials.Neutron

Neutron

IRI: http://emmo.info/emmo/middle/materials#EMMO_df808271_df91_4f27_ba59_fa423c51896c

Relations:

 \bullet is_a materials.Nucleon

Proton

IRI: http://emmo.info/emmo/middle/materials#EMMO_8f87e700_99a8_4427_8ffb_e493de05c217

Relations:

- is a materials. Nucleon
- properties.hasProperty some isq.ElementaryCharge
- properties.hasProperty some isq.ProtonMass

ElectronCloud

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_1067b97a_84f8_4d22_8ace_b842b8ce355c$

Elucidation: A 'spacetime' that stands for a quantum system made of electrons.

Relations:

- is a materials.Subatomic
- is a reductionistic.State
- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ some\ physicalistic.Electron}$

Matter branch




Figure 3.40: Matter branch.

IonAtom

IRI: http://emmo.info/emmo/middle/materials#EMMO_db03061b_db31_4132_a47a_6a634846578b

Elucidation: A standalone atom with an unbalanced number of electrons with respect to its atomic number.

Comment: The ion_atom is the basic part of a pure ionic bonded compound i.e. without eclectron sharing,

Relations:

• is_a materials.StandaloneAtom

Molecule

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_3397f270_dfc1_4500_8f6f_4d0d85ac5f71$

Elucidation: An atom_based state defined by an exact number of e-bonded atomic species and an electron cloud made of the shared electrons.

Example: H20, C6H12O6, CH4

Comment: An entity is called essential if removing one direct part will lead to a change in entity class.

An entity is called redundand if removing one direct part will not lead to a change in entity class.

Comment: This definition states that this object is a non-periodic set of atoms or a set with a finite periodicity.

Removing an atom from the state will result in another type of atom based state.

e.g. you cannot remove H from H20 without changing the molecule type (essential). However, you can remove a C from a nanotube (redundant). C60 fullerene is a molecule, since it has a finite periodicity and is made of a well defined number of atoms (essential). A C nanotube is not a molecule, since it has an infinite periodicity (redundant).

Relations:

• is a physicalistic.Matter

BondedAtom

IRI: http://emmo.info/emmo/middle/materials#EMMO_8303a247_f9d9_4616_bdcd_f5cbd7b298e3

Elucidation: An bonded atom that shares at least one electron to the atom-based entity of which is part of.

Comment: A real bond between atoms is always something hybrid between covalent, metallic and ionic.

In general, metallic and ionic bonds have atoms sharing electrons.

Comment: The bond types that are covered by this definition are the strong electonic bonds: covalent, metallic and ionic.

Comment: This class can be used to represent molecules as simplified quantum systems, in which outer molecule shared electrons are un-entangled with the inner shells of the atoms composing the molecule.

Relations:

• is a materials. Atom

NaturalMaterial

IRI: http://emmo.info/emmo/middle/materials#EMMO_75fe4fd1_0f7e_429b_b91d_59d248561bae

Elucidation: A Material occurring in nature, without the need of human intervention.

Relations:

• is_a physicalistic.Material

ReactiveMaterial

IRI: http://emmo.info/emmo/middle/materials#EMMO 68390bfb e307 479d 8f78 d66d8773cb1d

Elucidation: A material that undergoes chemical changes.

Relations:

• is_a physicalistic.Material

EngineeredMaterial

IRI: http://emmo.info/emmo/middle/manufacturing#EMMO_ec7464a9_d99d_45f8_965b_4e9230ea8356

Comment: A material that is synthesized within a manufacturing process.

Relations:

- is_a manufacturing.Engineered
- is_a physicalistic.Material
- Inverse(holistic.hasProperParticipant) some manufacturing.ContinuousManufacturing

Matter

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_5b2222df_4da6_442f_8244_96e9e45887d1

Elucidation: A 'Physical' that possesses some 'Massive' parts.

Relations:

- is_a physicalistic.Physicalistic
- is_a semiotics.Object
- is a physical. Physical
- properties.hasProperty some isq.CentreOfMass
- properties.hasProperty some isq.Mass
- properties.hasProperty some isq.Volume
- mereotopology.hasPart some physicalistic.Massive
- physical.hasTemporalPart only physicalistic.Matter

NeutralAtom

IRI: http://emmo.info/emmo/middle/materials#EMMO_4588526f_8553_4f4d_aa73_a483e88d599b

Elucidation: A standalone atom that has no net charge.

Relations:

• is_a materials.StandaloneAtom

Continuum

IRI: http://emmo.info/emmo/middle/materials#EMMO 8b0923ab b500 477b 9ce9 8b3a3e4dc4f2

Elucidation: A state that is a collection of sufficiently large number of other parts such that: - it is the bearer of qualities that can exists only by the fact that it is a sum of parts - the smallest partition dV of the state volume in which we are interested in, contains enough parts to be statistically consistent: $n \ [\#/m3] \ x \ dV \ [m3] >> 1$

Comment: A continuum is made of a sufficient number of parts that it continues to exists as continuum individual even after the loss of one of them i.e. a continuum is a redundant.

Comment: A continuum is not necessarily small (i.e. composed by the minimum amount of sates to fulfill the definition).

A single continuum individual can be the whole fluid in a pipe.

Comment: A continuum is the bearer of properties that are generated by the interactions of parts such as viscosity and thermal or electrical conductivity.

Relations:

• is_a physicalistic.Matter

StandaloneAtom

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_2 \text{fd} 3 \text{f5} 74_5 \text{e} 93_47 \text{fe_afca_ed} 80 \text{b} 0 \text{a} 21 \text{ab} 4 \text{b} 10 \text{c} 10 \text$

Elucidation: An atom that does not share electrons with other atoms.

Comment: A standalone atom can be bonded with other atoms by intermolecular forces (i.e. dipole–dipole, London dispersion force, hydrogen bonding), since this bonds does not involve electron sharing.

Relations:

- is a materials. Atom
- $\bullet \ \ disjoint_union_of \ materials. Neutral Atom, \ materials. Ion Atom$

Material

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO_4207e895_8b83_4318_996a_72cfb32acd94

Elucidation: A matter individual that stands for a real world object representing an amount of a physical substance (or mixture of substances) in different states of matter or phases.

Comment: A instance of a material (e.g. nitrogen) can represent different states of matter. The fact that the individual also belongs to other classes (e.g. Gas) would reveal the actual form in which the material is found.

Comment: Material usually means some definite kind, quality, or quantity of matter, especially as intended for use.

Relations:

• is a physicalistic.Matter

NanoParticle

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_10dd1eed_da7d_45a3_860c_477ca9e152aa}$

Elucidation: Nanomaterials are Materials possessing all external dimension measuring 1-100nm

Relations:

• is a materials.NanoMaterial

Atom

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_eb77076b_a104_42ac_a065_798b2d2809ad$

Elucidation: A standalone atom has direct part one 'nucleus' and one 'electron_cloud'.

An O 'atom' within an O2 'molecule' is an 'e-bonded_atom'.

In this material branch, H atom is a particular case, with respect to higher atomic number atoms, since as soon as it shares its electron it has no nucleus entangled electron cloud.

We cannot say that H2 molecule has direct part two H atoms, but has direct part two H nucleus.

Comment: An 'atom' is a 'nucleus' surrounded by an 'electron_cloud', i.e. a quantum system made of one or more bounded electrons.

- is_a physicalistic.Matter
- is a reductionistic.State
- properties.hasProperty some isq.AtomicNumber
- properties.hasProperty some isq.AtomicMass
- $\bullet \ \ properties. has Property \ some \ is q. Magnetic Dipole Moment$
- reductionistic.hasSpatialDirectPart some materials.ElectronCloud
- $\bullet \ \ {\rm reductionistic.hasSpatialDirectPart\ some\ materials.Nucleus}$

NanoMaterial

IRI: http://emmo.info/emmo/middle/materials#EMMO_5d659e25_a508_43ed_903c_3707c7c7cd4b

Elucidation: Nanomaterials are Materials possessing, at minimum, one external dimension measuring 1-100nm

Relations:

• is_a physicalistic.Material

PhaseOfMatter

IRI: http://emmo.info/emmo/middle/materials#EMMO_668fbd5b_6f1b_405c_9c6b_d6067bd0595a

Elucidation: A matter object throughout which all physical properties of a material are essentially uniform.

Comment: In the physical sciences, a phase is a region of space (a thermodynamic system), throughout which all physical properties of a material are essentially uniform. Examples of physical properties include density, index of refraction, magnetization and chemical composition. A simple description is that a phase is a region of material that is chemically uniform, physically distinct, and (often) mechanically separable. In a system consisting of ice and water in a glass jar, the ice cubes are one phase, the water is a second phase, and the humid air is a third phase over the ice and water. The glass of the jar is another separate phase.

The term phase is sometimes used as a synonym for state of matter, but there can be several immiscible phases of the same state of matter. Also, the term phase is sometimes used to refer to a set of equilibrium states demarcated in terms of state variables such as pressure and temperature by a phase boundary on a phase diagram. Because phase boundaries relate to changes in the organization of matter, such as a change from liquid to solid or a more subtle change from one crystal structure to another, this latter usage is similar to the use of "phase" as a synonym for state of matter. However, the state of matter and phase diagram usages are not commensurate with the formal definition given above and the intended meaning must be determined in part from the context in which the term is used.

[https://en.wikipedia.org/wiki/Phase_(matter)]

Relations:

- is_a materials.Continuum
- is_a physicalistic.Matter

Electron

IRI: http://emmo.info/emmo/middle/physicalistic#EMMO 8043d3c6 a4c1 4089 ba34 9744e28e5b3d

Elucidation: The class of individuals that stand for electrons elemntary particles.

Relations:

- is_a physicalistic.Massive
- is a physicalistic.Matter
- is_a physical.Elementary
- properties.hasProperty some isq.ElectronMass
- properties.hasProperty some isq.ElectronCharge

Fluid branch

Dust

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_e4281979_2b07_4a43_a772_4903fb3696fe$

Elucidation: A suspension of fine particles in the atmosphere.

Relations:

 \bullet is_a materials.GasSolidSuspension




Figure 3.41: Fluid branch.

LiquidFoam

IRI: http://emmo.info/emmo/middle/materials#EMMO_d69d2e95_b22f_499a_a552_17fde0d778fc

Elucidation: A foam of trapped gas in a liquid.

Relations:

- is_a materials.Foam
- is_a materials.Liquid

SolidAerosol

IRI: http://emmo.info/emmo/middle/materials#EMMO_96c8d72f_b436_44e2_9f7f_085c24094292

Elucidation: An aerosol composed of fine solid particles in air or another gas.

Relations:

• is_a materials.Aerosol

GasLiquidSuspension

IRI: http://emmo.info/emmo/middle/materials#EMMO e0edfb9e 9a96 4fae b942 831ffe27b84a

Elucidation: A coarse dispersion of liquid in a gas continuum phase.

Example: Rain, spray.

Relations:

- is_a materials.Gas
- \bullet is_a materials.Suspension

Plasma

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_4c21fb86_fdcf_444e_b498_86fe656295af}$

Elucidation: A fluid in which a gas is ionized to a level where its electrical conductivity allows long-range electric and magnetic fields to dominate its behaviour.

Relations:

- \bullet is_a materials.Fluid
- is a materials.StateOfMatter

AcqueousSolution

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_5cb107ba_7daa_46dd_8f9f_da22a6eac676$

Elucidation: A liquid solution in which the solvent is water.

• is_a materials.LiquidSolution

Vapor

IRI: http://emmo.info/emmo/middle/materials#EMMO_4d604a13_d1f6_42fd_818f_d3138d5e308c

Elucidation: A liquid aerosol composed of water droplets in air or another gas.

Relations:

• is_a materials.LiquidAerosol

Gas

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_04f2a2d5_e799_4692_a654_420e76f5acc1 } \\$

Elucidation: Gas is a compressible fluid, a state of matter that has no fixed shape and no fixed volume.

Relations:

- is_a materials.Fluid
- is_a materials.StateOfMatter

LiquidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_47 \text{fe} 2379_\text{be} 21_48 \text{d} 1_9 \text{ede}_402 \text{f} 0 \text{fa} \text{f} 494 \text{b}$

Elucidation: A coarse dispersion of liquid in a liquid continuum phase.

Relations:

- is a materials. Suspension
- is_a materials.Liquid

Liquid

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_7509 \\ \text{da} 43_56 \\ \text{b1}_4 \\ \text{d7} \underline{\text{f}}_887 \\ \text{a}_65 \\ \text{d1663} \\ \text{df4ba}$

Elucidation: A liquid is a nearly incompressible fluid that conforms to the shape of its container but retains a (nearly) constant volume independent of pressure.

Relations:

- is a materials.Fluid
- \bullet is_a materials.StateOfMatter

LiquidAerosol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_94010cbc_c2a6_4cb9_b29a_83aa99d2ff70$

Elucidation: An aerosol composed of liquid droplets in air or another gas.

Relations:

• is_a materials.Aerosol

LiquidSol

IRI: http://emmo.info/emmo/middle/materials#EMMO_4354ac74_7425_43ab_92e4_6dc19d1afee9

Elucidation: A type of sol in the form of one solid dispersed in liquid.

- is a materials.Sol
- is a materials.Liquid

Aerosol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_560d833a_6184_410c_859a_05d982712fd7$

Elucidation: A colloid composed of fine solid particles or liquid droplets in air or another gas.

Relations:

- is a materials.Gas
- \bullet is_a materials.Colloid

Fluid

IRI: http://emmo.info/emmo/middle/materials#EMMO_87ac88ff_8379_4f5a_8c7b_424a8fff1ee8

Elucidation: A continuum that has no fixed shape and yields easily to external pressure.

Example: Gas, liquid, plasma,

Relations:

 \bullet is_a materials.Continuum

LiquidGasSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_42185 \\ \text{fe7}_122 \\ \text{c}_4e0 \\ \text{c}_a3 \\ \text{cd}_659 \\ \text{d}3e21 \\ \text{c}389 \\ \text{e}3e21 \\ \text{c}389 \\ \text{e}3e21 \\ \text{c}3e31 \\ \text{e}3e31 \\ \text{e}3e31$

Elucidation: A coarse dispersion of gas in a liquid continuum phase.

Example: Sparkling water

Relations:

- is_a materials.Suspension
- is_a materials.Liquid

LiquidSolution

IRI: http://emmo.info/emmo/middle/materials#EMMO_4b3e2374_52a1_4420_8e3f_3ae6b9bf7dff

Elucidation: A liquid solution made of two or more component substances.

Relations:

- \bullet is_a materials. Solution
- is_a materials.Liquid

Emulsion

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_40e18c93_a1b5_49ff_b06a_d9d932d1fb65$

Elucidation: An emulsion is a mixture of two or more liquids that are normally immiscible (a liquid-liquid heterogeneous mixture).

Example: Mayonnaise, milk.

- is_a materials.Colloid
- is_a materials.Liquid

LiquidSolidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_e9e02156_651f_41c8_9efb_d5da0d4ce5e2$

Elucidation: A coarse dispersion of solids in a liquid continuum phase.

 $\textbf{Example:} \ \mathrm{Mud}$

Relations:

- is a materials. Suspension
- is a materials.Liquid

GasMixture

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_5 be 9c137_325a_43d8_b7cd_ea93e7721c2d$

Elucidation: A gaseous solution made of more than one component type.

Relations:

- \bullet is_a materials.Gas
- ullet is_a materials.Solution

GasSolidSuspension

IRI: http://emmo.info/emmo/middle/materials#EMMO_d4f37e32_16ae_4cc6_b4cd_fd896b2449c4

Elucidation: A coarse dispersion of solid in a gas continuum phase.

Example: Dust, sand storm.

Relations:

- is a materials.Gas
- is_a materials.Suspension

Smoke

IRI: http://emmo.info/emmo/middle/materials#EMMO_5a2af26d_99de_4e5e_b1cd_514be71420c3

Elucidation: Smoke is a solid aerosol made of particles emitted when a material undergoes combustion or pyrolysis.

Relations:

• is_a materials.SolidAerosol

Spray

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_498 aad 49_f8 d 4_40 a 4_a 9 eb_efd 563 a 0115 feber 100 and 100$

Elucidation: A suspension of liquid droplets dispersed in a gas through an atomization process.

Relations:

• is_a materials.GasLiquidSuspension

Mixture branch

Dust

IRI: http://emmo.info/emmo/middle/materials#EMMO_e4281979_2b07_4a43_a772_4903fb3696fe



Figure 3.42: Mixture branch.

Elucidation: A suspension of fine particles in the atmosphere.

Relations:

• is a materials.GasSolidSuspension

SolidFoam

IRI: http://emmo.info/emmo/middle/materials#EMMO_9bed5d66_805a_4b3a_9153_beaf67143848

Elucidation: A foam of trapped gas in a solid.

Example: Aerogel

Relations:

• is_a materials.Foam

• is_a materials.Solid

SolidAerosol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_96c8d72f_b436_44e2_9f7f_085c24094292$

Elucidation: An aerosol composed of fine solid particles in air or another gas.

Relations:

 \bullet is_a materials.Aerosol

PhaseHeterogeneousMixture

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_0e030040_98a7_49b2_a871_dced1f3a6131$

Elucidation: A mixture in which more than one phases of matter cohexists.

Comment: Phase heterogenous mixture may share the same state of matter.

For example, immiscibile liquid phases (e.g. oil and water) constitute a mixture whose phases are clearly separated but share the same state of matter.

Relations:

 $\bullet\,\,$ is _a materials. Mixture

• mereotopology.hasProperPart some materials.PhaseOfMatter

PhaseHomogeneousMixture

IRI: http://emmo.info/emmo/middle/materials#EMMO_0e6378df_1ce8_4321_b00c_ee9beea60a67

Elucidation: A single phase mixture.

Relations:

• is a materials.Mixture

GasLiquidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_e0edfb9e_9a96_4fae_b942_831ffe27b84a$

Elucidation: A coarse dispersion of liquid in a gas continuum phase.

Example: Rain, spray.

Relations:

- is a materials.Gas
- is a materials. Suspension

AcqueousSolution

IRI: http://emmo.info/emmo/middle/materials#EMMO_5cb107ba_7daa_46dd_8f9f_da22a6eac676

Elucidation: A liquid solution in which the solvent is water.

Relations:

• is a materials.LiquidSolution

LiquidLiquidSuspension

IRI: http://emmo.info/emmo/middle/materials#EMMO_47fe2379_be21_48d1_9ede_402f0faf494b

Elucidation: A coarse dispersion of liquid in a liquid continuum phase.

Relations:

- is_a materials.Suspension
- is_a materials.Liquid

SolidLiquidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_33e0ac8b_a318_4285_b1de_e95347784632$

Elucidation: A coarse dispersion of liquid in a solid continuum phase.

Relations:

- is_a materials.Suspension
- is_a materials.Solid

LiquidAerosol

IRI: http://emmo.info/emmo/middle/materials#EMMO_94010cbc_c2a6_4cb9_b29a_83aa99d2ff70

Elucidation: An aerosol composed of liquid droplets in air or another gas.

Relations:

• is_a materials.Aerosol

LiquidGasSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_42185fe7_122c_4e0c_a3cd_659d3e21c389 \\ \text{--} \ \text{--}$

Elucidation: A coarse dispersion of gas in a liquid continuum phase.

Example: Sparkling water

Relations:

• is_a materials.Suspension

• is_a materials.Liquid

LiquidSolution

IRI: http://emmo.info/emmo/middle/materials#EMMO_4b3e2374_52a1_4420_8e3f_3ae6b9bf7dff

Elucidation: A liquid solution made of two or more component substances.

Relations:

- is_a materials.Solution
- is_a materials.Liquid

Sol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_31557 \\ \text{fae_b039_491c_bcbb_0ccb8711d5a6}$

Elucidation: A colloid in which small particles (1 nm to 100 nm) are suspended in a continuum phase.

Relations:

• is_a materials.Colloid

GasMixture

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_5 be 9 c 137_325 a_43 d 8_b7 c d_ea 9 3 e 7721 c 2 d d ea 9 d ea 9$

Elucidation: A gaseous solution made of more than one component type.

Relations:

- is a materials.Gas
- is_a materials.Solution

GasSolidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_d4f37e32_16ae_4cc6_b4cd_fd896b2449c4}$

Elucidation: A coarse dispersion of solid in a gas continuum phase.

Example: Dust, sand storm.

Relations:

- is a materials.Gas
- is_a materials.Suspension

Smoke

IRI: http://emmo.info/emmo/middle/materials#EMMO_5a2af26d_99de_4e5e_b1cd_514be71420c3

Elucidation: Smoke is a solid aerosol made of particles emitted when a material undergoes combustion or pyrolysis.

Relations:

• is_a materials.SolidAerosol

Spray

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_498 aad 49_f8 d 4_40 a 4_a 9 eb_efd 563 a 0115 february 1.5 f$

Elucidation: A suspension of liquid droplets dispersed in a gas through an atomization process.

Relations:

• is_a materials.GasLiquidSuspension

LiquidFoam

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_d69d2e95_b22f_499a_a552_17fde0d778fc$

Elucidation: A foam of trapped gas in a liquid.

Relations:

- is_a materials.Foam
- is_a materials.Liquid

Suspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4a464c8d_8895_44a8_a628_aed13509f1bd$

Elucidation: An heterogeneous mixture that contains coarsly dispersed particles (no Tyndall effect), that generally tend to separate in time to the dispersion medium phase.

Comment: Suspensions show no significant effect on light.

Relations:

- is_a materials.Dispersion
- is_a materials.PhaseHeterogeneousMixture
- \bullet is_a materials.StateOfMatter
- disjoint_union_of materials.SolidSolidSuspension, materials.SolidLiquidSuspension, materials.LiquidGasSuspension, materials.LiquidLiquidSuspension, materials.GasSolidSuspension, materials.GasSolidSuspension, materials.LiquidSolidSuspension

Mixture

IRI: http://emmo.info/emmo/middle/materials#EMMO_ec2c8ac8_98c5_4c74_b85b_ff8e8ca6655c

Elucidation: A Miixture is a material made up of two or more different substances which are physically (not chemically) combined.

Relations:

• is_a materials.Continuum

Foam

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_1f5e3e7e_72c9_40d4_91dd_ae432d7b7018$

Elucidation: A colloid formed by trapping pockets of gas in a liquid or solid.

Relations:

• is_a materials.Colloid

Solution

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_2031516a_2be7_48e8_9af7_7e1270e308fe$

Elucidation: A solution is a homogeneous mixture composed of two or more substances.

Comment: Solutions are characterized by the occurrence of Rayleigh scattering on light,

Relations:

- is a materials. Dispersion
- \bullet is_a materials.PhaseHomogeneousMixture

Dispersion

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_0b15f4ae_092e_4487_9100_3c44176c545c$

Elucidation: A material in which distributed particles of one phase are dispersed in a different continuous phase.

Relations:

- \bullet is_a materials.Mixture
- disjoint_union_of materials.Solution, materials.Suspension, materials.Colloid

SolidSolution

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_5e77f00d_5c0a_44e7_baf1_2c2a4cb5b3ae$

Elucidation: A solid solution made of two or more component substances.

Relations:

- is_a materials.Solution
- is_a materials.Solid

Vapor

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4d604a13_d1f6_42fd_818f_d3138d5e308c$

Elucidation: A liquid aerosol composed of water droplets in air or another gas.

Relations:

• is a materials.LiquidAerosol

Gel

IRI: http://emmo.info/emmo/middle/materials#EMMO_3995e22d_5720_4dcf_ba3b_d0ce03f514c6

Elucidation: A soft, solid or solid-like colloid consisting of two or more components, one of which is a liquid, present in substantial quantity.

Relations:

- is_a materials.Colloid
- \bullet is_a materials.Solid

LiquidSol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4354ac74_7425_43ab_92e4_6dc19d1afee9$

Elucidation: A type of sol in the form of one solid dispersed in liquid.

- is a materials.Sol
- is a materials.Liquid

Aerosol

IRI: http://emmo.info/emmo/middle/materials#EMMO_560d833a_6184_410c_859a_05d982712fd7

Elucidation: A colloid composed of fine solid particles or liquid droplets in air or another gas.

Relations:

- is a materials.Gas
- \bullet is_a materials.Colloid

SolidSolidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_2dd512a1_5187_47cc_b0b8_141214e22b59$

Elucidation: A coarse dispersion of solid in a solid continuum phase.

Example: Granite, sand, dried concrete.

Relations:

- is_a materials.Suspension
- is_a materials.Solid

Emulsion

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_40e18c93_a1b5_49ff_b06a_d9d932d1fb65$

Elucidation: An emulsion is a mixture of two or more liquids that are normally immiscible (a liquid-liquid heterogeneous mixture).

Example: Mayonnaise, milk.

Relations:

- is a materials. Colloid
- is_a materials.Liquid

LiquidSolidSuspension

IRI: http://emmo.info/emmo/middle/materials#EMMO e9e02156 651f 41c8 9efb d5da0d4ce5e2

Elucidation: A coarse dispersion of solids in a liquid continuum phase.

Example: Mud

Relations:

- is a materials. Suspension
- is_a materials.Liquid

SolidSol

IRI: http://emmo.info/emmo/middle/materials#EMMO 5add9885 dc98 4fa5 8482 fdf9ba5e3889

Elucidation: A type of sol in the form of one solid dispersed in another continuous solid.

- is_a materials.Sol
- is a materials. Solid

SolidGasSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_c457b6b9_5e73_4853_ae08_d776c12b8058$

Elucidation: A coarse dispersion of gas in a solid continuum phase.

Relations:

- is_a materials.Suspension
- is_a materials.Solid

Colloid

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_6c487 \text{fb3}_03 \text{d1}_4e56_91 \text{ed}_c2e16 \text{dcbef} 6000 \text{ed}_c2e16 \text{ed}_c2e16 \text{dcbef} 6000 \text{ed}_c2e16 \text{ed}_c$

Elucidation: A mixture in which one substance of microscopically dispersed insoluble or soluble particles (from 1 nm to 1 μ m) is suspended throughout another substance and that does not settle, or would take a very long time to settle appreciably.

Comment: Colloids are characterized by the occurring of the Tyndall effect on light.

Relations:

- is_a materials.Dispersion
- is_a materials.PhaseHeterogeneousMixture

State Of Matter branch




Figure 3.43: State Of Matter branch.

Dust

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_e4281979_2b07_4a43_a772_4903 fb 3696 fe$

Elucidation: A suspension of fine particles in the atmosphere.

Relations:

 \bullet is_a materials.GasSolidSuspension

LiquidFoam

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_d69d2e95_b22f_499a_a552_17fde0d778fc$

Elucidation: A foam of trapped gas in a liquid.

- is a materials. Foam
- is_a materials.Liquid

SolidAerosol

IRI: http://emmo.info/emmo/middle/materials#EMMO_96c8d72f_b436_44e2_9f7f_085c24094292

Elucidation: An aerosol composed of fine solid particles in air or another gas.

Relations:

• is_a materials.Aerosol

Suspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4a464c8d_8895_44a8_a628_aed13509f1bd$

Elucidation: An heterogeneous mixture that contains coarsly dispersed particles (no Tyndall effect), that generally tend to separate in time to the dispersion medium phase.

Comment: Suspensions show no significant effect on light.

Relations:

- is a materials. Dispersion
- is a materials.PhaseHeterogeneousMixture
- is a materials.StateOfMatter
- disjoint_union_of materials.SolidSuspension, materials.SolidLiquidSuspension, materials.LiquidGasSuspension, materials.LiquidGasSuspension, materials.GasSolidSuspension, materials.GasSolidSuspension, materials.GasLiquidSuspension, materials.LiquidSolidSuspension

SolidFoam

IRI: http://emmo.info/emmo/middle/materials#EMMO 9bed5d66 805a 4b3a 9153 beaf67143848

Elucidation: A foam of trapped gas in a solid.

Example: Aerogel

Relations:

- is_a materials.Foam
- \bullet is_a materials.Solid

Solid

IRI: http://emmo.info/emmo/middle/materials#EMMO a2b006f2 bbfd 4dba bcaa 3fca20cd6be1

Elucidation: A continuum characterized by structural rigidity and resistance to changes of shape or volume, that retains its shape and density when not confined.

Relations:

- $\bullet \;$ is _a materials.StateOfMatter
- is_a materials.Continuum

GasLiquidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_e0edfb9e_9a96_4fae_b942_831ffe27b84a$

Elucidation: A coarse dispersion of liquid in a gas continuum phase.

Example: Rain, spray.

- is a materials.Gas
- is a materials. Suspension

SolidSolution

IRI: http://emmo.info/emmo/middle/materials#EMMO_5e77f00d_5c0a_44e7_baf1_2c2a4cb5b3ae

Elucidation: A solid solution made of two or more component substances.

Relations:

- is_a materials.Solution
- is_a materials.Solid

AcqueousSolution

IRI: http://emmo.info/emmo/middle/materials#EMMO_5cb107ba_7daa_46dd_8f9f_da22a6eac676

Elucidation: A liquid solution in which the solvent is water.

Relations:

• is_a materials.LiquidSolution

Vapor

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4d604a13_d1f6_42fd_818f_d3138d5e308c$

Elucidation: A liquid aerosol composed of water droplets in air or another gas.

Relations:

• is_a materials.LiquidAerosol

Gas

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_04f2a2d5_e799_4692_a654_420e76f5acc1 } \\$

Elucidation: Gas is a compressible fluid, a state of matter that has no fixed shape and no fixed volume.

Relations:

- is_a materials.Fluid
- is_a materials.StateOfMatter

Gel

IRI: http://emmo.info/emmo/middle/materials#EMMO_3995e22d_5720_4dcf_ba3b_d0ce03f514c6

Elucidation: A soft, solid or solid-like colloid consisting of two or more components, one of which is a liquid, present in substantial quantity.

Relations:

- is a materials.Colloid
- is_a materials.Solid

LiquidLiquidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_47 \text{fe} 2379_\text{be} 21_48 \text{d} 1_9 \text{ede} _402 \text{f} 0 \text{fa} \text{f} 494 \text{b}$

Elucidation: A coarse dispersion of liquid in a liquid continuum phase.

- is a materials. Suspension
- is_a materials.Liquid

Liquid

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_7509 \\ \text{da} 43_56 \\ \text{b1}_4 \\ \text{d7} f_887 \\ \text{a}_65 \\ \text{d1} 66 \\ \text{d4} \\ \text{d5} d1 \\ \text{d6} 3 \\ \text{d4} d2 \\ \text{d6} d2 \\ \text{d6} d3 \\ \text{d6} d3 \\ \text{d6} d4 \\ \text{d6} d4 \\ \text{d6} d3 \\ \text{d6} d4 \\ \text{d6} d4$

Elucidation: A liquid is a nearly incompressible fluid that conforms to the shape of its container but retains a (nearly) constant volume independent of pressure.

Relations:

- is_a materials.Fluid
- is_a materials.StateOfMatter

LiquidAerosol

IRI: http://emmo.info/emmo/middle/materials#EMMO_94010cbc_c2a6_4cb9_b29a_83aa99d2ff70

Elucidation: An aerosol composed of liquid droplets in air or another gas.

Relations:

• is a materials. Aerosol

StateOfMatter

IRI: http://emmo.info/emmo/middle/materials#EMMO b9695e87 8261 412e 83cd a86459426a28

Elucidation: A superclass made as the disjoint union of all the form under which matter can exist.

Comment: In physics, a state of matter is one of the distinct forms in which matter can exist. Four states of matter are observable in everyday life: solid, liquid, gas, and plasma.

https://en.wikipedia.org/wiki/State_of_matter

Relations:

- is a materials. Continuum
- is_a physicalistic.Matter
- disjoint_union_of materials.Gas, materials.Plasma, materials.Liquid, materials.Solid

SolidLiquidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_33e0ac8b_a318_4285_b1de_e95347784632$

Elucidation: A coarse dispersion of liquid in a solid continuum phase.

Relations:

- is_a materials.Suspension
- is_a materials.Solid

LiquidSol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4354ac74_7425_43ab_92e4_6dc19d1afee9$

Elucidation: A type of sol in the form of one solid dispersed in liquid.

- is a materials.Sol
- is_a materials.Liquid

Aerosol

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_560d833a_6184_410c_859a_05d982712fd7$

Elucidation: A colloid composed of fine solid particles or liquid droplets in air or another gas.

Relations:

- is_a materials.Gas
- is_a materials.Colloid

LiquidGasSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_42185 \\ \text{fe7}_122 \\ \text{c}_4e0 \\ \text{c}_a3 \\ \text{cd}_659 \\ \text{d}3e21 \\ \text{c}389 \\ \text{e}3e21 \\ \text{c}389 \\ \text{e}3e31 \\ \text{c}3e31 \\ \text{e}3e31 \\ \text{e}3e31$

Elucidation: A coarse dispersion of gas in a liquid continuum phase.

Example: Sparkling water

Relations:

- is a materials. Suspension
- is_a materials.Liquid

SolidSol

IRI: http://emmo.info/emmo/middle/materials#EMMO_5add9885_dc98_4fa5_8482_fdf9ba5e3889

Elucidation: A type of sol in the form of one solid dispersed in another continuous solid.

Relations:

- is_a materials.Sol
- is_a materials.Solid

LiquidSolution

IRI: http://emmo.info/emmo/middle/materials#EMMO 4b3e2374 52a1 4420 8e3f 3ae6b9bf7dff

Elucidation: A liquid solution made of two or more component substances.

Relations:

- is a materials. Solution
- is a materials.Liquid

Emulsion

IRI: http://emmo.info/emmo/middle/materials#EMMO_40e18c93_a1b5_49ff_b06a_d9d932d1fb65

Elucidation: An emulsion is a mixture of two or more liquids that are normally immiscible (a liquid-liquid heterogeneous mixture).

Example: Mayonnaise, milk.

- is a materials.Colloid
- $\bullet \ \ is_a \ materials. Liquid$

LiquidSolidSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials\#EMMO_e9e02156_651f_41c8_9efb_d5da0d4ce5e2$

Elucidation: A coarse dispersion of solids in a liquid continuum phase.

Example: Mud

Relations:

- is_a materials.Suspension
- is a materials.Liquid

Plasma

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_4c21fb86_fdcf_444e_b498_86fe656295af$

Elucidation: A fluid in which a gas is ionized to a level where its electrical conductivity allows long-range electric and magnetic fields to dominate its behaviour.

Relations:

- \bullet is_a materials.Fluid
- is_a materials.StateOfMatter

GasMixture

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_5 be 9c137_325a_43d8_b7cd_ea93e7721c2d$

Elucidation: A gaseous solution made of more than one component type.

Relations:

- is_a materials.Gas
- is_a materials.Solution

GasSolidSuspension

IRI: http://emmo.info/emmo/middle/materials#EMMO_d4f37e32_16ae_4cc6_b4cd_fd896b2449c4

Elucidation: A coarse dispersion of solid in a gas continuum phase.

Example: Dust, sand storm.

Relations:

- \bullet is_a materials.Gas
- is_a materials.Suspension

SolidSolidSuspension

IRI: http://emmo.info/emmo/middle/materials#EMMO_2dd512a1_5187_47cc_b0b8_141214e22b59

Elucidation: A coarse dispersion of solid in a solid continuum phase.

Example: Granite, sand, dried concrete.

- is_a materials.Suspension
- \bullet is_a materials.Solid

SolidGasSuspension

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_c457b6b9_5e73_4853_ae08_d776c12b8058$

Elucidation: A coarse dispersion of gas in a solid continuum phase.

Relations:

- is_a materials.Suspension
- is_a materials.Solid

Smoke

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_5a2af26d_99de_4e5e_b1cd_514be71420c3$

Elucidation: Smoke is a solid aerosol made of particles emitted when a material undergoes combustion or pyrolysis.

Relations:

 \bullet is_a materials.SolidAerosol

Spray

 $\textbf{IRI:} \ \text{http://emmo.info/emmo/middle/materials} \# EMMO_498 aad 49_f8d4_40a4_a9eb_efd563a0115f$

Elucidation: A suspension of liquid droplets dispersed in a gas through an atomization process.

Relations:

• is_a materials.GasLiquidSuspension

Chapter 4

Individuals

Universe

- is_a physical. Physical

Chapter 5

Appendix

The complete taxonomy of EMMO relations




Figure 5.1: The complete taxonomy of EMMO relations.

The taxonomy of EMMO classes




Figure 5.2: The almost complete taxonomy of EMMO classes. Only physical quantities and constants are left out.