REEL CO

REEL COLOSET
Use-Case-Realization Specification

Version <1.3>



Revision History

Date	Version	Description	Author
<10/18/2022>	<1.0>	First Draft	Claire Thompson, Olivia Romig, Ron Heminway, Libby Miller, Elise Lovell, Emmy Richardson
<10/20/2022>	<1.1>	Continuing First Draft	Claire Thompson, Olivia Romig, Ron Heminway, Libby Miller, Elise Lovell, Emmy Richardson
<10/21/2022>	<1.2>	Finishing the First Draft	Olivia Romig, Ron Heminway, Elise Lovell, Emmy Richardson
<10/21/2022>	<1.3>	Minor formatting fixes	Libby Miller

Table of Contents

1. Introduction **7**
- 1.1 Purpose 7
- 1.2 Scope 7
- 1.3 Definitions, Acronyms, and Abbreviations 7
- 1.4 References 7
- 1.5 Overview 7

2. USE CASE <Create Account> **8**
- 2.1 Brief Description 8
- 2.2 Flow of Events - Design 8
- 2.3 Interaction Diagrams 8
  - 2.3.1 Sequence Diagrams 8
  - 2.3.2 Participating objects 8
- 2.4 Class Diagrams 9
- 2.5 Object Diagram 9
- 2.6 Derived Requirements 9

3. USE CASE <Daily Outfit> **10**
- 3.1 Brief Description 10
- 3.2 Flow of Events - Design 10
- 3.3 Interaction Diagrams 10
  - 3.3.1 Sequence Diagrams 10
  - 3.3.2 Participating objects 10
- 3.4 Class Diagrams 11
- 3.5 Object Diagram 11
- 3.6 Derived Requirements 11

4. USE CASE <Laundry> **12**
- 4.1 Brief Description 12
- 4.2 Flow of Events - Design 12
- 4.3 Interaction Diagrams 12
  - 4.3.1 Sequence Diagrams 12
  - 4.3.2 Participating objects 12
- 4.4 Class Diagrams 12
- 4.5 Object Diagram 13
- 4.6 Derived Requirements 13

5. USE CASE <Edit Profile> **14**
- 5.1 Brief Description 14
- 5.2 Flow of Events - Design 14
- 5.3 Interaction Diagrams 14
  - 5.3.1 Sequence Diagrams 14

5.3.2 Participating objects 14
5.4 Class Diagrams 14
5.5 Object Diagram 15
5.6 Derived Requirements 15

6. USE CASE <Closet> 16
6.1 Brief Description 16
6.2 Flow of Events - Design 16
6.3 Interaction Diagrams 16
6.3.1 Sequence Diagrams 16
6.3.2 Participating objects 16
6.4 Class Diagrams 16
6.5 Object Diagram 17
6.6 Derived Requirements 17

7. USE CASE <Login/Logout> 18
7.1 Brief Description 18
7.2 Flow of Events - Design 18
7.3 Interaction Diagrams 18
7.3.1 Sequence Diagrams 18
7.3.2 Participating objects 18
7.4 Class Diagrams 19
7.5 Object Diagram 19
7.6 Derived Requirements 19

8. USE CASE <Login> 20
8.1 Brief Description 20
8.2 Flow of Events - Design 20
8.3 Interaction Diagrams 20
8.3.1 Sequence Diagrams 20
8.3.2 Participating objects 20
8.4 Class Diagrams 21
8.5 Object Diagram 21
8.6 Derived Requirements 21

9. USE CASE <Logout> 22
9.1 Brief Description 22
9.2 Flow of Events - Design 22
9.3 Interaction Diagrams 22
9.3.1 Sequence Diagrams 22
9.3.2 Participating objects 22
9.4 Class Diagrams 22
9.5 Object Diagram 23

9.6 Derived Requirements 23

Figures

Figure 1 : Sequence Diagram : Create Account……8
Figure 2 : REEL COLOSET Class Diagram……9
Figure 3 : Object Diagram : Create Account……..……9
Figure 4 : Sequence Diagram : Daily Outfit……..……10
Figure 5 : Object Diagram : Daily Outfit……11
Figure 6 : Sequence Diagram : Laundry……..…..12
Figure 7 : Object Diagram : Laundry……..……13
Figure 8 : Sequence Diagram : Edit Profile……..14
Figure 9 : Object Diagram : Edit Profile…….……15
Figure 10 : Sequence Diagram : Closet……...16
Figure 11 : Object Diagram : Closet……..……..17
Figure 12 : Sequence Diagram : Login/Logout……..18
Figure 13 : Object Diagram : Login/Logout……19
Figure 14 : Sequence Diagram : Login……20
Figure 15 : Object Diagram : Login……...21
Figure 16 : Sequence Diagram: Logout……...22
Figure 17 : Object Diagram : Logout……..……23

Use-Case-Realization Specification

1. Introduction

The Use-Case Realization Specification includes the purpose, scope, definitions, acronyms, abbreviations, references, and overview of this Use-Case Realization Specification.

1.1 Purpose

This document provides a comprehensive overview of the system, using a number of different diagrams for representing the system functions.

1.2 Scope

This Use-Case-Realization Specification provides an overview of the REEL COLOSET (RC) use cases. RC allows consumers to create an account, input their city, and input the clothing items in their closet. Then RC will generate a daily outfit based on the weather of the city the consumer's account has inputted. This product is helpful for minimizing time selecting outfits as well as providing insightful advice for creating more functional outfits.

1.3 Definitions, Acronyms, and Abbreviations

See Glossary, which is the upedu_gloss_10-02.pdf document.

1.4 References

1. REEL COLOSET - Glossary
2. REEL COLOSET - Use Case Specification
3. REEL COLOSET - Supplementary Specification

1.5 Overview

The sections of the Use-Case Realization document describe use cases in terms of their flow of events, participant objects and corresponding diagrams.

2. USE CASE <Create Account>

2.1 Brief Description

Allows a new user to create an account for their own REEL COLOSET.

2.2 Flow of Events - Design

Upon navigating to the REEL COLOSET website the user can create an account.

2.3 Interaction Diagrams

- The user navigates to create an account on the website
- The user then inputs their email and creates a password which is stored in the database

2.3.1 Sequence Diagrams



Figure 1: Sequence Diagram: Create Account

2.3.2 Participating objects

Object	Description
REEL COLOSET SYSTEM (RCS)	This object will make a new user, send a request to access the database, and return the results of account creation.

2.4 Class Diagrams



Figure 2: REEL COLOSET Class Diagram

2.5 Object Diagram



Figure 3: Object Diagram: Create Account

2.6 Derived Requirements

A derived requirement is security of the accounts once they are created. Reliability and availability of being able to access your account when the user wants to regardless of the time of day.

3. USE CASE <Daily Outfit>

3.1 Brief Description

The daily outfit is generated utilizing the weather API and the closet data stored on the database management system.

3.2 Flow of Events - Design

The daily outfit is created by the REEL COLOSET System (RCS). The RCS fetches the weather data from the API and then uses the weather data to retrieve the appropriate clothing lists from the closet database. After receiving the clothing lists the RCS generates an outfit and then displays the outfit page.

3.3 Interaction Diagrams

- The RCS sends a fetch for the weather data from the API
- Then using the weather data the RCS requests appropriate clothing lists from the database
- Then using the clothing lists the outfit is generated
- Then the RCS displays the outfit on the webpage

3.3.1 Sequence Diagrams



Figure 4: Sequence Diagram: Daily Outfit

3.3.2 Participating objects

Object	Description

RCS	This object fetches the weather data, retrieves clothing lists, generate outfit, and displays outfit page.
Weather API	This object returns the weather data.

3.4 Class Diagrams

See Figure 2

3.5 Object Diagram



Figure 5: Object Diagram: Daily Outfit

3.6 Derived Requirements

Performance of being able to access your daily outfit when the user wants it and not having to wait for it to be created.

4. USE CASE <Laundry>

4.1 Brief Description

The consumer's laundry is tracked in the database based on what clothes they wear each day.

4.2 Flow of Events - Design

The laundry is a list in the database of articles of clothing, the RCS system can retrieve the laundry and display the laundry list to the user.

4.3 Interaction Diagrams

- The user clicks on the laundry tab to see their laundry
- The RCS retrieves the laundry list from the database
- The RCS displays on the webpage for the user to see their laundry list

4.3.1 Sequence Diagrams



Figure 6: Sequence Diagram: Laundry

4.3.2 Participating objects

Object	Description
RCS	This object retrieves the list of laundry and displays the returned result.

4.4 Class Diagrams

See Figure 2

4.5 Object Diagram



Figure 7: Object Diagram: Laundry

4.6 Derived Requirements

Scalability of being able to have the storage in the database for the laundry list.

5. USE CASE <Edit Profile>

5.1 Brief Description

This function lets the consumer edit the city they want clothing recommendations for as well as edit the originally stated profile information.

5.2 Flow of Events - Design

The consumer selects the edit profile section on the application and changes their previous inputs for location and general profile information, such as username and password.

5.3 Interaction Diagrams

- The user interacts with the edit profile tab
- The user chooses the information they would like to edit
- The user edits the information which is then changed in the database

5.3.1 Sequence Diagrams



Figure 8: Sequence Diagram: Edit Profile

5.3.2 Participating objects

Object	Description
RCS	This object will access the database, receive confirmation from the database, display the profile, send new information to the database, and update the page with the edited profile.

5.4 Class Diagrams

See Figure 2

5.5 Object Diagram



Figure 9: Object Diagram: Edit Profile

5.6 Derived Requirements

The derived requirements are the security of the accounts and the edited/updated information, and the performance of updating the account that the user can use right after editing their profile.

6. USE CASE <Closet>

6.1 Brief Description

The consumer can input the items in their closet for the daily outfit to pick from items in their actual closet.

6.2 Flow of Events - Design

The closet stores lists of clothing in the database, the RCS retrieves the closet from the database, and then displays the closet.

6.3 Interaction Diagrams

- The user can request to see the list of their closet
- The RCS retrieves the closet list
- Then the RCS displays the closet for the user to see on the webpage

6.3.1 Sequence Diagrams



Figure 10: Sequence Diagram: Closet

6.3.2 Participating objects

Object	Description
RCS	This object retrieves the list of clothing in the closet and displays the returned result.

6.4 Class Diagrams

See Figure 2

6.5 Object Diagram



Figure 11: Object Diagram: Closet

6.6 Derived Requirements

The scalability of the closet to include however many clothes is in the user's closet and not running out of space. The usability, reliability, and availability of being able to access the closet and add/delete clothes in a timely and reasonable manner.

7. USE CASE <Login/Logout>

7.1 Brief Description

Login/Logout facilitates the consumer to execute their desired event when leaving or entering their account through the login/logout system.

7.2 Flow of Events - Design

The user provides their username and password and submits the form. Data is validated and login process is activated. The user exits the application by using the appropriate End Session button. Query is validated and logout process is activated.

7.3 Interaction Diagrams

- The RC sends the query to the login/logout system for validation
- The login/logout system returns the status of being logged in or logged out

7.3.1 Sequence Diagrams



Figure 12: Sequence Diagram: Login/Logout

7.3.2 Participating objects

Object	Description
Login Logout System	Handles the execution of logging in and logging out in reference to the database.
REEL COLOSET (RC)	The user sends the query to the RC system and it accepts the return status.

7.4 Class Diagrams

See Figure 2

7.5 Object Diagram



Figure 13: Object Diagram: Login/Logout

7.6 Derived Requirements

Having the security of the accounts so that the user can safely log in and log out when they want to. Also having the program be available in order to log in and log out when they wish.

8. USE CASE <Login>

8.1 Brief Description

Allows all consumers to access their RC accounts where their closet, laundry, and profile information are kept. Consumers will be prompted to enter their username and password to access their account and if successful will be able to interact with the website.

8.2 Flow of Events - Design

The user enters their username and password and submits the form. Data is validated and login process is

activated.

8.3 Interaction Diagrams

- The user will navigate to the login section of the webpage
- The user will input their email and password
- The RCS will validate and execute the query
- Then the database sends the confirmation to the RCS system
- Then the RCS will load the user's profile if the query is successful

8.3.1 Sequence Diagrams



Figure 14: Sequence Diagram: Login

8.3.2 Participating objects

Object	Description
REEL	This object represents the system that the user

COLOSET System (RCS)	interacts with and also interacts with the database.

8.4 Class Diagram

See Figure 2

8.5 Object Diagram



Figure 15: Object Diagram: Login

8.6 Derived Requirements

The performance and reliability of the program need to be high enough so that the user can log in quickly and not have to wait long for their account to load.

9. USE CASE <Logout>

9.1 Brief Description

Allows the consumer to end their session with the website.

9.2 Flow of Events - Design

The user exits the application by clicking the logout button. The query is validated and the logout process is activated.

9.3 Interaction Diagrams

- The user clicks the tab to logout
- The query is sent to the RCS and is validated and executed
- Then the RCS sends out for confirmation from the database
- Then the result of being logged out is returned

9.3.1 Sequence Diagrams



Figure 16: Sequence Diagram: Logout

9.3.2 Participating objects

Object	Description
REEL COLOSET System (RCS)	This object represents the system that the user interacts with and also interacts with the database.

9.4 Class Diagram

See Figure 2

9.5 Object Diagram



Figure 17: Object Diagram: Logout

9.6 Derived Requirements

A derived requirement is being able to log out of a user account securely. Another non-functional requirement would be needing the program to be reliable and available to log out of an account anytime the user wants to.