




Asynchronous Activity 1 – Uploading a KNIME Project to GitHub Screenshot Documentation**Part 1: Prepare the Project Folder****Part 2: Create README.md Using Notepad**





```
1 # Asynchronous Activity 1: Student Early Warning Tool Using KNIME
2
3 This repository contains the required output for Asynchronous Activity 1. The project uses KNIME to predict student r
4
5 ## Files
6 - 'DemoEarlyWarningTool.knwf' - exported KNIME workflow
7 - 'student_performance_knime.csv' - dataset used by the workflow
8
9 ## Algorithms
10 - Decision Tree
11 - Logistic Regression
12 - Random Forest
13
14 ## How to Run
15 1. Import the '.knwf' file into KNIME Analytics Platform.
16 2. Configure the CSV Reader and select the included dataset.
17 3. Execute all nodes.
18 4. Open the Scorer nodes to review the evaluation results.
19
20 ## Author
21 Elijah Paul M. Nonan
22
23 ## Course and Section
24 CS0065 AN43
25
```

User Defined language file - Markdown (preins length: 733 lines: 25) Ln: 1 Col: 1 Pos: 1 Windows (CR LF) UTF-8 INS


Part 3: Create the GitHub Repository



Part 4: Open the Correct Folder in Git Bash



Part 5: Configure Git Identity



```
MINGW64/c/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWar...
DemoEarlyWarningTool.knwf  README.md  student_performance_knime.csv

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoE
arlyWarningTool
$ git config --global user.name "emnonan"

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoE
arlyWarningTool
$ git config --global user.email "emnonan@feualabang.edu.ph"

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoE
arlyWarningTool
$ git config --global user.name "Elijah Paul M. Nonan"

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoE
arlyWarningTool
$ git config --global user.name
Elijah Paul M. Nonan

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoE
arlyWarningTool
$ git config --global user.email
emnonan@feualabang.edu.ph

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoE
arlyWarningTool
$
```

Part 6: Initialize and Commit the Project

```
MINGW64/c/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool
$ git init
Initialized empty Git repository in C:/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool/.git/

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (master)
$ git branch -M main

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DemoEarlyWarningTool.knwf
    README.md
    student_performance_knime.csv

nothing added to commit but untracked files present (use "git add" to track)

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .' ?
hint: Disable this message with "git config set advice.addEmptyPathsSpec false"

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git add .

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   DemoEarlyWarningTool.knwf
    new file:   README.md
    new file:   student_performance_knime.csv

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) 5d1ca21] Add KNIME workflow and project files
3 files changed, 55 insertions(+)
create mode 100644 DemoEarlyWarningTool.knwf
create mode 100644 README.md
create mode 100644 student_performance_knime.csv

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$
```

Part 7: Connect the GitHub Repository

```
MINGW64/c/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git add .

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   DemoEarlyWarningTool.knwf
    new file:   README.md
    new file:   student_performance_knime.csv

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) 5d1ca21] Add KNIME workflow and project files
3 files changed, 55 insertions(+)
create mode 100644 DemoEarlyWarningTool.knwf
create mode 100644 README.md
create mode 100644 student_performance_knime.csv

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git remote add origin https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git remote -v
origin https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git (fetch)
origin https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git (push)

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$
```

Part 8: Push the Project to GitHub

```
MINGW64/c/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool

new file:   README.md
new file:   student_performance_knime.csv

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) 5d1ca21] Add KNIME workflow and project files
3 files changed, 55 insertions(+)
create mode 100644 DemoEarlyWarningTool.knwf
create mode 100644 README.md
create mode 100644 student_performance_knime.csv

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git remote add origin https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git remote -v
origin https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git (fetch)
origin https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git (push)

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git push -u origin main
info: please complete authentication in your browser...
To https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$
```

Part 9: If the GitHub Repository Already Contains Files

```
MINGW64/c/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool

 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git pull origin main --allow-unrelated-histories --no-rebase --no-edit
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.81 KiB | 168.00 KiB/s, done.
From https://github.com/emnonan/Nonan-Elijah-CS0065-AN43
 * branch            main       -> FETCH_HEAD
 * [new branch]      main       -> origin/main
Auto-merging README.md
CONFLICT (add/add): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main|MERGING)
$ git push -u origin main
To https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git
 ! [rejected]        main -> main (non-fast-forward)
error: failed to push some refs to 'https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

User@ELIJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main|MERGING)
$
```

```
MINGW64/c/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool
To https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git
! [rejected]        main -> main (non-fast-forward)
error: failed to push some refs to 'https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main|MERGING)
$ git checkout --ours README.md
Updated 1 path from the index

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main|MERGING)
$ git add README.md

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main|MERGING)
$ git commit -m "Merge remote repository with KNIME project"
[main 2e57d7a] Merge remote repository with KNIME project

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git push -u origin main
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 45.56 KiB | 22.78 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git
   edd01d9..2e57d7a  main -> main
branch 'main' set up to track 'origin/main'.

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$
```

Part 10: Organize the Files in a Project Folder on GitHub

```
MINGW64/c/Users/User/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool
edd01d9..2e57d7a  main -> main
branch 'main' set up to track 'origin/main'.

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ mkdir -p DemoEarlyWarningTool/

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git mv DemoEarlyWarningTool.knwf DemoEarlyWarningTool/

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git mv student_performance_knime.csv DemoEarlyWarningTool/

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git mv README.md DemoEarlyWarningTool/

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git add .

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git commit -m "Organize KNIME files into project folder"
[main 3c8083c] Organize KNIME files into project folder
3 files changed, 0 insertions(+), 0 deletions(-)
rename DemoEarlyWarningTool.knwf => DemoEarlyWarningTool/DemoEarlyWarningTool.knwf (100%)
rename README.md => DemoEarlyWarningTool/README.md (100%)
rename student_performance_knime.csv => DemoEarlyWarningTool/student_performance_knime.csv (100%)

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (1/1), done.
Writing objects: 100% (2/2), 279 bytes | 279.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/emnonan/Nonan-Elijah-CS0065-AN43.git
   2e57d7a..3c8083c  main -> main

User@ELIJAJAJAH-DESKTOP MINGW64 ~/Documents/College/4th Year/Intelligent Systems/Project Files/DemoEarlyWarningTool (main)
$
```

KNIME Workflow:

The image displays the KNIME Analytics Platform interface with a workflow designed for student risk prediction. The workflow starts with a **CSV Reader** node, which is configured to read a CSV file from the local file system. The file path is set to `C:\Users\User\Documents\College\4th Year\Intelligent ...`. The **File Format** section is configured with **Line break** as the row delimiter and **Custom** as the column delimiter. The **CSV Reader** node is connected to a **Column Filter** node, which is then connected to a **Table Partitioner** node. The **Table Partitioner** node is configured to partition the data into two groups: **Logistic Regression Learner** and **Decision Tree Learner**. The **Logistic Regression Learner** node is connected to a **Logistic Regression Predictor** node, which is then connected to a **Scorer** node. The **Decision Tree Learner** node is connected to a **Decision Tree Predictor** node, which is then connected to a **Scorer** node. The **Scorer** nodes are connected to a **Table Joiner** node, which is then connected to a **Table Writer** node. The **Table Writer** node is configured to write the output to a CSV file.

CSV Reader

Use this node to read CSV files into your workflow. The node will produce a data table with numbers and types of columns guessed automatically.

External resources

No links have been added yet

Output ports

Type: Table
Name: File Table
Data table based on the file being read with number and types of columns guessed automatically.

File System Connection (Dynamic Import)

The file system connection.

Type: File System
Name: File System

Extension

KNIME Base nodes
provided by KNIME AG, Zurich, Switzerland

Table

#	RowID	student_id	attendance	quiz_score	assignment_score	exam_score	risk_status
1	Row0	S001	95	90	92	88	Not At Risk
2	Row1	S002	88	84	86	82	Not At Risk
3	Row2	S003	76	72	75	70	Not At Risk
4	Row3	S004	62	58	60	55	At Risk
5	Row4	S005	55	48	52	50	At Risk
6	Row5	S006	91	87	89	85	Not At Risk
7	Row6	S007	68	65	61	60	At Risk
8	Row7	S008	82	78	80	76	Not At Risk