

University of Arkansas STAT6393V - Week 5

Week 5 - Final Project: Estimation and Uncertainty Quantification of rainfall data.

Group 2: Carlos, Landon, and Elias.

2026-06-26

Introduction

In general, datasets are made of variables of different data types. The value of the data for these variables can take values that are discrete, continuous, or both (semi-continuous). When a variable includes both discrete and continuous values (components), it is referred to as semi-continuous data type. The choice of a model to represent the distribution of a variable in a dataset is driven by the type of data contained within that variable. For example, if the variable's data type is continuous, we can use a normal distribution model to represent its distribution. If the variable's data type is discrete, we can use a Poisson distribution model. However, if the data contained within the variable include both discrete and continuous components, we can use a semi-continuous mixture model to represent its distribution.

In this project, we use the weather dataset which includes a variable for maximum temperature (tmax), and a variable for precipitation (pr). The maximum temperature variable is continuous, as it can take on any value within a certain range. The precipitation variable on the other hand provides the amount of rainfall in a given location and time, reflecting the possibility of both no precipitation (discrete) and positive precipitation (continuous) values, making the data type of this variable semi-continuous.

The main objectives of this project are:

1. Model the conditional distribution of precipitation given maximum temperature ($pr \mid tmax$).
2. Answer the following scientific questions:
 - Does the probability of rain depend on the temperature?
 - Does the amount of rain depend on the temperature?

Part 1: Setup

In this first step of the project, we load all necessary [libraries](#) Listing 1, load and explore the weather dataset, prepare it for analysis according to the directions assigned to our group (Group 2), and then define a custom loss function for a semi-continuous gamma mixture model.

1. Data Exploration and Preparation

We first load the dataset and [explore](#) its structure and dimensions. Listing 2

The weather dataset contains daily weather data from January 1, 1951 to December 31, 2014. Its structure has 7 variables (columns) and 584,000 observations (rows). The variables are: time, latitude, longitude, maximum temperature (tmax), precipitation (pr), month, and location. The dataset is in a long format, with each row representing a single observation for a specific location and time.

The month assigned to our group (Group 2) was June. We first subset the dataset to only include the [observations for June](#) Listing 3 and then [convert](#) Listing 4 all temperatures from Kelvin (K) to degrees Celsius (°C). We also [Set](#) all precipitation values less than 0.01 to 0. Listing 4

The resulting subset dataset contains 48,000 observations and 7 variables.

We split the subset dataset into [training and testing sets](#) Listing 6, we will use the data from 1961 to 2000 as the training set and the data from 1951 to 1960 and 2001 to 2014 as the testing set. The training set contains 30,000 observations, while the testing set contains 18,000 observations.

The true split is as follows:

- Training set: $30,000 / 48,000 = 0.625 = 62.5\%$
- Testing set: $18,000 / 48,000 = 0.375 = 37.5\%$

This split is approximately 60% for training and 40% for testing, allowing us to train our model on a substantial amount of data while reserving a significant portion for evaluating its performance on unseen data.

2. Custom Loss Function for semi-continuous gamma mixture:

Now that our dataset is ready for analysis, we define a custom loss function for a semi-continuous gamma mixture model. This loss function will be used to fit the model to the training data and evaluate its performance on the testing data.

- The Loss Function for semi-continuous gamma mixture model:

Taking into account the mixture model:

$$Y | X, \theta \sim \pi_0 + (1 - \pi_0)Gamma(\alpha, \beta)$$

Here, $\theta = (\pi_0, \alpha, \beta)$, hence the parameters to be estimated were π_0 , α and β . Here, π_0 represents the probability that it will not rain, whereas the *Gamma* distribution portion of the formula models precipitation in terms of temperature if it rains. α and β are parameters of the *Gamma* distribution, relevant for estimating the mean precipitation.

Importantly, the *Gamma* portion of the formula is only relevant if it rains, hence the log-likelihood function must correctly account for that. The log-likelihood function is thus:

$$l(\theta|Y) = \begin{cases} \sum_{i:y_i=0} \log(\pi_{0i}) & \text{if } y_i = 0 \\ \sum_{i:y_i>0} [\log(1 - \pi_{0i}) + \log\{Gamma(y_i; \alpha_i, \beta_i)\}] & \text{if } y_i > 0 \end{cases}$$

The script for this custom [Loss Function](#) Listing 7 takes in the predicted values and the true values, and calculates the negative log-likelihood for the semi-continuous gamma mixture model. The function first extracts the observed precipitation values and creates a binary variable indicating whether it rained or not. It then extracts the predicted probability of no

rain, as well as the predicted shape and rate parameters for the gamma distribution. Finally, it calculates the log-likelihood for the semi-continuous gamma mixture model and returns its negative value, which is equal to $(-ll)$ the loss that will be minimized during model fitting.

i Part 2: Model Fitting

1. Fitting a model for pr | $tmax$:

In this second part of the project, we fit a model for precipitation as a function of maximum temperature at a location of our choice which we decided to be location 1. This [subsetting operation](#) Listing 8 resulted in a training dataframe with 1,200 observations and a testing dataframe with 720 observations. This number of observations may be small, but it is sufficient to fit a model for our analysis. We will use the training dataframe to fit the model and the testing dataframe to evaluate its performance. The results may not be as accurate as if we had used the entire dataset, but they will still provide valuable insights into the relationship between maximum temperature and precipitation.

We decided to fit multiple neural network [models](#) Listing 9 for the semi-continuous gamma mixture model, combining different values for the number of hidden layers, the number of neurons in each layer, the epochs, and the batchsize. After experimenting with hundreds of these combinations we selected the 4 most reliable models and conducted some more runs to refine the experiment. [model1](#) Figure 1, [model2](#) Figure 2, [model3](#) Figure 3, [model4](#) Figure 4. Using the log-likelihood, we evaluated all four fitted models on the testing set. Because each model is evaluated on the same testing set, the best model is the one with the largest test-set log-likelihood, which is equivalent to the smallest test-set negative log-likelihood.

To identify the best model, we focused on two criteria:

1. Overfitting/Underfitting behavior during training, as indicated by the training and validation loss curves.

In this step, we used the training and validation loss curves to assess the model's performance during training. We looked for models that had a small gap between the training and validation loss, indicating that the model was not overfitting or underfitting the data. A model that is overfitting will have a low training loss but a high validation loss, while a model that is underfitting will have both high training and validation losses. We selected models that had a small gap between the two losses, indicating that they were able to generalize well to unseen data.

2. The model with the lowest validation loss (negative log-likelihood) during training.

Regarding the validation loss, we selected the model that had the lowest validation loss during training. This indicates that the model was able to generalize well to unseen data and was not overfitting or underfitting the training data. We also looked at the test-set log-likelihood to confirm that the selected model performed well on the testing set.

The [best model](#) Listing 10 was selected based on the combination of these two criteria, and it was used for the subsequent analysis in Part 3 and Part 4 of the project.

The best model is model1, with 2 hidden layers, 50 neurons per layer, 200 epochs, and a batch size of 12. It was selected because it had the smallest test-set negative log-likelihood (380.75), which means it assigned the highest probability to the observed precipitation values in the testing set. This fitted model is used for the validation plots and scientific questions below.

i Part 3: Model Validation

To evaluate the model's ability to predict whether it will rain or not (the probability of not raining π_0), the observations in the testing set with precipitation superior to 0 were coded as 1, while the others were left as 0. π_0 Predictions Listing 11 for each data point in the testing set were obtained and plotted in a histogram. Figure 5

1. Predicting whether it rains:

The estimates of π_0 are concentrated around very high values, which agrees with the observation that in most days in the testing set it did not rain.

To assess the model numerically, we used the Brier Score Listing 12, defined by the formula

$$BS = \frac{1}{n} \sum_{i=1}^n (f_i - o_i)^2$$

where f_i is the predicted probability, o_i is the actual outcome (0 or 1) and n is the dataset size. In this case, n is the testing set size, which is 720.

The Brier Score estimate was 0.1072625, which is a relatively small value, indicating that the model performs reasonably well in predicting whether it will rain or not.

2. Predicting the amount of rainfall:

Conversely, to evaluate how well the model predicted the amount of rain in the days that rainfall was observed, we first subset the testing set to only rainy days.

We proceeded to calculate Listing 13 the mean rainfall from the α and β parameters of the *Gamma* distribution, per the following formula:

$$\mu = \frac{\alpha}{\beta}$$

These mean values were then plotted Figure 6 against the actual observed rainfall values:

The model seems to perform generally well considering that the larger values in the x-axis are few and sparse, with the larger cloud of points indicating a general agreement between predicted and real values, with the larger values exhibiting outlying behavior.

The root mean-squared error (RMSE) was used to diagnose the model's ability to predict the amount of rainfall. The RMSE is calculated via the following formula:

$$RMSE = \sqrt{\frac{1}{n} \sum (y_i - \hat{y}_i)^2}$$

where y_i are the observed values and $\hat{y}_i$ are the predicted values for rainfall, in this case.

The resulting value for the RMSE was 3.871507 Listing 14. Given the scale of the data, this value is not particularly low, however some reasonably outlying behavior was observed for some data points, which likely inflated some of the residuals, driving up the RMSE.

Further into the rainfall predictions assessment, we built 90% confidence intervals for each of the data points and calculated their coverage Listing 15, i.e, how many contain the true rainfall values. The resulting value was 0.8636364, indicating very high coverage, meaning that about 86 of the confidence intervals contained the true precipitation values.

i Part 4: Scientific Questions

1. Probability of no rainfall vs temperature

In order to answer the scientific question of whether the probability of no rainfall depends on temperature, we first [reload](#) Listing 16 the initial weather dataset, [convert](#) Listing 17 all temperature values from Kelvin (K) to degrees Celsius (°C), and subsetting the data for [June](#) Listing 18 and [location 1](#) Listing 19 only. However, we did not subset the data for training and testing, as we wanted to use the entire dataset to answer this scientific question.

To visually assess how temperature influences π_0 , we [plotted them against each other](#): Figure 7. The plot indicates an increase in the probability of no rainfall as the temperature increases, which represents a positive dependence between the two variables. This means that as the temperature increases, the likelihood of no rainfall also increases, suggesting that higher temperatures are associated with drier conditions.

2. Rainfall quantiles vs temperature

Now, plotting the temperature against the 5%, 50% and 95% quantiles of the rainfall distribution results in the below plots:

[Probability of no rainfall vs temperature](#) Listing 20

[Temperature vs 5% rainfall quantile](#) Figure 8

[Temperature vs 50% rainfall quantile](#) Figure 9

[Temperature vs 95% rainfall quantile](#) Figure 10

[Temperature vs 5% and 50% rainfall quantiles](#) Figure 11

[Colored Temperature vs 95% rainfall quantile](#) Figure 12

The general trend in all three plots indicates that the amount of precipitation decreases when the temperature increases. Visually, the 5% quantile plot shows a more pronounced decrease in rainfall with increasing temperature, while the 50% and 95% quantile plots show a less steep decrease. This suggests that the relationship between temperature and rainfall across the quantiles is not uniform, with the lower quantiles showing a stronger negative dependence on temperature than the higher quantiles.

i Appendix

Listing 1 Loaded Libraries

```
knitr::opts_chunk$set(echo = TRUE)
library(cito)
library(torch)
library(lubridate) #library(SPQR) is also loaded
```

Listing 2 load dataset and explore it

```
weather <- readRDS("weather.RDS")
dim(weather)
str(weather)
maxt <- max(weather$time)
mint <- min(weather$time)

maxt
mint

trange = maxt - mint

maxtmax <- max(weather$tmax)
mintmax <- min(weather$tmax)
maxtmax
mintmax

maxpr <- max(weather$pr)
minpr <- min(weather$pr)
maxpr
minpr
```

Listing 3 Select a June only subset

```
data <- weather[weather$month == 6, ]
dim(data)
head(data)
```

Listing 4 Convert temperature values from Kelvin (K) to degrees Celsius (°C)

```
data$tmax <- data$tmax - 273.15
str(data)
```

Listing 5 Set all precipitation values less than 0.01 to 0

```
data$pr[data$pr < 0.01] <- 0
str(data)
```

Listing 6 training/testing sets split

```
train_rows <- which(year(data$time) > 1960 & year(data$time) < 2001)
train_set <- data[train_rows, ]
test_set <- data[-train_rows, ]

dim(train_set)
head(train_set)

dim(test_set)
head(test_set)
```

Listing 7 Calculate the Loss Function

```
set.seed(007)
GSCMM_nll <- function(pred,true,...){
  yobs <- true[,1, drop = FALSE] # Extract Observed precipitation values
  rainy <- ifelse(yobs > 0, 1, 0) # Create a binary variable indicating
  ↪ whether it rained or not

  pi0 <- torch_sigmoid(pred[, 1, drop = FALSE]) # Extract the predicted
  ↪ probability of no rain
  alpha <- torch_exp(pred[, 2, drop = FALSE]) + 1e-6 # Extract the predicted
  ↪ shape parameter for the gamma distribution
  beta <- torch_exp(pred[, 3, drop = FALSE]) + 1e-6 # Extract the predicted
  ↪ rate parameter for the gamma distribution

  alpha <- alpha[rainy == 1] # Keep only the shape parameters for the rainy
  ↪ days
  beta <- beta[rainy == 1] # Keep only the scale parameters for the rainy
  ↪ days

  # Log-likelihood split into two parts
  # The first for non-rainy days, the second for rainy days

  ll <- sum(torch_log(pi0[rainy == 0])) +
    sum(torch_log(1 - pi0[rainy == 1])) +
    ↪ torch::distr_gamma(alpha,beta)$log_prob(yobs[rainy == 1])) #
    ↪ Calculate the log-likelihood for the semi-continuous gamma
    ↪ mixture model
  # Return the negative log-likelihood, which is the loss that will be
  ↪ minimized during model fitting
  return(-ll) # Return the negative log-likelihood.
}
```

Listing 8 location 1 subset

```
train_loc1 <- train_set[train_set$loc == 1, ]
test_loc1 <- test_set[test_set$loc == 1, ]
dim(train_loc1)
dim(test_loc1)

train_df <- data.frame(x = train_loc1$tmax, y = train_loc1$pr)
test_df <- data.frame(x = test_loc1$tmax, y = test_loc1$pr)

dim(train_df)
dim(test_df)
```

Listing 9 Models 1, 2, 3, and 4 Fitting

```
# | fig-high: 12
# | fig-width: 6

par(mfrow = c(1, 1))

save_training_plot <- function(fit, filename, title) {
  png(filename, width = 800, height = 600)
  on.exit(dev.off(), add = TRUE)
  cito:::visualize.training(
    losses = fit$losses,
    epoch = nrow(fit$losses),
    main = title,
    new = TRUE
  )
}

# Model 1:
set.seed(007)
torch::torch_manual_seed(007)
model1 <- cito::dnn(
  cbind(y,y,y) ~ x, data = train_df, loss = GSCMM_nll,
  hidden = c(50, 50), activation = "relu",
  epochs = 200, lr = 0.001, batchsize = 12,
  optimizer = "adam", validation = 0.2,
  verbose = F, plot = FALSE
)
cito:::visualize.training(
  losses = model1$losses,
  epoch = nrow(model1$losses),
  main = "Training Gamma Mixture Model 1",
  new = TRUE
)
save_training_plot(model1, "model1_training_plot.png", "Training Gamma
↪ Mixture Model 1")

# Model 2:
set.seed(007)
torch::torch_manual_seed(007)
model2 <- cito::dnn(
  cbind(y,y,y) ~ x, data = train_df, loss = GSCMM_nll,
  hidden = c(50, 50, 50), activation = "relu",
  epochs = 200, lr = 0.001, batchsize = 15,
  optimizer = "adam", validation = 0.2,
  verbose = F, plot = FALSE
)
cito:::visualize.training(
  losses = model2$losses,
```




Figure 1: Training and validation loss curves for Gamma Mixture Model 1.



Figure 2: Training and validation loss curves for Gamma Mixture Model 2.



Figure 3: Training and validation loss curves for Gamma Mixture Model 3.



Figure 4: Training and validation loss curves for Gamma Mixture Model 4.

Listing 10 Picking the Best Model

```
set.seed(007)
models <- list(
  model1 = list(fit = model1, hidden_layers = 2, neurons = 50, epochs = 200,
    ↪ batchsize = 12),
  model2 = list(fit = model2, hidden_layers = 3, neurons = 50, epochs = 200,
    ↪ batchsize = 10),
  model3 = list(fit = model3, hidden_layers = 2, neurons = 100, epochs = 210,
    ↪ batchsize = 10),
  model4 = list(fit = model4, hidden_layers = 3, neurons = 100, epochs = 200,
    ↪ batchsize = 10)
)

calc_test_log_likelihood <- function(fit, data) {
  raw_pred <- predict(fit, newdata = data, type = "link")
  y <- data$y

  pi0 <- plogis(raw_pred[, 1])
  pi0 <- pmin(pmax(pi0, .Machine$double.eps), 1 - .Machine$double.eps)

  alpha <- exp(pmax(pmin(raw_pred[, 2], 50), -50))
  beta <- exp(pmax(pmin(raw_pred[, 3], 50), -50))

  log_lik <- numeric(length(y))
  dry <- y == 0
  rainy <- y > 0

  log_lik[dry] <- log(pi0[dry])
  log_lik[rainy] <- log1p(-pi0[rainy]) +
    dgamma(y[rainy], shape = alpha[rainy], rate = beta[rainy], log = TRUE)

  sum(log_lik)
}

model_selection <- do.call(rbind, lapply(names(models), function(m) {
  fit <- models[[m]]$fit
  losses <- fit$losses

  data.frame(
    model = m,
    hidden_layers = models[[m]]$hidden_layers,
    neurons_per_layer = models[[m]]$neurons,
    epochs = models[[m]]$epochs,
    batchsize = models[[m]]$batchsize,
    min_training_nll = min(losses$train_l, na.rm = TRUE),
    min_validation_nll = min(losses$valid_l, na.rm = TRUE),
    best_epoch = losses$epoch[which.min(losses$valid_l)],
    test_log_likelihood = calc_test_log_likelihood(fit, test_df)
  )
}))
```

```
model_selection$test_nll <- -model_selection$test_log_likelihood
```

Listing 11 Predict Rain

```
#| echo: false
#| fig-cap: "Figure 2 - Histogram for the probability of not raining."
# Converting the testing set to a binary variable for rain (1) and no rain
  ↪ (0)
set.seed(007)
binary_rain_data <- test_df
binary_rain_data$y[binary_rain_data$y != 0] <- 1

# Estimate pi0 (probability of not raining) using the best model selected in
  ↪ Part 2
raw_pred <- predict(best_model_fit, newdata = binary_rain_data)
pi0_hat <- plogis(raw_pred[, 1])
histogram <- hist(pi0_hat, main = "Probability of not raining", xlab =
  ↪ "Probability of not raining", ylab = "Frequency", col = "lightblue",
  ↪ border = "black")
```

```
png("histogram_training_plot.png", width = 800, height = 600)

histogram <- hist(pi0_hat, main = "Probability of not raining", xlab =
  ↪ "Probability of not raining", ylab = "Frequency", col = "lightblue",
  ↪ border = "black")

dev.off()
```




Figure 5: Histogram for the probability of not raining

Listing 12 The Brier Score

```
# Brier Score
# The probability of raining (1 - pi_0) is expected to be pretty low, as most
  ↪ data points are 0
Brier_Score = mean(((1-pi0_hat) - binary_rain_data$y)^2)
print(Brier_Score)
```

Listing 13 Estimated rainfall means vs true means

```
set.seed(007)
#Subset for rainy days (y different from 0)
rain_test <- test_df[binary_rain_data$y != 0,]

rain_pred <- predict(best_model_fit, newdata = rain_test)

alpha <- exp(rain_pred[,2])
beta <- exp(rain_pred[,3])

# Precipitation estimates
est_means <- alpha/beta

# True precipitation means
true_means <- rain_test$y

plot(true_means, est_means, pch=20,
      xlab = "True means",
      ylab = "Estimated means")

png("estimated_vs_true_means.png", width = 800, height = 600)

plot(true_means, est_means, pch = 20,
      xlab = "True means",
      ylab = "Estimated means")

dev.off()
```




Figure 6: Estimated vs True Means Chart

Listing 14 Root Mean Square Error

```
set.seed(007)
RMSE = sqrt(mean((est_means - true_means)^2))
print(RMSE)
```

Listing 15 Coverage Calculation

```
set.seed(007)
# n is the number of rainy days in the test set
n <- sum(binary_rain_data$y != 0)
alpha <- as.numeric(alpha)
beta <- as.numeric(beta)
i1 <- qgamma(0.05, alpha, beta)
i2 <- qgamma(0.95, alpha, beta)
coverage <- 0

set.seed(007)
for (j in 1:n){
  if(i1[j] < rain_test$y[j] & rain_test$y[j] < i2[j])
    coverage = coverage + 1}
print(coverage/n)
```

Listing 16 load the initial weather dataset again

```
wholedata <- readRDS("weather.RDS")
```

Listing 17 Convert all temperature values from Kelvin (K) to degrees Celsius (°C) again

```
wholedata$tmax <- wholedata$tmax - 273
str(wholedata)
```

Listing 18 subset the data for June only again

```
wholedata <- wholedata[month(wholedata$time) == 6, ]
```

Listing 19 Subset for location 1 only again

```
wholedata <- wholedata[wholedata$loc == 1, ]
str(wholedata)
```

Listing 20 Probability of no rainfall vs temperature

```
#| fig-cap: "Figure 4 - Probability of no rainfall vs temperature."
set.seed(007)
wholey <- wholedata$pr
wholox <- wholedata$tmax
whole_df <- data.frame(x = wholox, y = wholey)
whole_pred <- predict(best_model_fit, newdata = whole_df)
pi_whole <- plogis(whole_pred[, 1])
plot(pi_whole, whole_df$x, xlab = "Probability of no rainfall", ylab =
  ↪ "Temperature")
```

```
png("Probability_no_rainfall_vs_temperature.png", width = 800, height = 600)

plot(pi_whole, whole_df$x, xlab = "Probability of no rainfall", ylab =
  ↪ "Temperature")

dev.off()
```





Figure 7: Probability of no rainfall vs temperature

```
plot(wholedata$tmax[z == 1], int1, main = "5%", ylab = "Rainfall", xlab =
  ↪ "Temperature")
```

```
png("Temperature_vs_05_rainfall.png", width = 800, height = 600)
```

```
plot(wholedata$tmax[z == 1], int1, main = "5%", ylab = "Rainfall", xlab =
  ↪ "Temperature")
```

```
dev.off()
```




Figure 8: Temperature vs 5% rainfall quantile.

```
plot(wholedata$tmax[z == 1], int2, main = "50%", ylab = "Rainfall", xlab =
  ↪ "Temperature")
```

```

png("Temperature_vs_50_rainfall.png", width = 800, height = 600)

plot(wholedata$tmax[z == 1], int2, main = "50%", ylab = "Rainfall", xlab =
  ↪ "Temperature")

dev.off()

```




Figure 9: Temperature vs 50% rainfall quantile.

```

plot(wholedata$tmax[z == 1], int3, main = "95%", ylab = "Rainfall", xlab =
  ↪ "Temperature")

```

```

png("Temperature_vs_95_rainfall.png", width = 800, height = 600)

plot(wholedata$tmax[z == 1], int3, main = "95%", ylab = "Rainfall", xlab =
  ↪ "Temperature")

dev.off()

```




Figure 10: Temperature vs 95% rainfall quantile.

```
plot(wholedata$tmax[z == 1], int2, main = "5%/50%", ylab = "Rainfall", xlab =
  ↪ "Temperature", col = "red")
lines(wholedata$tmax[z == 1], int1, col = "blue")
```

```
png("Temperature_vs_05_and_50_rainfall.png", width = 800, height = 600)

plot(wholedata$tmax[z == 1], int2, main = "5%/50%", ylab = "Rainfall", xlab =
  ↪ "Temperature", col = "red")
lines(wholedata$tmax[z == 1], int1, col = "blue")

dev.off()
```




Figure 11: Temperature vs 5% and 50% rainfall quantiles

```
plot(wholedata$tmax[z == 1], int3, main = "95%", ylab = "Rainfall", xlab =
  ↪ "Temperature", col = "green")
```

```
png("Colored_Temperature_vs_95_rainfall.png", width = 800, height = 600)

plot(wholedata$tmax[z == 1], int3, main = "95%", ylab = "Rainfall", xlab =
  ↪ "Temperature", col = "green")

dev.off()
```




Figure 12: Colored Temperature vs 95% rainfall quantile.