

GAMS CODE, MODULES & REALIZATIONS

Presenter: Edna J. Molina Bacca

mbacca@pik-potsdam.de

March 7th, 2022





Outline – GAMS code, modules, and realizations

- What is GAMS?
- General structure of the MAgPIE Model
- Structure of modules and realizations
- Coding etiquette: Variable and parameter naming
- Brief exercise





What is GAMS?

MAgPIE is written in the General Algebraic Modeling System (GAMS) language

"GAMS is a high level modeling system for mathematical programming and optimization. It consists of a language compiler and a range of associated solvers."

All major commercial LP/MIP solver

Open Source Solver (COIN) Also solver for NLP, MINLP, global, and stochastic optimization

Useful links:

GAMS at a glance: https://www.gams.com/products/gams/gams-language/

GAMS documentation: https://www.gams.com/35/docs/index.html






General structure of the MAgPIE Model

- Future **population** and **GDP** are the main drivers (different **scenarios**).
- Food consumption patterns lead to certain demand
- Trade patterns leads to regional production
- Production and biophysical yield and water availability data translate into cropping patterns.
- Cropping patterns drive land use decisions

These interactions and calculations are described in MAgPIE's modules












Structure of modules and realizations








In other modules you can also find: preloop.gms, nl_fix.gms, and nl_release.gms.





Structure of modules and realizations



Contains the final code used in the current MAgPIE run, based on the selected settings and on one realization per module







```
q38_cost_prod_crop(i,kcr)
q38_cost_prod_inv(i)
                                  Cell
q38_investment_immobile(j,kcr)
q38_investment_mobile(j)
positive variables
vm cost prod(i,kall)
vm_cost_inv(i)
v38 investment immobile(j,kcr)
v38_investment_mobile(j)
parameters
p38_variable_costs(t,i,kcr)
p38_capital_need(t,i,kcr,mobil38)
p38_capital_immobile(t,j,kcr)
p38_capital_mobile(t,j)
p38 capital cost share(t,i)
p38_share_calibration(i)
p38_croparea_start(j,w,kcr)
*########### R SECTION START
ov_cost_prod(t,i,kall,type)
ov_cost_inv(t,i,type)
ov38_investment_immobile(t,j,kcr,type)
ov38_investment_mobile(t,j,type)
oq38_cost_prod_crop(t,i,kcr,type)
```

07.03.2022

q_ equations

v_variables

p_ processing
parameters

o_ output parameter

```
$setglobal c38_sticky_mode free
* options: dynamic, free

scalars
*' Depreciation rate assuming roughly 20 years linear depreciation for invesment goods
s38_depreciation_rate depreciation rate (share of costs) / 0.05 /
*' Share of immobile capital.
s38_immobile immobile capital (share) / 1 /
;

parameter f38_fac_req(kcr) Factor requirement costs in 2005 (USD05MER per tDM)
/
$ondelim
$include "./modules/38_factor_costs/sticky_feb18/input/f38_fac_req_fao.csv"
$offdelim
/
;
```

c_ switch

s_ scalars

f_ file parameter

... In other realizations you find:

Prefixes are extended using either m (used in multiple modules/core code) or a two digit number (only used in the current module).







Other extentions to prefixes:

- ?c_ current time step
- ?q_ parameter containing the value of an equation
- ?v_ paramter containing the values of a variable
- Suffixes indicate the level of aggregation of an object
- (no suffix) Highest disaggregation available
- _setname aggregation over set
- _reg regional aggregation
- _glo global aggregation

pcm_land(j,land)

oq10_land(t,j,type)

ov_landreduction(t,j,land,type)

i42_wat_req_k(t,j,k)

vll_cost_reg(i)

i32_max_aff_area_glo



Exercise

(Green tick when you are ready)

- 1. Within the magpie folder, find the **14_yield** module.
- 2. Open the declaration.gms file of the managementcalib_aug19 realization
- 3. One example of:
 - Variable used only within the current module
 - An equation
 - A processing parameter used in at least this model and the core code.
 - An output parameter



THANKYOU

mbacca@pik-potsdam.de