

# MAT215: Complex Variables And Laplace Transformations

Emon Hossain<sup>1</sup>

<sup>1</sup>Lecturer  
MNS department  
Brac University

LECTURE-05

# Derivative formula

## Example

Show that,

$$\mathcal{L}\{y'(t)\} = sY(s) - y(0)$$

## Example

Show that,

$$\mathcal{L}\{y''(t)\} = s^2 Y(s) - sy(0) - y'(0)$$

## Example

Show that,

$$\mathcal{L}\{y'''(t)\} = s^3 Y(s) - s^2 y(0) - sy'(0) - y''(0)$$

## Example

### Example

Solve the given differential equation:

$$y'' - 4y' + 4y = t^3 e^{2t}, \quad y(0) = 0, \quad y'(0) = 0$$

### Example

Solve the given differential equation:

$$y'' - 3y' + 2y = 4, \quad y(0) = 1, \quad y'(0) = -1$$

### Hint:

$$\frac{s-2}{s(s-1)} = \frac{2}{s} + \frac{-1}{s-1}$$

## Example

### Example

Solve the given differential equation:

$$y''' - 3y'' + 3y' - y = e^t t^2, \quad y(0) = 0, y'(0) = 1, y''(0) = -2$$

### Example

Solve the given differential equation:

$$\frac{dy}{dt} + y = 13 \sin 2t, \quad y(0) = 6$$

### Hint:

$$\frac{6s^2 + 50}{(s+3)(s^2+4)} = \frac{8}{(s+3)} + \frac{-2s+6}{(s^2+4)}$$

## Example

### Example

Solve the given differential equation:

$$2y''' + 3y'' - 3y' - 2y = e^{-t}, \quad y(0) = 0, y'(0) = 0, y''(0) = 1$$

### Example

Solve the given differential equation:

$$y'' + 2y' + 5y = e^{-t} \sin t, \quad y(0) = 0, y'(0) = 1$$

## Example

### Example

Solve the given differential equation:

$$y' + y = f(t), \quad y(0) = 5$$

$$f(t) = \begin{cases} 0, & 0 \leq t < \pi \\ 2 \cos t, & t \geq \pi \end{cases}$$

### Example

Solve the given differential equation:

$$y'' + 4y = \sin tu(t - 2\pi), \quad y(0) = 1, \quad y'(0) = 0$$

# Important

## Example

Solve the given differential equation:

$$y'' + 9y = \cos 2t, y(0) = 0, y\left(\frac{\pi}{2}\right) = -1$$

## Example

Solve the given system of differential equations:

$$\frac{dx}{dt} = -x + y$$

$$\frac{dy}{dt} = 2x$$

with initial conditions  $x(0) = 0, y(0) = 1$ .