FACS coding study 1 and 2 absolute and relative frequency

Pre match sighted/olympic winners low vs high pd

```
> View(FACS_Data_Codes_Separated)
> # ◇ n für Low PD (Sighted Winners, Pre)
> n_low_pre <- FACS_Sighted_Winners %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Pre FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # ◇ n für High PD (Sighted Winners, Pre)
> n_high_pre <- FACS_Sighted_Winners %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Pre FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_low_pre
[1] 36
> n_high_pre
[1] 32
```

```
> sighted_win_low_pre_relativ <- round(prop.table(
+  table(FACS_Sighted_Winners %>%
+         filter(`Low/High PD` == "Low", timepoint == "Pre FACS score") %>%
+         pull(responses))
+ )*100, 2)
>
> Hauefigkeitstabelle_sighted_win_low_pre <- cbind(sighted_win_low_pre_absolut,
+                                                  sighted_win_low_pre_relativ)
>
>
> Hauefigkeitstabelle_sighted_win_low_pre
  sighted_win_low_pre_absolut sighted_win_low_pre_relativ
1                           7                        3.37
2                           4                        1.92
4                           5                        2.40
5                           8                        3.85
6                          11                        5.29
7                          13                        6.25
9                           2                        0.96
10                          8                        3.85
12                         17                        8.17
14                          5                        2.40
15                          4                        1.92
17                          8                        3.85
18                          6                        2.88
20                          2                        0.96
23                          8                        3.85
```

```
24                           1                         0.48
25                          45                        21.63
26                          36                        17.31
27                           3                         1.44
43                          15                         7.21
>
>
> #sighted winner high pd pre match häufigkeitn
>
> # Nur Low PD und Pre Match aus FACS_Sighted_Winners filtern
> sighted_win_high_pre_absolut <- table(FACS_Sighted_Winners %>%
+                                        filter(`Low/High PD` == "High",
timepoint == "Pre FACS score") %>%
+                                        pull(responses))
>
>
> sighted_win_high_pre_relativ <- round(prop.table(
+  table(FACS_Sighted_Winners %>%
+          filter(`Low/High PD` == "High", timepoint == "Pre FACS score") %>%
+          pull(responses))
+ )*100, 2)
>
> Hauefigkeitstabelle_sighted_win_high_pre <-
cbind(sighted_win_high_pre_absolut,
+                                                      sighted_win_high_pre_relativ)
>
>
> Hauefigkeitstabelle_sighted_win_high_pre
   sighted_win_high_pre_absolut sighted_win_high_pre_relativ
2                             2                         0.73
4                            19                         6.93
5                             6                         2.19
6                             7                         2.55
7                            15                         5.47
9                             8                         2.92
10                            6                         2.19
12                            3                         1.09
14                            6                         2.19
15                            2                         0.73
17                            9                         3.28
18                           15                         5.47
20                            5                         1.82
23                           11                         4.01
24                           10                         3.65
25                           57                        20.80
26                           39                        14.23
27                            5                         1.82
43                           49                        17.88


 >
```

Post match sighted/olympic winners low vs high pd

```
> sighted_win_low_post_absolut <- table(
+  FACS_Sighted_Winners %>%
+    filter(`Low/High PD` == "Low", timepoint == "Post FACS score") %>%
+    pull(responses)
+ )
>
> sighted_win_low_post_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Winners %>%
+        filter(`Low/High PD` == "Low", timepoint == "Post FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Haeufigkeitstabelle_sighted_win_low_post <- cbind(
+  sighted_win_low_post_absolut,
+  sighted_win_low_post_relativ
+ )
>
> Haeufigkeitstabelle_sighted_win_low_post
   sighted_win_low_post_absolut sighted_win_low_post_relativ
1                            10                         2.58
2                             2                         0.52
4                            11                         2.84
5                             3                         0.78
6                            56                        14.47
7                            38                         9.82
9                             3                         0.78
10                           11                         2.84
12                           61                        15.76
14                            2                         0.52
15                           13                         3.36
17                            7                         1.81
18                            2                         0.52
20                           19                         4.91
23                            5                         1.29
24                            3                         0.78
25                           71                        18.35
26                           49                        12.66
27                           10                         2.58
43                           11                         2.84
>
>
> sighted_win_high_post_absolut <- table(
+  FACS_Sighted_Winners %>%
+    filter(`Low/High PD` == "High", timepoint == "Post FACS score") %>%
+    pull(responses)
+ )
>
> sighted_win_high_post_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Winners %>%
+        filter(`Low/High PD` == "High", timepoint == "Post FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Haeufigkeitstabelle_sighted_win_high_post <- cbind(
+  sighted_win_high_post_absolut,
```

```
+  sighted_win_high_post_relativ
+ )
>
> Hauefigkeitstabelle_sighted_win_high_post
   sighted_win_high_post_absolut sighted_win_high_post_relativ
1                             14                          4.22
2                              4                          1.20
4                             11                          3.31
6                             44                         13.25
7                             30                          9.04
9                              2                          0.60
10                             6                          1.81
12                            57                         17.17
14                             2                          0.60
15                             5                          1.51
17                             9                          2.71
18                             4                          1.20
20                            15                          4.52
23                             8                          2.41
24                             8                          2.41
25                            59                         17.77
26                            38                         11.45
43                            16                          4.82
> #  ◇  n für Low PD (Post)
> n_sighted_win_low_post <- FACS_Sighted_Winners %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> #  ◇  n für High PD (Post)
> n_sighted_win_high_post <- FACS_Sighted_Winners %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_sighted_win_low_post
[1] 38
> n_sighted_win_high_post
[1] 37
```

Blind winner result moment low vs high pd

```
> Hauefigkeitstabelle_blind_win_high_result <- cbind(
+  blind_win_high_result_absolut,
+  blind_win_high_result_relativ
+ )
>
> Hauefigkeitstabelle_blind_win_high_result
   blind_win_high_result_absolut blind_win_high_result_relativ
1                              7                          3.91
2                              1                          0.56
4                              3                          1.68
5                              6                          3.35
6                             14                          7.82
7                             14                          7.82
10                             3                          1.68
12                            19                         10.61
15                             3                          1.68
17                             4                          2.23
18                             4                          2.23
20                             9                          5.03
23                             1                          0.56
25                            38                         21.23
26                            36                         20.11
27                             1                          0.56
43                            16                          8.94
>
>
>
> blind_win_low_result_absolut <- table(
+  FACS_Blind_Winners %>%
+    filter(`Low/High PD` == "Low",
+           timepoint == "Res FACS score",
+           Olympic_Category == "Paralympic") %>%
+    pull(responses)
+ )
>
> #blind winners low pd result moment
>
> blind_win_low_result_relativ <- round(
+  prop.table(
+    table(
+      FACS_Blind_Winners %>%
+        filter(`Low/High PD` == "Low",
+               timepoint == "Res FACS score",
+               Olympic_Category == "Paralympic") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
>
> Hauefigkeitstabelle_blind_win_low_result <- cbind(
+  blind_win_low_result_absolut,
+  blind_win_low_result_relativ
+ )
>
> Hauefigkeitstabelle_blind_win_low_result
   blind_win_low_result_absolut blind_win_low_result_relativ
1                             3                         2.07
2                             1                         0.69
4                            11                         7.59
5                             3                         2.07
6                             9                         6.21
7                            14                         9.66
10                           16                        11.03
12                           11                         7.59
15                            5                         3.45
17                            5                         3.45
```

```
18                          1                        0.69
20                          3                        2.07
23                          1                        0.69
25                         26                       17.93
26                         23                       15.86
27                          3                        2.07
43                         10                        6.90
> #  ◇  n für High PD (Blind Winners, Result)
> n_blind_win_high_result <- FACS_Blind_Winners %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Res FACS score",
+         Olympic_Category == "Paralympic") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> #  ◇  n für Low PD (Blind Winners, Result)
> n_blind_win_low_result <- FACS_Blind_Winners %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Res FACS score",
+         Olympic_Category == "Paralympic") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_blind_win_high_result
[1] 33
> n_blind_win_low_result
[1] 13

 >
```

High PD winners result moment

```
> high_pd_sighted_win_res_absolut <- table(
+  FACS_Sighted_Winners %>%
+    filter(`Low/High PD` == "High",
+           timepoint == "Res FACS score") %>%
+    pull(responses)
+ )
>
> high_pd_sighted_win_res_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Winners %>%
+        filter(`Low/High PD` == "High",
+               timepoint == "Res FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
```

```
>
> Hauefigkeitstabelle_high_pd_sighted_win_res <- cbind(
+  high_pd_sighted_win_res_absolut,
+  high_pd_sighted_win_res_relativ
+ )
>
> Hauefigkeitstabelle_high_pd_sighted_win_res
   high_pd_sighted_win_res_absolut high_pd_sighted_win_res_relativ
1                               21                            5.60
2                                8                            2.13
4                               23                            6.13
5                                6                            1.60
6                               36                            9.60
7                               40                           10.67
9                                7                            1.87
10                              14                            3.73
12                              35                            9.33
14                               1                            0.27
15                               3                            0.80
17                               5                            1.33
20                              23                            6.13
23                               1                            0.27
24                               2                            0.53
25                              66                           17.60
26                              53                           14.13
27                              12                            3.20
43                              19                            5.07
>
> #
>
> high_pd_sighted_win_res_absolut <- table(
+  FACS_Sighted_Winners %>%
+    filter(`Low/High PD` == "High",
+           timepoint == "Res FACS score") %>%
+    pull(responses)
+ )
>
> high_pd_sighted_win_res_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Winners %>%
+        filter(`Low/High PD` == "High",
+               timepoint == "Pre FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_high_pd_sighted_win_res <- cbind(
+  high_pd_sighted_win_res_absolut,
+  high_pd_sighted_win_res_relativ
+ )
>
> Hauefigkeitstabelle_high_pd_sighted_win_res
   high_pd_sighted_win_res_absolut high_pd_sighted_win_res_relativ
1                               21                            0.73
2                                8                            6.93
4                               23                            2.19
5                                6                            2.55
6                               36                            5.47
7                               40                            2.92
9                                7                            2.19
10                              14                            1.09
12                              35                            2.19
14                               1                            0.73
15                               3                            3.28
17                               5                            5.47
20                              23                            1.82
23                               1                            4.01
```

```
24                              2                            3.65
25                             66                           20.80
26                             53                           14.23
27                             12                            1.82
43                             19                           17.88
> n_high_pd_sighted_win_res <- FACS_Sighted_Winners %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
>
> n_high_pd_blind_win_res <- FACS_Blind_Winners %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_high_pd_blind_win_res
[1] 33
> n_high_pd_sighted_win_res
[1] 34
```

```
 >
```

Sighted loser Pre match moment low pd vs high pd

```
> sighted_losers_low_pre_absolut <- table(
+  FACS_Sighted_Losers %>%
+    filter(`Low/High PD` == "Low",
+           timepoint == "Pre FACS score") %>%
+    pull(responses)
+ )
>
> sighted_losers_low_pre_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Losers %>%
+        filter(`Low/High PD` == "Low",
+               timepoint == "Pre FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_sighted_losers_low_pre <- cbind(
+  sighted_losers_low_pre_absolut,
+  sighted_losers_low_pre_relativ
+ )
```

```
>
> Hauefigkeitstabelle_sighted_losers_low_pre
   sighted_losers_low_pre_absolut sighted_losers_low_pre_relativ
1                               4                           2.30
2                               3                           1.72
4                               8                           4.60
5                               8                           4.60
6                               9                           5.17
7                              12                           6.90
9                               1                           0.57
10                              5                           2.87
12                              5                           2.87
14                              3                           1.72
15                              1                           0.57
17                              6                           3.45
18                              8                           4.60
20                              3                           1.72
23                             10                           5.75
24                              4                           2.30
25                             42                          24.14
26                             32                          18.39
27                              5                           2.87
43                              5                           2.87
>
>
>
> sighted_losers_high_pre_absolut <- table(
+  FACS_Sighted_Losers %>%
+    filter(`Low/High PD` == "High",
+           timepoint == "Pre FACS score") %>%
+    pull(responses)
+ )
>
> sighted_losers_high_pre_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Losers %>%
+        filter(`Low/High PD` == "High",
+               timepoint == "Pre FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_sighted_losers_high_pre <- cbind(
+  sighted_losers_high_pre_absolut,
+  sighted_losers_high_pre_relativ
+ )
>
> Hauefigkeitstabelle_sighted_losers_high_pre
   sighted_losers_high_pre_absolut sighted_losers_high_pre_relativ
1                                1                            0.45
4                               15                            6.73
5                                9                            4.04
6                                2                            0.90
7                                6                            2.69
9                                2                            0.90
10                               3                            1.35
12                               3                            1.35
14                               6                            2.69
15                               2                            0.90
17                              15                            6.73
18                              19                            8.52
20                               2                            0.90
23                               7                            3.14
24                               7                            3.14
25                              59                           26.46
26                              46                           20.63
27                               6                            2.69
```

```
43                              13                             5.83
>
>
>
> n_sighted_losers_low_pre <- FACS_Sighted_Losers %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Pre FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_sighted_losers_high_pre <- FACS_Sighted_Losers %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Pre FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_sighted_losers_high_pre
[1] 34
>
> n_sighted_losers_low_pre
[1] 24

 >
```

Sighted loser Result match moment low pd vs high pd

```
> sighted_losers_low_res_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Losers %>%
+        filter(`Low/High PD` == "Low",
+               timepoint == "Res FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_sighted_losers_low_res <- cbind(
+  sighted_losers_low_res_absolut,
+  sighted_losers_low_res_relativ
+ )
>
> Hauefigkeitstabelle_sighted_losers_low_res
  sighted_losers_low_res_absolut sighted_losers_low_res_relativ
1                              5                           3.07
2                              4                           2.45
4                              4                           2.45
5                              5                           3.07
6                              8                           4.91
```

```
7                               15                            9.20
9                                2                            1.23
10                               6                            3.68
12                              10                            6.13
14                               2                            1.23
15                               3                            1.84
17                               2                            1.23
18                               4                            2.45
20                               3                            1.84
23                               5                            3.07
25                              39                           23.93
26                              26                           15.95
27                              11                            6.75
43                               9                            5.52
>
>
>
> sighted_losers_high_res_absolut <- table(
+  FACS_Sighted_Losers %>%
+    filter(`Low/High PD` == "High",
+           timepoint == "Res FACS score") %>%
+    pull(responses)
+ )
>
> sighted_losers_high_res_relativ <- round(
+  prop.table(
+    table(
+      FACS_Sighted_Losers %>%
+        filter(`Low/High PD` == "High",
+               timepoint == "Res FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_sighted_losers_high_res <- cbind(
+  sighted_losers_high_res_absolut,
+  sighted_losers_high_res_relativ
+ )
>
> Hauefigkeitstabelle_sighted_losers_high_res
   sighted_losers_high_res_absolut sighted_losers_high_res_relativ
1                                7                            4.32
2                                3                            1.85
4                                6                            3.70
5                                8                            4.94
6                                3                            1.85
7                               12                            7.41
9                                2                            1.23
10                               6                            3.70
12                               1                            0.62
14                               4                            2.47
15                               5                            3.09
17                               6                            3.70
20                               3                            1.85
23                               2                            1.23
25                              44                           27.16
26                              36                           22.22
27                               4                            2.47
43                              10                            6.17
>
>
> n_sighted_losers_low_res <- FACS_Sighted_Losers %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_sighted_losers_high_res <- FACS_Sighted_Losers %>%
```

```
+  filter(`Low/High PD` == "High",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_sighted_losers_high_res
[1] 26
>
> n_sighted_losers_low_res
[1] 25
```

```
 >
```

Sighted loser Post match moment low pd vs high pd

```
> sighted_losers_low_post_absolut <- table(
+  FACS_Sighted_Losers %>%
+    filter(`Low/High PD` == "Low",
+           timepoint == "Post FACS score") %>%
+    pull(responses)
+ )
>
```

```
> sighted_losers_low_post_relativ <- round(
+   prop.table(
+     table(
+       FACS_Sighted_Losers %>%
+         filter(`Low/High PD` == "Low",
+                timepoint == "Post FACS score") %>%
+         pull(responses)
+     )
+   ) * 100, 2
+ )
>
> Hauefigkeitstabelle_sighted_losers_low_post <- cbind(
+   sighted_losers_low_post_absolut,
+   sighted_losers_low_post_relativ
+ )
>
> Hauefigkeitstabelle_sighted_losers_low_post
   sighted_losers_low_post_absolut sighted_losers_low_post_relativ
1                                7                            3.98
2                                4                            2.27
4                                3                            1.70
5                                1                            0.57
6                               24                           13.64
7                               17                            9.66
9                                3                            1.70
10                               7                            3.98
12                              25                           14.20
14                               1                            0.57
15                               4                            2.27
17                               5                            2.84
18                               1                            0.57
20                               1                            0.57
23                               4                            2.27
24                               2                            1.14
25                              33                           18.75
26                              29                           16.48
43                               5                            2.84
>
>
> sighted_losers_high_post_absolut <- table(
+   FACS_Sighted_Losers %>%
+     filter(`Low/High PD` == "High",
+            timepoint == "Post FACS score") %>%
+     pull(responses)
+ )
>
> sighted_losers_high_post_relativ <- round(
+   prop.table(
+     table(
+       FACS_Sighted_Losers %>%
+         filter(`Low/High PD` == "High",
+                timepoint == "Post FACS score") %>%
+         pull(responses)
+     )
+   ) * 100, 2
+ )
>
> Hauefigkeitstabelle_sighted_losers_high_post <- cbind(
+   sighted_losers_high_post_absolut,
+   sighted_losers_high_post_relativ
+ )
>
> Hauefigkeitstabelle_sighted_losers_high_post
   sighted_losers_high_post_absolut sighted_losers_high_post_relativ
1                                10                             5.05
2                                 3                             1.52
4                                14                             7.07
5                                 7                             3.54
6                                10                             5.05
```

```
7                                 10                              5.05
9                                  4                              2.02
10                                 9                              4.55
12                                 7                              3.54
14                                 7                              3.54
15                                 2                              1.01
17                                 4                              2.02
18                                 1                              0.51
20                                 9                              4.55
23                                 5                              2.53
24                                 5                              2.53
25                                48                             24.24
26                                36                             18.18
27                                 1                              0.51
43                                 6                              3.03
>
> n_sighted_losers_low_post <- FACS_Sighted_Losers %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_sighted_losers_high_post <- FACS_Sighted_Losers %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_sighted_losers_high_post
[1] 29
>
> n_sighted_losers_low_post
[1] 23

 >
```

Blind losers result moment low vs high pd

```
> blind_losers_low_result_absolut <- table(
Warnmeldung:
In diff.default(xscale) : Zeitlimit erreicht+  FACS_Blind_Losers %>%
+    filter(`Low/High PD` == "Low",
+           timepoint == "Res FACS score") %>%
+    pull(responses)
+ )
>
> blind_losers_low_result_relativ <- round(
```

```
+   prop.table(
+     table(
+       FACS_Blind_Losers %>%
+         filter(`Low/High PD` == "Low",
+                timepoint == "Res FACS score") %>%
+         pull(responses)
+     )
+   ) * 100, 2
+ )
>
> Hauefigkeitstabelle_blind_losers_low_result <- cbind(
+   blind_losers_low_result_absolut,
+   blind_losers_low_result_relativ
+ )
>
> Hauefigkeitstabelle_blind_losers_low_result
   blind_losers_low_result_absolut blind_losers_low_result_relativ
5                                1                            3.03
6                                2                            6.06
7                                1                            3.03
12                               3                            9.09
15                               1                            3.03
17                               1                            3.03
18                               2                            6.06
25                               9                           27.27
26                              10                           30.30
43                               3                            9.09
>
>
> blind_losers_high_result_absolut <- table(
+   FACS_Blind_Losers %>%
+     filter(`Low/High PD` == "High",
+            timepoint == "Res FACS score") %>%
+     pull(responses)
+ )
>
> blind_losers_high_result_relativ <- round(
+   prop.table(
+     table(
+       FACS_Blind_Losers %>%
+         filter(`Low/High PD` == "High",
+                timepoint == "Res FACS score") %>%
+         pull(responses)
+     )
+   ) * 100, 2
+ )
>
> Hauefigkeitstabelle_blind_losers_high_result <- cbind(
+   blind_losers_high_result_absolut,
+   blind_losers_high_result_relativ
+ )
>
> Hauefigkeitstabelle_blind_losers_high_result
   blind_losers_high_result_absolut blind_losers_high_result_relativ
1                                 4                             4.08
2                                 1                             1.02
4                                 4                             4.08
5                                 4                             4.08
6                                 4                             4.08
7                                 6                             6.12
9                                 3                             3.06
12                                4                             4.08
14                                2                             2.04
17                                1                             1.02
18                                1                             1.02
20                                1                             1.02
23                                4                             4.08
25                               28                            28.57
26                               25                            25.51
```

43 6 6.12

```
>
> # Low PD
> n_blind_losers_low_result <- FACS_Blind_Losers %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # High PD
> n_blind_losers_high_result <- FACS_Blind_Losers %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> n_blind_losers_high_result  # Ausgabe der Anzahl Athleten
[1] 19
>
> n_blind_losers_low_result  # Ausgabe der Anzahl Athleten
[1] 7

 >
```

Blind losers post match moment low vs high pd

```
> blind_losers_low_post_absolut <- table(
+  FACS_Blind_Losers %>%
+    filter(`Low/High PD` == "Low",
+           timepoint == "Post FACS score") %>%
+    pull(responses)
+ )
```

```
>
> blind_losers_low_post_relativ <- round(
+   prop.table(
+     table(
+       FACS_Blind_Losers %>%
+         filter(`Low/High PD` == "Low",
+                timepoint == "Post FACS score") %>%
+         pull(responses)
+     )
+   ) * 100, 2
+ )
>
> Hauefigkeitstabelle_blind_losers_low_post <- cbind(
+   blind_losers_low_post_absolut,
+   blind_losers_low_post_relativ
+ )
>
> Hauefigkeitstabelle_blind_losers_low_post
   blind_losers_low_post_absolut blind_losers_low_post_relativ
6                              4                         16.67
10                             1                          4.17
12                             6                         25.00
17                             1                          4.17
23                             1                          4.17
25                             8                         33.33
26                             3                         12.50
> blind_losers_high_post_absolut <- table(
+   FACS_Blind_Losers %>%
+     filter(`Low/High PD` == "High",
+            timepoint == "Post FACS score") %>%
+     pull(responses)
+ )
>
> blind_losers_high_post_relativ <- round(
+   prop.table(
+     table(
+       FACS_Blind_Losers %>%
+         filter(`Low/High PD` == "High",
+                timepoint == "Post FACS score") %>%
+         pull(responses)
+     )
+   ) * 100, 2
+ )
>
> Hauefigkeitstabelle_blind_losers_high_post <- cbind(
+   blind_losers_high_post_absolut,
+   blind_losers_high_post_relativ
+ )
>
> Hauefigkeitstabelle_blind_losers_high_post
   blind_losers_high_post_absolut blind_losers_high_post_relativ
1                               1                           1.09
2                               1                           1.09
4                               1                           1.09
5                               2                           2.17
6                               8                           8.70
7                               7                           7.61
9                               1                           1.09
10                              1                           1.09
12                             14                          15.22
14                              2                           2.17
15                              1                           1.09
17                              5                           5.43
20                              2                           2.17
23                              2                           2.17
24                              2                           2.17
25                             22                          23.91
26                             15                          16.30
43                              5                           5.43
```

```
> # Sample Size für Blind Losers, Low PD, Post FACS score
> n_blind_losers_low_post <- FACS_Blind_Losers %>%
+  filter(`Low/High PD` == "Low",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Sample Size für Blind Losers, High PD, Post FACS score
> n_blind_losers_high_post <- FACS_Blind_Losers %>%
+  filter(`Low/High PD` == "High",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Ausgabe der Sample Sizes
> n_blind_losers_low_post
[1] 5
> n_blind_losers_high_post
[1] 16
```

```
 >
```

Win olympic/sighted high pd (pre, res und post)

```
> low_pd_sighted_win_pre_absolut <- table(
Warnmeldung:
In diff.default(xscale) : Zeitlimit erreicht+  FACS_Low_PD_Winners %>%
+    filter(Olympic_Category == "Olympic",
+           timepoint == "Pre FACS score") %>%
+    pull(responses)
+ )
>
> low_pd_sighted_win_pre_relativ <- round(
+  prop.table(
+    table(
+      FACS_Low_PD_Winners %>%
+        filter(Olympic_Category == "Olympic",
+               timepoint == "Pre FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_low_pd_sighted_win_pre <- cbind(
+  low_pd_sighted_win_pre_absolut,
+  low_pd_sighted_win_pre_relativ
+ )
>
> Hauefigkeitstabelle_low_pd_sighted_win_pre
  low_pd_sighted_win_pre_absolut low_pd_sighted_win_pre_relativ
1                              7                           3.37
2                              4                           1.92
4                              5                           2.40
5                              8                           3.85
6                             11                           5.29
7                             13                           6.25
9                              2                           0.96
```

```
10                              8                            3.85
12                             17                            8.17
14                              5                            2.40
15                              4                            1.92
17                              8                            3.85
18                              6                            2.88
20                              2                            0.96
23                              8                            3.85
24                              1                            0.48
25                             45                           21.63
26                             36                           17.31
27                              3                            1.44
43                             15                            7.21
>
>
>
>
>
> low_pd_sighted_win_result_absolut <- table(
+   FACS_Low_PD_Winners %>%
+     filter(Olympic_Category == "Olympic",
+            timepoint == "Res FACS score") %>%
+     pull(responses)
+ )
>
> low_pd_sighted_win_result_relativ <- round(
+   prop.table(
+     table(
+       FACS_Low_PD_Winners %>%
+         filter(Olympic_Category == "Olympic",
+                timepoint == "Res FACS score") %>%
+         pull(responses)
+     )
+   ) * 100, 2
+ )
>
> Haeufigkeitstabelle_low_pd_sighted_win_result <- cbind(
+   low_pd_sighted_win_result_absolut,
+   low_pd_sighted_win_result_relativ
+ )
>
> Haeufigkeitstabelle_low_pd_sighted_win_result
   low_pd_sighted_win_result_absolut low_pd_sighted_win_result_relativ
1                                 24                              6.20
2                                  5                              1.29
4                                 18                              4.65
5                                 15                              3.88
6                                 28                              7.24
7                                 45                             11.63
9                                  4                              1.03
10                                11                              2.84
12                                38                              9.82
14                                 1                              0.26
15                                 5                              1.29
17                                 3                              0.78
18                                 6                              1.55
20                                21                              5.43
23                                 6                              1.55
24                                 5                              1.29
25                                67                             17.31
26                                44                             11.37
27                                29                              7.49
43                                12                              3.10
>
>
>
>
> low_pd_sighted_win_post_absolut <- table(
+   FACS_Low_PD_Winners %>%
```

```
+    filter(Olympic_Category == "Olympic",
+           timepoint == "Post FACS score") %>%
+    pull(responses)
+ )
>
> low_pd_sighted_win_post_relativ <- round(
+  prop.table(
+    table(
+      FACS_Low_PD_Winners %>%
+        filter(Olympic_Category == "Olympic",
+               timepoint == "Post FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Haeufigkeitstabelle_low_pd_sighted_win_post <- cbind(
+  low_pd_sighted_win_post_absolut,
+  low_pd_sighted_win_post_relativ
+ )
>
> Haeufigkeitstabelle_low_pd_sighted_win_post
   low_pd_sighted_win_post_absolut low_pd_sighted_win_post_relativ
1                               10                            2.58
2                                2                            0.52
4                               11                            2.84
5                                3                            0.78
6                               56                           14.47
7                               38                            9.82
9                                3                            0.78
10                              11                            2.84
12                              61                           15.76
14                               2                            0.52
15                              13                            3.36
17                               7                            1.81
18                               2                            0.52
20                              19                            4.91
23                               5                            1.29
24                               3                            0.78
25                              71                           18.35
26                              49                           12.66
27                              10                            2.58
43                              11                            2.84
>
>
> # Sample Size: Low PD, Sighted Winners, Pre FACS score
> n_low_pd_sighted_win_pre <- FACS_Low_PD_Winners %>%
+  filter(Olympic_Category == "Olympic",
+         timepoint == "Pre FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Sample Size: Low PD, Sighted Winners, Res FACS score
> n_low_pd_sighted_win_result <- FACS_Low_PD_Winners %>%
+  filter(Olympic_Category == "Olympic",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Sample Size: Low PD, Sighted Winners, Post FACS score
> n_low_pd_sighted_win_post <- FACS_Low_PD_Winners %>%
+  filter(Olympic_Category == "Olympic",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Ausgabe der Sample Sizes
> n_low_pd_sighted_win_pre
[1] 36
```

```
> n_low_pd_sighted_win_result
[1] 34
> n_low_pd_sighted_win_post
[1] 38
```

```
 >
```

Win blind/paralympic low pd (pre, res and post)

```
> low_pd_blind_win_pre_absolut <- table(
+  FACS_Low_PD_Winners %>%
+    filter(Olympic_Category == "Paralympic",
+           timepoint == "Pre FACS score") %>%
+    pull(responses)
+ )
>
> low_pd_blind_win_pre_relativ <- round(
+  prop.table(
+    table(
+      FACS_Low_PD_Winners %>%
+        filter(Olympic_Category == "Paralympic",
+               timepoint == "Pre FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_low_pd_blind_win_pre <- cbind(
+  low_pd_blind_win_pre_absolut,
+  low_pd_blind_win_pre_relativ
+ )
>
> Hauefigkeitstabelle_low_pd_blind_win_pre
   low_pd_blind_win_pre_absolut low_pd_blind_win_pre_relativ
1                             2                         3.64
2                             1                         1.82
4                             2                         3.64
6                             6                        10.91
7                             3                         5.45
10                            2                         3.64
12                            8                        14.55
18                            3                         5.45
```

```
20                            1                         1.82
23                            1                         1.82
25                           12                        21.82
26                            9                        16.36
43                            5                         9.09
>
>
> low_pd_blind_win_result_absolut <- table(
+  FACS_Low_PD_Winners %>%
+    filter(Olympic_Category == "Paralympic",
+           timepoint == "Res FACS score") %>%
+    pull(responses)
+ )
>
> low_pd_blind_win_result_relativ <- round(
+  prop.table(
+    table(
+      FACS_Low_PD_Winners %>%
+        filter(Olympic_Category == "Paralympic",
+               timepoint == "Res FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_low_pd_blind_win_result <- cbind(
+  low_pd_blind_win_result_absolut,
+  low_pd_blind_win_result_relativ
+ )
>
> Hauefigkeitstabelle_low_pd_blind_win_result
  low_pd_blind_win_result_absolut low_pd_blind_win_result_relativ
1                               3                            2.07
2                               1                            0.69
4                              11                            7.59
5                               3                            2.07
6                               9                            6.21
7                              14                            9.66
10                             16                           11.03
12                             11                            7.59
15                              5                            3.45
17                              5                            3.45
18                              1                            0.69
20                              3                            2.07
23                              1                            0.69
25                             26                           17.93
26                             23                           15.86
27                              3                            2.07
43                             10                            6.90
>
>
>
> low_pd_blind_win_post_absolut <- table(
+  FACS_Low_PD_Winners %>%
+    filter(Olympic_Category == "Paralympic",
+           timepoint == "Post FACS score") %>%
+    pull(responses)
+ )
>
> low_pd_blind_win_post_relativ <- round(
+  prop.table(
+    table(
+      FACS_Low_PD_Winners %>%
+        filter(Olympic_Category == "Paralympic",
+               timepoint == "Post FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
```

```
>
> Hauefigkeitstabelle_low_pd_blind_win_post <- cbind(
+  low_pd_blind_win_post_absolut,
+  low_pd_blind_win_post_relativ
+ )
>
> Hauefigkeitstabelle_low_pd_blind_win_post
   low_pd_blind_win_post_absolut low_pd_blind_win_post_relativ
1                              1                          0.71
2                              1                          0.71
4                              8                          5.71
5                              5                          3.57
6                             10                          7.14
7                             13                          9.29
9                              2                          1.43
10                            10                          7.14
12                            14                         10.00
14                             1                          0.71
15                             6                          4.29
17                            12                          8.57
18                             1                          0.71
20                             7                          5.00
23                             2                          1.43
24                             1                          0.71
25                            23                         16.43
26                            17                         12.14
27                             2                          1.43
43                             4                          2.86
>
>
> # Sample Size: Low PD, Blind Winners, Pre FACS score
> n_low_pd_blind_win_pre <- FACS_Low_PD_Winners %>%
+  filter(Olympic_Category == "Paralympic",
+         timepoint == "Pre FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Sample Size: Low PD, Blind Winners, Res FACS score
> n_low_pd_blind_win_result <- FACS_Low_PD_Winners %>%
+  filter(Olympic_Category == "Paralympic",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Sample Size: Low PD, Blind Winners, Post FACS score
> n_low_pd_blind_win_post <- FACS_Low_PD_Winners %>%
+  filter(Olympic_Category == "Paralympic",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Ausgabe der Sample Sizes
> n_low_pd_blind_win_pre
[1] 13
> n_low_pd_blind_win_result
[1] 13
> n_low_pd_blind_win_post
[1] 13



 >
```

WIn blind/paralympic High pd (pre, res and post)

```
> high_pd_blind_win_pre_absolut <- table(
+  FACS_High_PD_Winners %>%
+    filter(Olympic_Category == "Paralympic",
+           timepoint == "Pre FACS score") %>%
+    pull(responses)
+ )
>
> high_pd_blind_win_pre_relativ <- round(
+  prop.table(
+    table(
+      FACS_High_PD_Winners %>%
+        filter(Olympic_Category == "Paralympic",
+               timepoint == "Pre FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_high_pd_blind_win_pre <- cbind(
+  high_pd_blind_win_pre_absolut,
+  high_pd_blind_win_pre_relativ
+ )
>
> Hauefigkeitstabelle_high_pd_blind_win_pre
   high_pd_blind_win_pre_absolut high_pd_blind_win_pre_relativ
1                              6                          3.31
2                              4                          2.21
4                              7                          3.87
5                              6                          3.31
6                              2                          1.10
7                              7                          3.87
9                              1                          0.55
10                             4                          2.21
12                            11                          6.08
14                             7                          3.87
17                             6                          3.31
18                            10                          5.52
20                             2                          1.10
23                             5                          2.76
24                             7                          3.87
25                            43                         23.76
26                            33                         18.23
27                             2                          1.10
43                            18                          9.94
>
>
>
> high_pd_blind_win_result_absolut <- table(
+  FACS_High_PD_Winners %>%
```

```
+    filter(Olympic_Category == "Paralympic",
+           timepoint == "Res FACS score") %>%
+    pull(responses)
+ )
>
> high_pd_blind_win_result_relativ <- round(
+  prop.table(
+    table(
+      FACS_High_PD_Winners %>%
+        filter(Olympic_Category == "Paralympic",
+               timepoint == "Res FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_high_pd_blind_win_result <- cbind(
+  high_pd_blind_win_result_absolut,
+  high_pd_blind_win_result_relativ
+ )
>
> Hauefigkeitstabelle_high_pd_blind_win_result
  high_pd_blind_win_result_absolut high_pd_blind_win_result_relativ
1                                7                             3.91
2                                1                             0.56
4                                3                             1.68
5                                6                             3.35
6                               14                             7.82
7                               14                             7.82
10                               3                             1.68
12                              19                            10.61
15                               3                             1.68
17                               4                             2.23
18                               4                             2.23
20                               9                             5.03
23                               1                             0.56
25                              38                            21.23
26                              36                            20.11
27                               1                             0.56
43                              16                             8.94
>
>
>
> high_pd_blind_win_post_absolut <- table(
+  FACS_High_PD_Winners %>%
+    filter(Olympic_Category == "Paralympic",
+           timepoint == "Post FACS score") %>%
+    pull(responses)
+ )
>
> high_pd_blind_win_post_relativ <- round(
+  prop.table(
+    table(
+      FACS_High_PD_Winners %>%
+        filter(Olympic_Category == "Paralympic",
+               timepoint == "Post FACS score") %>%
+        pull(responses)
+    )
+  ) * 100, 2
+ )
>
> Hauefigkeitstabelle_high_pd_blind_win_post <- cbind(
+  high_pd_blind_win_post_absolut,
```

```
+  high_pd_blind_win_post_relativ
+ )
>
> Hauefigkeitstabelle_high_pd_blind_win_post
   high_pd_blind_win_post_absolut high_pd_blind_win_post_relativ
1                               7                           2.90
2                               6                           2.49
4                               3                           1.24
5                               1                           0.41
6                              22                           9.13
7                              13                           5.39
9                               5                           2.07
10                              1                           0.41
12                             47                          19.50
14                              3                           1.24
15                              4                           1.66
17                              8                           3.32
18                              2                           0.83
20                              4                           1.66
23                              8                           3.32
24                              7                           2.90
25                             52                          21.58
26                             33                          13.69
43                             15                           6.22
>
>
> # Sample Size: High PD, Blind Winners, Pre FACS score
> n_high_pd_blind_win_pre <- FACS_High_PD_Winners %>%
+  filter(Olympic_Category == "Paralympic",
+         timepoint == "Pre FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Sample Size: High PD, Blind Winners, Res FACS score
> n_high_pd_blind_win_result <- FACS_High_PD_Winners %>%
+  filter(Olympic_Category == "Paralympic",
+         timepoint == "Res FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Sample Size: High PD, Blind Winners, Post FACS score
> n_high_pd_blind_win_post <- FACS_High_PD_Winners %>%
+  filter(Olympic_Category == "Paralympic",
+         timepoint == "Post FACS score") %>%
+  distinct(`Serial No.`) %>%
+  nrow()
>
> # Ausgabe der Sample Sizes
> n_high_pd_blind_win_pre
[1] 38
> n_high_pd_blind_win_result
[1] 33
> n_high_pd_blind_win_post
[1] 43
```