

AI TRUST RECEIPT WORKBOOK

A practical design and implementation system for accountable AI-agent actions.

TRUST RECEIPT / CANDIDATE v0.1

- | | | |
|----|------------------|--|
| 01 | ACTOR | Who acted and who is accountable |
| 02 | ACTION | What changed or was attempted |
| 03 | AUTHORITY | What permission allowed the action |
| 04 | EVIDENCE | What information materially shaped it |
| 05 | OVERSIGHT | What human control actually occurred |
| 06 | REMEDY | How the action can be challenged or reversed |



DESIGN THE ACCOUNTABILITY THAT TRAVELS WITH THE ACTION

Define the minimum record a person needs to understand, verify, contest, and reverse a consequential automated action - without turning accountability into surveillance.

BRITTANY WRIGHT

Founder, Emotional Infrastructure / Writer of Unauthorized Inference

WORKBOOK ORIENTATION

How to Use This Workbook

This workbook converts the Trust Receipt concept into a working design process. It is intended for product teams, security and identity teams, governance leaders, legal and policy reviewers, procurement teams, auditors, researchers, and affected-party advocates who need to define what evidence should accompany an AI system's consequential actions.

WORKING DEFINITION

A Trust Receipt is a durable, human-readable, and machine-verifiable agency artifact generated when an AI system attempts, executes, delegates, denies, escalates, reverses, or allows the authority for a consequential action to expire.

Complete the workbook for one deployed use case at a time. Begin with a specific action pathway rather than an entire enterprise platform. Record unresolved questions openly, identify an accountable owner, and do not use polished receipt language to conceal a missing authority boundary, inadequate oversight, or unavailable remedy.

- ☐ Use the left-to-right sequence when designing a new action pathway.
- ☐ Use the checkpoint pages when reviewing an existing system.
- ☐ Use the field catalog and conformance scorecard when evaluating a vendor.
- ☐ Use the final receipt builder when preparing a candidate implementation specification.

CLAIM BOUNDARY

This is a proposed implementation workbook. It is not an adopted technical standard, certification, legal-compliance determination, regulator approval, or substitute for jurisdiction-specific legal advice.

NAVIGATION

Workbook Map

Part	Primary question	Output
1. Define the action	When should a receipt exist?	Scoped consequential-action profile
2. Establish control	Who authorized what, under which constraints?	Authority, oversight, and delegation map
3. Build the receipt	What must the affected person be able to reconstruct?	Human- and machine-readable receipt draft
4. Minimize and protect	What must never become accountability data?	Exclusion, retention, and secondary-use rules
5. Test and implement	Does the design survive real scenarios and failure?	Conformance result and implementation plan

Suggested participants

- ☐ Product or service owner
- ☐ Security, identity, and authorization lead
- ☐ Privacy or data-governance lead
- ☐ Legal or regulatory reviewer
- ☐ Human-oversight owner
- ☐ Remedy, appeals, or customer-support owner
- ☐ Affected-party or accessibility representative
- ☐ Engineering owner for event evidence and integrity

Working session information

Date	Facilitator	Use case	Decision deadline

01

Define the Consequential Action

Determine when an automated action creates a condition a person may need to inspect, contest, or reverse.

BY THE END OF THIS PART

Action inventory / receipt trigger / consequence class / affected-party map / event-state model

WORKSHEET 1.1

Use-Case Profile

PURPOSE

Identify one bounded agentic workflow and the persistent changes it can create.

1. Name the deployed system, service, or workflow.

YOUR RESPONSE

2. State the user-facing purpose in one sentence.

Describe the purpose a reasonable user would believe they authorized.

YOUR RESPONSE

3. List the tools, connected services, records, or accounts the agent can use.

Resource or service	Read	Write	Execute	Owner

4. Define the action boundary.

Boundary	Your definition
In scope	
Explicitly out of scope	
Requires new confirmation	
Always requires human review	

WORKSHEET 1.2

Action Inventory

PURPOSE

Separate recommendations from actions and identify each state change that may require an accountability artifact.

Use direct verbs such as submit, transfer, cancel, deny, disclose, schedule, notify, modify, approve, revoke, or delete.

Action verb	Object or record	Possible state change	External effect	Reversible

Which action is the highest-consequence event in this use case?

YOUR RESPONSE

Which apparently minor action could accumulate into a consequential trajectory?

Consider repeated ranking, filtering, nudging, delay, denial, or data-sharing events.

YOUR RESPONSE

WORKSHEET 1.3

Receipt-Trigger Test

PURPOSE

Determine whether the action changes a condition a person may reasonably need to inspect, contest, or reverse.

- ☐ Rights, legal position, or obligations
- ☐ Money, credit, insurance, or financial access
- ☐ Employment, compensation, evaluation, or opportunity
- ☐ Education, admissions, assessment, or credentialing
- ☐ Healthcare, benefits, safety, or essential services
- ☐ Schedule, commitments, communications, or records
- ☐ Privacy, identity, reputation, or disclosure to another party
- ☐ Persistent access, ranking, eligibility, or account status
- ☐ A material effect on someone other than the authorizing user

Trigger decision

- ☐ Receipt required for every attempt.
- ☐ Receipt required only when the action executes or changes external state.
- ☐ Receipt required for denied, delegated, escalated, reversed, or expired states as well.
- ☐ Receipt not required; rationale documented below.

RATIONALE AND THRESHOLD

DESIGN RULE

If the affected person may need to reconstruct what happened, the trigger should not depend solely on successful execution.

WORKSHEET 1.4

Consequence and Affected-Party Map

PURPOSE		
Classify the action and identify everyone whose conditions can be altered by it.		
Class	Working definition	Selected
C0	No persistent external change; informational only.	☐
C1	Low, readily reversible change with limited external effect.	☐
C2	Material change involving access, money, schedule, records, or another party.	☐
C3	High-consequence change involving rights, essential services, safety, legal position, or difficult-to-reverse harm.	☐

Affected-party map

Party	How affected	Notice needed	Contest or remedy path

Whose data or interests could appear in the receipt but should be minimized or protected?

YOUR RESPONSE

WORKSHEET 1.5

Event-State Model

PURPOSE Define each state the receipt system must represent so attempts, failures, delegation, review, reversal, and expiration do not disappear.		
Event state	When it applies	Receipt behavior
Attempted	The agent initiates an action but does not complete it.	Record the attempted conduct and outcome.
Executed	The requested state change occurs.	Record the before-and-after state when material.
Denied	A control, policy, permission boundary, or reviewer blocks execution.	Record the blocking basis and next pathway.
Delegated	Another agent, tool, service, or organization receives part of the task.	Record material delegation and scope.
Escalated	A human or higher-control pathway receives the matter.	Record destination, status, and timing.
Reversed	An earlier action is undone or restored.	Link the corrective receipt to the original.
Expired	Authority or the action window ends before execution.	Record expiration and whether renewal is available.

Map system-specific event names to the candidate taxonomy.

System event	Candidate state	Evidence source	User-visible language

CHECKPOINT

Action Boundary Review

Pause before drafting the receipt. An unresolved control issue should remain visible, not be smoothed over by documentation.

- ☐ The action is described with a direct verb and a specific object or record.
- ☐ Recommendation and execution are distinguished.
- ☐ The trigger includes relevant attempted and non-success states.
- ☐ Consequence class is assigned and justified.
- ☐ Affected parties beyond the authorizing user are identified.
- ☐ A persistent change cannot occur without event evidence.

What remains unresolved, who owns it, and what is the due date?

Unresolved item	Owner	Due date	Decision needed

Decision

- ☐ Proceed to the next part.
- ☐ Proceed with named conditions.
- ☐ Pause design until the control gap is resolved.

CONDITIONS OR RATIONALE

02

Establish Authority and Human Control

Bind technical permission to meaningful authorization, bounded objectives, confirmation, oversight, and delegation.

BY THE END OF THIS PART

Authority grant / objective constraints / confirmation matrix / oversight evidence / delegation chain

WORKSHEET 2.1

Authority Grant

PURPOSE Make the permission, mandate, policy, or user instruction that permits the action visible and bounded.	
Required element	Design decision
Grant identifier	
Granting party and role	
Scope of permitted actions	
Explicit exclusions	
Grant time and expiration	
Revocation pathway	
Confirmation threshold	
Jurisdiction or policy basis	

Where could the system interpret the grant more broadly than a reasonable user would?

YOUR RESPONSE

WORKSHEET 2.2

Authorized Objective and Constraints

PURPOSE

Translate the user's purpose into a bounded operational objective without inventing priorities the user did not authorize.

1. Write the objective in one sentence.

Example: Resolve the scheduling conflict while preserving medical appointments and minimizing changes for external participants.

YOUR RESPONSE

2. List hard constraints the agent must never trade away.

Constraint	Source	How enforced	Failure behavior

3. List preferences the agent may optimize only after satisfying the hard constraints.

Preference	Priority	Source	May be inferred

4. Identify ambiguity that requires clarification rather than autonomous interpretation.

YOUR RESPONSE

WORKSHEET 2.3

Confirmation Matrix

PURPOSE Specify when the agent may proceed, when it must request confirmation, and when it must stop for independent review.				
Action class	Proceed	User confirmation	Independent review	Fail-safe behavior

What information must the confirming person see before approval is meaningful?

YOUR RESPONSE

CONTROL TEST

A confirmation click is not meaningful oversight when the person cannot see the action, authority, material inputs, consequence, and available alternative.

WORKSHEET 2.4

Human-Oversight Evidence

PURPOSE

Record the function performed by a person rather than using the mere presence of a person as an accountability shield.

Oversight status	Evidence required
No human review	Record that the action was fully automated and state the applicable control basis.
Confirmation before execution	Record who confirmed, what they saw, and the confirmation time.
Independent review before execution	Record reviewer role, review scope, authority to change the outcome, and disposition.
Intervention during execution	Record the point of intervention and the action altered or stopped.
Post-action review	Record review timing, authority, findings, and corrective action.
Automated recommendation accepted	Record whether substantive modification occurred and avoid implying independent analysis.

Define meaningful review for this action class.

Reviewer role	Required evidence	Decision authority	Time limit

What makes the review independent enough for the consequence level?

YOUR RESPONSE

WORKSHEET 2.5

Delegation and Service Chain

PURPOSE Make material transfers of task or authority visible without exposing irrelevant internal infrastructure.				
Delegating actor	Receiving actor or service	Task	Authority passed	Evidence returned

Where can scope expand, data cross a boundary, or responsibility become unclear?

YOUR RESPONSE

Define the stop condition when a downstream service cannot return required evidence.

YOUR RESPONSE

DESIGN RULE

The visible agent may remain the user interface, but responsibility and material delegation must not disappear behind that interface.

CHECKPOINT

Authority and Control Review

Pause before drafting the receipt. An unresolved control issue should remain visible, not be smoothed over by documentation.

- ☐ The authority grant is identifiable, bounded, time-limited where appropriate, and revocable.
- ☐ The operational objective reflects the user’s purpose without inventing sensitive priorities.
- ☐ Confirmation and independent-review thresholds are defined by consequence.
- ☐ Oversight evidence describes what the reviewer actually did and could change.
- ☐ Every material delegation remains within the original scope.
- ☐ Execution pauses or fails safely when required evidence cannot be produced.

What remains unresolved, who owns it, and what is the due date?

Unresolved item	Owner	Due date	Decision needed

Decision

- ☐ Proceed to the next part.
- ☐ Proceed with named conditions.
- ☐ Pause design until the control gap is resolved.

CONDITIONS OR RATIONALE

03

Build the Minimum Accountable Record

Turn consequential-action evidence into a durable, human-readable, and machine-verifiable artifact.

BY THE END OF THIS PART

Eleven receipt blocks / human-readable draft / machine-readable map / integrity and availability

WORKSHEET 3.1

Receipt Anatomy

PURPOSE

Define how the artifact will bind actor, action, authority, evidence, oversight, consequence, and remedy.

Accountability question	Receipt location
Who acted and who is responsible?	Blocks 1–2
What happened and what changed?	Block 3
Why was the system permitted to act?	Blocks 4–5
What information materially shaped the action?	Block 6
Did another system or person exercise authority?	Blocks 7–8
Who was affected and how can the action be challenged?	Blocks 9–10
Who may retain, access, or reuse the evidence?	Block 11

Select the receipt surfaces that must remain consistent.

- ☐ Immediate user-facing notice
- ☐ Durable human-readable record
- ☐ Machine-readable object or API response
- ☐ Administrative or audit view
- ☐ Affected-party or representative view
- ☐ Export for dispute, correction, or appeal

Define material intelligibility for this use case.

What must a reasonable affected person understand without seeing private chain-of-thought, proprietary code, or unrelated personal information?

YOUR RESPONSE

WORKSHEET 3.2

Receipt identity and integrity

PURPOSE

Give the artifact a unique identity and a way to detect alteration.

Candidate minimum fields

- ☐ Unique receipt identifier
- ☐ Creation and event timestamps
- ☐ Schema version
- ☐ Issuing organization
- ☐ Integrity proof and verification method

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.3

Agent identity and organizational responsibility

PURPOSE

Identify both the deployed actor and the organization accountable for the action pathway.

Candidate minimum fields

- ☐ Agent and deployment identifier
- ☐ Relevant version
- ☐ Operating service
- ☐ Accountable organization
- ☐ Human contact or review channel

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.4

Action and resulting state change

PURPOSE

Describe conduct in direct language and distinguish recommendation from execution.

Candidate minimum fields

- ☐ Action type and status
- ☐ Target object or record
- ☐ Material before state
- ☐ Material after state
- ☐ Success, failure, denial, or reversal

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.5

Authority exercised

PURPOSE

Bind the action to the permission, mandate, policy, or instruction that allowed it.

Candidate minimum fields

- ☐ Grant identifier
- ☐ Granting party
- ☐ Scope and exclusions
- ☐ Grant and expiration time
- ☐ Confirmation requirement

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.6

Authorized objective

PURPOSE

State the bounded purpose the agent operationalized without reproducing the full prompt history.

Candidate minimum fields

- ☐ Concise objective
- ☐ Hard constraints
- ☐ Permitted preferences
- ☐ Ambiguity handling
- ☐ Objective version or change record

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.7

Material inputs and provenance

PURPOSE

Reveal the information that changed the action, its source, and relevant quality limits.

Candidate minimum fields

- ☐ Input category
- ☐ Provenance
- ☐ Materiality to outcome
- ☐ Freshness or status
- ☐ Disputed, incomplete, or unavailable flag

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.8

Delegation and service chain

PURPOSE

Identify material downstream actors, tasks, and authority transfers.

Candidate minimum fields

- ☐ Delegating actor
- ☐ Receiving actor or service
- ☐ Task performed
- ☐ Authority passed
- ☐ Evidence returned

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.9

Human-oversight status

PURPOSE

Record whether meaningful review occurred and the function the person performed.

Candidate minimum fields

- ☐ Oversight status
- ☐ Reviewer role
- ☐ Evidence viewed
- ☐ Authority to intervene
- ☐ Disposition and time

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.10

Consequence and affected-party status

PURPOSE

Classify the consequence, external persistence, and whether another party was materially affected.

Candidate minimum fields

- ☐ Consequence class
- ☐ Persistent change flag
- ☐ Affected-party flag
- ☐ Notice requirement
- ☐ Protected third-party information

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.11

Remedy and contestability

PURPOSE

Attach correction, reversal, dispute, and accountable review to the action itself.

Candidate minimum fields

- ☐ Reversibility
- ☐ Correction or restoration steps
- ☐ Contest pathway
- ☐ Review owner
- ☐ Time limit and status tracking

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.12

Access, retention, and use restrictions

PURPOSE

Limit who can use the receipt, how long it remains, and what secondary uses are prohibited.

Candidate minimum fields

- ☐ Retention basis and period
- ☐ Access roles
- ☐ Access-event logging
- ☐ Correction or deletion pathway
- ☐ Prohibited secondary uses

Field or evidence	Required	System source	User-facing wording

Minimum necessary record and exclusion boundary

YOUR RESPONSE

Verification, remedy, or affected-party note

YOUR RESPONSE

WORKSHEET 3.13

Human-Readable Receipt Builder

PURPOSE

Draft a receipt that lets an affected person understand the action without translating a technical event log.

1. At [time], [agent] [attempted/executed/denied/delegated/escalated/reversed] [action].

YOUR RESPONSE

2. The action changed [before state] to [after state], or did not complete because [reason].

YOUR RESPONSE

3. The system acted under [authority grant], provided by [granting party], with the following scope and limits: [scope].

YOUR RESPONSE

4. The authorized objective was [bounded objective].

YOUR RESPONSE

5. The action was materially influenced by [input categories and sources], subject to [quality or freshness limits].

YOUR RESPONSE

6. Human oversight status: [status, function, and disposition]. Material delegation: [chain or none].

YOUR RESPONSE

7. You can [inspect, correct, contest, reverse, revoke, or escalate] through [pathway] by [time limit].

YOUR RESPONSE

8. This receipt is retained until [date or rule], accessible by [roles], and may not be used for [prohibited uses].

YOUR RESPONSE

WORKSHEET 3.14

Final Human-Readable Draft

PURPOSE

Combine the receipt sentences into one coherent artifact with a clear remedy and no unnecessary disclosure.

RECEIPT TITLE AND IDENTIFIER

ACTION SUMMARY

AUTHORITY, OBJECTIVE, AND MATERIAL INPUTS

OVERSIGHT, DELEGATION, AND AFFECTED-PARTY STATUS

REMEDY, RETENTION, AND RESTRICTIONS

Plain-language review

- ☐ A person can distinguish recommendation from execution.
- ☐ A person can identify the responsible organization.
- ☐ The action and material state change are concrete.
- ☐ The authority and its limits are understandable.
- ☐ Material inputs are described by category and source.
- ☐ The remedy is attached to the action and can be initiated directly.

WORKSHEET 3.15

Machine-Readable Field Map

PURPOSE

Map the human-readable artifact to stable fields that can be verified, exchanged, retained, and tested.

JSON path or field	Type	Required	Source event	Human-readable use

Versioning and compatibility rule

State how schema changes, deprecated fields, and unknown extensions will be handled.

YOUR RESPONSE

Evidence-to-receipt transformation rule

Describe how internal event evidence becomes a privacy-preserving, user-facing artifact without exposing chain-of-thought or secrets.

YOUR RESPONSE

WORKSHEET 3.16

Integrity and Availability Plan

PURPOSE Ensure the receipt remains verifiable outside the interface that first displayed it and cannot silently disappear after execution.		
Control	Design decision	Owner
Unique identifier		
Event-to-receipt binding		
Integrity proof		
Issuer verification		
Export format		
Receipt delivery		
Availability during dispute		
Correction and supersession		
Failure or exception record		

What must happen if the system cannot generate the required receipt?

YOUR RESPONSE

- ☐ Pause before execution.
- ☐ Fail safely and notify the user.
- ☐ Escalate to an accountable human.
- ☐ Create a visible exception record linked to the attempted action.

CHECKPOINT

Receipt Design Review

Pause before drafting the receipt. An unresolved control issue should remain visible, not be smoothed over by documentation.

- ☐ All eleven information blocks are mapped to evidence sources.
- ☐ Human-readable and machine-readable versions describe the same event.
- ☐ The receipt can be exported and verified outside the original interface.
- ☐ No field depends on private chain-of-thought.
- ☐ The remedy is direct, specific, time-bounded where necessary, and owned.
- ☐ The action cannot silently execute when the required artifact fails.

What remains unresolved, who owns it, and what is the due date?

Unresolved item	Owner	Due date	Decision needed

Decision

- ☐ Proceed to the next part.
- ☐ Proceed with named conditions.
- ☐ Pause design until the control gap is resolved.

CONDITIONS OR RATIONALE

Minimize and Protect Accountability Data

Preserve contestability without turning the receipt into a transcript, behavioral dossier, or secondary-use dataset.

BY THE END OF THIS PART

Exclusion register / inference review / retention and access rules / disclosure-minimization test

WORKSHEET 4.1

Prohibited and Restricted Content

PURPOSE

Prevent the accountability artifact from becoming a behavioral dossier, security leak, or misleading record of human review.

Category	Default rule	System-specific decision
Private chain-of-thought	Never record or disclose as the explanation.	
Full conversations	Do not include by default; extract only material, bounded evidence.	
Inferred interior states	Do not convert emotion, vulnerability, intent, or personality guesses into permanent identity facts.	
Unrelated third-party information	Exclude or protect unless strictly necessary for contestability.	
Credentials and secrets	Never expose tokens, keys, security logic, or exploit-enabling detail.	
Unlimited interaction archive	Do not make receipt access conditional on indefinite history retention.	
Secondary-use authorization	Receipt generation does not authorize advertising, ranking, profiling, training, or unrelated optimization.	
Symbolic oversight	Do not state that human review occurred when a person merely clicked through an automated recommendation.	

Additional system-specific exclusions

Data or claim	Why excluded	Enforcement control

WORKSHEET 4.2

Inference and Sensitive-Data Review

PURPOSE				
Distinguish user-stated facts from system inferences and prevent unstable or sensitive guesses from becoming durable identity records.				
Candidate receipt data	Stated or inferred	Sensitive	Material to action	Include, transform, or exclude

For every included inference, answer all four questions.

- ☐ Did the inference materially change the action?
- ☐ Can it be described without claiming certainty about a person’s interior state?
- ☐ Can the person correct or dispute it?
- ☐ Is retaining it proportionate to the consequence and remedy need?

Transformation pattern

Example: replace “user is anxious” with “system used a user-selected preference for fewer simultaneous notifications.”

YOUR RESPONSE

WORKSHEET 4.3

Retention, Access, and Secondary Use

PURPOSE

Define accountability data as a controlled evidence class rather than a general-purpose behavioral dataset.

Receipt element	Retention basis	Routine period	Dispute hold	Deletion or correction

Role-based access model

Role	View	Export	Correct	Delete	Access logged

Prohibited secondary uses

- ☐ Advertising or engagement optimization
- ☐ Employee, student, or beneficiary ranking unrelated to the original action
- ☐ Insurance or risk profiling beyond the authorized context
- ☐ Unrelated model training or evaluation
- ☐ Sale, enrichment, or brokerage of behavioral data
- ☐ New inference generation unrelated to correction, contestability, or security

WORKSHEET 4.4

Disclosure-Minimization Test

PURPOSE

Choose the least revealing evidence that still preserves material intelligibility and contestability.

Test	Pass condition	Result
Materiality	Each included element helps reconstruct, verify, or contest the action.	☐ Pass ☐ Revise
Specificity	The artifact states what changed without disclosing unrelated content.	☐ Pass ☐ Revise
Provenance	Sources are described accurately without exposing secrets or third-party data.	☐ Pass ☐ Revise
Inference restraint	No unstable inference is presented as a permanent fact about a person.	☐ Pass ☐ Revise
Remedy sufficiency	Minimization does not remove information needed to challenge the action.	☐ Pass ☐ Revise
Purpose limitation	Receipt evidence is not repurposed beyond accountability, security, correction, or required compliance.	☐ Pass ☐ Revise

What can be removed, generalized, tokenized, or separated while preserving contestability?

YOUR RESPONSE

What must remain available to an authorized reviewer even if it is not shown in the routine user view?

YOUR RESPONSE

CHECKPOINT

Data Protection Review

Pause before drafting the receipt. An unresolved control issue should remain visible, not be smoothed over by documentation.

- ☐ The receipt contains material evidence, not a transcript or private reasoning record.
- ☐ Sensitive inferences are excluded, transformed, or contestable.
- ☐ Third-party data is minimized and protected.
- ☐ Credentials, security secrets, and exploit-enabling detail cannot enter the artifact.
- ☐ Retention is purpose-bound, time-bounded, and extended only for a documented dispute or legal basis.
- ☐ Secondary uses are prohibited and technically or contractually enforced.

What remains unresolved, who owns it, and what is the due date?

Unresolved item	Owner	Due date	Decision needed

Decision

- ☐ Proceed to the next part.
- ☐ Proceed with named conditions.
- ☐ Pause design until the control gap is resolved.

CONDITIONS OR RATIONALE

Test, Govern, and Implement

Test routine actions, failures, delegation, disputes, reversals, and deployment controls before release.

BY THE END OF THIS PART

Scenario tests / exception handling / conformance scorecard / roadmap / final sign-off

WORKSHEET 5.1

Scenario Test: Routine Consequential Action

PURPOSE	
Test whether the receipt reconstructs a successful action without unnecessary disclosure.	
Scenario element	Test value
Action	An agent reschedules an appointment under a standing calendar permission.
Complication	The appointment involves healthcare and another participant.
Expected control	The system distinguishes schedule optimization from authority to move protected appointments.
Expected artifact	Executed receipt with before-and-after state, authority, inputs, oversight, and restoration path.

What should the agent do before execution?

YOUR RESPONSE

Draft the action summary and authority statement.

YOUR RESPONSE

What information must be excluded or transformed?

YOUR RESPONSE

Pass, conditional pass, or fail—and why?

YOUR RESPONSE

WORKSHEET 5.2

Scenario Test: Denial, Delegation, and Dispute

PURPOSE	
Test whether non-success states and downstream authority remain visible and contestable.	
Scenario element	Test value
Action	An employment-screening agent delegates identity verification, then denies progression.
Complication	A downstream service returns a confidence result based on stale data.
Expected control	The decision pathway records material delegation, data quality, and meaningful human-review status.
Expected artifact	Denied receipt with delegation chain, material-input status, correction path, reviewer owner, and time limit.

Which evidence is material to the denial?

YOUR RESPONSE

How can the affected person correct the stale information and obtain reconsideration?

YOUR RESPONSE

What must the receipt say about human review?

YOUR RESPONSE

Pass, conditional pass, or fail—and why?

YOUR RESPONSE

WORKSHEET 5.3

Failure and Exception Handling

PURPOSE

Define transaction behavior when authority, evidence, integrity, delivery, or remedy controls fail.

Test at least: missing authority, expired grant, unavailable evidence, integrity failure, downstream service without evidence, receipt delivery failure, and unavailable remedy.

Failure	Detect	Stop or continue	User-visible record	Recovery owner

Define the non-negotiable fail-safe rule for C3 actions.

YOUR RESPONSE

How will a corrective or superseding receipt link to the original?

YOUR RESPONSE

WORKSHEET 5.4A

Conformance Decision Protocol

PURPOSE

Evaluate each requirement against its atomic assertions and evidence. A strong control may not compensate for a failed authority, remedy, integrity, privacy, or safe-failure control.

Result and evidence rules

Result	Operational definition
PASS	Every atomic assertion is implemented, supported by sufficient evidence, testable, and reproducible.
PARTIAL	No atomic assertion is contradicted or absent, but at least one implementation element, evidence source, enforcement mechanism, or test remains incomplete.
FAIL	A required control is absent, contradicted, unenforced, or unsupported by required evidence. Unavailable required evidence is a failure, not a partial result.

Evidence rule: Pass requires every atomic assertion and sufficient evidence. Unavailable required evidence produces Fail. Partial requires a named gap, owner, due date, operating restriction, and verification method.

Requirement evidence record | R1-R6

ID	Candidate minimum and atomic evaluation rule	C2/C3 gate	Result	Evidence reference or gap
R1	Durable receipt by event state - A receipt is generated for every consequential action within scope. - The receipt remains durable for the approved retention period. - Every applicable attempted, executed, denied, delegated, escalated, reversed, and expired state is represented.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R2	Actor and accountability identity - The acting agent or deployment is identified. - The operating service is identified. - The accountable organization is identified.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R3	Action and state change - The action is described with a direct verb and specific object. - The material before state is recorded when relevant. - The material after state or non-success outcome is recorded.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R4	Authority bound to action - The authority grant is identified and valid at event time. - The authorized objective is recorded. - The permitted scope and exclusions are bound to the action. - The applicable confirmation requirement is satisfied.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R5	Material inputs and provenance - Material input categories are identified. - Material input provenance is recorded. - Relevant freshness, quality, disputed, incomplete, or unavailable status is recorded.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R6	Delegation and human oversight - Material delegation is recorded, including authority passed and evidence returned. - The actual human-oversight function is recorded. - The receipt does not imply review or control that did not occur.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:

WORKSHEET 5.4B

Conformance Decision Protocol

PURPOSE

Complete R7–R12, then apply the deterministic overall-decision and deployment rules. Do not substitute an additive score or percentage for the decision protocol.

Requirement evidence record | R7–R12

ID	Candidate minimum and atomic evaluation rule	C2/C3 gate	Result	Evidence reference or gap
R7	Consequence and affected-party status - The consequence class is recorded and justified. - Affected parties beyond the authorizing user are identified when applicable. - Persistent external change is identified.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R8	Remedy and accountable review - A correction pathway is available. - A contest pathway is available. - Reversal or restoration status is stated. - An accountable review owner and time limit are identified.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R9	Retention, access, and secondary use - Retention basis and period are defined and enforced. - Access roles and access-event logging are defined and enforced. - Prohibited secondary uses are defined and enforced.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R10	Protected and excluded content - Private chain-of-thought is excluded. - Secrets and credentials are excluded. - Unrelated personal or third-party data is excluded or minimized. - Misleading human-oversight claims are prohibited.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R11	Cross-format consistency and verification - Human-readable and machine-readable forms describe the same event. - The machine-readable form passes schema and semantic validation. - The receipt can be verified outside the original interface.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R12	Safe failure when evidence is unavailable - Required-evidence failure is detected. - Execution pauses, fails safely, or produces a visible exception according to the approved policy. - A consequential action does not execute silently when required accountability evidence is unavailable.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:

Deterministic overall decision

Outcome	Required result pattern	Deployment implication
CONFORMS	All R1–R12 Pass.	May proceed only within the separately approved deployment boundary.
CONDITIONAL	No Fail; at least one Partial with complete remediation record.	Restricted operation. C3 Partial or C2 hard-gate Partial requires manual control.
DOES NOT CONFORM	Any Fail, including unavailable required evidence.	Agentic execution remains disabled or under manual control.

Decision record

☐ Conforms
 ☐ Conditionally conforms
 ☐ Does not conform

Consequence class: _____ Execution mode: _____

Approver: _____ Review date: _____

TECHNICAL PROFILE 5.4C

Machine-Readable Decision Rules

PURPOSE

Express the conformance logic in a deterministic form that implementation teams, evaluators, procurement reviewers, and test harnesses can apply consistently.

Illustrative decision profile | valid JSON

```
{
  "profile_version": "0.1-rev1",
  "decision_model": "noncompensatory",
  "results": [
    "pass",
    "partial",
    "fail"
  ],
  "evidence": {
    "pass_requires_all_atomic_assertions": true,
    "unavailable_required_evidence": "fail"
  },
  "overall": {
    "conforms": "all pass",
    "conditionally_conforms": "no fail and any partial",
    "does_not_conform": "any fail"
  },
  "deployment": [
    {
      "when": "does_not_conform",
      "mode": "disabled_or_manual_control"
    },
    {
      "when": "C3 and any partial",
      "mode": "manual_control"
    },
    {
      "when": "C2 and any hard-gate partial",
      "mode": "manual_control"
    },
    {
      "when": "conditional",
      "mode": "restricted_agentic"
    },
    {
      "when": "conforms",
      "mode": "approved_boundary"
    }
  ],
  "hard_gates_c2_c3": [
    "R1",
    "R2",
    "R4",
    "R8",
    "R10",
    "R11",
    "R12"
  ]
}
```

Mandatory evaluation invariants

Invariant	Required behavior
Noncompensation	A Pass in one requirement never cancels a Fail in another.
Evidence precedence	Unavailable required evidence overrides a claimed Pass and produces Fail.
Consequence gate	C3 Partial or C2 hard-gate Partial prevents unrestricted agentic execution.
Receipt consistency	Human and machine forms must describe the same event; disagreement fails R11.
No silent execution	Required-evidence failure must pause, safely fail, or create a visible exception.

The companion JSON file contains the complete R1-R12 atomic-assertion registry, evidence rules, decision expressions, deployment rules, scope rule, and executable test vectors.

WORKSHEET 5.4D

Conformance Test Cases

PURPOSE

Verify that the decision rules produce the expected result under routine, incomplete, contradictory, unavailable-evidence, and high-consequence conditions.

Normative decision test vectors

ID	Input profile	Expected decision	Execution mode	Control principle
T01	C2; R1-R12 Pass	Conforms	Approved boundary	All minimums satisfied.
T02	C1; R5=partial	Conditional	Restricted + remediation	Partial cannot be called full conformance.
T03	C1; R4=fail	Does not conform	Disabled/manual	Any Fail is nonconforming.
T04	C2; R4=partial	Conditional	Manual control	C2 authority Partial blocks agentic execution.
T05	C3; R5=partial	Conditional	Manual control	Any C3 Partial requires manual control.
T06	C3; R12=fail	Does not conform	Disabled/manual	Safe-failure control is noncompensable.
T07	C2; R5 evidence unavailable	Does not conform	Disabled/manual	Unavailable evidence is Fail.
T08	C2; R11=fail	Does not conform	Disabled/manual	Cross-format disagreement fails R11.
T09	C0; receipt not required; rationale approved	Not triggered	Outside profile	C0 exclusion requires approved rationale.

Test execution record

Test run	Evaluator	Date	Result	Evidence bundle
			☐ Pass ☐ Fail	
Build/version	Exceptions	Retest date	Owner	Approval

Acceptance rule: The implementation passes this protocol only when observed decisions and execution modes match every applicable expected result and the supporting evidence is reproducible.

WORKSHEET 5.5

Implementation Roadmap

PURPOSE				
Turn design gaps into sequenced, owned work with acceptance evidence.				
Work item	Owner	Dependency	Target date	Acceptance evidence

Release gates

- ☐ Authority and confirmation controls implemented
- ☐ Event taxonomy emitted and retained
- ☐ Human-readable receipt usability tested
- ☐ Machine-readable schema validated
- ☐ Integrity and export verified
- ☐ Remedy workflow operational and staffed
- ☐ Privacy exclusions and secondary-use controls tested
- ☐ Failure and rollback drills completed

First deployment boundary

Name the action class, user population, monitoring period, and conditions that stop or expand deployment.

YOUR RESPONSE

WORKSHEET 5.6

Ownership and Final Sign-Off

PURPOSE

Record the accountable owners for the action pathway, receipt evidence, remedy, and future changes.

Include product, authority policy, security and integrity, privacy, human oversight, remedy, and affected-party representation.

Responsibility	Named owner	Approval or review	Date

Decision record

- ☐ Approved for limited implementation within the boundary below.
- ☐ Approved only after the listed conditions are verified.
- ☐ Not approved for agentic execution; retain recommendation-only or manual workflow.

APPROVED BOUNDARY, CONDITIONS, AND REVIEW DATE

Accountability Must Travel with the Action

An AI agent should never be easier to authorize than to hold accountable. If a system can alter a person's environment, the evidence, control pathway, and remedy must travel with the alteration.

IMPLEMENTATION BOUNDARY

A polished receipt cannot cure missing authority, unavailable remedy, symbolic human review, or execution that continues when required accountability evidence fails.

APPENDIX A

Candidate Trust Receipt v0.1 Field Catalog

Block	Information block	Candidate field	Implementation note
1	Receipt identity and integrity	Unique receipt identifier	Define source, type, requirement, and minimization rule
1	Receipt identity and integrity	Creation and event timestamps	Define source, type, requirement, and minimization rule
1	Receipt identity and integrity	Schema version	Define source, type, requirement, and minimization rule
1	Receipt identity and integrity	Issuing organization	Define source, type, requirement, and minimization rule
1	Receipt identity and integrity	Integrity proof and verification method	Define source, type, requirement, and minimization rule
2	Agent identity and organizational responsibility	Agent and deployment identifier	Define source, type, requirement, and minimization rule
2	Agent identity and organizational responsibility	Relevant version	Define source, type, requirement, and minimization rule
2	Agent identity and organizational responsibility	Operating service	Define source, type, requirement, and minimization rule
2	Agent identity and organizational responsibility	Accountable organization	Define source, type, requirement, and minimization rule
2	Agent identity and organizational responsibility	Human contact or review channel	Define source, type, requirement, and minimization rule
3	Action and resulting state change	Action type and status	Define source, type, requirement, and minimization rule
3	Action and resulting state change	Target object or record	Define source, type, requirement, and minimization rule
3	Action and resulting state change	Material before state	Define source, type, requirement, and minimization rule
3	Action and resulting state change	Material after state	Define source, type, requirement, and minimization rule
3	Action and resulting state change	Success, failure, denial, or reversal	Define source, type, requirement, and minimization rule
4	Authority exercised	Grant identifier	Define source, type, requirement, and minimization rule
4	Authority exercised	Granting party	Define source, type, requirement, and minimization rule
4	Authority exercised	Scope and exclusions	Define source, type, requirement, and

Block	Information block	Candidate field	Implementation note
			minimization rule
4	Authority exercised	Grant and expiration time	Define source, type, requirement, and minimization rule
4	Authority exercised	Confirmation requirement	Define source, type, requirement, and minimization rule
5	Authorized objective	Concise objective	Define source, type, requirement, and minimization rule
5	Authorized objective	Hard constraints	Define source, type, requirement, and minimization rule
5	Authorized objective	Permitted preferences	Define source, type, requirement, and minimization rule
5	Authorized objective	Ambiguity handling	Define source, type, requirement, and minimization rule
5	Authorized objective	Objective version or change record	Define source, type, requirement, and minimization rule
6	Material inputs and provenance	Input category	Define source, type, requirement, and minimization rule
6	Material inputs and provenance	Provenance	Define source, type, requirement, and minimization rule
6	Material inputs and provenance	Materiality to outcome	Define source, type, requirement, and minimization rule
6	Material inputs and provenance	Freshness or status	Define source, type, requirement, and minimization rule
6	Material inputs and provenance	Disputed, incomplete, or unavailable flag	Define source, type, requirement, and minimization rule
7	Delegation and service chain	Delegating actor	Define source, type, requirement, and minimization rule
7	Delegation and service chain	Receiving actor or service	Define source, type, requirement, and minimization rule
7	Delegation and service chain	Task performed	Define source, type, requirement, and minimization rule
7	Delegation and service chain	Authority passed	Define source, type, requirement, and minimization rule
7	Delegation and service chain	Evidence returned	Define source, type, requirement, and minimization rule
8	Human-oversight status	Oversight status	Define source, type, requirement, and minimization rule
8	Human-oversight status	Reviewer role	Define source, type, requirement, and minimization rule
8	Human-oversight status	Evidence viewed	Define source, type, requirement, and minimization rule

Block	Information block	Candidate field	Implementation note
8	Human-oversight status	Authority to intervene	Define source, type, requirement, and minimization rule
8	Human-oversight status	Disposition and time	Define source, type, requirement, and minimization rule
9	Consequence and affected-party status	Consequence class	Define source, type, requirement, and minimization rule
9	Consequence and affected-party status	Persistent change flag	Define source, type, requirement, and minimization rule
9	Consequence and affected-party status	Affected-party flag	Define source, type, requirement, and minimization rule
9	Consequence and affected-party status	Notice requirement	Define source, type, requirement, and minimization rule
9	Consequence and affected-party status	Protected third-party information	Define source, type, requirement, and minimization rule
10	Remedy and contestability	Reversibility	Define source, type, requirement, and minimization rule
10	Remedy and contestability	Correction or restoration steps	Define source, type, requirement, and minimization rule
10	Remedy and contestability	Contest pathway	Define source, type, requirement, and minimization rule
10	Remedy and contestability	Review owner	Define source, type, requirement, and minimization rule
10	Remedy and contestability	Time limit and status tracking	Define source, type, requirement, and minimization rule
11	Access, retention, and use restrictions	Retention basis and period	Define source, type, requirement, and minimization rule
11	Access, retention, and use restrictions	Access roles	Define source, type, requirement, and minimization rule
11	Access, retention, and use restrictions	Access-event logging	Define source, type, requirement, and minimization rule
11	Access, retention, and use restrictions	Correction or deletion pathway	Define source, type, requirement, and minimization rule
11	Access, retention, and use restrictions	Prohibited secondary uses	Define source, type, requirement, and minimization rule

APPENDIX B

Illustrative Human-Readable Receipt

TRUST RECEIPT TR-2026-0718-A17

At 2:14 p.m. on July 18, 2026, Scheduling Agent A17 moved your medical appointment from July 16 at 10:00 a.m. to July 18 at 2:30 p.m. The agent acted under Calendar Permission CP-204, approved on June 4 and limited to resolving schedule conflicts. The action used your stated preference for afternoon appointments and availability from your connected work calendar. No human reviewed the change, and no other agent received delegated authority. The original appointment may still be recoverable. You may inspect the permission, request restoration, revoke future rescheduling authority, or dispute this action through the linked review pathway. Routine access to this receipt expires on January 18, 2027; the retention basis and deletion pathway remain available with the receipt.

Review notes

- ☐ The artifact states conduct rather than merely announcing that AI was involved.
- ☐ The before-and-after state is concrete.
- ☐ The authority, material inputs, oversight status, and remedy are visible.
- ☐ The example does not expose chain-of-thought, full conversation history, or unrelated personal data.

What would need to change for your use case?

YOUR RESPONSE

APPENDIX C

Illustrative Machine-Readable Object

```
{
  "receipt_version": "0.1",
  "receipt_id": "urn:trust-receipt:2026:0718:A17",
  "event_time": "2026-07-18T14:14:00-04:00",
  "agent": {
    "id": "scheduling-agent-A17",
    "operator": "Example Health Services"
  },
  "action": {
    "type": "calendar.reschedule",
    "status": "executed",
    "persistent_change": true
  },
  "authority": {
    "grant_id": "CP-204",
    "scope": "resolve_schedule_conflicts",
    "granted_at": "2026-06-04T09:30:00-04:00"
  },
  "material_inputs": [
    {"category": "user_preference", "provenance": "user_stated"},
    {"category": "calendar_availability", "provenance": "connected_service"}
  ],
  "human_review": {"status": "none"},
  "remedy": {"reversible": true, "contestable": true},
  "retention": {"routine_access_expires": "2027-01-18"},
  "integrity": {"method": "issuer-bound digital proof"}
}
```

Illustrative only. A production schema requires defined types, validation rules, error behavior, extension handling, integrity semantics, and conformance tests.

APPENDIX D

Technical Alignment and Selected Sources

The Trust Receipt is a proposed agency artifact, not a claim that current law or standards already require this exact object. The alignment below identifies technical and governance concepts that can inform implementation.

Source	Relevant implementation concept
NIST NCCoE, Software and AI Agent Identity and Authorization	Agent identity, authorization, delegated authority, intent, logging, and non-repudiation.
ITU Focus Group on Trust and Identity for Humans and Agentic AI	Runtime trust controls, lifecycle trust management, human oversight, behavioral trust signals, traceability, and machine-readable trust metadata.
EU Artificial Intelligence Act	Event logging, transparency, information to deployers, human oversight, and specified transparency duties; it does not establish a universal user-facing Trust Receipt requirement.
GDPR	Purpose limitation, data minimization, accuracy, storage limitation, integrity, and accountability.
W3C Verifiable Credentials Data Model 2.0	Issuer-bound, machine-verifiable claims and integrity patterns.
W3C PROV-O	Interoperable representation of entities, activities, agents, and provenance relationships.
OpenTelemetry traces	Structured event and trace evidence that may support internal observability, subject to minimization and access controls.

Official references

NIST NCCoE: <https://www.nccoe.nist.gov/projects/software-and-ai-agent-identity-and-authorization>

ITU FG-TIDA: <https://www.itu.int/en/ITU-T/focusgroups/tida/Pages/default.aspx>

EU AI Act: <https://eur-lex.europa.eu/eli/reg/2024/1689/oj/eng>

GDPR: <https://eur-lex.europa.eu/eli/reg/2016/679/oj/eng>

W3C Verifiable Credentials Data Model 2.0: <https://www.w3.org/TR/vc-data-model-2.0/>

W3C PROV-O: <https://www.w3.org/TR/prov-o/>

OpenTelemetry traces: <https://opentelemetry.io/docs/concepts/signals/traces/>

USE NOTICE

Claim Boundary and Document Control

DISCLAIMER

Trust Receipt v0.1 is a proposed implementation model. It is not an adopted technical standard, certification, regulator-approved framework, legal-compliance determination, or externally audited control system. Organizations should obtain appropriate technical, security, privacy, accessibility, and legal review before deployment.

Document control

Field	Value
Document	AI Trust Receipt Workbook
Version	Candidate v0.1
Date	July 2026
Author	Brittany Wright
Origin	Unauthorized Inference / Emotional Infrastructure
Intended use	Internal design, review, procurement, testing, and implementation planning
Status	Proposed; not externally certified, audited, or adopted

Future revisions should preserve explicit claim boundaries, document material field changes, identify backward-compatibility effects, and distinguish editorial refinement from changes to candidate conformance requirements.