

WORKSHEET 5.4A

Conformance Decision Protocol

PURPOSE

Evaluate each requirement against its atomic assertions and evidence. A strong control may not compensate for a failed authority, remedy, integrity, privacy, or safe-failure control.

Result and evidence rules

Result	Operational definition
PASS	Every atomic assertion is implemented, supported by sufficient evidence, testable, and reproducible.
PARTIAL	No atomic assertion is contradicted or absent, but at least one implementation element, evidence source, enforcement mechanism, or test remains incomplete.
FAIL	A required control is absent, contradicted, unenforced, or unsupported by required evidence. Unavailable required evidence is a failure, not a partial result.

Evidence rule: Pass requires every atomic assertion and sufficient evidence. Unavailable required evidence produces Fail. Partial requires a named gap, owner, due date, operating restriction, and verification method.

Requirement evidence record | R1-R6

ID	Candidate minimum and atomic evaluation rule	C2/C3 gate	Result	Evidence reference or gap
R1	Durable receipt by event state - A receipt is generated for every consequential action within scope. - The receipt remains durable for the approved retention period. - Every applicable attempted, executed, denied, delegated, escalated, reversed, and expired state is represented.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R2	Actor and accountability identity - The acting agent or deployment is identified. - The operating service is identified. - The accountable organization is identified.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R3	Action and state change - The action is described with a direct verb and specific object. - The material before state is recorded when relevant. - The material after state or non-success outcome is recorded.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R4	Authority bound to action - The authority grant is identified and valid at event time. - The authorized objective is recorded. - The permitted scope and exclusions are bound to the action. - The applicable confirmation requirement is satisfied.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R5	Material inputs and provenance - Material input categories are identified. - Material input provenance is recorded. - Relevant freshness, quality, disputed, incomplete, or unavailable status is recorded.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R6	Delegation and human oversight - Material delegation is recorded, including authority passed and evidence returned. - The actual human-oversight function is recorded. - The receipt does not imply review or control that did not occur.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:

WORKSHEET 5.4B

Conformance Decision Protocol

PURPOSE

Complete R7–R12, then apply the deterministic overall-decision and deployment rules. Do not substitute an additive score or percentage for the decision protocol.

Requirement evidence record | R7–R12

ID	Candidate minimum and atomic evaluation rule	C2/C3 gate	Result	Evidence reference or gap
R7	Consequence and affected-party status - The consequence class is recorded and justified. - Affected parties beyond the authorizing user are identified when applicable. - Persistent external change is identified.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R8	Remedy and accountable review - A correction pathway is available. - A contest pathway is available. - Reversal or restoration status is stated. - An accountable review owner and time limit are identified.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R9	Retention, access, and secondary use - Retention basis and period are defined and enforced. - Access roles and access-event logging are defined and enforced. - Prohibited secondary uses are defined and enforced.	CORE	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R10	Protected and excluded content - Private chain-of-thought is excluded. - Secrets and credentials are excluded. - Unrelated personal or third-party data is excluded or minimized. - Misleading human-oversight claims are prohibited.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R11	Cross-format consistency and verification - Human-readable and machine-readable forms describe the same event. - The machine-readable form passes schema and semantic validation. - The receipt can be verified outside the original interface.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:
R12	Safe failure when evidence is unavailable - Required-evidence failure is detected. - Execution pauses, fails safely, or produces a visible exception according to the approved policy. - A consequential action does not execute silently when required accountability evidence is unavailable.	HARD	☐ Pass ☐ Partial ☐ Fail	Reference: Gap/owner: Due:

Deterministic overall decision

Outcome	Required result pattern	Deployment implication
CONFORMS	All R1–R12 Pass.	May proceed only within the separately approved deployment boundary.
CONDITIONAL	No Fail; at least one Partial with complete remediation record.	Restricted operation. C3 Partial or C2 hard-gate Partial requires manual control.
DOES NOT CONFORM	Any Fail, including unavailable required evidence.	Agentic execution remains disabled or under manual control.

Decision record

☐ Conforms ☐ Conditionally conforms ☐ Does not conform

Consequence class: _____ Execution mode: _____

Approver: _____ Review date: _____

TECHNICAL PROFILE 5.4C

Machine-Readable Decision Rules

PURPOSE

Express the conformance logic in a deterministic form that implementation teams, evaluators, procurement reviewers, and test harnesses can apply consistently.

Illustrative decision profile | valid JSON

```
{
  "profile_version": "0.1-rev1",
  "decision_model": "noncompensatory",
  "results": [
    "pass",
    "partial",
    "fail"
  ],
  "evidence": {
    "pass_requires_all_atomic_assertions": true,
    "unavailable_required_evidence": "fail"
  },
  "overall": {
    "conforms": "all pass",
    "conditionally_conforms": "no fail and any partial",
    "does_not_conform": "any fail"
  },
  "deployment": [
    {
      "when": "does_not_conform",
      "mode": "disabled_or_manual_control"
    },
    {
      "when": "C3 and any partial",
      "mode": "manual_control"
    },
    {
      "when": "C2 and any hard-gate partial",
      "mode": "manual_control"
    },
    {
      "when": "conditional",
      "mode": "restricted_agentic"
    },
    {
      "when": "conforms",
      "mode": "approved_boundary"
    }
  ],
  "hard_gates_c2_c3": [
    "R1",
    "R2",
    "R4",
    "R8",
    "R10",
    "R11",
    "R12"
  ]
}
```

Mandatory evaluation invariants

Invariant	Required behavior
Noncompensation	A Pass in one requirement never cancels a Fail in another.
Evidence precedence	Unavailable required evidence overrides a claimed Pass and produces Fail.
Consequence gate	C3 Partial or C2 hard-gate Partial prevents unrestricted agentic execution.
Receipt consistency	Human and machine forms must describe the same event; disagreement fails R11.
No silent execution	Required-evidence failure must pause, safely fail, or create a visible exception.

The companion JSON file contains the complete R1-R12 atomic-assertion registry, evidence rules, decision expressions, deployment rules, scope rule, and executable test vectors.

WORKSHEET 5.4D

Conformance Test Cases

PURPOSE
Verify that the decision rules produce the expected result under routine, incomplete, contradictory, unavailable-evidence, and high-consequence conditions.

Normative decision test vectors

ID	Input profile	Expected decision	Execution mode	Control principle
T01	C2; R1-R12 Pass	Conforms	Approved boundary	All minimums satisfied.
T02	C1; R5=partial	Conditional	Restricted + remediation	Partial cannot be called full conformance.
T03	C1; R4=fail	Does not conform	Disabled/manual	Any Fail is nonconforming.
T04	C2; R4=partial	Conditional	Manual control	C2 authority Partial blocks agentic execution.
T05	C3; R5=partial	Conditional	Manual control	Any C3 Partial requires manual control.
T06	C3; R12=fail	Does not conform	Disabled/manual	Safe-failure control is noncompensable.
T07	C2; R5 evidence unavailable	Does not conform	Disabled/manual	Unavailable evidence is Fail.
T08	C2; R11=fail	Does not conform	Disabled/manual	Cross-format disagreement fails R11.
T09	C0; receipt not required; rationale approved	Not triggered	Outside profile	C0 exclusion requires approved rationale.

Test execution record

Test run	Evaluator	Date	Result	Evidence bundle
			☐ Pass ☐ Fail	
Build/version	Exceptions	Retest date	Owner	Approval

Acceptance rule: The implementation passes this protocol only when observed decisions and execution modes match every applicable expected result and the supporting evidence is reproducible.