



Jun 16, 2026

Testing Report

Key Insights From TestSprite's Autonomous AI Testing Agent

Report Contents

1	Executive Summary	03
2	Frontend UI Test Results	03

45

Test Runs

100.0%

Pass Rate

1

Issues

4h

Saved By TestSprite

Table of Contents

- 3 Executive Summary
 - 3 High-Level Overview
 - 3 Key Findings

- 3 Frontend UI Test Results
 - 3 Test Coverage Summary
 - 3 Test Execution Summary
 - 6 Test Execution Breakdown

Executive Summary

1 High-Level Overview

OVERVIEW		
Total APIs Tested	0 APIs	
Base URL	https://kelas-b-5.informatika-unjedir.web.id/	
Pass / Fail / Blocked	Backend (endpoint): 0 Passed / 0 Failed Frontend: 44 Passed / 0 Failed / 1 Blocked	

2 Key Findings

Test Summary

The frontend suite is in strong shape: 40 tests passed and 1 test was Blocked, with no actual failures. On the executable subset, the success rate is 100%, so the quality score is computed from the runnable tests only and excludes the single Blocked case. The app’s main user journeys appear stable: public navigation, homepage interactions, catalog browsing, article/FAQ flows, consultation submission, and admin CRUD all behaved as expected. The only gap is the mobile-navigation test, which could not be executed because the test harness could not reach a collapsed mobile menu in the desktop-rendered layout.

What could be better

There are no product failures in the run, but there is one coverage gap: `Public Navigation and Site Shell: Use the mobile navigation menu to open another page` was Blocked because the environment only exposed the desktop header and no hamburger toggle was reachable. That means the suite did not validate the mobile nav experience, so a real regression there would currently go undetected. Beyond that, the passing results suggest the app is broadly healthy across content browsing, admin management, and consultation flows.

Recommendations

Keep the app as-is for the passed flows, but close the mobile coverage gap. First, verify whether the site intentionally uses a responsive hamburger menu and whether it appears at smaller breakpoints. If it does, update the test harness to support viewport resizing or add a mobile-capable execution path. If it does not, replace the blocked test with a desktop-appropriate navigation check so the suite reflects the actual UI. Re-run the affected navigation test after that change, then spot-check the homepage, catalog, article, FAQ, and admin flows to confirm nothing regressed.

Frontend UI Test Results

1 Test Coverage Summary

This report summarizes the frontend UI testing results for the application. TestSprite's AI agent automatically generated and executed tests based on the UI structure, user interaction flows, and visual components. The tests aimed to validate core functionalities, visual correctness, and responsiveness across different states.

URL NAME	TEST CASES	PASS/FAIL RATE
kelas-b-5.informatika-unjedir.web.id	45	44 Pass / 0 Fail / 1 Blocked

Note

The test cases were generated using real-time analysis of the application's UI hierarchy and user flows. Some visual and functional validations were adapted dynamically based on runtime DOM changes.

2 Test Execution Summary

TEST CASE	TEST DESCRIPTION	IMPACT	STATUS
FAQ Browsing: Expand and collapse FAQ answers	Verify that individual FAQ items open to reveal answers and close again on repeat selection. The accordion behavior should let a visitor inspect and dismiss answers on the public FAQ page.	Low	Passed
Admin Authentication: Handle invalid admin login credentials	An incorrect sign-in attempt keeps the user on the login page and shows an error indication. The test confirms invalid credentials are rejected without entering the admin area.	High	Passed
Products Catalog: Filter products by category	The catalog lets visitors narrow results by product category and return to the full list. The filtered list should update to match the chosen category.	High	Passed
Admin Content Management: Delete a FAQ record	An admin removes a newly created FAQ entry and confirms it no longer appears in the list. Only the test record should be deleted.	Medium	Passed
Home Page Content and Interactions: Open a featured product from the homepage	A visitor can reach product browsing from the homepage product section. The test confirms the product path leads away from the landing page into catalog or detail content.	Medium	Passed
Public Navigation and Site Shell: Open a footer navigation link from a public page	Footer navigation should remain usable on public pages. Clicking a linked footer destination should take the visitor to the expected page.	Low	Passed
Admin Content Management: View FAQ records in admin	An admin opens the FAQ management page and sees records listed in a table. The page should load with existing entries visible and ready for management.	Medium	Passed
FAQ Browsing: Filter FAQs by category	Verify that selecting a FAQ category narrows the list and that switching back restores the full set. The filtered view should update on the same page without breaking the FAQ browsing experience.	Medium	Passed
Admin Contact Messages: View submitted consultation messages	Admin opens the contact messages module and sees consultation submissions from the public form. The messages list should be visible after entering the admin area.	High	Passed
FAQ Browsing: Browse the FAQ list	Verify that the public FAQ page loads its active questions and supports browsing through the list. The page should present FAQ entries without requiring any hidden navigation or extra setup.	Medium	Passed
Home Page Content and Interactions: Open consultation from the homepage CTA	The homepage consultation call to action leads a visitor into the consultation flow. The test confirms the primary contact entry point is reachable from the landing page.	High	Passed
Admin Contact Messages: Public consultation appears in admin messages	A consultation request submitted from the public form becomes visible in the admin contact messages module. The admin list should include the new message after a successful submission and login.	High	Passed
Admin Dashboard: View the admin dashboard	Logged-in admin opens the dashboard and sees summary widgets. The dashboard should load successfully after authentication and display account and content summary information.	High	Passed
Admin Authentication: Open the admin panel while signed out	An unauthenticated visitor who opens the admin area is redirected to the login screen. The test confirms private access is blocked until valid credentials are provided.	High	Passed
Home Page Content and Interactions: Open an article from the homepage	A visitor can move from the homepage into article reading from the latest articles section. The test confirms article navigation reaches article content successfully.	Medium	Passed
Home Page Content and Interactions: View homepage sections	The homepage loads with its main content areas visible and usable. The test confirms the landing page shell and long-form sections render for a visitor.	High	Passed
Home Page Content and Interactions: Expand and	The homepage FAQ section reveals answers when questions are opened and hides them when toggled again. The test confirms accordion interactions work on	Low	Passed

TEST CASE	TEST DESCRIPTION	IMPACT	STATUS
collapse homepage FAQ items	the landing page.		
Consultation Form: Reject consultation submission with malformed email	A visitor enters an invalid email address and submits the consultation form. The form is rejected and the invalid email is flagged.	Low	Passed
Admin Content Management: Delete an article record	An admin removes a newly created article entry and confirms it no longer appears in the list. Only the test record should be removed from the database.	Medium	Passed
Articles Listing and Detail: Paginate article results	Verifies that article pagination works while keeping the user within the catalog. Moving to another page should show a different set of articles.	Low	Passed
Admin Content Management: View article records in admin	An admin opens the article management page and sees records listed in a table. The list should be visible with existing content entries.	Medium	Passed
Admin Content Management: Edit a FAQ record	An admin updates a newly created FAQ entry and confirms the changes persist in the list. The edited values should be reflected after saving.	Medium	Passed
Home Page Content and Interactions: Browse the hero slider	The hero area automatically rotates between slides and responds to dot navigation. The test confirms the carousel changes state as the visitor interacts with it.	Low	Passed
Admin Content Management: Edit an article record	An admin updates a newly created article entry and confirms the changes persist in the list. The edited article should remain visible after saving.	Medium	Passed
Products Catalog: Browse the product catalog	The product catalog shows a browsable grid of products for public visitors. The page should load product cards and allow the user to move through the visible catalog content.	Medium	Passed
Articles Listing and Detail: Open an article from the list	Verifies that an article card opens the full article detail page. The detail page should load with the article body visible for reading.	High	Passed
Consultation Form: Reject consultation submission with missing required data	A visitor attempts to submit the consultation form without all required information. The form is rejected and validation feedback is shown.	Low	Passed
Products Catalog: Browse the second catalog page	The product catalog supports pagination for browsing additional results. The next page should show a different set of products while preserving the browsing context.	Low	Passed
Product Detail: View product detail information	Verifies that a valid product detail page shows the full product information a shopper needs. The page should present the product media, descriptive content, and pricing details for the selected item.	Medium	Passed
Public Navigation and Site Shell: Open the consultation page from the main call to action	The primary contact button in the public header should open the consultation page. Visitors should reach the consultation form without any intermediate errors.	High	Passed
Consultation Form: Submit consultation request successfully	A visitor completes the consultation form with valid required details and receives a success state. The submit button changes to a sent state and no popup is shown.	Medium	Passed
Product Detail: Show not found for missing product	Verifies that an invalid product link shows a not found response instead of a product page. The user should see the missing-content state when opening a non-existent product address.	Low	Passed
Articles Listing and Detail: Show not found for missing article	Verifies that opening a non-existent article URL returns a not found page. The user should clearly see the missing-content state instead of an article detail page.	Low	Passed

TEST CASE	TEST DESCRIPTION	IMPACT	STATUS
Consultation Form: Submit consultation request without optional fields	A visitor submits the consultation form while leaving optional greenhouse details blank. The request still succeeds and shows the sent success state.	Low	Passed
Articles Listing and Detail: Filter articles by category	Verifies that selecting an article category narrows the visible results. Resetting the filter should restore the full article list.	Medium	Passed
Articles Listing and Detail: View related articles from a post	Verifies that an article detail page shows related article suggestions. Opening one of those suggestions should load another article detail page.	Low	Passed
Articles Listing and Detail: Browse the article catalog	Verifies that the articles page shows a browsable list of article cards. The page should load its grid of posts and allow the visitor to scan through available entries.	Medium	Passed
Admin Content Management: Create a new article record	An admin creates a new article entry in the management area and sees it appear in the list. The record should be created using only test data.	High	Passed
Public Navigation and Site Shell: Open public pages from the header logo and navigation	The persistent public header should let visitors move between the main pages from any public screen. The destination page should load successfully after using the logo or top navigation.	High	Passed
Admin Content Management: Create a new FAQ record	An admin creates a new FAQ entry in the management area and sees it appear in the list. The new record should be saved without affecting existing data.	High	Passed
Admin Authentication: Log in to the admin panel with valid credentials	An authorized user signs into the admin area and reaches the dashboard. The test confirms the login form accepts valid credentials and that the dashboard becomes available afterward.	High	Passed
Home Page Content and Interactions: Open the feature demo modal	A feature demo can be launched from the homepage features area and dismissed afterward. The test confirms the modal opens and can be closed normally.	Low	Passed
Products Catalog: Open a product detail from the catalog	Visitors can open a product detail page from the catalog listing. The detail page should show the selected product's information.	High	Passed
Home Page Content and Interactions: View home sensor cards	The homepage shows the smart sensor showcase when the section is reached. The test confirms the displayed sensor content is available to visitors.	Low	Passed
Public Navigation and Site Shell: Use the mobile navigation menu to open another page	On a mobile viewport, the collapsed public menu should open and allow navigation to another public page. The selected destination should load successfully after tapping a menu link.	Low	Blocked

3 Test Execution Breakdown

Kelas-B-5.Informatika-Unjedir.Web.Id Failed & Blocked Test Details

Public Navigation and Site Shell: Use the mobile navigation menu to open another page

ATTRIBUTES	
Status	Blocked
Priority	Low
Description	On a mobile viewport, the collapsed public menu should open and allow navigation to another public page. The selected destination should load successfully after tapping a menu link.
Preview Link	https://testsprite-videos.s3.us-east-1.amazonaws.com/e4286468-f0e1-702e-e4da-b32111e7a7fd/1781606570913197//tmp/ad8b6cfa-0d94-419f-aff7-33f5f4ee57ff/result.webm

```
1  import asyncio
2  import re
3  from playwright import async_api
4  from playwright.async_api import expect
5
6  async def run_test():
7      pw = None
8      browser = None
9      context = None
10
11     try:
12         # Start a Playwright session in asynchronous mode
13         pw = await async_api.async_playwright().start()
14
15         # Launch a Chromium browser in headless mode with custom
16         # arguments
17         browser = await pw.chromium.launch(
18             headless=True,
19             args=[
20                 "--window-size=1280,720",
21                 "--disable-dev-shm-usage",
22                 "--ipc=host",
23                 "--single-process"
24             ],
25         )
26
27         # Create a new browser context (like an incognito window)
28         context = await browser.new_context()
29         # Wider default timeout to match the agent's DOM-stability
30         # budget;
31         # auto-waiting Playwright APIs (expect, locator.wait_for)
32         # inherit this.
33         context.set_default_timeout(15000)
34
35         # Open a new page in the browser context
36         page = await context.new_page()
37
38         # Interact with the page elements to simulate user flow
39         # -> navigate
40         await page.goto("https://kelas-b-5.informatika-unjedir.web.id/")
41
42         try:
43             await page.wait_for_load_state("domcontentloaded",
44                 timeout=5000)
45         except Exception:
46             pass
47
48         # -> Open the site in a new browser tab to attempt a mobile
49         # viewport so the collapsed (hamburger) menu can be tested, then
50         # reveal the mobile menu and tap a public link such as
51         # 'Products'.
52         # Open URL in new tab
53         page = await context.new_page()
54         await page.goto("https://kelas-b-5.informatika-unjedir.web.id/")
55
56         try:
57             await page.wait_for_load_state("domcontentloaded",
58                 timeout=5000)
```



```

49     except Exception:
50         pass
51
52     # -> Switch to the newly opened site tab (the tab that was
        opened for the mobile viewport attempt) and check whether the
        collapsed (hamburger) mobile menu is visible so it can be
        tapped.
53     # Switch to tab C13D
54     page = context.pages[-1] # switch to most recently active tab
55
56     # -> Switch to the site tab that was opened for the
        mobile-viewport attempt (the tab opened for the mobile
        attempt) and check whether the collapsed (hamburger) mobile
        menu is visible.
57     # Switch to tab C13D
58     page = context.pages[-1] # switch to most recently active tab
59
60     # -> Click the 'Products' link in the page header to navigate
        to the Products page and verify it loads.
61     # Products link
62     elem = page.get_by_test_id('nav-products')
63     await elem.click(timeout=10000)
64
65     # --> Assertions to verify final state
66
67     # --> Verify the selected public page is displayed
68     # Assert: Expected the Products navigation link to be marked
        as the current page.
69     await expect(page.locator("xpath=/html/body/nav/div[1]/div[1]/a
        [2]").nth(0)).to_have_attribute("aria-current", "page",
        timeout=15000), "Expected the Products navigation link to be
        marked as the current page."
70
71     # --> Test blocked by environment/access constraints during
        agent run
72     # Reason: TEST BLOCKED The test could not be run because the
        collapsed (hamburger) mobile menu could not be reached – the
        page consistently renders the desktop header and the test
        environment does not provide a way to set or emulate a mobile
        viewport size. Observations: - The header shows full
        navigation links in desktop layout: Home, Products, Articles,
        FAQ, Contact Us. - No hamburger/menu toggle is vis...
73     raise AssertionError("Test blocked during agent run: " + "TEST
        BLOCKED The test could not be run because the collapsed
        (hamburger) mobile menu could not be reached \u2014 the page
        consistently renders the desktop header and the test
        environment does not provide a way to set or emulate a mobile
        viewport size. Observations: - The header shows full
        navigation links in desktop layout: Home, Products, Articles,
        FAQ, Contact Us. - No hamburger/menu toggle is vis..." + " –
        the exported script cannot reproduce a PASS in this
        environment.")
74     await asyncio.sleep(5)
75
76     finally:
77         if context:
78             await context.close()
79         if browser:
80             await browser.close()

```

```
81         if pw:
82             await pw.stop()
83
84     asyncio.run(run_test())
85
```

Error

TEST BLOCKED The test could not be run because the collapsed (hamburger) mobile menu could not be reached — the page consistently renders the desktop header and the test environment does not provide a way to set or emulate a mobile viewport size. Observations: - The header shows full navigation links in desktop layout: Home, Products, Articles, FAQ, Contact Us. - No hamburger/menu toggle is visible in the header or among the visible interactive elements. - Multiple attempts to locate mobile-toggle elements and to open the collapsed menu returned no actionable mobile toggle; the page content did not change across attempts.

