The Lesbian, Gay, Bisexual, and Transgender Development of Clinical Skills Scale (LGBT-DOCSS) was created by Bidell as a clinical self-assessment tool for physical and mental health care providers as many clinicians need to increase awareness of personal and societal discriminatory attitudes and biases, develop or improve clinical experience and skills to effectively treat LGBTQ patients and acquire a working knowledge of LGBTQ psychosocial and health risks. You can use this tool throughout your career to assess the growth you continue to make in LGBTQ clinical competence.

Reference

 Bidell MP. The Lesbian, Gay, Bisexual, and Transgender Development of Clinical Skills Scale (LGBT-DOCSS): Establishing a New Interdisciplinary Self-Assessment for Health Providers. J Homosex. 2017;64(10):1432-1460. doi:10.1080/00918369.2017.1321389

LGBT-DOCSS

Instructions: Items on this scale are intended to examine clinical preparedness, attitudes, and basic knowledge regarding lesbian, gay, bisexual, and transgender (LGBT) clients/patients. Please use the provided scale to rate your level of agreement or disagreement for each item. Please note, items on this scale primarily inquire about either sexual orientation (LGB = lesbian, gay, and bisexual) or gender identity (transgender). Two questions are inclusive and refer collectively to lesbian, gay, bisexual, and transgender (LGBT) clients/patients.

 I am aware of institutional barriers that may inhibit transgender people from using health care services.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

2. I am aware of institutional barriers that may inhibit LGB people from using health services.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

3. I think being transgender is a mental disorder.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

4. I would feel unprepared talking with a LGBT client/patient about issues related to their sexual orientation or gender identity.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

5. A same sex relationship between two men or two women is not as strong and committed as one between a man and a woman.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

2	3	Somewhat Agree/Disagree	5	6	Strongly Agr
etent to	assess a	person who is transgender in	a theraj	peutic se	tting.
2	3	4	5	6	7
		Somewhat Agree/Disagree			Strongly Agro
etent to	assess a	person who is LGB in a thera	peutic s	etting.	
2	3	4	5	6	7
		Somewhat Agree/Disagree			Strongly Agr
TICIICE W	OTKING	with EGD chems/patients.			
			5	O	7
<u> </u>	· ·				Strongly Agr
		6 1 1 1 1 (D)			
e of a LO	GB indiv	idual is unnatural or immoral			
2	3	4	5	6	Strongly Agr
		Somewhat Agree/Disagree			Strongly Agr
	-	-	n to wo	ork with	lesbian, gay, a
		•			7
	2	Somewhat Agree/Disagree			Strongly Agr
ved ade	quate cli	nical training and supervision	to work	with tra	insgender clier
	3	4	3	0	,
2	2	Somewhat Agree/Disagree	Ę		Strongly Agre
.100 10 11	unogenu	er marviduais, i believe tiley d	10 11101 a	iry acvia	
nes to te	anegand	er individuals. I believe they a	re more	lly device	at.
2	3	4	5	6	7
		Somewhat Agree/Disagree			Strongly Agr
		cating that transgender indivi			disproportion
2	3	Somewhat Agree/Disagree	5	6	Strongly Ag
uals mus	st be dis	creet about their sexual orient	ation ar	ound chi	ldren.
2	3	4	5	6	7
		Somewhat Agree/Disagree			Strongly Agr
	2 nes to tr 2 nes to tr 2 nes to tr 2 nes to ade 2 nes of a LC 2 nerience w	2 3 nes to transgende 2 3 ived adequate cli 2 3 eived adequate cli 2 3 etent to assess a 2 3 etent to assess a	Somewhat Agree/Disagree 2	Somewhat Agree/Disagree 2 3 4 5 of research indicating that transgender individuals explicted and mental health problems compared to cisgender Somewhat Agree/Disagree	Somewhat Agree/Disagree 2 3 4 5 6 of research indicating that transgender individuals experience with and mental health problems compared to cisgender individuals and mental health problems compared to cisgender individuals. I believe they are morally deviated and adequate clinical training and supervision to work with trace and adequate clinical training and supervision to work with trace and adequate clinical training and supervision to work with trace and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with a series and adequate clinical training and supervision to work with trai

16. I have experience working with transgender clients/patients.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

17. People who dress opposite to their biological sex have a perversion.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

18. I would be morally uncomfortable working with a LGBT client/patient.

Strongly Disagree			Somewhat Agree/Disagree			Strongly Agree
1	2	3	4	5	6	7

Scoring Instruction for the LGBT-DOCSS

- 1) Reverse score all 8 questions in parentheses: (3), (4), (5), (7), (9), (12), (17), and (18). Use the reverse scoring Likert scale (1 = 7, 2 = 6, 3 = 5, 4 = 4, 5 = 3, 6 = 2, 7 = 1).
- 2) Calculate total LGBT-DOCSS mean score: Add all test items (using the reverse score for items in parentheses) and divide by 18.

The total LGBT-DOCSS mean score is equal to: 1 + 2 + (3) + (4) + (5) + 6 + (7) + 8 + (9) + 10 + 11 + (12) + 13 + 14 + 15 + 16 + (17) + (18) = LGBT-DOCSS Total Raw Score. Divide by 18 to obtain mean score.

3) Calculate Subscale scores: For each subscale, add up the scores of the questions listed (using the reverse score for items in parentheses) and divide by the number of questions in each subscale.

Clinical Preparedness subscale: (4) + 10 + 11 + 13 + 14 + 15 + 16 = LGBT-DOCSS Clinical Preparedness subscale Total Raw Score. Divide by 7 to obtain mean score.

Attitudes subscale: (3) + (5) + (7) + (9) + (12) + (17) + (18) = LGBT-DOCSS Attitudes subscale Total Raw Score. Divide by 7 to obtain mean score.

Knowledge: 1 + 2 + 6 + 8 = LGBT-DOCSS Knowledge subscale Total Raw Score. Divide by 4 to obtain mean score.

4) Higher scores are indicative of higher levels of clinical preparedness and rudimentary knowledge and less prejudicial attitudinal awareness regarding LGBT clients/patients. Scoring instructions are not initially provided to potential respondents and typically not provided to research participants.

LGBT-DOCSS was created by Markus P. Bidell (2017) The Lesbian, Gay, Bisexual, and Transgender Development of Clinical Skills Scale (LGBT-DOCSS): Establishing a New Interdisciplinary Self-Assessment for Health Providers, Journal of Homosexuality, 64:10, 1432-1460, DOI: 10.1080/00918369.2017.1321389