

Emporika: AI Chatbot for PrestaShop

The [Emporika](#) AI chatbot for PrestaShop 8.1+ and 9 is an online salesperson that closes sales in your store: shoppers describe what they need or upload a photo of something they like, it finds matching products from your catalog, handles objections like "too expensive" with alternatives instead of a discount, answers questions from your CMS pages, and walks shoppers to cart and checkout in 65+ languages. This module syncs your product catalog and CMS pages to Emporika, embeds the chat widget on your storefront, and answers the chat's cart and order status requests.

[\[image\]](#)

- **Integration overview:** emporika.com/integrations/prestashop/
- **Full documentation:** emporika.com/docs/prestashop/ (webhook format reference, hook examples, troubleshooting)
- **Features:** emporika.com/features/ · **FAQ:** emporika.com/faq/ · **Pricing:** emporika.com/pricing/
- **Live demo:** demo.emporika.com and a [30-second video](#). That demo sells electronics, and the behavior is the same on any catalog.

Requirements

- PrestaShop 8.1+ or 9.x (tested on 8.1 to 9.2)
 - PHP 8.0+ on PrestaShop 8.1, PHP 8.1+ on PrestaShop 9. PrestaShop 8.1 also runs on PHP 7.x; this module does not
 - An [Emporika account](#). Sign up with no card; \$25 of signup credit (~100 free conversations) auto-applied
-

Installation

1. Get the module from the [PrestaShop Addons Marketplace](#) (paid) or from [GitHub](#) (free).
2. In your PrestaShop back office, go to **Modules > Module Manager > Upload a Module** and upload `emporiqa.zip`.
3. Click **Configure** on the Emporiqa module.
4. Click **Connect to Emporiqa**. A new tab opens on `emporiqa.com`. Create a free account (no card required, \$25 of signup credit) or sign in if you already have one, then pick the store you want to connect (or create a new one). The module is connected when you return.
5. On the **Sync** tab, click **Send my catalog** and keep the tab open until the progress bar is full. Products, pages, and combinations flow through; the widget appears on your storefront when the first product arrives.

On HTTP, or prefer to paste credentials yourself? Expand **Edit credentials manually** on the Configure page. Paste a **Store ID** and **Connection Secret** from your Emporiqa dashboard under **Settings → Integration**. Both flows reach the same place.

Order status in the chat. Once connected, the Configure page shows a **Ready-made rules** section. Click **Open in Emporiqa** next to **Order status**, then in Emporiqa click **Try it** to test the rule and **Go live** to switch it on. You do not need to copy anything: Emporiqa fills in your shop's address by itself when you connect in one click. If it ever asks for the address, the **Order status address** field in the same section shows the one to use, with a **Copy** button. The rule answers "Where is my order?" from your PrestaShop orders: a shopper signed in to your shop only gives the order reference, and a guest also gives the order's email. Once the order is proven, the chat can tell the shopper everything their order page shows: status, tracking, the items with their prices, the totals, payment, carrier and delivery time, and the delivery and invoice addresses. When the shopper is signed in, Emporiqa can also ask your shop who they are: the name and email on their account and their 10 newest orders (number, date, status, total) in the shops you sync, so the chat can answer "Where is my order?" with their latest order without asking for a number, and pass a conversation to your team with their

details. Only the signed-in shopper's own account and orders are sent, never another customer's, a guest order or an address. If you connected with manual credentials and the section does not show yet, click **Test Connection** on the Sync tab. Shops that already set up the older order tracking address keep it working as before; once Order status is on, the note under **Advanced** tells you how to switch the old one off.

Configuration

All settings are managed from the module configuration page (**Modules > Emporiqa > Configure**):

Connection Settings

The recommended path is **Connect to Emporiqa** (one-click handshake, no credentials to paste). For HTTP sites or manual setup, expand **Edit credentials manually**:

Setting	Description	Default
Store ID	Your Emporiqa store identifier (filled automatically by one-click connect)	(none)
Connection Secret	HMAC-SHA256 signing secret (filled automatically by one-click connect)	(none)

Shops and languages

Setting	Description	Default
Shops (multistore only)	Shops whose catalog is synced and where the chat is shown. All shops share one Emporiqa store; each shop is a channel	All active shops
Languages	Languages included in sync payloads; their pages show the chat. Pages in an unticked language show no chat	All active shop languages

Ready-made rules

Setting	Description	Default
Order status address	The address Emporika calls for the Order status rule. Emporika fills it in by itself; copy it only if Emporika asks for it	auto-generated
Order tracking	The older way to answer "Where is my order?", replaced by the Order status rule. It keeps working for shops that already use it, and sits under Advanced as <i>Old order tracking</i> once ready-made rules show	On

Advanced

Setting	Description	Default
Auto-sync products	Send each product change as it is saved	On
Auto-sync pages	Send each CMS page change as it is saved	On
Webhook URL	Emporika webhook endpoint	<code>https://emporika.com/webhooks/sync/</code>
Batch Size	Products/pages per webhook request during bulk sync	25

In-chat cart operations are always enabled. No configuration needed.

AI disclosure

The chat's default greeting tells the shopper it is the store's AI assistant, in every language the chat speaks. A custom greeting must keep that disclosure; one that drops it is refused when you save it. Section 8.6 of the [Emporika Terms](#) treats removing the disclosure, including through

custom CSS or custom code, as a breach.

Keeping your catalog in sync

The module pushes product, page, and order changes to Emporiqa automatically as they happen via PrestaShop hooks. Per-product changes such as promos and other specific prices (SpecificPrice), catalog price rule edits, image edits, and combination edits re-emit the affected product on their own. A promo with start or end dates is re-sent when it starts and when it ends: storefront visits check for that at most every 15 minutes, up to 100 products per visit, oldest change first, the next visit continuing with the rest. A catalog price rule covering more than 100 products logs a request for a manual sync instead; pure stock/out-of-stock changes emit a compact availability-only update instead of rebuilding the whole product.

Some changes affect the whole catalog (category or brand renames, currency rate refreshes, tax-rate or tax-rules-group edits, cart-rule changes, new languages enabled). Running a synchronous per-product re-sync from those hooks would block the admin request, so the module logs an actionable warning in **Advanced Parameters** → **Logs** instead and leaves the catalog refresh to a manual run.

Re-run a full sync from the **Sync** tab when:

- You see one of the "catalog-wide change" warnings in the PrestaShop log
- You add a new shop in multi-shop mode (existing products won't carry the new shop's data until something else touches them)
- You import products in bulk from a CSV file (PrestaShop sometimes bypasses standard save hooks during bulk imports)
- A custom script, migration, or another module writes catalog data directly to the database
- Emporiqa was unreachable for an extended period (network outage, planned maintenance, expired credentials)

As a safety net, run a full sync once a week to catch any drift that may have built up from background failures.

Product payload fields

Beyond the fields shown in the [webhook payload reference](#), the full product and combination payload carries these PrestaShop-native merchandising and pricing fields:

- `condition`: string or null; PrestaShop's product `condition` ("new", "used", or "refurbished").
- `is_virtual`: boolean; true for digital products with no shipping.
- `available_for_order`: boolean; false for display-only / catalog-mode products. The assistant still describes these but won't add them to the cart.
- `max_order_quantities`: per-channel dict (`{channel: int | null}`) of the maximum allowed per-order quantity. PrestaShop has no native per-order maximum, so this currently always ships `null` (no limit). The field is included for cross-platform contract parity, so a future custom source can populate it.
- `tier_prices`: per-currency list of quantity-based volume discounts (`[{min_quantity, price}]`), present on a price entry only when the product or combination has PrestaShop quantity discounts configured. Each tier reflects the public (guest) shopper's unit price at that break, with the precision the cart multiplies by (6 decimals, or the cent when the shop rounds each item), so the price for a quantity matches the cart total. Group-, customer-, or country-restricted (B2B) tiers are intentionally excluded.

These flags are part of the full product and combination payload, not the lightweight `product.availability` event, which carries only the identification number, SKU, per-channel availability statuses, and stock quantities.

A combination carries no `descriptions`, `categories`, `brands`, `variation_attributes` or `is_parent`: Emporika takes the first three from its product and ignores them on a combination.

A product is sent for the shops where it is active and not hidden with **Visibility: Nowhere**; setting a product to Nowhere removes it from

Emporika. On a multistore install, a combination is sent only for the shops that sell it, and the product's stock in a shop counts only those combinations. The `links` are the product's own URL in each shop and language, built as your storefront builds it (with the category, when your product URL format has one).

Module structure

```
emporiqa/
├── emporika.php                # Main module class (hook)
├── config.xml                  # Module metadata
├── logo.png                    # Module icon
├── classes/
│   ├── EmporikaActionEndpoint.php    # Ready-made rules
│   ├── EmporikaCartApiEndpoint.php   # Cart API body (POST)
│   ├── EmporikaCartHandler.php        # In-chat cart operations
│   ├── EmporikaChannelResolver.php    # Multi-shop → channel
│   ├── EmporikaConnectHandshake.php   # One-click connect
│   ├── EmporikaConnectNonce.php       # One-click connect
│   ├── EmporikaCustomerPrices.php     # What a signed-in customer sees
│   ├── EmporikaCustomerInfo.php       # Who a signed-in customer is
│   ├── EmporikaJsonResponse.php       # The one JSON response
│   ├── EmporikaLanguageHelper.php     # Language mapping
│   ├── EmporikaOrderFormatter.php     # Order payload for CMS
│   ├── EmporikaOrderStatus.php        # Order status lookup
│   ├── EmporikaOrderTrackingEndpoint.php # Order tracking endpoint
│   ├── EmporikaPageFormatter.php      # CMS page payload
│   ├── EmporikaProductFormatter.php   # Product/combinations
│   ├── EmporikaSchema.php             # Module tables, cron
│   ├── EmporikaSignatureHelper.php    # HMAC-SHA256 signing
│   ├── EmporikaSyncService.php        # Bulk sync orchestration
│   ├── EmporikaTokenEndpoint.php      # Signed customer token
│   └── EmporikaWebhookClient.php      # HTTP client for webhooks
├── controllers/
│   ├── admin/
│   │   ├── AdminEmporikaController.php    # Admin menu
│   │   └── AdminEmporikaConnectController.php # One-click connect
```

```

├── front/
│   ├── action.php           # Ready-made rules
│   ├── cartapi.php          # Cart API endpoint
│   ├── ordertracking.php    # Order tracking en
│   └── token.php            # Customer token en
├── views/
│   ├── css/admin.css        # Admin configurati
│   ├── img/                 # Module images (re
│   ├── js/
│   │   ├── admin-sync.js    # Bulk sync UI with
│   │   ├── front-cart-handler.js # Chat widget cart i
│   │   └── front-customer-token.js # Hands the customer
│   └── templates/
│       ├── admin/configure.tpl # Configuration pag
│       ├── admin/sync_tab.tpl  # Sync tab template
│       ├── admin/sync_health_line.tpl # Last full sync l
│       └── hook/header.tpl     # Widget embed (dis
├── translations/fr.php      # French back-offic
└── upgrade/                 # Version upgrade s

```

Registered PrestaShop hooks

Hook
displayHeader
actionProductSave
actionProductDelete

actionObjectCombination{Add, Update, Delete}After

actionObjectCms{Add, Update, Delete}After

actionValidateOrder

actionOrderStatusPostUpdate

actionUpdateQuantity

actionProductOutOfStock

actionObjectSpecificPrice{Add, Update, Delete}After

actionObjectSpecificPriceRule{Update, Delete}Before

actionAdminSpecificPriceRuleController{Delete, Bulkdelete}
Before

```
actionObjectImage{Add,Update,Delete}After
```

```
actionObjectCategory{Update,Delete}After
```

```
actionObjectManufacturer{Update,Delete}After
```

```
actionObjectCartRule{Add,Update,Delete}After
```

```
actionObjectCurrencyUpdateAfter
```

```
actionObjectTaxUpdateAfter /  
actionObjectTaxRulesGroupUpdateAfter
```

```
actionObjectLanguageAddAfter
```

Extensibility hooks

Developers can hook into the sync pipeline to customize payloads or cancel syncs:

Hook	Purpose	Key Param
------	---------	-----------

<code>actionEmporiquaFormatProduct</code>	Modify product/ variation payload before sending	&\$data, \$product \$event_t
<code>actionEmporiquaFormatPage</code>	Modify page payload before sending	&\$data, \$ \$event_t
<code>actionEmporiquaFormatOrder</code>	Modify the order.completed event payload	&\$data, \$
<code>actionEmporiquaShouldSyncProduct</code>	Conditionally cancel a product sync	\$product \$event_t &\$should
<code>actionEmporiquaShouldSyncPage</code>	Conditionally cancel a page sync	\$page, \$event_t &\$should
<code>actionEmporiquaWidgetParams</code>	Modify chat widget embed parameters	&\$params
<code>actionEmporiquaOrderStatus</code>	Modify the Order status ready-made rule's answer, or add your own fields under <code>extra</code>	&\$data, \$
<code>actionEmporiquaOrderTracking</code>	Modify the order tracking response	&\$data, \$
<code>actionEmporiquaCustomerInfo</code>	Modify what Emporiqua learns about a signed-in customer (account name and email, newest orders), or add your own fields under <code>extra</code>	&\$data, \$custome

`actionEmporiquaOrderStatus` runs after the module has filled the answer (status, tracking, items, totals, payment, carrier, addresses), so

you can change any of it. Put fields of your own under `extra`, which the chat reads when the shopper asks for them: string keys, values that are strings, numbers, booleans or nested lists and objects, at most 30 keys, 3 levels deep and 500 characters a string. Other keys you add are ignored.

```
public function hookActionEmporiqaOrderStatus(array $params)
{
    $order = $params['order'];
    $params['data']['extra']['gift_message'] = 'Happy bir
    $params['data']['extra']['warehouse'] = 'Lyon';
}
```

`actionEmporiqaCustomerInfo` runs after the module has filled `$params['data']`: customer (name, first_name, last_name, email from the account) and orders (up to 10, newest first: `order_number`, `placed_at`, `status_code`, `status_label`, `total`, `currency`). Remove what you do not want Emporiqa to know, or add fields under `extra` with the same limits as above.

```
public function hookActionEmporiqaCustomerInfo(array $params)
{
    $customer = $params['customer'];
    unset($params['data']['customer']['email']);
    $params['data']['extra']['loyalty_points'] = 120;
}
```

Pricing

The module is paid on PrestaShop Addons and free on [GitHub](#). The Emporiqa service itself is pay-as-you-go: \$0/month base + \$0.25/conversation, with \$25 of signup credit (about 100 conversations) and no card required at signup. After the credit, the monthly cap defaults to \$59 and you can change it from the billing dashboard. Voice mode (the shopper speaks and hears the answer read aloud) is optional and off by default: a conversation where the shopper speaks costs \$0.15 more,

charged once, and counts toward that cap. Prices exclude VAT. Enterprise option for catalogs over 100,000 products. Full pricing at emporiqa.com/pricing/.

Known issues

- The messages written by the **Sync** and **Test Connection** buttons, and the one-click connect error messages, are in English only. The rest of the configuration page is available in English and French.
- The controllers under `controllers/` and `emporiqa.php` keep PHP 7 syntax (no trailing commas in calls or parameters), so a shop left on PHP 7 gets a clean error instead of a fatal one; the PHP 8 code lives in `classes/`.
- The full list, with technical detail, is in [CHANGELOG.md](#).

Support

Email support@emporiqa.com.

License

[Academic Free License 3.0 \(AFL-3.0\)](#)