# **Southeast University**

# Department Of Computer Science & Engineering

**Project Name:** Employee Management system

Course Title: Web and Internet Programming

**Course Code:** CSE471.1

Submitted By: Abid Hasan Chowdhury

Id: 2019100000018

Chelsea Rifat Oaishi Id:2019100000005

Zahid Hasan

Id:2019100000015



### **Employee Management system**

Admin Login Employee Login

### Admin Login

Username :		
Password :		
	Login	

### #admin\_login.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title></title>
</head>
<body>
  <h1 align="center">Employee Management system</h1>
 <nav align="center">
    <a href="admin login.php">Admin Login</a> &nbsp &nbsp &nbsp &nbsp
    <a href="employee_login.php">Employee Login</a>
  </nav>
  <br> <br>>
 <h2 align="center">Admin Login</h2> <br>
  <form action= "admin_validation.php" method="post" align="center">
    Username:
    <input type="text" name="auser"> <br> <br>
    Password:
    <input type="text" name="apass"> <br> <br>
    <input type="submit" name="submit" value="Login">
 </form>
</body>
</html>
```

## #admin\_validation.php

```
<?php
session_start();
$con = mysqli_connect("localhost","root","","ems");

$ausername = $_POST['auser'];
$apass = $_POST['apass'];

$query = "SELECT * FROM admin where username = '$ausername' && password = '$apass'";

$res = mysqli_query($con,$query);

$num = mysqli_num_rows($res);

if( $num == 1){

    $_SESSION['username'] = $ausername;
    header("Location:viewemp.php");

}
else{
    header("Location:admin_login.html");
    }
}</pre>
```

### #viewemp.php



### **Admin Page**

<u>View Employee</u> <u>Add Employee</u> <u>Assign Project</u> <u>Project Status</u> <u>Logout</u>

### All Employee Information

ID	Name	Gender	Email	contact	Nid	Address	salary	password	photo		
1	Abid Hasan	Male	abide@gmail.com	1521329100	555	dhaka	5555	1234		Delete	<u>Update</u>
3	raj	Male	e@gmail.com	33333	33333	dhaka	33333	1234		Delete	<u>Update</u>

```
<?php
session start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
  <h1 align="center"><?php echo $_SESSION['username']?> Page</h1>
  <nav align="center">
    <a href="viewemp.php">View Employee</a> &nbsp &nbsp &nbsp &nbsp
    <a href="addemp.php">Add Employee</a>&nbsp &nbsp &nbsp &nbsp
    <a href="assignpro.php">Assign Project</a> &nbsp &nbsp &nbsp &nbsp
    <a href="prostatus.php">Project Status</a>&nbsp &nbsp &nbsp &nbsp
    <a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp &nbsp
  </nav>
  <br>
  <h2 align="center">All Employee Information</h2>
```


```
<?php
$con=mysqli_connect('localhost','root', '','ems');
$sql="SELECT * FROM employee ORDER BY id ";
$res=mysqli_query($con,$sql);
?>
ID
Name
Gender
Email
contact
Nid
Address
salary
password
photo
<?php
while($row=mysqli fetch assoc($res))
{ ?>
<?php echo $row["id"] ?> 
<?php echo $row["Name"] ?> 
<?php echo $row["Gender"] ?> 
<?php echo $row["Email"] ?> 
<?php echo $row["Contact"] ?> 
<?php echo $row["Nid"] ?> 
<?php echo $row["Address"] ?> 
<?php echo $row["Salary"] ?> 
<?php echo $row["Password"] ?> 
<?php
echo '<img src="images/'.$row["Photo"].'." style="width: 100px;height: 100px;">';
?> 
<button><a href="delete.php?id=<?php echo $row["id"] ?>">Delete</a></button>
<button><a href="update.php?id=<?php echo $row["id"] ?>&name=<?php echo $row["Name"]
?>&email=<?php echo $row["Email"] ?>&gender=<?php echo $row["Gender"] ?>&contact=<?php
```

```
echo $row["Contact"] ?>&nid=<?php echo $row["Nid"] ?>&address=<?php echo $row["Address"] ?>
&salary=<?php echo $row["Salary"] ?>&password=<?php echo $row["Password"] ?>&img=<?php
echo $row["Photo"] ?>">Update</a></button>
<?php
?>
</body>
</html>
#delete.php
<?php
session_start();
$con=mysqli_connect('localhost','root', '','ems');
$id=$_GET['id'];
  $sql="DELETE FROM employee WHERE id='$id'";
  $res=mysqli_query($con,$sql);
  if($res){
    header("Location:viewemp.php");
  }
?>
#update.php
<?php
session_start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<?php
```

```
$con=mysqli_connect('localhost','root', '','ems');
@$_GET['id'];
@$_GET['name'];
@$_GET['email'];
@$ GET['gender'];
@$_GET['contact'];
@$ GET['nid'];
@$ GET['address'];
@$ GET['salary'];
@$ GET['password'];
@$_GET['img'];
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
<h1 align="center"><?php echo $_SESSION['username']?> Page</h1>
  <nav align="center">
    <a href="viewemp.php">View Employee</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="addemp.php">Add Employee</a>&nbsp &nbsp &nbsp &nbsp
    <a href="assignpro.php">Assign Project</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="prostatus.php">Project Status</a>&nbsp &nbsp &nbsp &nbsp
    <a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp
  </nav>
  <br>
  <h2 align="center">Update Employee Information</h2> <br>
  <form method="get" align="center">
  ld:
    <input type="number" name="eid" value="<?php echo $_GET['id']?>"> <br> <br>
    Name:
    <input type="text" name="en" value="<?php echo $ GET['name']?>"> <br>
    <input type="email" name="eem" value="<?php echo $ GET['email']?>"> <br> <br>
    Gender: &nbsp
    <input type="text" name="egen" value="<?php echo $_GET['gender']?>">
    <br> <br>>
```

Contact Number:

```
<input type="number" name="ecn" value="<?php echo $_GET['contact']?>"> <br>
    Nid Number:
    <input type="number" name="enid" value="<?php echo $_GET['nid']?>"> <br> <br>
    Address:
    <input type="text" name="eaddr" value="<?php echo $_GET['address']?>"> <br> <br>
    Salary:
    <input type="number" name="esalary" value="<?php echo $ GET['salary']?>"> <br>
    Password:
    <input type="password" name="epass" value="<?php echo $ GET['password']?>"> <br> <br>
    Upload your Photo:
    <input type="file" name="ephoto" value="<?php echo $ GET['img']?>"> <br> <br>
    <input type="submit" name="Update" value="Update">
  </form>
  <?php
  if (isset($_GET['Update'])){
    $id=$ GET['eid'];
    $name=$_GET['en'];
    $email=$_GET['eem'];
    $gender=$ GET['egen'];
    $contact=$_GET['ecn'];
    $nid=$ GET['enid'];
    $address=$_GET['eaddr'];
    $salary=$_GET['esalary'];
    $password=$_GET['epass'];
    $img=$_GET['ephoto'];
    $sql="UPDATE employee SET
id='$id',Name='$name',Email='$email',Gender='$gender',Contact='$contact',Nid='$nid',Address='$ad
dress', Salary='$salary', Password='$password', Photo='$img'WHERE
    id='$id'";
   $row=mysqli_query($con,$sql);
    if (isset($row)){
      header("Location:viewemp.php");
    }
  ?>
</body>
</html>
```




### #addemp.php

```
<?php
session_start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
  <h1 align="center"><?php echo $ SESSION['username']?> Page</h1>
  <nav align="center">
    <a href="viewemp.php">View Employee</a> &nbsp &nbsp &nbsp &nbsp
    <a href="addemp.php">Add Employee</a>&nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="assignpro.php">Assign Project</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="prostatus.php">Project Status</a>&nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp &nbsp
  </nav>
  <br>
  <h2 align="center">Add New Employee</h2> <br>
  <form name="form1" action= "" method="post" onsubmit="return check()"
enctype="multipart/form-data" align="center">
```

```
Id:
  <input type="number" name="eid"> <br> <br>
  <input type="text" name="en"> <br> <br>
  Email:
  <input type="email" name="eem"> <br> <br>
  Gender: &nbsp
  Male: <input type="radio" name="egen" value="Male"> &nbsp
 Female: <input type="radio" name="egen" value="Female"><br> <br>
  Contact Number:
  <input type="number" name="ecn"> <br> <br>
  Nid Number:
  <input type="number" name="enid"> <br> <br>
  Address:
  <input type="text" name="eaddr"> <br> <br>
  Salary:
  <input type="number" name="esalary"> <br> <br>
  Password:
  <input type="password" name="epass"> <br> <br>
  Upload your Photo:
  <input type="file" name="ephoto"> <br> <br>
  <input type="submit" name="submit" value="Register">
</form>
<script>
 function check(){
    var id = document.form1.eid.value;
   var name = document.form1.en.value;
    var email = document.form1.eem.value;
   var gender = document.form1.egen.value;
   var contact = document.form1.ecn.value;
   var nid = document.form1.enid.value;
   var address = document.form1.eaddr.value;
   var salary = document.form1.esalary.value;
   var password = document.form1.epass.value;
   var photo = document.form1.ephoto.value;
   if(id==""){
    alert("id can not be empty");
    return false;
    }
    if(name==""){
    alert("Name can not be empty");
    return false;
```

```
}
if(email==""){
alert("Email can not be empty");
return false;
}
if(gender==""){
alert("gender can not be empty");
return false;
}
if(contact==""){
alert("contact can not be empty");
return false;
 }
 if(nid==""){
 alert("nid can not be empty");
 return false;
 }
 if(address==""){
 alert("address can not be empty");
 return false;
 }
 if(salary==""){
alert("salary can not be empty");
return false;
 }
 if(password==""){
 alert("password can not be empty");
 return false;
 }
```

```
if(photo==""){
        alert("photo can not be empty");
        return false;
        }
    }
  </script>
</body>
</html>
<?php
$con=mysqli_connect('localhost','root', '','ems');
if (isset( $_POST['submit'])) {
$id=$_POST['eid'];
$name=$_POST['en'];
$email=$_POST['eem'];
$gender=$_POST['egen'];
$contact=$_POST['ecn'];
$nid=$_POST['enid'];
$address=$_POST['eaddr'];
$salary=$_POST['esalary'];
$password=$_POST['epass'];
$photo=$ FILES['ephoto']['name'];
$photocopy =$_FILES['ephoto']['tmp_name'];
move_uploaded_file($photocopy,"images/$photo");
$sql="insert into employee(id,Name,Email,Gender,Contact,Nid,Address,Salary,Password,Photo)
values ('$id','$name','$email','$gender','$contact','$nid','$address','$salary','$password','$photo')";
mysqli_query($con,$sql);
}
?>
```



### #assignpro.php

```
<?php
session start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
  <h1 align="center"><?php echo $ SESSION['username']?> Page</h1>
  <nav align="center">
    <a href="viewemp.php">View Employee</a> &nbsp &nbsp &nbsp &nbsp
    <a href="addemp.php">Add Employee</a>&nbsp &nbsp &nbsp &nbsp
    <a href="assignpro.php">Assign Project</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="prostatus.php">Project Status</a>&nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp &nbsp
  </nav>
```

```
<br>
  <h2 align="center">Assign Project</h2> <br>
  <form action= "" method="post" align="center">
    Employee Id:
    <input type="number" name="eid"> <br> <br>
    Project Name:
    <input type="text" name="aproname"> <br> <br>
    Due Date:
    <input type="date" name="duedate"> <br> <br>
    <input type="submit" name="submit" value="Submit" onclick="successmsg()">
  </form>
<?php
$con=mysqli_connect('localhost','root', '','ems');
if (isset( $_POST['submit'])) {
$id=$_POST['eid'];
$proname=$_POST['aproname'];
$date=$_POST['duedate'];
$sql="insert into project(id,projectname,duedate) values('$id','$proname','$date')";
$res= mysqli_query($con,$sql);
?>
</body>
</html>
```



#### **Project Status**

ID	Project Name	Due Date	Employee Name	
1	project one	2022-10-10	Abid Hasan	Delete
1	project one	2022-10-10	Abid Hasan	Delete

### #prostatus.php

```
<?php
session_start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title></title>
</head>
<body>
 <h1 align="center"><?php echo $_SESSION['username']?> Page</h1>
 <nav align="center">
    <a href="viewemp.php">View Employee</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="addemp.php">Add Employee</a>&nbsp &nbsp &nbsp &nbsp
    <a href="assignpro.php">Assign Project</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="prostatus.php">Project Status</a>&nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp &nbsp
  </nav>
  <br>
 <h2 align="center">Project Status</h2>
```

```
<?php
$con=mysqli_connect('localhost','root', '','ems');
$sql="SELECT project.id, project.projectname, project.duedate, employee.Name
FROM project
LEFT JOIN employee
ON project.id=employee.id";
$res=mysqli_query($con,$sql);
?>
ID
Project Name
Due Date
Employee Name
<?php
while($row=mysqli_fetch_assoc($res))
{ ?>
<?php echo $row["id"] ?> 
<?php echo $row["projectname"] ?> 
<?php echo $row["duedate"] ?> 
<?php echo $row["Name"] ?> 
<button><a href="deleteproject.php?id=<?php echo $row["id"] ?>">Delete</a></button>
<?php
}
?>
</body>
</html>
```

# #deleteproject.php

session\_start();
session\_destroy();

?>

header("Location:admin\_login.php");

```
<?php
session_start();
$con=mysqli_connect('localhost','root', '','ems');
$id=$_GET['id'];

$sql="DELETE FROM project WHERE id='$id'";
$res=mysqli_query($con,$sql);

if($res){
   header("Location:prostatus.php");
}

*/>
#logout.php
</ph>
```



### **Employee Management system**



## #employee\_login.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
  <h1 align="center">Employee Management system</h1>
  <nav align="center">
    <a href="admin login.php">Admin Login</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="employee login.php">Employee Login</a>
  </nav>
  <br> <br>>
  <h2 align="center">Employee Login</h2> <br>
  <form action= "em_validation.php" method="post" align="center">
    Username:
    <input type="text" name="ename"> <br> <br>
    Password:
    <input type="text" name="epass"> <br> <br>
    <input type="submit" name="submit" value="Login">
  </form>
</body>
</html>
```

# #em\_validation.php

?>

```
<?php
session_start();
$con = mysqli_connect("localhost","root","","ems");

$eusername = $_POST['ename'];
$epass = $_POST['epass'];

$query = "SELECT * FROM employee where Name = '$eusername' && Password = '$epass'";

$res = mysqli_query($con,$query);

$num = mysqli_num_rows($res);

if( $num == 1){

    $_SESSION['username'] = $eusername;
    header("Location:em_myprofile.php");

}
else{
    header("Location:employee_login.php");
}</pre>
```



### Abid Hasan

My Profile My Projects Logout

My Profile




## #em\_myprofile.php

```
<?php
session_start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
  <h1 align="center"><?php echo $_SESSION['username']?></h1>
  <nav align="center">
    <a href="em_myprofile.php">My Profile</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="em_myprojects.php">My Projects</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp
  </nav>
  <br>
```

```
<h2 align="center">My Profile</h2>
    <?php
$con=mysqli_connect('localhost','root', '','ems');
$user = $ SESSION['username'];
$sql="SELECT * FROM employee WHERE Name='$user' ";
$res=mysqli_query($con,$sql);
?>
<?php
while($row=mysqli fetch assoc($res))
<; >
photo
<pppp
echo '<img src="images/'.$row["Photo"].'." style="width: 100px;height: 100px;">';
?> 
ID?php echo $row["id"] ?> 
Name<?php echo $row["Name"] ?> 
Gender?php echo $row["Gender"] ?> 
Email
contact?php echo $row["Contact"] ?> 
Nid?php echo $row["Nid"] ?> 
Address?php echo $row["Address"] ?> 
salary?php echo $row["Salary"] ?> 
password<?php echo $row["Password"] ?> 
<button>&nbsp &nbsp &nbsp &nbsp &nbsp<a
href="em_updateprofile.php?id=<?php echo $row["id"] ?>&name=<?php echo $row["Name"]
?>&email=<?php echo $row["Email"] ?>&gender=<?php echo $row["Gender"] ?>&contact=<?php
echo $row["Contact"] ?>&nid=<?php echo $row["Nid"] ?>&address=<?php echo $row["Address"] ?>
&salary=<?php echo $row["Salary"] ?>&password=<?php echo $row["Password"] ?>&img=<?php
echo $row["Photo"] ?>" > Update My Profile </a>&nbsp &nbsp &nbsp &nbsp &nbsp \u220bsp &nbsp \u220bsp \
<?php
}
?>
```

```
</body>
</html>
```



# #em\_updateprofile.php

```
<?php
session_start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
  <h1 align="center"><?php echo $_SESSION['username']?></h1>
  <nav align="center">
    <a href="em_myprofile.php">My Profile</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="em_myprojects.php">My Projects</a> &nbsp &nbsp &nbsp &nbsp &nbsp
```

```
<a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp &nbsp
  </nav>
  <br>
<?php
$con=mysqli connect('localhost','root', '','ems');
@$_GET['id'];
@$_GET['name'];
@$_GET['email'];
@$ GET['gender'];
@$_GET['contact'];
@$ GET['nid'];
@$ GET['address'];
@$_GET['salary'];
@$ GET['password'];
@$_GET['img'];
?>
  <h2 align="center">Update My Information</h2> <br>
  <form method="get" align="center">
    <input type="number" name="eid" value="<?php echo $_GET['id']?>"> <br> <br>
    Name:
    <input type="text" name="en" value="<?php echo $_GET['name']?>"> <br>
    Email:
    <input type="email" name="eem" value="<?php echo $_GET['email']?>"> <br> <br>
    Gender: &nbsp
    <input type="text" name="egen" value="<?php echo $_GET['gender']?>">
    <br> <br>>
    Contact Number:
    <input type="number" name="ecn" value="<?php echo $ GET['contact']?>"> <br>
    Nid Number :
    <input type="number" name="enid" value="<?php echo $ GET['nid']?>"> <br> <br>
    Address:
    <input type="text" name="eaddr" value="<?php echo $_GET['address']?>"> <br>
    Salary:
    <input type="number" name="esalary" value="<?php echo $_GET['salary']?>"> <br> <br>
    Password:
    <input type="password" name="epass" value="<?php echo $_GET['password']?>"> <br>
```

```
Upload your Photo:
    <input type="file" name="ephoto" value="<?php echo $_GET['img']?>"> <br> <br>
    <input type="submit" name="Update" value="Update">
  </form>
  <?php
  if (isset($_GET['Update'])){
    $id=$ GET['eid'];
    $name=$_GET['en'];
    $email=$ GET['eem'];
    $gender=$_GET['egen'];
    $contact=$_GET['ecn'];
    $nid=$_GET['enid'];
    $address=$_GET['eaddr'];
    $salary=$_GET['esalary'];
    $password=$_GET['epass'];
    $img=$_GET['ephoto'];
    $sql="UPDATE employee SET
id='$id',Name='$name',Email='$email',Gender='$gender',Contact='$contact',Nid='$nid',Address='$ad
dress', Salary='$salary', Password='$password', Photo='$img'WHERE
    id='$id'";
   $row=mysqli_query($con,$sql);
    if (isset($row)){
      header("Location:em_myprofile.php");
    }
}
  ?>
</body>
</html>
```



### #em\_myprojects.php

```
<?php
session start();
if (!isset($_SESSION['username'])){
    header("Location:admin_login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
</head>
<body>
  <h1 align="center"><?php echo $_SESSION['username']?></h1>
  <nav align="center">
    <a href="em_myprofile.php">My Profile</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="em_myprojects.php">My Projects</a> &nbsp &nbsp &nbsp &nbsp &nbsp
    <a href="logout.php">Logout</a> &nbsp &nbsp &nbsp &nbsp
  </nav>
  <br>
<h2 align="center">My Projects</h2>
<?php
$con=mysqli_connect('localhost','root', '','ems');
```

```
$user = $_SESSION['username'];
$sql="SELECT project.id, project.projectname, project.duedate, employee.Name
FROM project
LEFT JOIN employee
ON project.id=employee.id WHERE employee.Name='$user'";
$res=mysqli_query($con,$sql);
?>
ID
Project Name
Due Date
Employee Name
<?php
while($row=mysqli_fetch_assoc($res))
{ ?>
<?php echo $row["id"] ?> 
<?php echo $row["projectname"] ?> 
<?php echo $row["duedate"] ?> 
<?php echo $row["Name"] ?> 
<?php
?>
</body>
</html>
#logout.php
<?php
session_start();
```

```
session_destroy();
header("Location:admin_login.php");
?>
```