Cucumber Report

| *Start : Nov 06, 10:33:01.878 AM*	*End : Nov 06, 10:33:57.563 AM*	*Duration : 55.685 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 13 FAILED - 3 SKIPPED - 8

#	Feature Name	T	P	F	S	Duration
1	Login_Functionality_With_Right_Credentials	4	1	3	0	55.685 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login_Functionality_With_Right_Credentials	login_with_manager_credentials	6	6	0	0	13.945 s
2	Login_Functionality_With_Right_Credentials	login_with_manager_credentials	6	3	1	2	8.829 s
3	Login_Functionality_With_Right_Credentials	login_with_manager_credentials	6	0	1	5	0.165 s
4	Login_Functionality_With_Right_Credentials	login_with_admin_credentials	6	4	1	1	32.655 s

(F)- Login_Functionality_With_Right_Credentials

FAILED	DURATION - 55.685 s	Scenarios		Steps	
		Total - 4		Total - 24	
/ 10:33:01.878 AM // 10:33:57.563 AM /		Pass - 1	4	Pass - 13	24
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 8	

(S)- login_with_manager_credentials

PASSED	DURATION - 13.945 s		Steps	
/ 10:33:01.889 AM // 10:33:15.834 AM /			Total - 6	
Login_Functionality_With_Right_Credentials			Pass - 6	6
@login_test @manager_login_test			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on the application page	PASSED	9.116 s
2	And user enters manager id "manager"	PASSED	0.234 s
3	And user enters manager password "Manager1!"	PASSED	0.125 s
4	When user clicks on the login button	PASSED	3.380 s
5	Then verify the "manager" is displayed	PASSED	0.134 s
6	Then close the application	PASSED	0.911 s

(S)- login_with_manager_credentials

FAILED	DURATION - 8.829 s

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

*/ 10:33:15.865 AM // 10:33:24.694 AM /*

Login_Functionality_With_Right_Credentials

@login_test @manager_login_test

#	Step / Hook Details	Status	Duration
1	Given user is on the application page	PASSED	7.629 s
2	And user enters manager id "manager2"	PASSED	0.058 s
3	And user enters manager password "Manager2!"	PASSED	0.064 s
4	When user clicks on the login button	FAILED	1.071 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input id="btnSubmit" type="submit" value="Log in" class="btn btn-primary py-3 px-5"> is not clickable at point (491, 627). Other element would receive the click: <div id="ftco-loader" class="fullscreen">...</div>   (Session info: chrome=95.0.4638.69) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-H1I10D5', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_302' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 95.0.4638.69, chrome: {chromedriverVersion: 95.0.4638.54 (d31a821ec901f..., userDataDir: C:\Users\BelomeX\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56548}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 346a48fad7af37f545de90b85db102b0
   at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
   at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
   at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
   at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.$Proxy21.click(Unknown Source) at stepdefinitions.Day19_Login_Step_Definitions.user_clicks_on_the_login_button(Day19_Login_Step_Definitions.java:52) at ?.user clicks on the login button(file:///C:/Users/BelomeX/IdeaProjects/cucumber-framework/./src/test/resources/features/S21.08/Eagles/US100450_user_should_login_using_manager_credentials.feature:8) * Not displayable characters are replaced by '?'.		
5	Then verify the "manager2" is displayed	SKIPPED	0.001 s
6	Then close the application	SKIPPED	0.001 s

(S)- login_with_manager_credentials

FAILED	DURATION - 0.165 s
/ 10:33:24.707 AM // 10:33:24.872 AM /	
Login_Functionality_With_Right_Credentials	
@login_test @manager_login_test	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given user is on the application page	FAILED	0.152 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.Day19_Login_Step_Definitions at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141)		
	... 36 more Caused by: org.openqa.selenium.WebDriverException: unknown error: failed to change window state to 'normal', current state is 'maximized' (Session info: chrome=95.0.4638.69) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-H1I10D5', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_302' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 95.0.4638.69, chrome: {chromedriverVersion: 95.0.4638.54 (d31a821ec901f..., userDataDir: C:\Users\BelomeX\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56548}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 346a48fad7af37f545de90b85db102b0		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:837) at utilities.Driver.getDriver(Driver.java:48) at pages.LoginPage.<init>(LoginPage.java:11) at stepdefinitions.Day19_Login_Step_Definitions.<init>(Day19_Login_Step_Definitions.java:19)		
2	And user enters manager id "manager3"	SKIPPED	0.001 s
3	And user enters manager password "Manager3!"	SKIPPED	0.000 s
4	When user clicks on the login button	SKIPPED	0.000 s
5	Then verify the "manager3" is displayed	SKIPPED	0.004 s
6	Then close the application	SKIPPED	0.000 s

(S)- login_with_admin_credentials

FAILED	DURATION - 32.655 s		Steps	
/ 10:33:24.908 AM // 10:33:57.563 AM /			Total - 6 Pass - 4 Fail - 1 Skip - 1	6
Login_Functionality_With_Right_Credentials				
@login_test @admin_login_test				

#	Step / Hook Details	Status	Duration
1	Given user is on the application page	PASSED	16.540 s
2	And user enters manager id "admin"	PASSED	0.045 s
3	And user enters manager password "Techproed123"	PASSED	0.054 s
4	When user clicks on the login button	PASSED	0.967 s
5	Then verify the "admin" is displayed	FAILED	15.045 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(@class, 'username')]"} (Session info: chrome=95.0.4638.69) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-H1I10D5', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_302' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName:		

#	Step / Hook Details	Status	Duration

	chrome, browserVersion: 95.0.4638.69, chrome: {chromedriverVersion: 95.0.4638.54 (d31a821ec901f..., userDataDir: C:\Users\BelomeX\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56548}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 346a48fad7af37f545de90b85db102b0 *** Element info: {Using=xpath, value=//span[contains(@class, 'username')]}
	   at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	   at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at com.sun.proxy.$Proxy21.getText(Unknown Source)
	   at stepdefinitions.Day19_Login_Step_Definitions.verify_the_is_displayed(Day19_Login_Step_Definitions.java:57)
	   at ?.verify the "admin" is displayed(file:///C:/Users/BelomeX/IdeaProjects/cucumber-framework/./src/test/resources/features/S21.08/Eagles/US100450_user_should_login_using_manager_credentials.feature:35)
	* Not displayable characters are replaced by '?'.		

6	Then close the application	SKIPPED	0.000 s