

I Love Ruby

*Get started with the greatest programming language
made for humans.*

Karthikeyan A K

Table of Contents

Cover	1
Preface	2
Ruby	3
Copyright	4
Getting this book	5
Contacting the Author	5
Prerequisite	6
1. Installing Ruby	7
1.1. Installing Ruby on Debian flavor GNU/Linux	7
1.2. Installing IDE	8
2. Online Resources	9
2.1. Ruby Website	9
2.2. Reddit	9
2.3. Ruby Flow	10
2.4. Twitter	10
3. Getting Started	11
3.1. Interactive Ruby	11
3.2. Jupyter Lab	12
3.3. Doing some Math	13
3.4. Variables	17
3.5. Constants	20
3.6. Strings	20
3.7. Using Text Editor	24
3.8. Printing Something	26
3.9. Getting Input	26
3.10. Comments	27
4. Comparison and Logic	30
4.1. Logical Operators	30
4.2. true != “true”	32
4.3. ===	32
4.4. if	32
4.5. if else	33
4.6. elsif	34
4.7. if then else	35
4.8. unless	36
4.9. unless else	37
4.10. case when	38
4.11. case when, checking the class type	41

4.12. case when and ranges	42
4.13. case when and regular expressions	42
4.14. case when and lambdas	42
4.15. case when and matcher classes	43
4.16. ?:	44
4.17. Assigning logic statement to variables	45
4.18. &&, and, , or	47
5. Loops	50
5.1. downto	50
5.2. times	51
5.3. upto	53
5.4. step	53
5.5. while	55
5.6. until	56
5.7. break	57
5.8. next	57
5.9. redo	58
5.10. loop	58
5.11. Flip Flop	60
6. Arrays	62
6.1. Array Operations	65
6.2. More on Array	70
6.3. Array dig	73
6.4. Set operations	73
6.5. Empty array is true	74
6.6. Compacting Arrays	76
6.7. Transforming array values	77
6.8. Read the ruby doc	78
7. Hashes and Symbols	79
7.1. Default values in Hash	80
7.2. Looping hashes	80
7.3. More way of hash creation	82
7.4. Using symbols	82
7.5. String, frozen string & symbol, their memory foot print	85
7.6. Compacting Hashes	87
7.7. Transforming hash values	87
7.8. Read the rubydoc	88
8. Ranges	89
8.1. Ranges used in case .. when	90
8.2. Checking Intervals	92
8.3. Using triple dots	92


8.4. Endless Ranges	93
9. Functions	94
9.1. Argument Passing.....	95
9.2. Default Argument.....	96
9.3. Passing array to a function.....	97
9.4. Returning Values	98
9.5. Keyword arguments	99
9.6. Recursive function	100
9.7. Variable number of arguments.....	102
9.8. Hashes as function arguments	103
10. Variable Scope	105
10.1. Global Variables	107
11. Classes & Objects	111
11.1. Creating a Square.....	111
11.2. Functions in Class.....	112
11.3. Initializers or Constructors	114
11.4. Unexposed instance variables.....	115
11.5. Private Methods	116
11.6. Class variables and methods	117
11.7. Inheritance	120
11.8. Overriding Methods.....	122
11.9. The super function.....	125
11.10. Private, public and protected in inheritance	126
11.11. Extending class	130
11.12. Reflection	131
11.13. Encapsulation	136
11.14. Polymorphism.....	137
11.15. Class Constants	138
11.16. Function alias	141
11.17. Anonymous Class	141
12. Safe Navigation	143
13. Breaking large programs	145
14. Struct and OpenStruct	147
15. Rdoc	153
15.1. Reading Ruby Documentation	153
15.2. Creating Documentation	154
16. Ruby Style Guides	156
17. Rubocop	157
18. Modules and Mixins	160
18.1. Calling functions without include	162
18.2. Classes in modules	166

18.3. Mixins	168
19. Date and Time	171
19.1. Days between two days	174
19.2. How many days have you lived?	175
20. Files	178
20.1. Storing output into files	178
20.2. Taking file as input	178
20.3. File copy – a kind of	179
20.4. Displaying a file	180
20.5. Reading file line by line	181
20.6. Open and new – the difference	182
20.7. Defining our own line endings	183
20.8. Reading byte by byte	184
20.9. Reading single character at a time	185
20.10. Renaming files	186
20.11. Finding out position in a file	187
20.12. Writing into files	189
20.13. Appending content into files	191
20.14. Storing objects into files	192
20.15. YAML	197
21. Proc, Lambdas and Blocks	200
21.1. Passing parameters	201
21.2. Passing Proc to methods	201
21.3. Returning Proc from function	203
21.4. Proc and Arrays	203
21.5. Passing Argument to Lambda	205
21.6. Proc and Lambdas with Functions	205
21.7. The second difference	207
21.8. Lambda and Arrays	207
22. Multi Threading	211
22.1. Scope of thread variables	215
22.2. Thread Exclusion	216
22.3. Deadlocks	219
22.4. Creating multiple threads	221
22.5. Thread Exception	224
22.6. Thread Class Methods	227
22.7. Thread Instance Methods	228
23. Exception Handling	230
23.1. Exception and Threads	233
23.2. Raising Exceptions	235
24. Regular Expressions	236

24.1. Creating an empty regexp	236
24.2. Detecting Patterns	236
24.3. The dot	238
24.4. Character classes	238
24.5. Scanning	240
24.6. Captures	242
24.7. Nested Capture	244
24.8. MatchData class	245
24.9. Anchors and Assertions	247
24.10. Ignoring Cases	249
24.11. Ignore Spaces	250
24.12. Dynamic Regexp	250
25. Gems	253
25.1. Searching a gem	253
25.2. Installing gem	254
25.3. Viewing Documentation	254
25.4. Using gem	254
25.5. The Gemfile	255
25.6. Creating a gem	259
25.7. Publishing your gem	262
25.8. More complex gems	265
25.9. Requiring other gems	268
25.10. Uninstalling a Gem	268
26. Meta Programming	269
26.1. Send	269
26.2. Method Missing	270
26.3. Define Method	273
26.4. Class Eval	274
26.5. Instance Eval	275
27. Benchmark	277
28. Test Driven Development	282
Design Patterns	290
29. Observer Pattern	291
30. Template Pattern	294
30.1. Exercise	296
31. Factory Pattern	297
31.1. Exercise	298
32. Decorator Pattern	299
33. Adapter Pattern	301
34. Singleton Pattern	305
35. Composite Pattern	307

36. Builder Pattern	312
36.1. Exercise	319
37. Strategy Pattern	320

Cover



Preface

Its been a long time since I started writing I Love Ruby. I first projected this book as a toy programming book, but not any more, this book is maturing into something serious. Possibly a book to be read by people who are serious about Ruby, hence this book is undergoing a dramatic change. This book is completely written in Asciidoc. Its been proof read from top to bottom. All its examples are worked for Ruby 2.5, and finally this book is appearing online, epub, pdf and print. I hope you enjoy learning Ruby.

Ruby

Ruby is an easy to learn programming language, it was invented by a guy named Matz [1: https://twitter.com/yukihiro_matz , https://en.wikipedia.org/wiki/Yukihiro_Matsumoto] in Japan. Ruby is a free [2: Free here does not mean zero cost. Visit <http://fsf.org> to know more] software and can be used by any one for zero cost. Ruby's popularity was initially confined to Japan, later it slowly trickled out to rest of the world. Things changed with the emergence of Ruby on Rails [3: <http://rubyonrails.org>] which is a popular web-development framework written with Ruby.

I was thrilled when I started to program in Ruby. One of my first application was a student ranking software for my mom who was a teacher. I was able to write the console based application in just 32 lines!!! This opened my eyes and made me realize the power of Ruby. The language was simple, easy to learn and nearly perfect. Currently I am a professional Ruby on Rails programmer.

This book is written for GNU/Linux (Debian distro) users, that's because I think GNU/Linux will conquer desktops of programmers in near future. Almost all who have Debian GNU/Linux based distro should feel at home while trying to learn Ruby using this book. If you are using other operating systems like Solaris, OSX or Windows please contact your Operating System help channels to learn how to install or get started with Ruby. You can also visit <http://ruby-lang.org> to learn how get started with Ruby.

Copyright

Copyright (c) 2009 - End of Universe, Karthikeyan A K

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license can be found in <http://www.gnu.org/copyleft/fdl.html>

All code in this book is released under GPL V3 [4: <https://www.gnu.org/copyleft/gpl.html>] or later.

Getting this book

You can get this book here <https://i-love-ruby.gitlab.io/> and you can get the entire book and source code here <https://gitlab.com/i-love-ruby/i-love-ruby.gitlab.io>.

Contacting the Author

You can contact me, Karthikeyan A K on mindaslab@protonmail.com or via phone +91 8428050777 or on twitter @karthik_ak. I would love to hear from people who read my book, so do write to me if you feel so.

Prerequisite

This book provides you with enough knowledge to learn Ruby from scratch. But it will be good if you already know or have these things. The first thing is a GNU/Linux computer. I would recommend one to have Ubuntu <https://ubuntu.com> machine. This OS is becoming the OS of every good programmer. The second thing for you to do is to cultivate knowledge of GNU/Linux, you may read the tutorials on <https://linuxjourney.com> to get the knowledge. Once you have these knowledge, you will be in a better position to learn Ruby.

Chapter 1. Installing Ruby

1.1. Installing Ruby on Debian flavor GNU/Linux

You need to install something called RVM (ruby version manager <https://rvm.io>) which will manage multiple ruby versions. Why? It's because Ruby's version changes so fast.. Before you had 1.8, now 1.9, 2 and now we have Ruby 3. Apart from just using Ruby alone, you will also use it for other stuff like web development with packages such as Sinatra and Ruby on Rails. You might need to change from one version to other without uninstalling and reinstalling ruby again and again. RVM manages this for you. With simple commands we can switch between Ruby versions easily.

Installing RVM :

OK, to install RVM, you need to have curl (a program that can download things). To get curl, just type

```
$ sudo apt-get install curl
```

Now install RVM using the following command

```
$ gpg --keyserver hkp://keys.gnupg.net --recv-keys  
409B6B1796C275462A1703113804BB82D39DC0E3 7D2BAF1CF37B13E2069D6956105BD0E739499BDB  
  
$ \curl -sSL https://get.rvm.io | bash -s stable
```

Once done give these commands into terminal. These will tell Ubuntu GNU/Linux where to find the rvm.

```
$ echo '[[ -s "$HOME/.rvm/scripts/rvm" ]] && source "$HOME/.rvm/scripts/rvm" # Load  
RVM into a shell session *as a function*' >> ~/.bashrc  
  
$ source ~/.bashrc
```

Installing Ruby

Once rvm is installed, you can install Ruby

```
$ rvm install ruby
```

Once this is done, you may need to restart your terminal. Open the terminal and type the following:

```
$ ruby -v
```

It will spit an output something like this:

```
ruby 3.0.3p157 (2021-11-24 revision 3fb7d2cadc) [x86_64-linux]
```

Then all is OK!

1.2. Installing IDE

You need a good IDE (Integrated development environment) to get started with Ruby. I recommend simple and light weight IDE Geany (<https://geany.org>). To install the IDE in Ubuntu just type (without that \$):

```
$ sudo apt-get install geany
```

If the system asks for administrator password, provide it.

Chapter 2. Online Resources

Ruby has got an excellent online community of hackers who are ready to help almost any one who has any doubt about Ruby. They love the programming language and want others to love and experience it. Ruby is a great programming language that will put something good in your heart. Once you have learned it and start to interact with fellow hackers, you will naturally tend to help others. So do visit the websites recommended in this section. They might be of great use to you.

2.1. Ruby Website

URL: <http://ruby-lang.org>

Ruby website is a great place to start with Ruby. It provides you with the installers to install Ruby on your operating system (but I recommend using RVM). It has cool links like 'Try Ruby! in your browser', which lets you try out Ruby right from your web browser and a link called 'Ruby in Twenty Minutes' teaches you the basics of Ruby programming. Ruby is such a simple language that you just need 20 minutes to grasp it! Trust me it's true!

Also try visiting <https://www.ruby-lang.org/en/community/mailing-lists/> and you will see a form like this

Subscribe or Unsubscribe

Mailing List	<input type="text" value="Ruby-Talk"/> ▼
Action	<input type="text" value="Subscribe"/> ▼
Email Address	<input type="text"/> 
Submit Form	

If you fail to receive a confirmation e-mail using the form, try subscribing the [manual way](#).

Type in your email and submit the form, you will receive an email to subscribe to Ruby mailing list. Follow the instructions in the email and subscribe. Once you have done, congrats! You are part of Ruby community now!!

2.2. Reddit

Reddit has a very active Ruby community. You can find it here <https://www.reddit.com/r/ruby/> . The

great thing about reddit is the stories are raked by fellow users, and what's the best bubbles up. If you are looking for what's really trending in Ruby or any other tech topic, I find reddit being the best.

2.3. Ruby Flow

Ruby flow is a website which I use it for casual reading of what's happening in Ruby community. It's a very clean website where Rubyists can post what they think fellow Rubyists must know about Ruby. You can access it here <http://www.rubyflow.com/>

2.4. Twitter

URL: <http://twitter.com>

Twitter is a socializing website. Then why on Earth am I putting it here? Well lots of Ruby programmers use twitter, possibly because it was written with Ruby initially. To get the latest news about "Ruby Programming", type it in the search bar and press search. You will get latest trending topics about Ruby language. Try searches like "Ruby language" and blah blah....

Chapter 3. Getting Started

Having installed the needed software, lets gets started.

3.1. Interactive Ruby

Ruby provides us a easy way to interact with it, this feature is called interactive ruby or `irb` [5: One may also checkout `pry` <http://pryrepl.org/>]. With `irb` you can type small bits of ruby code in your console and see it get executed. `irb` is a great tool to check out small pieces of Ruby code. In your terminal type `irb` or `irb --simple-prompt`, you will be getting prompt as shown

```
2.4.0 :001 >
```

The above prompt will be got if you had typed `irb`

```
>>
```

The above prompt will be got if you had typed `irb --simple-prompt`, in examples from now on I will be using the simple prompt. Lets write our first hello world program, in the prompt type the following (don't type those `>>`)

```
>> puts 'Hello World!'
```

When you press enter, you will get output as follows. In Ruby `puts` is used for printing some thing onto the console.

```
Hello World !  
=> nil
```

Very well, we have completed our hello world program under a minute. Lets check what is 56 to the power of 31 is

```
>> 56**31  
=> 1562531701075863192779448904272185314811647640213651456
```

OOPS! You never thought it would be such a large number, did you? Any way, the `**` is used to find a number raised to the power of another number.

To quit `irb` and return to normal console or terminal prompt type `quit` or press `Ctrl+c` on keyboard.

3.2. Jupyter Lab

Ruby's REPL that you can invoke by typing `irb` in your terminal is good, but imagine if you can run a very interactive REPL in your browser. A tool called Jupyter does just that. One can learn about Jupyter here <https://jupyter.org/>, one may install it on your computer. For that you need to have Python installed first.

Once you have done it you can install a gem called iruby by typing


```
$ gem install iruby
```

in your terminal.


Once done you can launch Jupyter lab by typing:

```
$ jupyter lab
```

Your browser will open up and you will get a screen as shown:



In the above picture one can see that I have integrated Jupyter with various languages, and Ruby is one among them. I need to click the Ruby icon to be presented with a screen as shown:



At the left I have file browser where I renamed the file as ruby_injupyter.ipynb, one can get the file here https://i-love-ruby.gitlab.io/code/ruby_injupyter.ipynb

So start typing commands like

```
1 + 2
```

Press **kbd:[Shift + Enter]** to execute it, and now try out

```
a = 3
b = 5
c = a + b
```

One may also try to use Jupyter for almost this entire book to learn Ruby.

3.3. Doing some Math

Computer is a device that computes, or does some math. With irb we can do easy math. If you don't like to work with numbers, ruby can do it for you. So, first, lets add these numbers : 1, 45, 67, 893, 72, 56 and -128. To do so in your irb prompt just type these numbers separated by a plus '+' sign and you will get the result

```
>> 1 + 45 + 67 + 893 + 72 + 56 + -128
=> 1006
```

Here are some common math operators that you will find useful

Operator	What they do
+	Adds numbers
-	Subtracts a number from another number
/	Divides a number with another number
*	Multiplies two numbers
**	Finds a number raised to the power of another
%	Finds the remainder
+=	Adds and assigns a value to a variable
-=	Subtracts and assigns a value to a variable
*=	Multiply and assigns a value to a variable
/=	Divides and assigns a value to a variable
%=	Finds the remainder and assigns it to a variable

Addition Example: Lets say that I want to add 56 and 72 and find its result, I can do it as shown:

```
>> 56+72  
=> 128
```

Subtraction Example: In this example I am subtracting 64 from 112

```
>> 112-64  
=> 48
```

Division Example: Lets say I want to divide 117 by 12 and find the quotient, I can do it in Ruby like this

```
>> 117/12  
=> 9
```

Power Example: Lets say I want to find what we will get by cubing five (five raised to the power of three), I can do it in Ruby as shown

```
>> 5**3  
=> 125
```

Modulus or Remainder Example: I want to know what we will get as remainder when we divide 21 by 4, I can do it as shown

```
>> 21%4  
=> 1
```

Addition with assignment Example: Lets declare a variable i, set it to 5 and add 37 to it. In ruby you can do it as shown

```
>> i = 5  
=> 5  
>> i+=37  
=> 42  
>> i  
=> 42
```

At the end when we type i and see we get 42. This means i holds the value 42 in it.

Subtraction with assignment Example: Lets declare a variable j , assign it with a value 50 and take away 17 from it

```
>> j = 50  
=> 50  
>> j -= 17  
=> 33  
>> j  
=> 33
```

At the end when we type j and see we get 33. This means j holds the value 33 in it.

Multiplication with assignment Example: Lets declare a variable k, set it to 3 and multiply it by nine

```
>> k = 3  
=> 3  
>> k *= 9  
=> 27  
>> k  
=> 27
```

At the end when we type k and see we get 27. This means k holds the value 27 in it.

Division with assignment Example: Lets declare a variable s, set it to 25 and divide it by 5

```
>> s = 25
=> 25
>> s /= 5
=> 5
>> s
=> 5
```

At the end when we type s and see we get 5. This means s holds the value 5 in it.

Try other operators on your own, I'm running out of patience.

3.3.1. Space doesn't matter

Lets say that I want to add 54 with 62, how can I command irb to do it. Should it be 54+62 or can I leave spaces so that code could be neatly written like 54 + 62 . Well, fortunately in Ruby leaving spaces doesn't really matter you can give it in any number of ways as shown below and still get the same result.

```
>> 54+62
=> 116
>> 54 +62
=> 116
>> 54+ 62
=> 116
>> 54 + 62
=> 116
>> 54           +       62
=> 116
```

Notice that the plus weather it sticks with 54 or 62 or has space between them, no matter how long the space is, it prints out the right result.

3.3.2. Decimals

When you divide 5 by 3 in ruby you get result as follows

```
>> 5/3
=> 1
```

In other words it gives the quotient. In reality 5 divided by 3 is almost 1.6666666666666667, so how to get this answer? The truth is 5 and 3 are integers, or numbers that don't have decimal part. If you want a fairly accurate answer you can rephrase your command to Ruby as follows

```
>> 5.0/3
=> 1.666666666666667
```

In the above way, we are specifying 5.0 instead of 5, in other words we are forcing Ruby to make a floating point or decimal calculation instead of integer calculation. This makes Ruby to give an fairly accurate answer.

3.4. Variables

Variables are something that stores value in it. You can imagine them as a box which can hold pebbles. If a box named `a` holds five pebbles then its value is 5, if another box `b` holds three pebbles, then its value is 3. Let say you got a new box `c` and you want its value to be the sum of box `a` and box `b`, then you simply add number of pebbles in `a` and `b`, it totals to 8, you put 8 pebbles in `c` to make `c = a + b`. I hope you have got a hint what a variable is. Lets program it in Ruby

```
>> a = 5
=> 5
>> b = 3
=> 3
>> c = a + b
=> 8
```

Lets try another problem, I buy 50 mangoes from a farmer at 10/- and bring it to the market and sell it at 15/- each, what is my profit?

Answer:

OK first I have 50 mangoes so in irb I type as shown:

```
>> mangoes = 50
=> 50
```

So I have assigned the value of 50 to a variable called `mangoes`. Next I declare and assign a value of 10 to a variable `buy_price` as shown:

```
>> buy_price = 10
=> 10
```

In a similar fashion I assign 15 to a variable named `sell_price`

```
>> sell_price = 15
=> 15
```

Now profit per mango is the difference between sell and buy price, hence I can calculate it as shown

```
>> profit = sell_price - buy_price  
=> 5
```

By selling a mango I get a profit of Rs 5/-, what will I get by selling 50 mangoes? Its a multiple of **profit** with **mangoes** and we get it as shown

```
>> total_profit = profit * mangoes  
=> 250
```

So by selling 50 mangoes we can earn a profit of 250/-. Lets say that we have bought 72 mangoes, now we want to know what profit would be, this can be easily done by changing or varying the value of **mangoes** from 50 to 72 and recalculating the **total_profit** as shown below

```
>> mangoes = 72  
>> total_profit = profit * mangoes  
=> 360
```

Now you may know why we call these things are variables, a variable is a box that can contain any value it wants. Just like you can add or take away pebbles from a box, you can do the same to mathoperation to variables.

3.4.1. Naming Convention

In the mango example, you would have noticed that I have given the names of variables as **buy_price**, **sell_price**, **total_profit** and not as **buy price**, **sell price**, **total profit**, why so? It turns out that one must follow a certain naming convention or rules when naming a variable. The rules of naming a variable are as follows:

- There must be no space in between variable names
- There must be no special character except underscore ` _ ` in a variable name
- A variable name can have numbers
 - A variable name must not start with a number
- A variable must either start with a character or an underscore
 - Capital character should not appear at the start of variable

Below given are examples of valid variable names

```
mango
total_price
mango_
_mango
buyPrice
boeing747
boeing_747
iam23yrsold
```

Below are given examples of invalid variable names

```
34signals
Mango
total cost
```

3.4.2. The underscore – a special variable

Suppose we want to find what's 87 raised to the power 12, we can do as follows

```
>> 87 ** 12
=> 188031682201497672618081
```

Now we want to multiply the result with 5 and see the answer, now the above result is a whoppy 24 [6: To find number of digits type this in irb: `(87**12).to_s.length`] digit number and we must type all of it and put a star five to get an answer, that's a lot of work! If you are a programmer, laziness should flow in your veins otherwise find another profession. One way is to assign this value to a variable and multiply it by 5 as shown below

```
>> a = 87 ** 12
=> 188031682201497672618081
>> a*5
=> 940158411007488363090405
```

However there is another easy way as shown below

```
>> 87 ** 12
=> 188031682201497672618081
>> _ * 5
=> 940158411007488363090405
```

I did find out 87 raised to the power of 12, and after that I multiplies underscore with five! But how come? Underscore is a special kind of variable, in it the result of last execution gets stored automatically. If you want to use the last obtained output you can do so by using underscore as a variable [7: This underscore as a variable works only in interactive ruby (irb)].

When you are executing a ruby program typed in a file this wont work. See section Underscore in Appendix].

3.5. Constants

Unlike variables, some values must be constant, for example the radius of the Earth is constant, the speed of light is constant. In problems that deal with these kind of issues, or in situations where you are absolutely certain that some values wont change, you can use constants.

A constant can be thought as a variable who's value doesn't change. Constants in Ruby starts with a capital letter, it could then be followed by alphabets, numbers or underscore. Lets now have a constant called **Pi** who value will be equal to mathematical pi, to do so just type the following in irb prompt

```
>> Pi = 3.1428
=> 3.1428
```

Having assigned the value of pi to a constant named **Pi**, we will now try to find area a circle whose radius is 7 units, so lets use our faithful calculator the irb. We know that area of a circle is πr^2 , where r is the circles radius. In your irb prompt we can do the calculation as follows

```
>> r = 7
=> 7
>> Pi * r ** 2
=> 153.9972
```

So we find area of circle is roughly 153.9972 square units, which is very near to the exact value of 154 square units.

One can ask weather can we change value of constant? I don't say its impossible, but if we change ruby gives us warning that we are changing the value of a constant, after the warning the constant gets changed anyway.

```
>> Pi=5
(irb):35: warning: already initialized constant Pi
=> 5
```

In the above example I have re assigned the value of **Pi** to 5, as you can see in the second line, Ruby interpreter does throws out a warning that Pi is already initialized constant, but any way the value of Pi gets changed to 5. It is strongly discouraged not to change values of constants in professional programming.

3.6. Strings

Till now we have seen about numbers, now lets see something about text. In computers text are

called as string [8: Possibly because they are string of characters]. OK lets see about strings in Ruby. Lets start with an hello world. In your irb type hello world as shown

```
>> "hello world"  
=> "hello world"
```

As a response you get an "hello world". In short, string is any stuff that's surrounded by " or by '

Now lets try the above example by surrounding the above hello world with single quotes

```
>> 'hello world'  
=> "hello world"
```

Well you do get the same response. So whats the difference between single and double quotes? Take a look at the following example

```
>> time_now = Time.new # Get the current time into a variable  
=> Fri Jan 15 16:43:31 +0530 2010  
>> "Hello world, the time is now #{time_now}"  
=> "Hello world, the time is now Fri Jan 15 16:43:31 +0530 2010"  
>> 'Hello world, the time is now #{time_now}'  
=> "Hello world, the time is now \#{time_now}"
```

At first we declare a variable called `time_now` and store the current time into it. The current time in Ruby is got by `Time.new` command. Now we have a variable and we can embed it into a string by putting it like `#{put_your_variable_here}`. So we want to tell the world the time now is something, so we give a command as shown

```
>> "Hello world, the time is now #{time_now}"  
=> "Hello world, the time is now Fri Jan 15 16:43:31 +0530 2010"
```

and we get a proper result. Note that you have enclosed the string with a double quotes. Now lets try the same thing with single quotes

```
>> 'Hello world, the time is now #{time_now}'  
=> "Hello world, the time is now \#{time_now}"
```

We see that in this case the world is not able to see what time it is, rather its able to see a ugly string as shown

```
"Hello world, the time is now \#{time_now}"
```

What ever that's put between single quotes gets printed as it is. You might ask why # is printed as

\#, well we will see it in escape sequence soon.

3.6.1. String Functions

There are certain cool things you can do with a string with the built in functions and routines packed into Ruby. For example if I want to find the length of a string I can use the `length` function as shown

```
>> "my name is billa".length
=> 16
```

There are many functions, some of which are given in the table shown. I must warn you that this table is not comprehensive, you must check the Ruby documentation [9: <https://ruby-doc.org/core-2.5.1/String.html>] for a comprehensive coverage.

Input	Output	Notes
<code>"my name is billa".length</code>	16	The length function finds the length of a string
<code>"my name is billa".reverse</code>	allib si eman ym	The reverse function reverses a string
<code>"my name is billa".capitalize</code>	My name is billa	Capitalizes the given string
<code>"my name is billa".upcase</code>	MY NAME IS BILLA	Converts lower case characters to uppercase
<code>"MY NAME IS BILLA".downcase</code>	my name is billa	Converts uppercase characters to lower case
<code>"my name is billa".next</code>	my name is billb	This is quiet illogical function that prints the next logical String
<code>"my name is billa".empty?</code>	false	Returns true if string is empty, else returns false
<code>"".empty?</code>	true	Returns true if string is empty, else returns false

OK, so we have seen some functions, lets now see what operations can be performed on string. The first one is concatenation in which two or more strings can be joined together, take a look at example below

```
>> "Hello" + " " + "World!"
=> "Hello World!"
```

In the code above, I have joined three strings “Hello” a (space) “ “ and “World!” using a plus sign, the same operation can be done with string variables too as shown below

```
>> string_1 = "Hello"
=> "Hello"
>> string_2 = "World!"
=> "World!"
>> string_1 + " " + string_2
=> "Hello World!"
```

OK now, we have studied a lot, a bit of meditation will help, let's chant OM [10: A magical word uttered by saints in India] to cleanse and reset our mind. You know, Ruby can meditate for you! In your irb type the following

```
>> "OM " * 10
```

For heaven sake don't type `>>`! And here is your result

```
=> "OM OM OM OM OM OM OM OM OM OM "
```

The multiplication operator followed by a number prints a string N number of times, where N is the number given after `*`.

3.6.2. Escape sequence

Whenever you type a statement like `puts "Hello World!"` the Ruby interpreter prints `Hello World!`. That is every thing between `"` and `"` gets printed. Well not always. There are some things that you can put between `"` and `"` that will escape the normal printing sequence. Launch your irb and type the example given below:

```
>> puts "Hello \r World!"
World!
=> nil
```

Surprise, you see only `World!` getting printed. What happened to the Hello? Well the `\r` character stands for carriage return, which means the Hello does get printed. Then the carriage / cursor returns to the beginning of the line and `World!` gets overwritten on it. Like `\r` stands for carriage return, `\n` stands for newline. Type the example below in irb

```
>> puts "Hello \n World!"
Hello
World!
=> nil
```

As you can see `Hello` gets printed in first line and `World!` gets printed on the next. This is because we have placed a new line character `\n` in between them.

Well now lets take a scenario, we now know that `\r`, `\n` and possibly others are non printing characters. Now how to print `\n` or `\r` in our output. As it turns out that putting a double backward slash would print a backward slash in output as demonstrated by example below.

```
>> puts "Hello \\n World! => Hello \\n World!"  
Hello \\n World! => Hello  
World!  
=> nil
```


In a similar fashion `\t` puts tab spaces, where ever they are placed. Try the example below

```
>> puts "Tabs \\t leave\\tlong spaces"  
Tabs      leave  long spaces  
=> nil
```

I hope you have understood something about Strings, lets move on.....

3.7. Using Text Editor

Till now you have keyed in small programs into your irb, when you are developing large software you can't expect the end user or your clients to keep keying in into the console the statements you have developed for him / her, instead you will be handing over a typed Ruby program which they can run it to accomplish certain task. Let's see how to use a text editor to write programs. Earlier in Installing IDE section I have typed about how to install a simple Integrated Development Environment (IDE) called Geany (<https://geany.org>). If you are using Ubuntu, press super key, type in Geany, click on the Geany icon and you will get it.



You can use other IDE's too, if want other IDE, refer to their documentation for installation instructions. In the IDE type the following program

```
puts "Hello World!"  
puts "This time I used text editor"
```

Now save the file as `hello_world.rb` in a directory, note that Ruby files ends with `.rb` (dot rb) extension. Launch your terminal / console, migrate to the directory where program is stored and type the following in it

```
$ ruby hello_world.rb
```

and here's how you will get the output.

```
Hello World!  
This time I used text editor
```

Wonderful! You have learned to program with a text editor, you are getting professional aye!

3.8. Printing Something

Study the code `hello_world.rb` , we have used a Ruby command called `puts` , this command puts something to the output, in this case your terminal window.

```
puts "Hello World!"  
puts "This time I used text editor"
```

The first line prints Hello World! and the second one prints `This time I used a text editor` . What if you want to print two things in the very same line? For it Use the `print` command, lets type a new program `hello_world_1.rb` for it, in your text editor type the following code

```
print "Hello World! "  
print "Once again I used a text editor"
```

This gives the output:

```
Hello World! Once again I used a text editor  
So you have learned to print something!
```

3.9. Getting Input

A program is more useful when it interacts with the user, lets write a program that asks us our name and says hello to us. Type the following code (I saved it as `say_hello.rb`)

```
puts "Hello I am Zigor, a automated Robot that says Hello"  
print "Please enter your name:"  
name = gets()  
puts "Hello #{name}"
```

Now run it, this is how the output will look like

```
Hello I am Zigor, a automated Robot that says Hello  
Please enter your name:Karthik  
Hello Karthik
```

Lets walkthru the program

The first line

```
puts "Hello I am Zigor, a automated Robot that says Hello"
```

Prints that the program name is Zigor and its a automated robot that wishes you Hello. Then it prints a line feed, hence the content thats printed then on goes to the next line

The second line

```
print "Please enter your name:"
```

prints out "Please enter your name:", note that we have used `print` here, not `puts` because we want to get the user's name right after `name:`, I feel it will be awkward if we let them type name in the next line, so to avoid the line feed I am using `print` instead of `puts`.

When the user enters name and presses enter, it is caught by the `gets()` function and the thing you typed is stored in the variable called name because of this piece of code

```
name = gets()
```

Now all our Zigor needs to do is to wish hello, for which we use this code

```
puts "Hello #{name}"
```

Notice how we are embedding the variable name into string by putting it between `#{}`. The same effect can be achieved by using code like this

```
puts "Hello "+name
```

But doesn't the former piece of code look better? Its all your choice. Ruby lets you do the same thing in many ways. You can choose anything that you feel comfortable.

Any way in this topic the line you must be looking at is the one that has `gets()` method or function, it waits for a keyboard input, when you give an input and press enter, it takes your input and assigns the value to variable, in this case the variable is name.

3.10. Comments

Comments are small pieces of notes you can put into a program so that you or some one else when going through the program 7,658 years from now will remember or come to know what its doing. You may be smart today, but tomorrow you may not be as smart as you are now, your boss or client who has paid you will yell upon you at that moment to fix a priority bug or to update a software. Open your text editor and type this code:

```
puts "Hello I am Zigor, a automated Robot that says Hello"
print "Please enter your name:"
name = gets()
puts "Hello #{name}"
```

You might be able to understand it now, but after 7,658 years [11: You can live so long if science progresses fast enough. Researches have data to make you live so long! So be hopeful.]? At that time you might have forgotten Ruby altogether! So start commenting. See the same program [comment.rb](#) below, how it looks like ?

```
# The client is an idiot
# he wants me to update a software after 7,658 years.
# The hell with him
puts "Hello I am Zigor, a automated Robot that says Hello" # zigor is some stupid
robot
print "Please enter your name:" # Tells the user to enter his name
name = gets() # gets the user name and assigns it to a variable named name
puts "Hello #{name}" # Embeds name into the string that gets printed
```

Look at the code above, you have told something about client in the first three lines. These lines start with a # (hash or check sign). The thing that follows after a check sign is a comment, comments don't interfere with programs execution but it can be used to provide visual hints to humans of what's going on in the program.

Now let's look at this line

```
puts "Hello #{name}" # Embeds name into the string that gets printed
```

here you have `#{name}` enclosed within double quotes, hence it's treated as a embedded ruby code in a string rather than a comment, whereas # Embeds name into the string that gets printed is treated as comment.

So I hope you understand that comment can one day help. Professionals always comment when they write code. They will take pains so that almost any Ruby coder who reads their program will be able to understand how it works.

3.10.1. Multiline Comments

If you want to put lot of comments, about the size of a paragraph, then you can put that piece of text between `=begin` and `=end` as shown in the program [comments_multiline.rb](#) below

```
=begin
The client is an idiot
he wants me to update a software after 7,658 years.
The hell with him
=end
puts "Hello I am Zigor, a automated Robot that says Hello" # zigor is some stupid
robot
print "Please enter your name:" # Tells the user to enter his name
name = gets() # gets the user name and assigns it to a variable named name
puts "Hello #{name}" # Embeds name into the string that gets printed
```

In the code above note how we put these text:

```
The client is an idiot
he wants me to update a software after 7,658 years.
The hell with him
```

between `=begin` and `=end` , when you execute the program, those between the `=begin` and `=end` will be ignored. So don't hesitate to write a lot of comment, as now you know there is a way to do it and it will benefit you and your fellow programmers greatly.

There is one small thing you must know about `=begin` and `=end` , that is they must start from the first column, there should not be any spaces before the `=` sign, if there is, ruby will think there its a programming mistake and will signal an error.

Chapter 4. Comparison and Logic

4.1. Logical Operators

Logical operators lets you determine weather some thing is true or not. For example one is one, that's what humans think, lets see what computers think about it. Fire your irb and type one equals to one as shown

```
>> 1 == 1
=> true
```

Well, what's that double equal to sign? A single equal to sign means assignment, for example `a = 5`, puts value `5` into `a`. A double equal to sign is comparison. So above we have checked if `1` is equal to `1` and the answer is `true`. Computers are intelligent, aren't they? OK, now lets check if `1` equals to `2`, so we type `1==2` and....

```
>> 1 == 2
=> false
```

the computer (Ruby interpreter in this case) tells its `false`.

Fine, if `1` is not equal to `2` to a computer when we type it, it must put out `true`, so type it in your console

```
>> 1 != 2
=> true
```

The `!=` stands for not equal to. The `!` Stands for not

Now we check if `1` is not equal to `1` and the computer as expected gives `false` as output.

```
>> 1 != 1
=> false
```

We now check if `2` is greater than `3`, for greater than, we use `>` sign

```
>> 2 > 3
=> false
```

We will now check if `2` is less than `3`, for less than we use `<` sign

```
>> 2 < 3  
=> true
```

Cool! We found that if 2 is not greater than 3, then its less than 3. Well we are going to get a Nobel prize for Math :)

The `>=` stands for greater than or equal to

```
>> 5 >= 3  
=> true
```

Since 5 is greater than 3, it returns `true`

See the expression below, it still returns `true` because 5 is equal to 5

```
>> 5 >= 5  
=> true
```

5 is not greater than 5 so it returns false below

```
>> 5 > 5  
=> false
```

3 is less than 5 hence the less than or equal to operator `≤` returns true

```
>> 3 <= 5  
=> true
```

3 is equal to 3 hence the less than or equal to operator still returns true

```
>> 3 <= 3  
=> true
```

3 is not less than 3, its equal to 3, hence the less than operator returns `false`

```
>> 3 < 3  
=> false
```

You can also try these with numbers

Operator	Meaning
<code>!<</code>	Not less than

```
!>
```

Not greater than

And do they work? ;)

4.2. `true != "true"`

In the logic operator section you might see that irb gives `true` or `false` as output. You mustn't confuse with "`true`" and "`false`". The `true` and `false` are logical values whereas "`true`" and "`false`" are `String`.

4.3. `==`

The `==` operator is used to check if a particular instance [12: https://en.wikipedia.org/wiki/Instance_%28computer_science%29] belongs to an class (i.e type). For example "`abc`" is a `String` type object, `1` is a `Integer`, so lets apply `==` on them and check

```
>> String === "abc"  
=> true  
>> Integer === 1  
=> true
```

As you can see from the above examples, we have the class name on the left and the instance on the right. The first two examples are `true` since "`abc`" is `String` and `1` is a `Integer`.

```
>> String === 7  
=> false
```

In the above example, it clearly returns false since `7` is no way a `String`, well that's what you might think ;)

But there is something strange, look at the example below

```
>> "abc" === String  
=> false
```

So always have the class left side and instance on the right.

4.4. `if`

The `if` keyword is used to execute a statement if a condition is satisfied. Take a look at the program below. Execute it.

```
# if.rb

puts "What's your name?"
name = gets.chomp
puts "#{name} is genius" if name == "Zigor"
puts "#{name} is idiot" if name != "Zigor"
```

This is how the result would be if you give a name other than Zigor

```
What's your name?
Karthik
Karthik is idiot
```

Take a look at the program. Take a look at the following line

```
puts "#{name} is genius" if name == "Zigor"
```

The program gets your name in variable called `name` . Now it checks if the name is Zigor in the code above (that is in the right side of the keyword `if`), if yes it executes the statement associated with it (that is the statement in the left side of keyword `if`), in this case it prints out that the particular name is genius. It then comes down to next statement

```
puts "#{name} is idiot" if name != "Zigor"
```

In this statement it checks if name is not Zigor, if yes it prints the name is idiot.

4.5. if else

Lets write the who's genius program in another form, here we use if else condition instead of `if`. Take a look at the code below named `if_else.rb`

```
# Zigor says if the person is intelligent or not
print "Enter your name: "
name = gets.chomp
if name == "Zigor"
  puts "#{name} is intelligent"
else
  puts "#{name} is idiot"
end
```

The program when executed gives the same output as previous `if.rb` , what's different is how the logic is represented inside the program. We see a thing called `if name == "Zigor"` , then what has to be executed if the code is true comes after that as shown

```
if name == "Zigor"
  puts "#{name} is intelligent"
```

Now we can put any number of statements after that if and all will be executed if the condition given is satisfied. Fine till now, but how will Ruby know where the if statement gets over? To say that things end here we put an `end` keyword as shown below.

```
if name == "Zigor"
  puts "#{name} is intelligent"
end
```

Lets say that that condition(s) given in the `if` is not satisfied and we need to do something `if` condition is invalid, then we put those statements that gets executed when conditions fails under the `else` keyword as shown

```
if name == "Zigor"
  puts "#{name} is intelligent"
else
  puts "#{name} is idiot"
end
```

Note that the `else` and statements that needs to be executed when condition fails comes before the `end` statement. The end marks the end of `if else` block. Its not always necessary to have `else`, instead we could have a code as shown

```
if <condition>
  # many lines of code goes here
end
```

In the above you can put many lines of code that needs to be executed inside a `if ... end` block.

4.6. `elsif`

When we use `if` and `else`, the code under `if` gets executed if the condition is satisfied, else the code under `else` section gets executed. Lets have a new scenario where the code under `if` is not satisfied, then the program immediately jumps to the `else` section, now the logic demands that we need to check another condition at the `else` level too, what should we do? To deal with such a scenario we can use the `elsif` command. Take a look at the code below

```

# elsif.rb
# finds the greatest of three numbers

a,b,c = 3,7,5

if a >= b and a >= c
  puts "a = #{a} is greatest"
elsif b >= c and b >= a
  puts "b = #{b} is greatest"
else puts "c = #{c} is greatest"
end

```

When executed it produces the following result

```
b = 7 is greatest
```

Lets walkthru the code step by step. Lets look at the line

```
a,b,c = 3,7,5
```

In this line we assign values 3, 7 and 5 to variables **a**, **b** and **c**. Lets now come to the **if** statement

```
if a > b and a > c
```

In this statement we check if **a** is greater than **b** and if **a** is greater than **c**. Note the keyword **and**. The **if** condition is satisfied only if both conditions are true. **a** is less than **b** hence this condition fails so program skips the **if** statement and comes to the **elsif** statement

```
elsif b > c and b > a
```

elsif is **else** plus **if**, here we check on another two conditions that are separated by **and**, we check if **b** is greater than **a** and if **b** is greater than **c**, both are true and hence the statement under **elsif**

```
puts "b = #{b} is greatest"
```

gets executed and we get the result. Since the **elsif** is satisfied other **else** and the code that comes under it is ignored.

4.7. if then else

There is another conditional construct with if, called the if then else, its not much different from if else, an example is shown below for theoretical purpose, personally it has not served any practical purpose for me, but for the sake of theory I am putting an example below, execute it and see for

yourself.

```
#if_then_else.rb

number = 42

if number % 2 == 0
  then
    puts "Even"
  else
    puts "Odd"
end
```

4.8. unless

Unless is another way to check a condition. Let say that one is a minor unless he or she is greater than 18 years old. So how to code it in Ruby? Consider the program below, type it in a text editor and execute it.

```
# unless.rb
print "Enter your age:"
age = gets.to_i
p "You are a minor" unless age >= 18
```

When executed this is what we get

```
Enter your age:16
"You are a minor"
```

The program asks your age, it says you are minor if age is not greater than 18. That is it says you are a minor if unless your age is greater than or equal to 18 as shown in this condition `unless age >= 18`. The `p` is a kind of short form for `puts` [13: This is not the right definition, but just remember it in that way]. If you write `puts "something"`, the ruby interpreter prints `something`. If you use `p "something"`, the ruby interpreter prints `"something"` (tht is with those quotes).

If we want to put more than a line of code under an `unless` block we can use `unless ... end` block as shown below

```
unless <condition>
  # many lines of code goes here
end
```

The code in the block gets executed if the `<condition>` fails. `unless` can be thought as opposite of `if`. A `if` block gets executed `if` the condition in it is `true`, a `unless` block gets executed if the condition in it is `false`.

4.9. unless else

Just like `if` with `else`, we can have `else` in `unless` statement. Type in the program below and execute it

```
# unless_1.rb
print "Enter your age:"
age = gets.to_i
unless age >= 18
  p "You are a minor"
else p "You are a grown up"
end
```

This is what you get when you execute it

```
Enter your age:37
"You are a grown up"
```

OK, here is how it works , you get your age, convert it into integer in `age = gets.to_i` and store it in a variable called `age`. Concentrate on this piece of code:

```
unless age >= 18
  p "You are a minor"
else p "You are a grown up"
end
```

unless the `age` is less than 18 `"You are a minor"` doesn't get printed out. If the age is greater than or equal to 18 it gets routed to the `else` statement and `"You are a grown up"` gets printed. Note that if we use `else` with `unless` we must terminate the `unless` block with an `end` command.

Lets now look at another program that uses `unless else`. We want to hire people for armed forces, the person should be between 18 and 35 years of age, our program asks the details from a person who wishes to enroll, it checks his age and tells the result. Type the program below and execute it

```
# unless_2.rb
print "Enter your age:"
age = gets.to_i
unless age < 18 or age > 35
  p "You can enter Armed forces"
else p "You cannot enter Army. You are either too young or too old"
end
```

When executed this will be the result

```
Enter your age:23
"You can enter Armed forces"
```

I think you can explain this program on your own. If else contact me, I will write an explanation unless I am lazy.

4.10. case when

Suppose you want to write a program that has a determined output for determined input, you can use the case when. Lets say that we want to write a program that spells from 1 to 5, we can do it as shown in code/case_when.rb[case_when.rb] , type the program in text editor and execute it.

```
# case_when.rb
# This program spells from one to five

print "Enter a number (1-5):"
a = gets.to_i
spell = String.new

case a
when 1
  spell = "one"
when 2
  spell = "two"
when 3
  spell = "three"
when 4
  spell = "four"
when 5
  spell = "five"
else
  spell = nil
end

puts "The number you entered is "+spell if spell
```

Output

```
Enter a number (1-5):4
The number you entered is four
```

Lets see how the above program works. First the user is prompted to enter a number, when he does enters a number, it gets converted from String to Integer in the following statement

```
a = gets.to_i
```

The variable `a` now contains the value of number we have entered, we have the `case` statement as shown

```
case a
.....
end
```

In the above empty case statement we are going to write code that gets executed depending on the value of `a`. When `a` is 1 we need to spell out as “one” so we add the following code

```
case a
when 1
spell = "one"
end
```

Similarly we add code till the case is 5 as shown

```
case a
when 1
spell = "one"
when 2
spell = "two"
when 3
spell = "three"
when 4
spell = "four"
when 5
spell = "five"
end
```

There could be a case when the human who runs this program could give a wrong input, so we need to deal with those cases too. For that we add a special statement called `else`, if all the `when` cases fails, the code under `else` is executed, it must however be noted that its not mandatory to have an `else` between `case ... end` block. So now the program changes as shown

```

case a
when 1
spell = "one"
when 2
spell = "two"
when 3
spell = "three"
when 4
spell = "four"
when 5
spell = "five"
else
spell = nil
end

```

Next all we must do is to print out `spell` which we do it in the following statements

```
puts "The number you entered is "+spell if spell
```

Note that we print out only if `spell` contains a value, else if `spell` is `nil` nothing is printed. It is taken care by the `if` condition in statement above.

Sometimes it might be necessary that we need to execute same set of statements for many conditions. Lets take a sample application in which the program determines a number from 1 to 10 (both inclusive) is odd or even. Type the code below (code/case_odd_even.rb[case_odd_even.rb]) and execute it

```

# case_odd_even.rb

num = 7 # put any number from 1 to 10

case num
when 1, 3, 5, 7, 9
puts "#{num} is odd"
when 2, 4, 6, 8, 10
puts "#{num} is even"
end

```

Output

```
7 is odd
```

Notice that in above program we assign a value 7 to a variable `num`, next we put the `num` in a `case` statement. When the number is 1, 3, 5, 7 and 9 we need to print its odd so all we do is to group the cases. When its satisfied it must print as `odd`, for that its just enough if you put it as shown in code below

```
case num
when 1, 3, 5, 7, 9
  puts "#{num} is odd"
end
```

Next all we need to print the number is even if its 2, 4, 6, 8 and 10, to do this task all we need to do is to add code that highlighted below

```
case num
when 1, 3, 5, 7, 9
  puts "#{num} is odd"
when 2, 4, 6, 8, 10
  puts "#{num} is even"
end
```

Thats it. The code will work fine for all numbers from 1 to 10. The moral of the story is we can easily group cases and execute a common code under it.

4.11. case when, checking the class type

In Ruby everything is an object. Lets try out some example in irb to prove it

```
>> 1.class
=> Integer
>> "Zigor".class
=> String
```

In the first statement, we have inquired about the class / object type of **1** and it says its of type **Integer**. When asked about class of **"Zigor"** it says **String**. In Ruby you can use this function to know the type variables that you are using. Its a pretty powerful feature.

Now take a look at the program below

```
# case_when_checking_class_type.rb
a = "Zigor"
case a
when String
  puts "Its a string"
when Fixnum
  puts "Its a number"
end
```

Output

```
Its a string
```

See the lines in the above program, we have two statements that like `when String` and `when Integer`, this checks the type of the variable `a` in `case a` statement. If the variable type is `String` it executes the statements under the `when String` thing, when its a `Integer` the other statement gets executed. Since this `a` is of type `String` we get a print out `Its a String`.

4.12. case when and ranges

Please check Ranges used in case .. when .

4.13. case when and regular expressions

Case statements can match regular expressions too. Read Regular Expressions section to understand the example below.

```
# case_when_regexp.rb

string = "I Love Ruby"
# string = "I Love Python"

case string
when /Ruby/
  puts "string contains Ruby"
else
  puts "string does not contain Ruby"
end
```

Output

```
string contains Ruby
```

In the example above check the statement `when /Ruby/` , it checks weather the expression `/Ruby/` appears in `string`. In above example it does appear. So it prints out `string contains Ruby`.

4.14. case when and lambdas

In `case_odd_even.rb` , when we tried to check if a number is odd or even, we gave a verbose program whose scope was limited from numbers from 1 to 10 . We can write the same program as shown

```
# case_odd_even_lambda.rb

num = 76

case num
when -> (n) { n % 2 == 0 }
  puts "#{num} is even"
else
  puts "#{num} is odd"
end
```

Output

```
76 is even
```

To understand the above example you must read Proc, Lambdas and Blocks first. Watch the the code `when → (n) { n % 2 == 0 }` , in it you are passing a lambda to the `when`, which when called would return `true` for `n` of value 76 or any even number, `false` if `n` is odd. Thus unlike previous odd and even program, this would work everywhere for all natural numbers from zero to infinite.

4.15. case when and matcher classes

To understand the program below, you need to read `==` and case when, checking the class type . Type the program below and execute it

```
# case_when_matcher_classes.rb

class Zigor
  def self.==(string)
    string.downcase == "zigor"
  end
end

name = "Zigor"

case name
when Zigor
  puts "Nice to meet you Zigor!!!"
else
  puts "Who are you?"
end
```

Output

```
Nice to meet you Zigor!!!
```

Consider this section

```
case name
when Zigor
  puts "Nice to meet you Zigor!!!"
else
  puts "Who are you?"
end
```

The `case` statement checks `name` and sees if its instance of class type `Zigor`. Well isn't that surprising? How could that be? How can one instance that belongs to `String` class become that of `Zigor` class? Well, what the case when does is, it invokes `==` method in class `Zigor`, its definition could be seen below [14: To understand these stuff you must be familiar in Functions and Classes & Objects].

```
def self.==(string)
  string.downcase == "zigor"
end
```

Here we define `self.==` , where we take in an argument `string` , here the `name` passed to `case` gets copied to `string`, and it checks if the `downcase` of `string` is equal to `"zigor"` in `string.downcase == "zigor"` , if yes, it returns `true`, else `false`. If `true` the code in the when `Zigor` block gets executed and we get the output `Nice to meet you Zigor!!!` . Change name to other values and see what happens.

Don't worry if you do not understand this section now. After completing this book revisit it, you might be in a better state to understand it.

4.16. ?: :

The `? :` is called ternary operator. It can be used as a simple `if`. Take the program shown below. Concentrate on `max = a > b ? a : b`

```
# max_of_nums.rb

a,b = 3,5
max = a > b ? a : b
p "max = "+max.to_s
```

When executed the program gives the following output

```
"max = 5"
```

Well the `?:` works as follows. Its syntax is like this

```
<evaluate something> ? <if true take this thing> : <if false take this thing>
```

You give an expression before the question mark. This expression must either return `true` or `false`. If the expression returns true `it` returns the stuff between `?` and `:`, if `false` it returns the stuff after `:`

In the expression

```
max = a > b ? a : b
```

We can substitute the values of `a` and `b` as follows

```
max = 3 > 5 ? 3 : 5
```

3 is not greater than 5, hence its `false`. Hence the value after `:` is assigned to `max`. Hence `max` becomes 5.

4.17. Assigning logic statement to variables

Wonder weather you noticed or not, in previous example `max_of_nums.rb` we have used a statement like this

```
max = a > b ? a : b
```

Here `a > b` is logic , if its `true` it would return `a` which gets assigned to `max` or it returns `b` which gets assigned to `max`.

Now the same program can be written as follows

```
# max_of_nums_with_if.rb

a, b = 3, 5
max = if a > b
  a
else
  b
end
p "max = " + max.to_s
```

Output

```
"max = 5"
```

Here the variable `max` is assigned to an `if` condition. So if `a` is greater than `b` it will put `a` into `max` else it will put `b` in `max`. As simple as that.

Now there is another stuff. What if there are more statements under `if` or `else` ? Since in this code

block

```
max = if a > b
  a
else
  b
end
```

there is only one statement under `if` block that is `a`, and under `else` block we just have `b` , so its straight forward. Now lets try out the example given below

```
# max_of_nums_with_if_many_statements.rb

a,b = 3,5
max = if a > b
  a + b
  a
else
  a - b
  b
end
p "max = "+max.to_s
```

Run the above program and this is what you get

```
"max = 5"
```

So what to infer? The rule is this, if you give many statements in a block and assign it to a variable, the out put of the last statement will get returned and will be put into the variable [15: You many understand it well when you are reading about [\[functions\]](#)] (max in this case).

Here is another program, a fork of [case_when.rb](#), I guess you know how it works now

```

# case_when_2.rb
# This program spells from one to five

print "Enter a number (1-5):"
a = gets.to_i
spell = String.new

spell = case a
when 1
  "one"
when 2
  "two"
when 3
  "three"
when 4
  "four"
when 5
  "five"
else
  nil
end

puts "The number you entered is " + spell if spell

```

Run it and see it for yourself.

4.18. &&, and, ||, or

You can logically combine conditions using operators called `&&` which is pronounced as and and `||` which is pronounced as or. Let's see few examples and hope you will get it.

Take a look at the program below. Type it and execute it.

```

# double_and.rb

age = 21

if age >= 18 && age <= 30
  puts "You can join the Army"
else
  puts "You cannot join the Army"
end

```

Output

You can join the Army

Now in the above program look at the line `if age >= 18 && age <= 30`, you see the `&&` operator. This `&&` returns true, only if conditions on the both side of it is true. So in the above program the `age` is 21. So `age >= 18` is `true` and `age <= 30`, so `true && true` is `true`, so we get the output `You can join the Army` printed out.

Now instead of `&&`, we can also use `and`, and get the same output as shown below:

```
# and.rb

age = 21

if age >= 18 and age <= 30
  puts "You can join the Army"
else
  puts "You cannot join the Army"
end
```

Output

```
You can join the Army
```

But it's said that `&&` is more efficient than `and`. Right now it's out of scope of this section to explain why. May be in future versions of this book I would try to explain it.

Similarly if we want one of two conditions to be `true`, then we can use `||` operator which is pronounced as or. So in the program below, we are checking if the name is Zigor or R2D2. If it's any one of them, then we conclude the name belongs to a robot, or we say it may not be a robot.

```
# double_pipe.rb

name = "Zigor"

if name == "Zigor" || name == "R2D2"
  puts "#{name} is a Robot"
else
  puts "#{name} may not be a robot"
end
```

Output

```
Zigor is a Robot
```

Once again we can substitute `||` with `or` and get the same same result as shown below, but it's said that `||` is more efficient than `or`. May be in the future versions of this book it will be explained why.

```
# or.rb

name = "Zigor"

if name == "Zigor" or name == "R2D2"
  puts "#{name} is a Robot"
else
  puts "#{name} may not be a robot"
end
```

Output

```
Zigor is a Robot
```

Chapter 5. Loops

At times you might need to do some repetitive task lets say that I want to write a rocket countdown program, I want to create a automated robot that count down for rockets, when the count is finished it says “Blast Off”, lets write one and see

```
# count_down.rb

# Zigor tells about itself
puts "Hello, I am Zigor...."
puts "I count down for rockets"
# Count down starts
puts 10
p 9 # p is a short form for puts
p 8
p 7
p 6
p 5
p 4
p 3
p 2
p 1
p "Blast Off!"
```

Well I hope you understand the program above. There is one thing I would like to explain, `p` is a short kind of form of `puts`, rather than writing `puts` one can use `p` and get the same result [16: Well, almost]. The above program when run prints the following

```
Hello, I am Zigor....
I count down for rockets
10
9
8
7
6
5
4
3
2
1
"Blast Off!"
```

So a perfect execution, but we can make this more efficient to code, we will soon see how

5.1. `downto`

In your text editor type the following program

```
# count_down_1.rb

# Zigor tells about itself
puts "Hello, I am Zigor...."
puts "I count down for rockets"
# Count down starts
10.downto 1 do |num|
  p num
end
p "Blast Off!"
```

Run it and see. Well your program uses now a lot less code and yet it produces the same result!

Notice the thing `10.downto 1` , this statement make Zigor count down from 10 to 1 , while it count downs you can do some thing with the countdown value, you can put some code in the loop block. The loop starts with a `do` and ends when it encounters a `end` command. Any code you put should be between the `do` and `end` **block** [17: You can use open and closed flower or curly brackets `{` and `}` instead of do and end in Ruby] as shown below

```
10.downto 1 do
  # do some thing! Anything!!
end
```

So between the `do` and `end` (technically its called a block) you can put the code to print the count down number. First how to get the number? we will get it in a variable called `num` , so we rewrite the code as shown

```
10.downto 1 do |num|
  # put the printing stuff here
end
```

Notice above that `num` is surrounded by `|` and `|` . All we need to do now is to print it, so we just print it as shown below

```
10.downto 1 do |num|
  p num
end
```

5.2. times

times is a very simple loop, if you want to get a code executed N number of times you put the code in it. Now lets see what Zigor knows

```
# times.rb

puts "Hi, I am Zigor"
puts "I am going to tell what I know"
7.times{
  puts "I know something"
}
```

Well, when executed the program prints the following

```
Hi, I am Zigor
I am going to tell what I know
I know something
```

Zigor tells that it knows something seven times.

OK we have made changes in the program, we are printing the count variable this time, type the program below and execute

```
# times_1.rb

puts "Hi, I am Zigor"
puts "I am going to tell what I know"
7.times{ |a|
  puts "#{a}. I know something"
}
```

Here is what you get the result

```
Hi, I am Zigor
I am going to tell what I know
0. I know something
1. I know something
2. I know something
3. I know something
4. I know something
5. I know something
6. I know something
```

Why its counting from zero to six rather than one to seven? Well, if all happens as you want, there

will be no need of programmers like you and me, so don't bother. Notice that in these programs we use `{` and `}` rather than `do` and `end`. Well, Ruby encourages different styles of programming.

5.3. upto

`upto` counts some number upto some other number. Its like `downto` in reverse. Type in the program below and execute it

```
# upto.rb

# upto is downto in reverse
17.upto 23 do |i|
  print "#{i}, "
end
```

And here is how the output looks like

```
17, 18, 19, 20, 21, 22, 23,
```

5.4. step

`step` loop can be thought as combination of `upto` and `downto` all packed in one, execute the code shown below

```
# step_1.rb
# explains step function
1.step 10 do |i|
  print "#{i}, "
end
```

and here is the result. This is very similar to `upto`! Don't you see!!

```
1, 2, 3, 4, 5, 6, 7, 8, 9, 10,
```

Now lets modify the program as shown below and save it in another name

```
# step_2.rb
# explains step function
10.step 1 do |i|
  print "#{i}, "
end
```

When executed this program produces no output. What have we done wrong? Modify the program

as shown below and run it

```
# step_3.rb
# explains step function
# this time its stepping down
10.step 1, -1 do |i|
  print "#{i}, "
end
```

Well here is the output of the program

```
10, 9, 8, 7, 6, 5, 4, 3, 2, 1,
```

What goes on in step? step receives three inputs, consider the code shown below

```
10.step 1, -1
```

The first one is the number that calls step is taken as the initial number, in the above case it is **10**. Next is the ending number in this case it is **1**, that is this function counts from 10 to 1, we must descend in this case, so the count must be in steps of **-1**.

I can modify the same program to print even numbers in 10 to 1 as shown

```
# step_4.rb
# explains step function
# this time its stepping down
p "Even numbers between 10 and 1:"
10.step 1, -2 do |i|
  print "#{i}, "
end
```

This program prints the following output

```
"Even numbers between 10 and 1:"
10, 8, 6, 4, 2,
```

Lets now try a program that will print even numbers from 1 to 10, this time in ascending order

```
# step_5.rb
# explains step function
# this time its stepping up by two counts each loop
p "Even numbers between 1 and 10:"
2.step 10, 2 do |i|
  print "#{i}, "
end
```

Output

```
"Even numbers between 1 and 10:"
2, 4, 6, 8, 10,
```

In the above code, have started from 2, we will end at 10 and we jump each loop by steps of 2. Inside the loop we simply print the iterating value which is captured in variable **i**.

5.5. while

While [18: kinda, while before your boss act like you work] loop is a loop that does something till a condition is satisfied. Read the code below

```
# while.rb
i=1
while i<=10 do
  print "#{i}, "
  i+=1
end
```

when executed, it produces the following output.

```
1, 2, 3, 4, 5, 6, 7, 8, 9, 10,
```

Lets now see how an while loop works. A while loop normally has four important parts

1. Initialization
2. Condition check
3. Loop body
4. Updation

Initialization

See the statement **i=1**, here we initialize a variable named **i** and set it to value **1**.

Condition check

See the statement `while i<=10` , in this statement we specify that we are starting a while loop, this while loop on every iteration checks the value of `i` , if its less than or equal to `10` , the loops body gets blindly executed.

Loop body

Notice the `do` and `end` in the program, the `do` symbolizes the start of loop code block, the `end` symbolizes the end of loop code block. Between it we have some statements about which we will discuss soon. One of the statement is to print the value of `i`, which is accomplished by `print "#{i}, "`

Updation

Lets say that we forgot to include `i+=1` in the loop body, at the end of each iteration the value of `i` will always remain 1 and `i` will always remain less than 10 hence the loop will be executed infinite number of times and will print infinite 1's, . In practical terms your program will crash with possible undesirable consequence. To avoid this we must include a updation statement. Here we have put `i+=1` which increments `i` by value one every time an iteration continues, this ensures that `i<=10` to become `false` at some stage and hence the loops stops execution [19: Some cases a loop might be let to run infinite times (theoretically). Currently those things are outside the scope of this book.].

Hence we see that for a loop to work in an desirable manner we need to get these four parts into symphony.

5.6. until

`while` loop keeps going until a condition becomes `false`, `until` loop keeps going until a condition becomes `true`. Read the code below, type it in a text editor and execute it.

```
# until.rb
i=1
until i>10 do
  print "#{i}, "
  i+=1
end
```

This is what you will get as result

```
1, 2, 3, 4, 5, 6, 7, 8, 9, 10,
```

So how this loop works? At first we do set `i=1`, then we use the until command and say that until `i` is greater than 10 keep doing some thing in this line `until i>10 do`. What should be done is said between the `do` and `end` key words. So till the condition fails, the code in loops body will be executed, so we get 1 to 10 printed as output.

5.7. break

Suppose you want to break away from loop, that is to stop executing it, you can use the `break` command. An example is given below. In the example we will break if the iterating variable `i` becomes 6. So numbers ranging only from 1 to 5 gets printed. When `i` becomes 6 the loop breaks or terminates

```
#break.rb

1.upto 10 do |i|
  break if i == 6
  print "#{i}, "
end
```

When executed, the above program produces the following output

```
1, 2, 3, 4, 5,
```

5.8. next

`break` , breaks out of loop and terminates it. `next` is some what different from `break` , instead of breaking from the loop, its a signal to continue the loop without executing statements that occurs after `next`. Here is a example for you to understand it

```
# next.rb

# This loop won't print 6
10.times do |num|
  next if num == 6
  puts num
end
```

Output

```
0
1
2
3
4
5
7
8
9
```

If you notice the output, you see that numbers from 0 to 9 are printed, but there is no 6. Notice the

line `next if num == 6` in `next.rb` here if `num` is 6, `next` is executed, in other words all lines after that in the `do end` block is skipped. Unlike `break`, the loop is not terminated, but just the lines after `next` are skipped and the loop continues on.

5.9. redo

There is another thing called `redo`. `next` skips any execution further and the iterating variable is incremented / decremented to next possible value [20: Its not right to think that `next` will increment iterating value by 1. Checkout `next_with_step.rb` and try it.], `redo` on other hands skips further execution of code in the loop block, but the iterating variable is not incremented, instead the loop is rerun. Type the code below and execute it

```
# redo.rb

5.times do |num|
  puts "num = #{num}"
  puts "Do you want to redo? (y/n): "
  option = gets.chomp
  redo if option == 'y'
end
```

Run it and hopefully you can explain it by yourself ;-)

5.10. loop

So we have seen many types of loops till now, but I have left out a basic loop which is we call `loop`. Why I have left it out Because its dangerous to use [21: If you run this loop a million times then it will automatically trigger nuclear warheads in Area 51. This will make Russia counteract thus unleashing a nuclear Armageddon]. Okay lets see an example. Type the program below and execute it. Note that you need to press `Ctrl+C` to stop it executing. So be cautious

```
# loop.rb

loop do
  puts "I Love Ruby"
end
```

```
Output
I Love Ruby
....
```

The output will keep on printing **I Love Ruby** until u press Ctrl and C keys togeather to break. The basic is this: Anything put between loop do and end will keep on going.

So now lets say that we don't want this loop to be continuously running for ever. Lets see how to tame it. Lets print a program that prints from 1 to 10. Type the program below and run it .

```
# break_at_10.rb

i = 1
loop do
  puts i
  break if i == 10
  i = i+1
end
```

Output

```
1
2
3
4
5
6
7
8
9
10
```

So the program prints from 1 to 10 as we wished. Lets walk through it and see how it works. The first line **i = 1** , stores the value **1** in variable named **i**. Next we have this **loop do** line where any thing put between this and **end** will run continuously.

In the next line **puts i** , we print the value of **i** and hence **1** gets printed, now in **break if i == 10** , it

checks if `i` is 10, here the condition is `false` as `i` is not 10, hence the loop will continue to the next statement `i = i + 1`, we are adding 1 to `i` in `i + 1` and hence it becomes 2 so by saying `i = i + 1` we mean `i = 1 + 1` hence `i` will become 2 and it (the program) meets the `end` statement, it does not mean end it just means iteration of loop ends so return back to top (that is to `loop do`) once again.

So in `loop do`, now `i` is 2, so the thing goes on and on till `i` is 10 and in that case, in `break if i == 10`, `i == 10` becomes `true` and the loop breaks.

Exercise: Try modifying the `break_at_10.rb`, when we have finished printing 10, the program must print "Mom I have finished printing 10"

Answer: [telling_mom.rb](#)

Exercise: These western guys don't like 13, so write a program to print from 1 10 20, but omit 13.

Answer: [no_13.rb](#)

Exercise: Explain if `no_13_a.rb` will work. If ya, how? If nay, why not? [22: If you can't find out, you will know it on 13-14-2020 AD, that's the judgement day. God will descend upon earth and give answer to this ultimate question. If you want to know watch "The Hitchhiker's Guide to the Galaxy" which contains a very secret message. DONTPANIC.]

5.11. Flip Flop

Let's now look at an operator called flip flop. Let's say that you are inside a loop that goes from 1 to 10, and you are capturing the number in a variable named `i` and printing it like this:

```
1.upto 10 do |i|
  puts i
end
```

Now say that you want to start printing from 5 and end printing at 8. That is a mythical switch should flip and says let's print when `i` reaches 5 and it must flop when `i` reaches 8. So you code for it like this:

```
# flip_flop.rb

1.upto 10 do |i|
  if (i == 5) .. (i == 8)
    puts i
  end
end
```

Let's execute the code:

Output

```
5
6
7
8
```

So let's look at the statement `if (i == 5) .. (i == 8)`, here the `..` is called the flip flop operator. What it does is, it watches the left side condition that is `if (i == 5)`, if yes it means that it flips to `true` and `puts i` gets executed, at the same time the flip flop watched for the right side condition `(i == 8)`, if that becomes true, it flops and becomes `false`, so even though the loop runs to `i = 9` and eventually `i = 10`, the condition in `if (i == 5) .. (i == 8)` and hence `puts i` is unreachable, so nothing gets printed.

Now if we want to write a similar logic without flip flop it would be like this:

```
# without_flip_flop.rb

print_it = nil

1.upto 10 do |i|
  print_it = true if i >= 5
  print_it = false if i > 8

  if print_it
    puts i
  end
end
```

which is verbose.

Or if we use conditions, it would be bit confusing like this:

```
# condition_instead_of_flip_flop.rb

1.upto 10 do |i|
  if i >= 5 && i <= 8
    puts i
  end
end
```

So flip flop is a great syntactic sugar which reduces the amount of code you write.

Chapter 6. Arrays

Arrays can be considered as a rack. You can keep any thing¹ in a rack, in a similar way you can keep any thing in an array. A rack contains many shelves or compartments. If you can count them, you can put numbers on each compartment, the rack can be considered an array of space to store some thing. Each compartment can be identified by a number and hence it becomes easy to identify it. An array is a rack that's available to a programmer. Let's see an example to learn more. Type the program below and execute it

```
# array.rb

my_array = []
my_array << "Something"
my_array << 123
my_array << Time.now

my_array.each do |element|
  puts element
end
```

This is how you will get the output

```
Something
123
Tue Feb 02 18:10:06 +0530 2010
```

Let's walkthru the program, take the line `my_array = []`, in it we declare an array called `my_array`, it's an empty array that has got nothing in it. `[]` denotes an empty array and we assign it to `my_array`. Having done so, we populate it with some values in the following statements

```
my_array << "Something"
my_array << 123
my_array << Time.now
```

We append elements to an array. In the first statement we append a string constant `"Something"`, in the second statement we append a integer `123` and in the third statement we append the current time. If you have guessed it right, we have used `<<` operator to append values to the array.

Till now we have created an array called `my_array` and have put something into it. Now we have to see what we have put in. To do so we use `<array_name>.each` (array name dot each). This method extracts each element of an array. So for `my_array` we use `my_array.each`

OK we have to do some thing with each element of an array. To do so we add a `do ... end`, within it we can do something, so our code gets transformed as

```
my_array.each do
end
```

We have to capture each element of an array into a variable, lets use a variable named `element` to do the job, so we capture each element using the following code

```
my_array.each do |element|
end
```

Notice how we put our `element` variable between `|` and `|`. We have captured each and every element of an array, what to do now? We will print it using a `puts` statement. So our array gets printed successfully. The following program too works the same way as previous program, but we use `Array.new` instead of `[]` to say that `my_array` is an array [23: That is `Array.new` returns an empty array, that gets stored in variable `my_array`]

```
# array_1.rb

my_array = Array.new
my_array << "Something"
my_array << 123
my_array << Time.now

my_array.each do |element|
  puts element
end
```

I will write another program that will use the `for` construct to iterate over each element of an array as shown below

```
# array_2.rb

my_array = Array.new
my_array << "Something"
my_array << 123
my_array << Time.now

for element in my_array
  puts element
end
```

Output

```
Something
123
2012-08-10 19:19:47 +0530
```

There is a third way of creating an array. Take a close look at the program below. Look at the `my_array = ["Something", 123, Time.now]`. Look at it carefully, we have `my_array` that's a variable to which we assign an array, it's been set to `["Something", 123, Time.now]`. That is in this case we declare and added array elements or values to `my_array` in the same statement. Note that we put elements of an array in square brackets, this is another way of declaring and populating an array. So the program `array_3.rb` works exactly same as `array_1.rb` and `array.rb`, but it's more concise. Unlike many languages, Ruby lets the programmer choose his own style of coding.

```
# array_3.rb

my_array = ["Something", 123, Time.now]
puts my_array.join("\n")
```

Output

```
Something
123
Wed Feb 03 17:37:36 +0530 2010
```

Till the last example we were using `each` to iterate through array elements, now we will use a new kind of loop which is the `for` loop, so here is a code for that

```
# array_for.rb

my_array = Array.new
my_array.push("Something")
my_array.push 123
my_array << Time.now

for element in my_array
  puts element
end
```

Output

```
Something
123
2014-11-12 10:37:22 +0530
```

See new construct we have employed above which is this:

```
for element in my_array
  puts element
end
```

Notice this particular line `for element in my_array` . This is just equivalent to `my_array.each` `|element|` in previous examples. `for` loop I personally feel is a bit elegant. So just like `each`, each element in `my_array` gets loaded into `element` and this is available in the loop block for the programmer to make use of it. Here we just print it using `puts element`.

6.1. Array Operations

This section tells you basic operations that you can do on an array of elements like search, delete, change and so on .

6.1.1. Appending element into array

Appending or adding elements into an array is a basic thing. So we have an array called `countries` as shown:

```
>> countries = []
=> []
```

Now when we can add an element into it using the double less than `<<` operator as shown. We add "India" to `countries`:

```
>> countries << "India"
=> ["India"]
```

Now we add "Brazil":

```
>> countries << "Brazil"
=> ["India", "Brazil"]
```

6.1.2. Size of Array

Number of elements in an `Array` could be counted with functions `size` and `count` as shown in the following examples:

Let's define an empty array named `countries`:

```
>> countries = []
=> []
```

Now we check its `size` and `count`, both returns `0` as shown:

```
>> countries.size  
=> 0  
>> countries.count  
=> 0
```

Now lets add a single element "`India`" to it and check its `size` and `count`:

```
>> countries << "India"  
=> ["India"]  
>> countries  
=> ["India"]  
>> countries.size  
=> 1  
>> countries.count  
=> 1
```

So now the count is 1. In fact `size` is just another name for the function `count`.

Let's add another element into `countries` and check the `count` again:

```
>> countries << "Sri Lanka"  
=> ["India", "Sri Lanka"]  
>> countries.count  
=> 2  
>> countries.size  
=> 2
```

6.1.3. Accessing array element

Let's fire up our irb and create a huge `country Array`:

```
>> countries = ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "Uganda",  
"Ireland"]  
=> ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "Uganda", "Ireland"]
```

Now Array could be thought as a rack with shelves, the first shelf in the rack is numbered `0`, the second is `1`, third is `2` and so on... Why we have a numbering that starts with `0`, well that doesn't matter, but that's how most computer programming languages work.

So we can access `n+1` element of an `Array` using the operator `[n]`, so to access the 6th element in `countries`, we do the following:

```
>> countries[5]
=> "Niger"
```

Now let's access the 7th element:

```
>> countries[6]
=> "Uganda"
```

Now let's look at ways to access bunch of elements of an **Array**. We create an **Array** called **countries** as shown:

```
>> countries = ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "Uganda",
  "Ireland"]
=> ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "Uganda", "Ireland"]
```

Now let's access the fifth to tenth element of it:

```
>> countries[4..9]
=> ["China", "Niger", "Uganda", "Ireland"]
```

If you see **countries[9]** would return **nil**, yet when you do an operation like **countries[4..9]**, Ruby is smart enough not to return an **Array** with **nil** in it.

Now let's access 5th to 7th elements:

```
>> countries[4..6]
=> ["China", "Niger", "Uganda"]
```

6.1.4. Inserting elements

<< adds elements at the last, let's say we have a **countries** array array as shown:

```
>> countries = ["India", "Brazil"]
```

We want to add element to index 1, we do it as shown:

```
>> countries.insert(1, "Somalia")
=> ["India", "Somalia", "Brazil"]
```

Always remember the indexing of **Array** in Ruby starts with **0**, so **countries.insert(1, "Somalia")**, inserts "Somalia" into **countries** in second position.

6.1.5. Checking if an element exists

We can use a method called `include?` to check if an element is present in an `Array`. We define an `Array` and assign it to a variable called `countries`:

```
>> countries = ["India", "Brazil", "Somalia"]
=> ["India", "Brazil", "Somalia"]
```

Then we check if `"Somalia"` is present in it:

```
>> countries.include? "Somalia"
=> true
```

and its there!

Next we check if `"Japan"` is present:

```
>> countries.include? "Japan"
=> false
```

and it's not.

We add `"Japan"` to it:

```
>> countries << "Japan"
=> ["India", "Brazil", "Somalia", "Japan"]
```

and we check if `"Japan"` is present:

```
>> countries.include? "Japan"
=> true
```

and it is!

6.1.6. Changing an element

Let's define an `Array`, and assign it to a variable called `countries`:

```
>> countries = ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "Uganda",
  "Ireland"]
=> ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "Uganda", "Ireland"]
```

Now we make the 4th index to `"South Africa"`

```
>> countries[4] = "South Africa"
=> "South Africa"
```

Now when we check it:

```
>> countries
=> ["India", "Brazil", "Somalia", "Japan", "South Africa", "Niger", "Uganda", "Ireland"]
```

The 4th index has changed from "China" to "South Africa".

6.1.7. Deleting element

Let's create a big `countries` Array:

```
>> countries = ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "USA",
"Uganda", "Ireland"]
=> ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "USA", "Uganda", "Ireland"]
```

Now let's delete "USA" from it:

```
>> countries.delete "USA"
=> "USA"
```

When we check countries again "USA" is gone.

```
>> countries
=> ["India", "Brazil", "Somalia", "Japan", "China", "Niger", "Uganda", "Ireland"]
```

Now in the above `Array`, "China" is at index 4 and let's delete it using a method called `delete_at` which deletes an element at the given index as shown:

```
>> countries.delete_at 4
=> "China"
```

When we check it "China" is gone.

```
>> countries
=> ["India", "Brazil", "Somalia", "Japan", "Niger", "Uganda", "Ireland"]
```

Now using `pop` method on array, pop's out the last element in it:

```
>> countries.pop  
=> "Ireland"
```

when we check it after pop, the last element which was "Ireland" is gone as shown:

```
>> countries  
=> ["India", "Brazil", "Somalia", "Japan", "Niger", "Uganda"]
```

6.2. More on Array

Lets now see some array functions. For this we will be using our favorite irb rather than a text editor

```
>> array = Array.new  
=> []
```

OK in the above statement we see that we create an Array named `array` using `Array.new`. `Array.new` creates an empty array. There is another way to create an array. We can create it by directly specifying the values that are contained in an array as shown

```
>> array = ["Something", 123, Time.now]  
=> ["Something", 123, Tue Feb 02 20:30:41 +0530 2010]
```

In the above statement, we create an array with three objects in it. The value that must be in an array is given between square brackets [and]. Each object in array is separated by a comma. By providing no values between [and] we can even create an empty array as shown

```
>> array = []  
=> []
```

In the above example the empty [] does the same job as `Array.new`.

Lets create array with parameters in `Array.new` as shown

```
>> array = Array.new(["Something", 123, Time.now])  
ArgumentError: wrong number of arguments (3 for 2)  
  from (irb):3:in `initialize'  
  from (irb):3:in `new'  
  from (irb):3  
  from :0
```

As you see above it fails! Don't use it that way.

OK, lets now try some thing on the `array`, first to get how many elements are in the `array` we can use the `length` function as shown below:

```
>> array.length  
=> 3
```

The `join` function joins many array elements together and returns it. So when elements in our array are joined this is what we get as result:

```
>> array.join(', ')  
=> "Something, 123, Tue Feb 02 20:30:41 +0530 2010"
```

Note that we pass a string `', '` to the `join` when the array elements are joined as a string. The string we passed gets inserted into them in between.

We have created an array and we have something in it, what if we want to add something more to it? To do so we use the `push` method. In the example below, we push a number 5 into the `array` and as we see the array gets expanded and 5 is appended to the `array` at the last.

```
>> array.push(5)  
=> ["Something", 123, Tue Feb 02 20:30:41 +0530 2010, 5]
```

The `pop` method does the opposite of `push`, it pops out or removes the last element of array. See the example below, we pop an element and the last element which is 5 gets popped out.

```
>> array.pop  
=> 5
```

After popping it out lets see what's in the `array`

```
>> array  
=> ["Something", 123, Tue Feb 02 20:30:41 +0530 2010]
```

We see that the array size has reduced by one and last element 5 is missing.

Its not that you must only give a fixed values in `push`, you can give variables and Ruby expressions and any object to the push as argument. You can see below that we are pushing 2^{10} to the array and 1024 gets added to the array at the last.

```
>> array.push 2 ** 10  
=> ["Something", 123, Tue Feb 02 20:30:41 +0530 2010, 1024]
```

Array elements are indexed. The first element of an array has a index number 0 and its goes on

(theoretically till infinity). If one wants to access element at an index, all he needs to do is to put the index number in between square brackets. In the example below we access the third element of the array named `array` so we type it as follows

```
>> array[2]
=> Tue Feb 02 20:30:41 +0530 2010
```

The `pop` method accepts a Integer as an argument which it uses to pop `n` last elements of the array.

```
>> array.pop(2)
=> [Tue Feb 02 20:30:41 +0530 2010, 1024]
>> array
=> ["Something", 123]
```

As you see the third element gets popped out, so popping at random is possible.

We can push many elements into an array at once. Consider the code snippet below

```
>> array.push 5, "Who am I?", 23.465*24
=> ["Something", 123, 5, "Who am I?", 563.16]
```

We first push 3 new elements into the array and so we get a bigger one.

Now we pop last 3 elements

```
>> array.pop 3
=> [5, "Who am I?", 563.16]
```

As you can see the array size is reduced and it now only has two elements.

```
>> array
=> ["Something", 123]
```

There is another way to append elements in an array, its by using the double less than operator `<<`, lets push some elements into the array with it as shown:

```
>> array << "a new element"
=> ["Something", 123, "a new element"]
>> array << 64
=> ["Something", 123, "a new element", 64]
```

as you see above we have appended a String constant `"a new element"` and `64` to the array using `<<` operator.

You can find maximum and minimum values in an array using the `max` and `min` function as shown:

```
>> nums = [1, 2, 64, -17, 5, 81]
=> [1, 2, 64, -17, 5, 81]
>> nums.max
=> 81
>> nums.min
=> -17
```

As you see in the above example we create an array called `nums` having some numbers, `nums.max` returns the maximum value in that array and `nums.min` returns the minimum value in that array.

6.3. Array dig

Take a look at a simple snippet executed in irb, we have an nested array, lets say that we want to access the string element "Treasure", you can use the `dig` method as shown

```
>> array = [1, 5, [7, 9, 11, ["Treasure"], "Sigma"]]
=> [1, 5, [7, 9, 11, ["Treasure"], "Sigma"]]
>> array.dig(2, 3, 0)
=> "Treasure"
```

6.4. Set operations

For those who know set theory you must know about intersections, unions. I read about set theory when in school and now have forgotten about it. You can treat array as set and do many operations on it. Here are a few examples which I tried out on irb Lets take a college volleyball team, in it are some people names Ashok, Chavan, Karthik, Jesus and Budha. If you take a list of cricket team there are Budha, Karthik, Ragu and Ram. Lets now code it in ruby. To have a collection of people who play in volleyball team we create an array as shown

```
>> volleyball = ["Ashok", "Chavan", "Karthik", "Jesus", "Budha"]
=> ["Ashok", "Chavan", "Karthik", "Jesus", "Budha"]
```

In a similar way we create another array that contains names of those who play in cricket team as shown

```
>> cricket = ["Budha", "Karthik", "Ragu", "Ram"]
=> ["Budha", "Karthik", "Ragu", "Ram"]
```

So we have two sets of people. Now to find out who are in volley ball and cricket, all we need to do is to AND (or take intersection of) both arrays using the `&` operator as shown

```
>> volleyball & cricket
=> ["Karthik", "Budha"]
```

As you see from above code snippet, the `&` (and) operator sniffs out those elements that are there in both arrays. In mathematics this stuff is called intersection.

Lets say in another situation we would like to find out all those who are both in volleyball and cricket team. To do so we use the or operator `|`. Lets now apply it

```
>> volleyball | cricket
=> ["Ashok", "Chavan", "Karthik", "Jesus", "Budha", "Ragu", "Ram"]
```

As you see we get names of those who are in volleyball and cricket team. The `|` (or) operator is different from the `+` (plus) operator. Lets add volleyball and cricket teams

```
>> volleyball + cricket
=> ["Ashok", "Chavan", "Karthik", "Jesus", "Budha", "Budha", "Karthik", "Ragu", "Ram"]
```

As you can see from above code snippet the names Karthik and Budha are duplicated. This does not happen when we use the `|` (OR) operator.

Lets now find that which players play only for the volleyball team. For this we will minus the players of cricket from the volleyball team using the `-` (minus) operator as shown

```
>> volleyball - cricket
=> ["Ashok", "Chavan", "Jesus"]
```

So we see three players are exclusively in volleyball team. So if you are a mathematician you will feel some what comfortable with Ruby.

6.5. Empty array is true

There is another stuff that must be known by a Ruby dev. It regarding conditions and empty array. Fire up your irb and type these

```
>> puts "A" if []
A
=> nil
```

If you see, the statement prints A even if the array passed to the `if` statement is empty. This is kinda against theory of least surprise, but not to get surprised imagine this. There is a book rack, and there are books in it so if you give a statement like this

```
>> puts "Books Present" if ["treasure island", "I Love Ruby"]
Books Present
=> nil
```

It does print Books Present as expected. But in this thing

```
>> puts "Books Present" if []
Books Present
=> nil
```

It still prints Books Present. Thats because even though the book rack is empty, there is a rack which is still an object. So there is some thing that's not `nil`. So its `true`. To make sure this is how it works take a look at the code below

```
>> nil.class
=> NilClass
>> [].class
=> Array
```

When we query what's the class of `nil`, it says it's `NilClass` which is actually an empty thing. But when we query the class of an empty array it's still an `Array`, which is not `nil` or `false` and hence its `true`. To check for empty array that must do as shown:

```
>> puts "A" unless [].empty?
=> nil
>> puts "A" if [].first
=> nil
```

In the first one `[].empty?` returns `true`, but since it's in `unless` it would fail to execute the statement dependent on it.

If you see the second one we use `[].first`, this returns `nil`. Try it in irb

```
>> [].first
=> nil
```

So this could also be used to check emptiness of an array. Or is it so.... ?

```
>> a = [ nil, 1, 2, nil]
=> [nil, 1, 2, nil]
>> puts "a is empty" unless a.first
=> a is empty
>> puts "a is not empty" if a.first
=> nil
>> puts "a is not empty" unless a.empty?
a is not empty
=> nil
```

Now think about whether or not to use `first` to check emptiness?

6.6. Compacting Arrays

Sometimes an array would contain `nil` values and you want to remove it, in that case you can call `compact` upon that array. Lets try out an example. Start your irb or pry and type the following

First lets initialize the array

```
>> a = [1, nil, 2, nil, 3, nil]
=> [1, nil, 2, nil, 3, nil]
```

So in the above statement we have initialized the array with three `nil` values in it. Now lets remove the `nil` values by compacting it as shown below

```
>> a.compact
=> [1, 2, 3]
```

Cool! So ruby has removed `nil` values like magic. Now lets see how `a` looks

```
>> a
=> [1, nil, 2, nil, 3, nil]
```

To our dismay `a` still retains the `nil` values, what really happened? Well, when you called `compact` on `a`, a new compacted array was created and it was returned to our REPL [24: <https://en.wikipedia.org/wiki/REPL>], and out REPL printed it. So what to do to make `a` really change? Simple call `compact` with a bang or `compact!` on `a` as shown below ;)

```
>> a.compact!
=> [1, 2, 3]
>> a
=> [1, 2, 3]
```

6.7. Transforming array values

Ruby comes with very powerful array operations, we would see how we can transform arrays in easy to use commands.

6.7.1. Collect

Fire up your pry or irb and type the following

```
>> array = [1, 2, 3]
=> [1, 2, 3]
>> array.collect{ |element| element * element }
=> [1, 4, 9]
```

In the above code we have declared a variable `array` of type `Array`, in the next statement we are calling a method called `collect` on it and we pass a this block of code `{ |element| element * element }`. Now lets see what it does.

When `collect` is called, first, a return array is created. In the block we see a thing called `|element|`, now the collect algorithm works like this. First this array has values 1, 2 and 3, so this block runs three times. During the first run, 1 gets loaded into `element`, now in the block we have specified `element * element`, so `1 * 1` is `1`, and it gets pushed into the return array. Now the return array is `[1]`.

Now it takes the second value, that is 2 and the same process occurs and now the return array is `[1, 4]`, similarly the return array finally becomes `[1, 4, 9]` and is returned out.

`collect` does not modify the object upon which its called, so if you look what `array` is, it will still be the same as shown below

```
>> array
=> [1, 2, 3]
```

You can check it in irb. If you want collect to modify the object that its been called upon, use it with a bang as shown below

```
>> array.collect!{ |element| element * element }
=> [1, 4, 9]
>> array
=> [1, 4, 9]
```

6.7.2. keep_if

Lets say that we want to have elements in an array that match certain condition and want to take out others, we can use `keep_if` function as shown below

```
>> array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
=> [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
>> array.keep_if{ |element| element % 2 == 0}
=> [2, 4, 6, 8, 10]
```

We have an array of ten elements above and say we want to keep elements that are even or divisible by 2, so we write as statement as shown

```
array.keep_if{ |element| element % 2 == 0}
```

To the `keep_if` we pass a block. In it, each and every value in the array is captured in `|element|` and there is condition written `element % 2 == 0`, if the condition is true, the element is kept in the array, or its thrown out. The `keep_if` modifies the array upon which its called, unlike `collect` which returns the new array. So if you check array after running `keep_if` on it, its content would have changed.

6.7.3. `delete_if`

As apposed to `keep_if`, `delete_if` does the exact opposite, below is shown what happens if you run `delete_if` on an Array object.

```
>> array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
=> [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
>> array.delete_if{ |element| element % 2 == 0}
=> [1, 3, 5, 7, 9]
>> array
=> [1, 3, 5, 7, 9]
```

6.8. Read the ruby doc

Definitely this book isn't comprehensive enough to cover all of Ruby Array library. To know more read the Ruby docs here <https://ruby-doc.org/core-3.0.3/Array.html>

Chapter 7. Hashes and Symbols

Hashes are arrays with index defined by the program or user and not by the Ruby interpreter. Lets see a program to find out how hashes work. Type the following program ([hash.rb](#)) into your text editor and execute it.

```
#!/usr/bin/ruby
# hash.rb
mark = Hash.new
mark['English'] = 50
mark['Math'] = 70
mark['Science'] = 75
print "Enter subject name:"
sub = gets.chomp
puts "Mark in #{sub} is #{mark[sub]}"
```

Output 1

```
Enter subject name:Math
Mark in Math is 70
```

Output 2

```
Enter subject name:French
Mark in French is
```

Take a look at output 1. The program asks the user to enter subject name. When the user enters **Math**, the program gives the math mark. Lets walkthru the code. At the very beginning we have the line **mark = Hash.new** , in this line we declare a variable called mark of the type hash. Take a look at the following lines

```
mark['English'] = 50
mark['Math'] = 70
mark['Science'] = 75
```

Unlike an array, hash can have a object as index. In this case we have used simple string as index. We put the marks obtained in English, Math and Science in **mark['English']** , **mark['Math']** , **mark['Science']**. The next two statements

```
print "Enter subject name:"
sub = gets.chomp
```

prompts the user to enter mark, when he does it, it gets stored into the variable called **sub**. In the final line **puts "Mark in #{sub} is #{mark[sub]}"** we simply access the hash value using **sub** as the

key and print it out.

Take a look at output 2, in this case I have entered **French** and the program gives out no result. In the following program we will learn how to deal with it.

7.1. Default values in Hash

When we pass the index to an hash and if its value does exist, then the hash will faithfully return that value. What if the index has no value defined. In the previous example we saw the program returns nothing. In this program we hope to fix it. Look at the this code `mark = Hash.new 0`. In it instead of just giving `mark = Hash.new` as in the previous one, we have given `mark = Hash.new 0`, here the zero is the default value. Now lets run the program and see what happens.

```
#!/usr/bin/ruby
# hash_default_value.rb
mark = Hash.new 0 # We specify default value of mark is zero
mark['English'] = 50
mark['Math'] = 70
mark['Science'] = 75
print "Enter subject name:"
sub = gets.chomp
puts "Mark in #{sub} is #{mark[sub]}"
```

Output

```
Enter subject name:Chemistry
Mark in Chemistry is 0
```

Look at the output, we haven't defined a value for `mark['Chemistry']`, yet when the subject name is specified as Chemistry we get 0 as result. This is so because we have set zero as the default value. So by setting default value we will have a value for those indexes we haven't defined yet.

7.2. Looping hashes

Looping in arrays is quiet easy, we normally use each function in array to iterate objects in array. In similar fashion we can loop in hashes. Type the following code `hash_looping.rb` into a text editor and execute it.

```

#!/usr/bin/ruby
# hash_looping.rb
mark = Hash.new 0 # We specify default value of mark is zero
mark['English'] = 50
mark['Math'] = 70
mark['Science'] = 75
total = 0
mark.each { |key,value|
  total += value
}
puts "Total marks = "+total.to_s

```

Output

```
Total marks = 195
```

In the program above we have calculated the total of all marks stored in the Hash `mark`. Note how we use the `each` loop. Note that we get the key value pair by using `|key,value|` in the loop body. The `key` holds the index of the hash and `value` holds the value stored at that particular index [25: The term index and key refer to the same stuff]. Each time the loop is executed, we add value to total, so at the end the variable total has got the total of the values stored in the hash. At last we print out the total.

Below is another program where we store student marks in a hash, we use the each loop to print the `key` and `value` corresponding to the `key`. Hope you have understood enough to explain the code below all by your self.

```

#!/usr/bin/ruby
# hash_looping_1.rb

mark = Hash.new 0 # We specify default value of mark is zero

mark['English'] = 50
mark['Math'] = 70
mark['Science'] = 75

puts "Key => Value"
mark.each { |a,b|
  puts "#{a} => #{b}"
}

```

Output

```
Key => Value
Science => 75
English => 50
Math => 70
```

7.3. More way of hash creation

There is another way to create hashes, lets look at it. See below, the explanation of the program is same like the of previous program `hash_looping_1.rb` , except for the highlighted line in the program below. I hope you can explain the programs working by yourself.

```
#!/usr/bin/ruby
# hash_creation_1.rb
marks = { 'English' => 50, 'Math' => 70, 'Science' => 75 }
puts "Key => Value"
marks.each { |a,b|
  puts "#{a} => #{b}"
}
```

Output

```
Key => Value
Science => 75
English => 50
Math => 70
```

7.4. Using symbols

Usually in a hash we use Symbols as keys instead of String. This is because Symbol occupies far less amount of space compared to String. The difference in speed and space requirement may not be evident to you now, but if you are writing a program that creates thousands of hashes it may take a toll. So try to use Symbols instead of String.

So what is symbol? Lets fire up our irb by typing `irb --simple-prompt` in terminal. In it type the following

```
>> :x.class
=> Symbol
```

Notice that we have placed a colon before `x` thus making it `:x`. Symbols have a colon at their start. When we ask what class is `:x`, it says its a `Symbol`. A symbol is a thing or object that can be used as a `key` in a hash [26: Well it can be used for many things other than that. For now, remembering this is sufficient.]. In similar way we declare another symbol called `:name` and see what class it belongs.

```
>> :name
=> :name
>> :name.class
=> Symbol
```

A variable can hold a symbol in it. Notice below that we have assigned a variable `a` with value `:apple` which is nothing but a symbol. When we ask what class it is `a` by using `a.class`, it says its a symbol.

```
>> a = :apple
=> :apple
>> a.class
=> Symbol
```

Symbols can be converted to string using the `to_s` method. Look at the irb example below where we convert symbol to string.

```
>> :orange.to_s
=> "orange"
```

To convert a String to Symbol use `.to_sym` method as shown

```
>> "hello".to_sym
=> :hello
```

Let us write a program in which hashes don't use String but Symbols as key. Type in the program (below) `hash_symbol.rb` into text editor and execute it.

```
# hash_symbol_2.rb

mark = Hash.new 0 # We specify default value of mark is zero
mark[:English] = 50
mark[:Math] = 70
mark[:Science] = 75
print "Enter subject name:"
sub = gets.chomp.to_sym

puts "Mark in #{sub} is #{mark[sub]}"
```

Output

```
Enter subject name:Math
Mark in Math is 70
```

When the program is run, it prompts for subject name, when its entered it shows corresponding mark. Lets walkthru the code and see how it works. Notice that we use Symbols and not Strings as keys in mark Hash as shown

```
mark[:English] = 50
mark[:Math] = 70
mark[:Science] = 75
```

Next we prompt the user to enter marks by using print "Enter subject name:" , the user enters the subject name . Now look at the next line, first we get the subject name into variable `sub` using `gets.chomp`. The `chop` removes the enter character `\n` you typed while pressing the enter key in your keyboard. The `to_sym` converts what ever input you have entered to a symbol, all this is finally stored in `sub`.

```
sub = gets.chomp.to_sym
```

All we do next is to access the hash value which has the key `sub` and print it using the following statement

```
puts "Mark in #{sub} is #{mark[sub]}"
```

So you have seen this program [hash_creation_1.rb](#) , we have now knowledge of symbols, so we can write it as follows in

```
#!/usr/bin/ruby
# hash_creation_1_a.rb
marks = { :English => 50, :Math => 70, :Science => 75 }
puts "Key => Value"
marks.each { |a,b|
  puts "#{a} => #{b}"
}
```

Output

```
Key => Value
English => 50
Math => 70
Science => 75
```

See the line `marks = { :English => 50, :Math => 70, :Science => 75 }` we here use symbols instead of strings as a key to hash. Hash has some advantages compared to string as they occupy less memory compared to string (during the runtime of a program).

In ruby 1.9 and beyond there is better way to write [hash_creation_1_a.rb](#), you can see it in

hash_creation_2.rb mentioned below. Just look at the this `marks = { English: 50, Math: 70, Science: 75 }` line in program below

```
#!/usr/bin/ruby
# hash_creation_2.rb

marks = { English: 50, Math: 70, Science: 75 }
puts "Key => Value"
marks.each { |a,b|
  puts "#{a} => #{b}"
}
```

This program works exactly as the previous one, but the line `marks = { English: 50, Math: 70, Science: 75 }` gets translated (assume that its been translated) to the following code `marks = { :English => 50, :Math => 70, :Science => 75 }` so its the new short form way to declare hash with symbols as key, newly introduced in ruby 1.9

7.5. String, frozen string & symbol, their memory footprint

Strings occupy lot of memory lets see an example, fire up your irb and type the following code

```
>> c = "able was i ere i saw elba"
=> "able was i ere i saw elba"
>> d = "able was i ere i saw elba"
=> "able was i ere i saw elba"
>> c.object_id
=> 21472860
>> d.object_id
=> 21441620
```

In the above example we see two variables `c` and `d` , both are assigned to the same string "able was i ere i saw elba" , but if I see the object id's by calling on `c.object_id` and `d.object_id` , both are different. This means that the two "able was i ere i saw elba" are stored in different location's. They are duplicated and copied.

This means that lets say you have the same string declared many locations in your program, and all will occupy new memory, so that would cause lot of load on your computer RAM (for large programs).

Now lets see what will happen if we use a new kind of thing called frozen string. Type the code below in irb

```

>> a = "able was i ere i saw elba".freeze
=> "able was i ere i saw elba"
>> b = "able was i ere i saw elba".freeze
=> "able was i ere i saw elba"
>> a.object_id
=> 21633340
>> b.object_id
=> 21633340

```

Now in the above example we call a method called `freeze` upon the string. Now when I check `a` and `b`'s object id, both are the same. That means they both point to the same string. They just occupy one space. This is like this. In the previous example new stuff was created every time, but when we assign a variable with a frozen string, it checks whether the string has already been (frozen) declared, if yes, it simply points to the same location.

Now lets see about how symbols occupy space, whether they duplicate themselves again and again or not.

```

>> e = :some_symbol
=> :some_symbol
>> f = :some_symbol
=> :some_symbol
>> e.object_id
=> 1097628
>> f.object_id
=> 1097628

```

So in the example above we assign `e` and `f` to symbols `:some_symbol` and when we check for their their object id they both are the same, or they both point to the same location. This means if we declare symbols again and again they won't occupy extra space. Frozen strings and symbols are good for memory. Ordinary strings are bad.

So why am I saying this in hash section? Lets say you see this snippet of code

```

>> person = {"name" => "frank"}
=> {"name"=>"frank"}
>> person2 = {"name" => "bob"}
=> {"name"=>"bob"}
and you have this one
>> person = {"name".freeze => "frank"}
=> {"name"=>"frank"}
>> person2 = {"name".freeze => "bob"}
=> {"name"=>"bob"}

```

Just imagine which will occupy lowest amount of memory? Now think about large programs that uses the same structure of hash in tens of lines of code....

7.6. Compacting Hashes

Just like Arrays can be compacted, this new feature is introduced to Hashes from Ruby 2.4.0 lets the programmer compact it. Lets look at an example in irb or pry

```
>> hash = {a: 1, b: nil, c: 2, d: nil, e: 3, f: nil}
=> {a=>1, b=>nil, c=>2, d=>nil, e=>3, f=>nil}
>> hash.compact
=> {a=>1, c=>2, e=>3}
>> hash
=> {a=>1, b=>nil, c=>2, d=>nil, e=>3, f=>nil}
>> hash.compact!
=> {a=>1, c=>2, e=>3}
>> hash
=> {a=>1, c=>2, e=>3}
```

The explanation is very similar to that explained for Array compaction. Please refer it.

7.7. Transforming hash values

Lets say that you have a Hash object and you want to transform its values. Say you have a hash who values are numbers and you want to convert it into their squares, then use the `transform_values` function on that instance of Hash. Lets take code and see how it works. Fire up your irb or pry

Lets first define a hash as shown below

```
>> hash = {a: 1, b: 2, c: 3}
=> {a=>1, b=>2, c=>3}
```

Now we went to transform the values, so we call the `transform_values` on the hash as shown

```
>> hash.transform_values{ |value| value * value }
=> {a=>1, b=>4, c=>9}
```

If you notice, it functions very similar to `collect` in Array, but it applies to values in a Hash.

Now lets see if hash has changed

```
>> hash
=> {a=>1, b=>2, c=>3}
```

The answer is no as you can see from the code snippet above. If you want the Hash instance upon which the `transform_values` is called to be changed, then call it with a bang as shown below. It will change the Hash object that's calling it.

```
>> hash.transform_values{|value| value * value }
=> { :a=>1, :b=>4, :c=>9}
>> hash
=> { :a=>1, :b=>4, :c=>9}
```

7.8. Read the rubydoc

Once again, this book can't explain everything that's in hash. To know more refer rubydocs for hashes here <https://ruby-doc.org/core-3.1.0/Hash.html>

Chapter 8. Ranges

Some times we need to have a range of values, for example in a grading system. If a student scores from 60 to 100 marks, his grade is A, from 50 to 59 his grade is B and so on. When ever we need to deal with a range of values we can use ranges in Ruby. Type `irb --simple-prompt` in your terminal and type these into it

```
>> (1..5).each {|a| print "#{a}, " }
```

Output

```
1, 2, 3, 4, 5, => 1..5
```

OK what's that `(1..5)` in the above statement, this is called Range. Range is an object that has got an upper value and a lower value and all values in between. Note that like array, each and every value in a range can be got out using a `each` method as shown above.

Range does not work only on numbers it can work on strings too as shown below

```
>> ("bad".."bag").each {|a| print "#{a}, " }
```

Output

```
bad, bae, baf, bag, => "bad".."bag"
```

Lets try out another few examples in our irb that will tell us more about Ranges. So fire up your irb and type the following

```
>> a = -4..10
```

Output

```
=> -4..10
```

In the above code snippet we create a range that ranges from value -4 to 10. To check what type `a` belongs lets find out what class it is

```
>> a.class
```

Output

```
=> Range
```

As we can see a belongs to **Range** class

To get the maximum value in a range use the **max** method as shown

```
>> a.max
```

Output

```
=> 10
```

To get the minimum in a range use the **min** method as shown

```
>> a.min
```

Output

```
=> -4
```

Its possible to convert range to an array by using **to_a** method as shown

```
>> a.to_a
```

Output

```
=> [-4, -3, -2, -1, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
```

8.1. Ranges used in case .. when

Look at the program below ([ranges_case_when.rb](#)), we are building a student grading system in which when a mark is entered the program puts out the grade of the student, study the code, type it and execute it, we will soon see how it works.

[ranges_case_when_19.rb](#)

```
#!/usr/bin/ruby
# ranges_case_when_19.rb

puts "Student grading system"
print "Enter student mark: "
mark = gets.chomp.to_i

grade = case mark
when 80..100
  'A'
when 60..79
  'B'
when 40..59
  'C'
when 0..39
  'D'
else
  "Unable to determine grade. Try again."
end

puts "Your grade is #{grade}"
```

Output

```
Enter student mark: 72
Your grade is B
```

At first the program prints that the software is student grading system and asks the user to enter the student mark. When the mark is entered it's got using `gets` statement, the trailing newline character is chopped using the `chop` method and it's converted to integer using the `to_i` method and the mark is stored in the variable `mark`. All of it is done using this `mark = gets.chomp.to_i` statement.

Once we have the mark, we need to compare it with a range of values to determine the grade which is done using the following statements:

```
grade = case mark
when 80..100 : 'A'
when 60..79 : 'B'
when 40..59 : 'C'
when 0..39 : 'D'
else "Unable to determine grade. Try again."
end
```

Here we see that `mark` is passed to the `case` statement. In the `when` we don't have a number or string to compare the `mark`, in fact we have ranges. When the mark lies from 80 to 100 (both inclusive) the grade is set to `A`, when its lies in 60 to 79 its set to `B`, `C` for 40 to 59 and `D` for 0 to 39. If the user enters

something wrong, grade will be set to "Unable to determine grade. Try again.".

So as we can see ranges come very handy when they are used with `case when` statement. It makes programming relatively simple when compared to other languages.

8.2. Checking Intervals

Another use of Ranges is to check if any thing is located in a particular interval. Consider the program ([ranges_cap_or_small.rb](#)) below

[ranges_cap_or_small.rb](#)

```
#!/usr/bin/ruby
# ranges_cap_or_small.rb

print "Enter any letter: "
letter = gets.chomp

puts "You have entered a lower case letter" if ('a'..'z') === letter
puts "You have entered a upper case letter" if ('A'..'Z') === letter
```

Output

```
Enter any letter: R
You have entered a upper case letter
```

Read it carefully and execute it. In the above case I have entered capital **R** and hence the program says I have entered a upper case letter. If I had entered a lower case letter, the program would have said I had entered a lower case letter. Lets see how the program works. The following lines:

```
print "Enter any letter: "
letter = gets.chomp
```

prompts the user to enter a letter, when the user enters a letter the `gets` method gets it, `chop` chops off the new line character that's added due to the enter key we press. In the next line look at the `if ('a'..'z') === letter`, here we check if the value in variable letter lies with 'a' and 'z' (both inclusive), if it does, we print that user has entered small letter. Note that we don't use double equal to `==` but we use triple equal to '===' [27: This triple equal to `==` is technically called case equality operator.] to check if its in range. In a similar way `('A'..'Z') === letter` returns true if letter has capital letter in it and the program prints the user has entered a capital letter.

8.3. Using triple dots ...

Another thing in Range I would like to add is using triple dots instead of using double dots. Just try these out on your irb.

```
>> (1..5).to_a
=> [1, 2, 3, 4, 5]
>> (1...5).to_a
=> [1, 2, 3, 4]
```

See from above code snippet when I type `(1..5).to_a` we get an array output as `[1, 2, 3, 4, 5]`, but for `(1...5).to_a` we get output as `[1, 2, 3, 4]`. The triple dots ignores the last value in range.

8.4. Endless Ranges

Ruby has endless ranges, that is you can write programs like this

ranges_endless.rb

```
# ranges_endless.rb

print "Enter your age: "
age = gets.to_i

case age
when 0..18
  puts "You are a kid"
when (19..)
  puts "You are grownup"
end
```

Running the program produces the following output

```
Enter your age: 32
You are grownup
```

In the above execution I have given my age as 32, and hence it comes to this part of the code

```
when (19..)
  puts "You are grownup"
```

In it look at the `(19..)`, here it means 19 and any value above it. Note that we aren't specifying `when 19..` as this would confuse the Ruby interpreter and would throw out an error.

Chapter 9. Functions

When you are using same piece of code many times, you can group them into a thing called function, you can call that grouped code any where in your program to do that particular task. Lets take a real world example, you goto the hotel and a waiter comes up to you, you order an fish fry and you get it. You are not bothered what happens after you order.

Once you have ordered the fry, there are lots of procedures that takes place. The waiter notes down your order, he goes up to the kitchen and places the order chit to the chef, the chef tells him that it would take so much time for the dish to get cooked. The waiter thinks how he could keep you from getting bored, he arrives at your table, recommends a starter and/or an appetizer, serves you a drink that would go well before you eat the dish, he pools the kitchen to see if the dish is ready. If the dish is ready and if you have finished your starter he serves it. If you haven't finished your starter, he tells the kitchen to keep the dish warm and waits for you to finish. Once he gets the dish to your table, he lays the plate containing the dish and cutlery.

All you have done is to order a fish fry and have blissfully ignored what is being functioned at the background. You gave some order (input) to a waiter and got a dish (output). What to do and not to is preprogrammed or trained into the waiters mind, according to his training, the waiter functions.

Lets get started with functions in Ruby. We will be looking at a program in which we will be writing a function called `print_line`, which prints a line. Type the following program into your text editor and run it.

```
# function.rb

def print_line
  puts '_' * 20
end

print_line
puts "This program prints lines"
print_line
```

Output

```
-----
This program prints lines
-----
```

Lets analyze the program. Consider the following piece of code:

```
def print_line
  puts '_'*20
end
```

The `def` tells that you are defining a function. A function must have a name, the name follows immediately after `def` key word. In this case the name of the function is `print_line`. In it you can write whatever code you want. In this case we are creating a line with twenty underscore characters.

So we have created a function and have added code into it. All we need to do now is to call the function from our program. Its done by just typing the name of the function in the program as in code below

```
print_line
puts "This program prints lines"
print_line
```

As seen in the output, a line made up of twenty underscore characters gets printed above and below the string `"This program prints lines"`.

9.1. Argument Passing

Lets get more control on the functions in this section. Sometimes you don't goto a hotel and order a single dish, you can order how much ever or how less you want. If you go with friends you can order more servings, if you are alone, you will order less. Why can't we do the same thing with `print_line` function? Why can't we vary its length, doing so will be a wonderful thing, we can print lines of length what ever we choose.

Take a look at code below, we have typed a thing called `length` after the function name, its called as argument. Like a function, an argument has a name, in this case we have named it `length`. We can pass any values to it to vary the `length` of the line printed. Type the code below and execute it

```
# function_1.rb

def print_line length
  puts '_' * length
end

10.step(50,10) do |x|
  print_line x
end

40.step(10,-10) do |x|
  print_line x
end
```

You will get a design pattern as shown below

Take a look at the following code

```
10.step(50,10) do |x|
  print_line x
end

40.step(10,-10) do |x|
  print_line x
end
```

We have used `step` loop to increment or decrement the value which we capture it into a variable called `x` which is inside the loop, we pass `x` to the `print_line` function by placing it after its call as highlighted above. So each time a line of varying length (determined by `x`) gets printed. The program is constructed in a way so that a pattern is generated.

9.2. Default Argument

In [function_1.rb](#) you have seen how to pass an argument to a function. What if suppose you fail to pass an argument? If you do so, an error will be generated which a good programmer will not desire that to happen. To prevent this and to make programming a bit easy its better to provide a default argument to a function. Note the code given below in [function default argument.rb](#)

```
# function_default_argument.rb

def print_line length = 20
  puts '_'*length
end

print_line
print_line 40
```

Execute the program and observe the result

You can see in the program, in function `print_line` by giving `length = 20` we have indicated that if no argument is passed the function must assume that value of `length` is 20 . If passed this value will be overridden with what ever value you pass. As you can see in the first function call, we simply call the function just by its name `print_line`, we don't bother to pass value for length to it, yet we see a line of length 20 units gets printed in the output.

9.3. Passing array to a function

Usually when you pass a variable to a function, a copy of the variable is made. And if you make changes to the variable, the one that's outside the function is unaffected. So lets see what happens when we pass array to function. Type in the program below and run it.

```
# array_passed_to_function.rb

def array_changer array
  array << 6
end

some_array = [1, 2, 3, 4, 5]
p some_array
array_changer some_array
p some_array
```

Output

```
[1, 2, 3, 4, 5]
[1, 2, 3, 4, 5, 6]
```

If you are newcomer to programming, this might not be surprising, but when a variable is passed to a function, its value is not supposed to change. But in case of array, inside the function `array_changer`, we are adding an element to it and it changes. Well this is a peculiar behavior of an array getting passed to a function.

To avoid such behavior try the program below

```
# array_copy.rb

def array_changer array
  array << 6
end

some_array = [1, 2, 3, 4, 5]
p some_array
array_changer Marshal.load(Marshal.dump(some_array))
p some_array
```

Output

```
[1, 2, 3, 4, 5]
[1, 2, 3, 4, 5]
```

Here the array does not get changed, look at the line `array_changer Marshal.load(Marshal.dump(some_array))`, this piece of code copies `some_array` to the function argument so that even when its changed inside the function, it does not get changed outside the function.

9.4. Returning Values

We have till now seen function taking in arguments, we will now see that the function can return back values which can be used for some purpose. Lets now see the program `function_return.rb`, study the code, type it and execute it.

```
#! /usr/bin/ruby
# function_return.rb

def addition x, y
  sum = x + y
  return sum
end

a, b = 3, 5

puts addition a, b
```

Output

```
8
```

The output you get out after executing is 8. Note the method named `addition` in the above program. It accepts two arguments `x` and `y`, inside the method we declare a variable called `sum` which is assigned to the addition of `x` with `y`. The next statement is the hero here, see that we have used a keyword `return`, this returns the value out of the function. In the above program we return out the `sum` and hence when we get the answer out.

Its not that we must use `return` statement to return a value. The last statement that gets executed in a Ruby function gets returned by default. Consider the program `function_last_gets_returned.rb` that's shown below. In it we have a method called `square_it` which accepts a single argument called `x`. It has a single statement `x**2` which happens to be the last statement as well.

```

#!/usr/bin/ruby
# function_last_gets_returned.rb

def square_it x
  x**2
end

puts square_it 5

```

Type the program and execute it.

25

As you see we have called `square_it 5` and we get 25 as the result. Its possible because in Ruby the result of last executed statement gets returned by default.

9.5. Keyword arguments

To understand Keyword argument it type the program below and execute it:

```

# keyword_argument.rb

def say_hello name: "Martin", age: 33
  puts "Hello #{name} your age is #{age}"
end

say_hello name: "Joseph", age: 7
say_hello age: 21, name: "Vignesh"
say_hello

```

Output

```

Hello Joseph your age is 7
Hello Vignesh your age is 21
Hello Martin your age is 33

```

So, to see how this feature work, lets analyze the code. Look at the function definition of `say_hello` , its as shown below

```

def say_hello name: "Martin", age: 33
  puts "Hello #{name} your age is #{age}"
end

```

Look at the highlighted part `def say_hello name: "Martin", age: 33`. Here we don't specify

arguments as `def say_hello name= "Martin", age= 33` rather we use special `name: "Martin"`, we have taken out the equal to sign and replaced with colon. So what's the use? Now take a look at the part where the function is called

```
say_hello name: "Joseph", age: 7
say_hello age: 21, name: "Vignesh"
say_hello
```

The first line is straight forward `say_hello name: "Joseph", age: 7`, here the first argument is `name` and second argument is `age`. But look at the code `say_hello age: 21, name: "Vignesh"`, here the first argument is `age` and second one is `name`. But since the argument is hinted by the keyword, its position is irrelevant and the method prints a string as we expect.

The third line `say_hello` is just to show what happens if arguments are missed, since we have specified default values, it takes the default ones. Is it possible to use keyword arguments with default values? Absolutely yes. Try the program below and see for yourself

```
# keyword_argument_no_defaults.rb

def say_hello name:, age:
  puts "Hello #{name} your age is #{age}"
end

say_hello name: "Joseph", age: 7
say_hello age: 21, name: "Vignesh"
# say_hello # uncomment it and try it out
# say_hello "Karthik", 32 # uncomment it and try it out
```

9.6. Recursive function

Lets see another math thing. You might be wondering why am I doing all math? Certain programmers do write books that keeps out as much math out as possible, I am not a professional mathematician, but I admire math. Computers are based on math. All computers use a thing called Boolean algebra to do all tasks. I wouldn't say that you must be a mathematician to be a programmer, but knowing math does help.

OK what is a factorial? Take a number, lets take 3, now what will be $3 \times 2 \times 1$, that will be six! Simple isn't it? 6 is factorial of 3. Well we will take 4 now, so $4 \times 3 \times 2 \times 1$ will be 24, in similar way factorial of 2 will be 2×1 which is 2. Having equipped with this knowledge we will now construct a program that will give us factorial of a number.

Study the program given below. Concentrate on the function named factorial

```
# factorial.rb

def factorial num
  fact = 1
  1.upto(num) { |a|
    fact = fact * a
  }
  fact
end

number = 17
puts "Factorial of #{number} = #{factorial number}"
```

Execute the code above and this is what you get as output

```
Factorial of 17 = 355687428096000
```

In the above example (in the function factorial) we have taken all number from one to the particular number, multiplied it and got factorial. Now study the code [factorial_1.rb](#) shown below

```
# factorial_1.rb

def factorial num
  return 1 if num == 1
  return num * factorial(num-1)
end

number = 17
puts "Factorial of #{number} = #{factorial number}"
```

Execute the code above and this is what you get as output

```
Factorial of 17 = 355687428096000
```

The output is same as the previous program [factorial.rb](#). Take a very close look at the function named **factorial** in above program. Let me list it out for you to see

```
def factorial num
  return 1 if num == 1
  return num * factorial(num-1)
end
```

This function is confusing, isn't it? When I was crazy and did want to learn about programming I studied C. The concept of recursive functions was explained using factorial, and I never did understand it for a long time. To avoid the pain let me explain in detail.

Take the number 1. Factorial of it is 1. So if 1 is encountered 1 is returned as shown in code below

```
def factorial num
  return 1 if num == 1
  return num * factorial(num-1)
end
```

Now take the number 2. Factorial of it 2×1 , which is 2 multiplied factorial of 1. In other words we can write it as 2 multiplied by factorial of 2-1. So if number two is encountered in the function **factorial**, it skips the first if statement and the second statement **return num * factorial(num-1)** below gets executed

```
def factorial num
  return 1 if num == 1
  return num * factorial(num-1)
end
```

In this an interesting thing happens. Here factorial (2-1) is called, that is factorial function calls itself. So when factorial of 2-1, i.e factorial of 1 is called, it returns 1, this 1 is multiplied by 2 and is returned back, so in this case 2 is returned ultimately.

Now take the number 3. Its factorial is $3 \times 2 \times 1$. This can be written as 3 multiplied by factorial 2. Factorial 2 gets translated as 2 multiplied by factorial 1. Hence the result is got out finally. For any number larger than 1, the factorial function calls itself repeatedly. The process of function calling itself is called recursion.

9.7. Variable number of arguments

Lets say that you do not know how many arguments are passed to a function, lets say that you are writing a function to add N numbers, the value of N is not known, so how could you get variable number of arguments. Well type the program **function_variable_arguments.rb** that's given below and execute it.

```
# function_variable_arguments.rb

def some_function a, *others
  puts a
  puts "Others are:"
  for x in others
    puts x
  end
end

some_function 1,2,3,4,5
```

Output

```
1
Others are:
2
3
4
5
```

So the output of the program is shown above. As you see we pass 1,2,3,4,5 as arguments, then `a` is just a single variable and hence it takes the value 1, the other variables are absorbed by the variable `others` (note the `*` before variable name) which is a special kind of argument, it takes all the rest of the arguments that are not absorbed by previous argument variables and stores it in variable name `others` (as an array). Now in the following piece of code

```
for x in others
  puts x
end
```

Well that's it. Now try writing a function to find maximum of n-numbers and write another function to find minimum of n-numbers and write a program to find maximum and minimum of a bunch of numbers.

9.8. Hashes as function arguments

Another way to sneak in multiple arguments into a function is to pass them as hashes. Look at the program below, we have a function named `some_function` which gets in two arguments, the first one named `first_arg` and second one named `others_as_hash`, we call this function in the following line `some_function "Yoda", {jedi: 100, sword: 100, seeing_future: 100}`, execute it and note the output

```
# hashes_to_functions.rb

def some_function first_arg, others_as_hash
  puts "Your first argument is: #{first_arg}"
  puts "Other arguments are:"
  p others_as_hash
end

some_function "Yoda", {jedi: 100, sword: 100, seeing_future: 100}
```

Output

```
Your first argument is: Yoda
Other arguments are:
{:jedi=>100, :sword=>100, :seeing_future=>100}
```

As we have expected the program prints the first argument and the hash passed to `others_as_hash`, well this one is no surprise, but take a look at the program `hashes_to_function_1.rb` below, execute it, its output will be the same as program above

```
# hashes_to_functions_1.rb

def some_function first_arg, others_as_hash
  puts "Your first argument is: #{first_arg}"
  puts "Other arguments are:"
  p others_as_hash
end

some_function "Yoda", jedi: 100, sword: 100, seeing_future: 100
```

But just note the this part, we have called `some_function` as shown

```
some_function "Yoda", jedi: 100, sword: 100, seeing_future: 100
```

In the function we pass the second argument as a hash but its given as shown above, note that we have conveniently avoided the curly braces and it still works. That's the point.

Chapter 10. Variable Scope

We have seen about functions in the last section and we have seen about variables before. I think the time is right to type about variable scope. In this chapter we examine how long or how far a variable is valuable when its declared in a particular section of a program. Lets start with a example. Fire up your text editor, type the code below ([variable_scope.rb](#)) and execute it.

[variable_scope.rb](#)

```
#!/usr/bin/ruby
# variable_scope_.rb

x = 5

def print_x
  puts x
end

print_x
```

Output

```
variable_scope.rb:7:in `print_x': undefined local variable or method `x' for
main:Object (NameError)
  from variable_scope.rb:10
```

Well you get an error. See that you have declared a variable by typing `x = 5`. In the function `print_x` you tell the ruby program to print out the variable `x`, but it throws a error. Look at the output, it says `undefined local variable or method 'x' for main:Object (NameError) from variable_scope.rb:10`, well we have defined `x` and have assigned it to value 5 at the beginning, then how come Ruby throws the error? Well, we have defined `x` outside the function `print_x` hence `x` has no scope inside it, so we get an error.

A good programmer is the one who exploits the advantages provided by a programing language and who is smart enough to play by rules and limitations it imposes. It might look as a real handicap for a newbie that we are not able to access a variable we have assigned outside a function, but as your program and you become mature programmer you will realize its blessing in disguise.

To learn more type the program below ([variable_scope_1.rb](#)) in your text editor and execute it.

[variable_scope_1.rb](#)

```
#!/usr/bin/ruby
# variable_scope_1.rb

x = 5

def print_x
  x = 3
  puts x
end

print_x
puts x
```

Output

```
3
5
```

Take a careful look at the output. First in the program we declare a variable `x = 5`, then in function `print_x` we declare a variable `x = 3`. Note that the variable declared in function `print_x` is not the same one as that's been declared outside the function. Next we call upon the function `print_x` which prints the output as 3 which is expected since inside `print_x` we have written `puts x` after `x = 3`. Next statement is the hero here, (outside the function) we have written `puts x` after `print_x`, if you expected to print 3 then you are wrong. Here `x` is the `x` that we have declared it outside the function, here it will get printed as 5. This means that a variable declared inside the function has no scope outside it.

To know more and to convince ourselves that variable declared inside a function has no scope outside it, we will try out another program. Type in the program [variable_scope_2.rb](#) into your text editor and execute it.

[variable_scope_2.rb](#)

```
#!/usr/bin/ruby
# variable_scope_2.rb

def print_variable
  y = 3
  puts y
end

print_variable
puts y
```

Output

```
3
```

```
variable_scope_2.rb:10: undefined local variable or method 'y' for main:Object  
(NameError)
```

Here is how the program works or should I say here is how the program doesn't work as it throws an error. Take a look at the function `print_variable`, in it we have declared a variable called `y` using statement `y = 3` and told the ruby interpreter to print its value using statement `puts y`. So in the program when we call `print_variable` the `y` is declared and its value 3 is printed without a glitch. Next we say `puts y` outside the function `print_variable`, since `y` is only declared within the function, outside it the variable `y` doesn't exist and in technical terms it has no scope, so the Ruby interpreter throws an error. So we get the error message as follows:

```
variable_scope_2.rb:10: undefined local variable or method 'y' for main:Object  
(NameError)
```

Looks like Matz (the creator of Ruby) hasn't seen the movie 'Back to the future'. Lets see another program that proves that time travel isn't built into Ruby, type the program below (`variable_scope_3.rb`) into your text editor and execute it.

`variable_scope_3.rb`

```
#!/usr/bin/ruby  
# variable_scope_3.rb  
  
puts a # you can't access a variable that will be created in future  
a = 10
```

Output

```
variable_scope_3.rb:4: undefined local variable or method 'a' for main:Object  
(NameError)
```

If you have anticipated right, the program throws out an error. We have given `puts a` before `a` has been declared. Ruby interpreter does not consider what's declared in future, so when `puts a` is encountered it, at that point of time `a` is undeclared, and hence an error is thrown. In other words scope of a variable starts only after it has been declared.

10.1. Global Variables

If you are a one who don't like the idea that variables declared outside a function can't be accessed from it, then Ruby provides a way to do it. There are special variables called global variables that can be accessed from anywhere. Global variables are preceded by a dollar (\$) sign. To know about global variables let's see an example. Type the program below (`global_variables.rb`) and execute it.

[global_variables.rb](#)

```
#!/usr/bin/ruby
# global_variables.rb

$x = 5

def print_x
  $x = 3
  puts $x
end

print_x
puts $x
```

Output

```
3
3
```

Having run it successfully lets see how it works. First we declare a global variable `$x` and assign it to the value 5 in the statement `$x = 5`. Next we define a function `print_x` in which we change the value of `$x` to 3 using statement `$x = 3`, then we print the value of `$x` using `puts $x`. So obviously we call `print_x` we get the output as 3. Next outside the function after calling `print_x`, we print the value of `$x` using `puts $x`. If you think it would print 5, then you are mistaken. Since `$x` can be accessed from any where, and we have called `print_x`, and in `print_x` we have changed the value of `$x` to 3, no matter what, even outside the scope of the function the value of `$x` will be changed.

Lets see another example to understand global variables better. Look at the example below ([global_variables_1.rb](#)), type it in your text editor and execute it

[global_variables_1.rb](#)

```
#!/usr/bin/ruby
# global_variables_1.rb

$x = 5

def print_x
  puts $x
end

print_x
$x = 7
print_x
$x = 3
print_x
```

here is how the output of the program looks like

```
5
7
3
```

Lets see how the program works. At first we declare a global variable `$x` and assign it to value five using `$x = 5`, then we define a function called `print_x` in which we just print out the value of `$x` using `puts $x` statement. While we call the first `print_x` statement, the value of `$x` is 5 and hence 5 gets printed. Next we change the value of `$x` to 7 in statement `$x = 7` and when we call `print_x`, the value of `$x` which is now 7 gets printed. Finally we set `$x` to 3 using `$x = 3`, when we call `print_x` for the final time 3 gets printed out.

This program proves that global variables can be manipulated from any where and these manipulated values can be accessed from any where.

Next arises a question whether global variable and local variable can have the same name. The answer is yes. It's because global variables start with a `$` sign and local variables start with a letter or underscore character, so ruby can clearly tell the difference between them. Let's see a program that proves this, read, learn type and execute the program given below ([global_variables_2.rb](#)). Once you are done with it, we will see how it works.

[global_variables_2.rb](#)

```
#!/usr/bin/ruby
# global_variables_1.rb

$x = 5
x = 5

def print_x
  $x = 3
  x = 3
  puts "In print_x"
  puts "$x = "+$x.to_s
  puts "x = "+x.to_s
end

print_x
puts "Outside print_x"
puts "$x = "+$x.to_s
puts "x = "+x.to_s
```

Output

```
In print_x
$x = 3
x = 3
Outside print_x
$x = 3
x = 5
```

In the above program we declare two variables one global `$x` and assign it to value 5 and another local `x` and assign it to value 3 in the following lines

```
$x = 5
x = 5
```

Next we create a function `print_x` in which we change the value of `$x` to 3, since `$x` is global, the change is affected every where in the program, next we have statement `x = 3`, this variable `x` is local one and is different from `x = 5` which we defined outside the function. Next we will tell the program to print the values of `$x` and local `x` using the following statements

```
puts "In print_x"
puts "$x = "+$x.to_s
puts "x = "+x.to_s
```

OK, when the program encounters the `print_x` call, we get the following output

```
In print_x
$x = 3
x = 3
```

Note that `$x` is now 3 and local `x` is also 3. Now outside the function we print the values of `$x` and `x` using the following statements (last 3 lines of the program)

```
puts "Outside print_x"
puts "$x = "+$x.to_s
puts "x = "+x.to_s
```

When these statements are executed, we get the following output

```
Outside print_x
$x = 3
x = 5
```

Here as `$x` had been assigned to 3, 3 is printed as it's value. `x` over here remains 5 as here `x` refers to not the `x` that's defined inside `print_x`, but the one that's defined out of it.

Chapter 11. Classes & Objects

11.1. Creating a Square

Classes can be thought as variables and functions bundled under one name. To illustrate about classes lets look at a humble object called square. Square is a very simple geometric shape that has four sides of equal length, how to represent this square in a Ruby program? We now write an empty class called square as shown:

```
#square.rb

class Square
end
```

We have written an empty class. The word `class` tells that we are writing a definition of a class. What follows the class keyword is the name of the class, in this case its `Square`. One must note that name of a class in Ruby must start with a capital letter [28: The name of a class is always a constant. Remember? That constants in Ruby always start with a capital letter.].

A square has got four sides, all have the same length. We now put an variable into square called `side_length`.

```
#square.rb

class Square
  attr_accessor :side_length
end
```

You might ask what `attr_accessor` is? It stands for `attribute accessor`, which enables you to get and set the `side_length` easily. Lets use this square class and see how it works. Modify the code above as shown below:

```
#square.rb

class Square
  attr_accessor :side_length
end

s1 = Square.new # creates a new square
s1.side_length = 5 # sets its side length
puts "Side length of s1 = #{s1.side_length}" # prints the side length
```

When you execute the above code, this is what you will get as result

```
Side length of s1 = 5
```

Lets walk thru the newly added code, take the line

```
s1 = Square.new
```

In the above statement we create a new square and store its parameters into a variable called `s1`. A new class instance can be created by using `<class name>.new`. Having created a new square, we can now access its `side_length` using the dot operator `'.'`. So we first set the `side_length` to five units using the following statement

```
s1.side_length = 5
```

Now having assigned the `side_length`, we can use it for any purpose. Now we just simply print the `side_length` of square using the following statement:

```
puts "Side length of s1 = #{s1.side_length}"
```

11.2. Functions in Class

We have a class called `Square` which has a attribute named `side_length`. With the `side_length` we can find the squares area, its perimeter and its diagonal length. In this example I am going to find the area and perimeter. So lets add two functions to find `area` and `perimeter`. Modify the code as shown (I am saving the modified code in a file called `square_1.rb`)

```
#square_1.rb

class Square
  attr_accessor :side_length

  def area
    @side_length * @side_length
  end

  def perimeter
    4 * @side_length
  end
end
```

In the code above you see that I have added two functions, one named `area` and another named `perimeter` which computes and returns the area and perimeter of the square respectively . These functions are very similar to any other function we have created before, only now its placed inside a class. Lets write some additional code to exploit the new features we have added, just modify the

program so it looks like the code below

```
#square_1.rb

class Square
  attr_accessor :side_length

  def area
    @side_length * @side_length
  end

  def perimeter
    4 * @side_length
  end
end

a = Square.new
a.side_length = 5
puts "Area: #{a.area}"
puts "Perimeter: #{a.perimeter}"
```

Run the example and here is what you will get as output

```
Area: 25
Perimeter: 20
```

The explanation is pretty straight forward. In the following lines

```
a = Square.new
a.side_length = 5
```

We have declared a new `Square` and have assigned `side_length` as 5 units. In lines below we simply print out the values of `a.area` and `a.perimeter`

```
puts "Area: #{a.area}"
puts "Perimeter: #{a.perimeter}"
```

See how we have embedded the values of `a's area and perimeter (in the code above). One thing that must be new for you if you are reading this book is shown below:

```
def area
  @side_length * @side_length
end
```

We know that square has an attribute called `side_length` which is defined by the statement

`attr_accessor :side_length`, well as shown in highlighted code above we have used `@side_length` instead of `side_length`, that's because inside the class, class-variables are prefixed with `@` (at) symbol. This helps us to identify between class variables and local variables or functions that share the same name.

11.3. Initializers or Constructors

In previous examples where we dealt with squares, have you ever wondered what happens when you say like `s = Square.new`? Well in this case a new `Square` gets created and its put inside the variables. If one asks a question whether we can do something when a Square initializes? The answer is yes. All you have to do is to put code inside a function called `initialize`, this function gets called when ever there is a `<class name>.new` call

Look at the example `square2.rb`, take a good look at the code below, we have define a function called `initialize`, this function takes in one argument named `side_length` who's default value is zero. If `side_length` is specified, it sets the `@side_length` attribute in the square class to that value else `@side_length` takes the default value of zero. Type `square2.rb` into text editor and execute it

```
#square_2.rb

class Square
  attr_accessor :side_length

  def initialize side_length = 0
    @side_length = side_length
  end

  def area
    @side_length * @side_length
  end

  def perimeter
    4 * @side_length
  end
end

s1 = Square.new 4
s2 = Square.new
s2.side_length = 5

puts "Area of s1 is #{s1.area} squnits"
puts "Perimeter of s2 is #{s2.perimeter} units"
```

Output

```
Area of s1 is 16 squnits
Perimeter of s2 is 20 units
```

In the program concentrate on the following lines

```
s1 = Square.new 4
s2 = Square.new
s2.side_length = 5
```

In the first line `s1 = Square.new 4` we create a Square named `s1` who's `@side_length` is 4 units. In the second line `s2 = Square.new` we create a Square named `s2`, initially its side length (`@side_length`) would be set to zero units, only in the third line `s2.side_length = 5` its `@side_length` is set to 5 units.

In rest of the code

```
puts "Area of s1 is #{s1.area} squnits"
puts "Perimeter of s2 is #{s2.perimeter} units"
```

We print the area of `Square s1` and perimeter of `Square s2` which produces the desired output.

11.4. Unexposed instance variables

It's not necessary that you need to expose instance variables using `attr_accessor`, it can be hidden and can be set and called from a function as shown

```
# unexposed_class_variables.rb

class Human
  def set_name name
    @name = name
  end

  def get_name
    @name
  end
end

a = Human.new
a.set_name "Karthik"
b = Human.new
b.set_name "Chubby"

puts "#{a.get_name} and #{b.get_name} are best friends."
```

Output

```
Karthik and Chubby are best friends.
```

In the above example note that the (instance of) class `Human` does use a variable called `@name`, but you can set it like `a.name =` and you can't fetch it like `a.name` because its not exposed to the external world using `attr_accessor`. So in a Ruby class you can have any number of hidden variables in a class without the external world knowing about it. Isn't that beautiful?

11.5. Private Methods

By default the methods or functions in a class are public (can be accessed outside the classes scope), if you don't want it to be accessed by programs outside a class you can make it private. Lets create a class called `Human`, and put a private method in it, lets try to access it from outside the class and see what happens to it. Type in the program and execute it

```
# private_method.rb

class Human
  attr_accessor :name, :age

  def tell_about_you
    puts "Hello I am #{@name}. I am #{@age} years old"
  end

  private

  def tell_a_secret
    puts "I am not a human, I am a computer program. He! Hee!!"
  end

end

h = Human.new
h.name = "Zigor"
h.age = 314567
h.tell_about_you
h.tell_a_secret # this wont work
```

The program above when executed produces the following result

```
Hello I am Zigor. I am 314567 years old
human.rb:20: private method 'tell_a_secret' called for #<Human:0xb7538678
@name="Zigor", @age=314567> (NoMethodError)
```

Look at the function `tell_a_secret` in the class, its is placed under the keyword `private`, this makes it not accessible from outside the class. Note the line when we call the method `tell_a_secret`, it throws an error, in fact it says a no method error (`NoMethodError`) which means that the called method does not exist in the class. It does not mean the computer is telling a lie, instead its safely keeping a secret.

In programming you only let certain parts of your program visible to others, this helps keep the interface simple and give your users only the resource they really need to write code, this sort of hiding unwanted things uncomplicates programming.

One might question, if there is no way to access a private method, then why we need to have it? Well there are ways to access it indirectly as you see in example below. Type it and execute it

```
# private_method_1.rb

class Human
  attr_accessor :name, :age

  def tell_about_you
    puts "Hello I am #{@name}. I am #{@age} years old"
  end

  def confess
    tell_a_secret
  end

  private

  def tell_a_secret
    puts "I am not a human, I am a computer program. He! Hee!!"
  end

end

h = Human.new
h.name = "Zigor"
h.age = 314567
h.tell_about_you
h.confess
```

This is how the result will be

```
Hello I am Zigor. I am 314567 years old
I am not a human, I am a computer program. He! Hee!!
```

Take a good look at the method `confess`, in it we call the private method `tell_a_secret`, so when we call `confess` even outside the class (`h.confess`), the `confess` method which is public calls the private method, since `confess` is inside the class `Human`, it can access any private method in `Human` without any hindrance, so the program executes perfectly.

11.6. Class variables and methods

Till now we have learned to create a class, we know that a class can have certain attributes, for example a human might have attributes like name, age, etc... We know that class can have some

functions in it which can be called by variable which is an instance of the class. Now what if we want to call a function or a class without declaring a variable which is the instance of that class? Those functions that can be called without declaring an instance variable that belongs to the class type is called class methods. Those variables that can be accessed without using instance variables of a class are called class variables.

Let's look at a program that will demonstrate class variables and methods. In the following program `class_var_methods.rb` , I will create a class named `Robot`. It will have a class variable named `@@robot_count` which will keep track of how many Robots were created. Since it's a class variable we indicate it to the computer by using two @ (at) symbols before it, hence in program we denote it like `@@robot_count` . We create a function named `robots_created` that will return number of Robots that were created. Notice (in program below) that the function `robots_created` is written as `self.robots_created` , the `self` keyword tells the computer that this function can be called without an instance object being declared.

Type the program shown below `class_var_method.rb` in text editor and execute it

```
# class_var_methods.rb

class Robot
  def initialize
    if defined?(@@robot_count)
      @@robot_count += 1
    else
      @@robot_count = 1
    end
  end

  def self.robots_created
    @@robot_count
  end
end

r1 = Robot.new
r2 = Robot.new
puts "Created #{Robot.robots_created} robots"
r3, r4, r5 = Robot.new, Robot.new, Robot.new
puts "Created #{Robot.robots_created} robots"
```

When executed the program above will give the following result

```
Created 2 robots
Created 5 robots
```

Lets see the `initialize` method and lets analyze how we keep track of number of Robot's created. When the first Robot is created in the statement

```
r1 = Robot.new
```

The program control goes to the `initialize` method, since its the first time the variable `@@robot_count` is not defined, so the condition in the following `if` statement

```
if defined?(@@robot_count)
  @@robot_count += 1
else
  @@robot_count = 1
end
```

fails and the code goes to the `else` part and there `@@robot_count = 1` defines the variable `@@robot_count` and initializes to value 1.

In the second statement where we create robot named `r2` using the following command

```
r2 = Robot.new
```

The control once again goes to the `initialize` method, there the `if` statement passes as `@@robot_count` has already been defined when we created `r1`, now the `@@robot_count` gets incremented by 1, now becomes 2.

Next is the `puts` statement we call `Robot.robots_created` which just returns the `@@robot_count`, hence 2 gets printed. Next in the following statement:

```
r3, r4, r5 = Robot.new, Robot.new, Robot.new
```

we create three new robots `r3`, `r4` and `r5`. Now the `'@@robot_count'` will get incremented to 5. In the next `puts` statement, the result gets printed. The moral of the story is this, class methods have a `self.` (self dot) before them, class variables have two `@` (`@@`) before them.

Fine, hope everything went right for the reader. Why now we use `attr_reader` for `robot_count` variable so that our program gets simplified as shown below. Type in and execute it.

```

# attr_for_classvar.rb
# this program dosent work

class Robot
  attr_reader :robot_count

  def initialize
    if defined?(@@robot_count)
      @@robot_count += 1
    else
      @@robot_count = 1
    end
  end
end

r1 = Robot.new
r2 = Robot.new
puts "Created #{Robot.robot_count} robots"
r3, r4, r5 = Robot.new, Robot.new, Robot.new
puts "Created #{Robot.robot_count} robots"

```

What was the result you got? Can `attr_reader` be used for class variables?

11.7. Inheritance

We evolved from monkeys. Chimps look like us, we both share many characteristics, we have many attributes similar to chimps, they are so similar us that chimps were sent into space before us to see the impact of zero gravity on a monkeys body. Only when the scientist felt safe did they send humans [29: Uri Gagarin of the Soviet Union was the first man to go into space]. When man evolved from monkeys he inherited many things from them, for example we look like monkeys, don't believe it? Just go and stand in front of a mirror!

OK, in programming world we have a thing called inheritance in which one class can have property of another class with some little (or sometimes extreme) changes. Let me tell you a math truth, 'a square is a rectangle in which all sides are equal', is it not so? All squares are rectangles, but not all rectangles are squares. We will be using this stuff to write our next program `inheritance.rb`. Write the program in text editor and execute it.

```

# inheritance.rb

class Rectangle
  attr_accessor :length, :width

  def initialize length, width
    @length = length
    @width = width
  end

  def area
    @length * @width
  end

  def perimeter
    2 * (@length + @width)
  end
end

class Square < Rectangle

  def initialize length
    @width = @length = length
  end

  def side_length
    @width
  end

  def side_length=(length)
    @width = @length = length
  end
end

s = Square.new 5
puts "Perimeter of the square s is #{s.perimeter}"
r = Rectangle.new 3, 5
puts "Area of rectangle r is #{r.area}"

```

When executed, the program above produces the following result

```

Perimeter of the square s is 20
Area of rectangle r is 15

```

Read the program carefully, we have defined a class called `Rectangle` that has two attributes namely `@length` and `@width`. When we initialize it in statement `r = Rectangle.new 3, 5`, we pass these two parameters. When `area` is called the product of these two attributes is returned, when its `perimeter` is called using some genius formula the perimeter is calculated and returned. We then define a

class called `Square` that inherits the properties of `Rectangle`. To say that the class `Square` inherits `Rectangle` we use a `<` (less than) sign as shown

```
class Square < Rectangle
```

Take a look at the `initialize` method in `Square` class, it takes only one argument `length` which it uses to set the values of attributes `@length` and `@width`. Since `Square` inherits `Rectangle` class it gets all attributes and methods of `Rectangle` by default. Having set the `@width` and `@height` of the `Square` we can now call the `Square`'s `area` and `perimeter` functions just like we do that with `Rectangle`.

11.8. Overriding Methods

We have seen that class can inherit attributes and methods from its base class. Lets say that we have a class `A` that is a parent class of `B` (i.e. `B` inherits `A`), now the scenario is there is a method defined in `B` which has the same name that of method in `A`. When we create a instance variable of type `B` and call that method `name` it will check if the method is present in class `B` if yes that method will be executed, if that method is not found in `B`, then the Ruby interpreter checks it in class `A`, if its found its executed, else `'NoMethodError'` [30: No method error means that the method name called cannot be found, hence an error is raised by the Ruby interpreter] is raised.

To make this clear lets see an example, type and execute `override_methods.rb`

```

#!/usr/bin/ruby
# override_methods.rb

class A
  def belongs_to
    puts "I belong to class A"
  end

  def another_method
    puts "Just another method in class A"
  end
end

class B < A
  def another_method
    puts "Just another method in class B"
  end
end

a = A.new
b = B.new
a.belongs_to
a.another_method
b.belongs_to # This is not overriden so method in class A is called
b.another_method # This is overridden so method in class B is called

```

Result

```

I belong to class A
Just another method in class A
I belong to class A
Just another method in class B

```

Take a look at the result. When `a.belongs_to` is called the program prints out `I belong to class A` as it was defined in class `A`. When `a.another_method` is called we see the program prints out `Just another method in class A` as it was defined in class `A`. When `b.belongs_to` is called the program once again prints out `I belong to class A` as there is no `belongs_to` method in class `B` and hence the parent method is called. See the drama when `b.another_method` is called , the program prints out `Just another method in class B` and not `Just another method in class A` as `B` has `another_method` in its scope, so there is no need to look for that method in class `A`.

We will take the concept of overriding a step further, know that everything in Ruby is a object. Ruby is purely an object oriented programming language. Shoot up your `irb` and type the following

```
>> "Something".class
=> String
>> 1.class
=> Integer
>> 3.14278.class
=> Float
```

When ever in Ruby, you put an `.class` after object it returns the class to which the object belongs. So we see that numbers like 1, 2, 3..... belong to the `Integer` class. Lets override its key method the `+`. Plus sign is used in Ruby to add two numbers. Try these examples in your irb

```
>> 1 + 2
=> 3
>> 478 + 90
=> 568
```

So we see that when there is an `Integer`, followed by a plus sign and another `Integer` Ruby interpreter adds these two `Integers` which is returned as result. Let's now mess up with the plus sign. Take a look at [override_methods_1.rb](#), type it in your text editor and execute it.

```
# override_methods_2.rb

class Integer
  def + a
    416
  end
end

puts 3 + 5
puts 7 + 12
```

Result

```
416
416
```

Look at the result, aren't you surprised? When three and five are added the result you get is 416 and when 7 and 12 are added, once again the result is 416. Take a look at the code in the `Fixnum` class. To make your reading convenient, here is the code:

```
def + a
  416
end
```

In it we have redefined the method `+` in `Integer` class. In it, we have said no matter what ever be the value of `a` (that is number that is at the right side of `+` sign in addition,) we must return a value of 416, so the Ruby interpreter simply obeys it.

`Integer` is a core class of Ruby, in many programming languages (for example `Java`) one does not have the luxury to modify the core class, but Ruby allows it. Many authors and programming gurus who have written books about Ruby have called this Ruby feature as a dangerous one, its dangerous indeed, if you do modify a important class in Ruby and if our code is buried deep in a project, then some times it can result in severe logical errors in your program and sometimes may cost lot of resource to be wasted as one needs to bury himself to debug the code. So before overriding methods in a class please think, and then do make a leap if its really necessary.

11.9. The super function

See the program below

```
#!/usr/bin/ruby
# class_super.rb

class Rectangle

  def set_dimension length, breadth
    @length, @breadth = length, breadth
  end

  def area
    @length * @breadth
  end

end

class Square < Rectangle

  def set_dimension side_length
    super side_length, side_length
  end

end

square = Square.new
square.set_dimension 7
puts "Area: #{square.area}"
```

Output

```
Area: 49
```

In the program you see a `Rectangle` class, in it you see a function called `set_dimension` as highlighted below. This function receives two arguments `length` and `breadth`, which is assigned to class variables `@length` and `@breadth` in this line `@length, @breadth = length, breadth`

```
class Rectangle

  def set_dimension length, breadth
    @length, @breadth = length, breadth
  end

  def area
    @length * @breadth
  end

end
```

Now see the class `Square`. `Square` inherits `Rectangle` (who's lengths and breadths are equal), but not the other way around. Now note the piece of code below

```
class Square < Rectangle

  def set_dimension side_length
    super side_length, side_length
  end

end
```

You can see that the `Square` class has its own `set_dimension` method, now look what it has, it has a new stuff, look at the line that shows `super side_length, side_length`, here we call a new method called `super`. `super` is a special method, if you call it in `set_dimension`, it will see if the parent class has the method with the same name, if yes it calls the method. Hence `super` here will call the `set_dimension` in `Rectangle` and will pass `side_length` to `length` thus setting it to `@length`, and `side_length` to `breadth`, thus setting it to `@breadth` respectively.

A rectangle who's `@length` and `@breadth` are equal is a square! Isn't it not? Think!!!

11.10. Private, public and protected in inheritance

Since we are talking about inheritance, it's better now that we see the role of public, private and protected methods. To understand them type `public_private_protected_in_inheritance.rb` and execute it.

```

# public_private_protected_in_inheritance.rb

class A
  def public_method
    puts "Class A public method"
  end

  private
  def private_method
    puts "Class A private method"
  end

  protected
  def protected_method
    puts "Class A protected method"
  end
end

class B < A
  def get_class_a_protected_method
    protected_method # implicit call
  end

  def get_class_a_private_method
    private_method # implicit call
  end
end

class C < A
  def get_class_a_protected_method
    self.protected_method # explicit call
  end

  def get_class_a_private_method
    self.private_method # explicit call
  end
end

a = A.new
a.public_method
# a.protected_method
# a.protected_method
b = B.new
b.get_class_a_protected_method
b.get_class_a_private_method
c = C.new
c.get_class_a_protected_method
# c.get_class_a_private_method

```

Output

```
Class A public method
Class A protected method
Class A private method
Class A protected method
```

You will get an output as shown above. Now lets analyze the program There is a class called **A**, and it has a public method as shown

```
class A
  def public_method
    puts "Class A public method"
  end

  .....
end
```

a private method as shown

```
class A
  ...

  private
  def private_method
    puts "Class A private method"
  end

  ...
end
```

and a protected method

```
class A
  ...

  protected
  def protected_method
    puts "Class A protected method"
  end
end
```

As you can see the code from the above examples if you put the key word **private**, then what ever stuff is typed under it will become private, similarly its the same for protected. I could have written the public method as shown

```

class A
public
def public_method
  puts "Class A public method"
end

.....
end

```

But by default a method is public if it does not fall under private or protected, so I have included nothing above it. Now lets look at class B

```

class B < A
def get_class_a_protected_method
  protected_method # implicit call
end

def get_class_a_private_method
  private_method # implicit call
end
end

```

Look at the highlighted code. In `get_class_a_protected_method` and in `get_class_a_private_method` we are calling `protected_method` and `private_method` in implicit way, and when we execute the code below

```

b = B.new
b.get_class_a_protected_method
b.get_class_a_private_method

```

They work flawlessly. Now lets see class C,

```

class C < A
def get_class_a_protected_method
  self.protected_method # explicit call
end

def get_class_a_private_method
  self.private_method # explicit call
end
end

```

As you can see in the code above, in `get_class_a_protected_method` and in `get_class_a_private_method`, the `protected_method` and `private_method` are called in a explicit way as shown in the piece of code above, now in this piece of code below

```
c = C.new
c.get_class_a_protected_method
# c.get_class_a_private_method
```

`c.get_class_a_private_method` will throw a `NoMethodError` (no method error) exception, whereas `c.get_class_a_protected_method` will run smoothly. So we can see very clearly, in explicit calls, private methods of the Parent class cannot be accessed. I encourage one to uncomment the comment code above and execute it and experience error for oneself.

It is worth to mention that in one case, the private status of method won't work even during explicit call. Take a look at the code below, type it and execute it.

```
# private_attribute_writer.rb

class Parent
  private
  # we have a attribute writer private method
  def private_method= some_val
    puts some_val
  end
end

class Child < Parent
  def set_some_val
    self.private_method = "I know your secret!"
  end
end

Child.new.set_some_val
```

Output

```
I know your secret!
```

Its surprising that when `Child.new.set_some_val` is executed, it in fact calls `private_method` in Parent class in an explicit way , yet it gets executed without a fuss. That's because as shown in the above code `private_method` in Parent class is attribute writer, that is it ends with an `=` sign. This a special case in Ruby.

11.11. Extending class

Ruby lets the programmer to extend preexisting classes in (almost) any way you want, it doesn't matter if the classes are written by you or bundled into the Ruby language itself. In the following example we will be extending Integer class to suit our needs. Type the program into text editor and execute it

```
# extending_class_1.rb
```

```
class Integer
  def minute
    self * 60
  end

  def hour
    minute * 60
  end

  def day
    hour * 24
  end

  def week
    day * 7
  end
end
```

```
puts Time.now + 2.week
```

Result

```
2018-10-10 10:27:37 +0530
```

The program puts what would be Time exactly 2 weeks from current second, note that we do it by this statement :

```
puts Time.now + 2.week
```

The `Time.now` gets the current `Time` instance, to which we add `2.week`. In reality, the native `Integer` class has no method named `week` in it but see in the program we have defined a `Integer` class which has method name `week`, when its called it returns number of seconds in a week which can be added or subtracted to time object to get past and future time.

In a similar fashion you can extend any class in Ruby, you can override almost any method. Of course some programmers see this as a threat as some accidental changes might introduce a bug in your code, but if you truly love Ruby this shouldn't matter a lot.

11.12. Reflection

Reflection is a process by which a computer program can analyze itself and modify it on the go. In the following pages we will just be scratching its surface.

We will try out these examples in `irb` , so in your terminal type `irb -simple-prompt` . In the `irb`

prompt below I have declared a String variable `a` and set it to a value "Some string"

```
>> a = "Some string"
=> "Some string"
```

Now lets see that what methods are available with variable `a` that we can use. To do so type `a.methods` in irb

```
>> a.methods
=> ["upcase!", "zip", "find_index", "between?", "to_f", "minmax", "lines", "sub",
"methods", "send", "replace", "empty?", "group_by", "squeeze", "crypt", "gsub!",
"taint", "to_enum", "instance_variable_defined?", "match", "downcase!", "take",
"find_all", "min_by", "bytes", "entries", "gsub", "singleton_methods", "instance_eval",
", "to_str", "first", "chop!", "enum_for", "intern", "nil?", "succ", "capitalize!",
"take_while", "select", "max_by", "chars", "tr!", "protected_methods", "instance_exec",
", "sort", "chop", "tainted?", "dump", "include?", "untaint", "each_slice",
"instance_of?", "chomp!", "swapcase!", "drop", "equal?", "reject", "hex", "minmax_by",
"sum", "hash", "private_methods", "all?", "tr_s!", "sort_by", "chomp", "upcase",
"start_with?", "unpack", "succ!", "enum_slice", "kind_of?", "strip!", "freeze",
"drop_while", "eql?", "next", "collect", "oct", "id", "slice", "casecmp", "grep",
"strip", "any?", "delete!", "public_methods", "end_with?", "downcase", "%", "is_a?",
"scan", "lstrip!", "each_cons", "cycle", "map", "member?", "tap", "type", "*", "split",
", "insert", "each_with_index", "+", "count", "lstrip", "one?", "squeeze!",
"instance_variables", "__id__", "frozen?", "capitalize", "next!", "each_line",
"rstrip!", "to_a", "enum_cons", "ljust", "respond_to?", "upto", "display", "each",
"inject", "tr", "method", "slice!", "class", "reverse", "length", "enum_with_index",
"rpartition", "rstrip", "<=>", "none?", "instance_variable_get", "find", "==",
"swapcase", "__send__", "==", "min", "each_byte", "extend", "to_s", "rjust", "index",
">>=", "size", "reduce", "tr_s", "<=", "clone", "reverse_each", "to_sym", "bytesize",
"=~", "instance_variable_set", "<", "detect", "max", "each_char", ">", "to_i",
"center", "inspect", "[]", "reverse!", "rindex", "partition", "delete", "[]=", "concat",
", "sub!", "dup", "object_id", "<<"]
```

As you can see `a.methods` returns the methods aka functions that can be used upon a `String`. Next we will try out and find what class or type `a` belongs. Of course we know that it belongs to `String` type, but for the sake of learning to program type `a.class` into irb

```
>> a.class
=> String
```

and it faithfully returns that `a` is of the type `String`.

Fine we have seen some thing about reflection. To understand it better let's define our own class and see how reflection works upon it. Type the program (below) `reflection.rb` into a text editor and execute it.

```

# reflection.rb

class Someclass
  attr_accessor :a, :b

  private
  # A dummy private method
  def private_method
  end

  protected
  # A dummy protected method
  def protected_method
  end

  public
  # A dummy public method
  def public_method
  end
end

something = Someclass.new
something.a = 'a'
something.b = 123
puts "something belongs to #{something.class}"
puts
puts "something has the following instance variables:"
puts something.instance_variables.join(', ')
puts
puts "something has the following methods:"
puts something.methods.join(', ')
puts
puts "something has the following public methods:"
puts something.public_methods.join(', ')
puts
puts "something has the following private methods:"
puts something.private_methods.join(', ')
puts
puts "something has the following protected methods:"
puts something.protected_methods.join(', ')

```

Output

something belongs to `Someclass`

something has the following instance variables:

`@a, @b`

something has the following methods:

`inspect, protected_method, tap, clone, public_methods, __send__, object_id, instance_variable_defined?, equal?, freeze, extend, send, methods, public_method, hash, dup, to_enum, instance_variables, eql?, a, instance_eval, id, singleton_methods, a=, taint, enum_for, frozen?, instance_variable_get, instance_of?, display, to_a, method, b, type, instance_exec, protected_methods, ==, b=, ===, instance_variable_set, kind_of?, respond_to?, to_s, class, __id__, tainted?, =~, private_methods, untaint, nil?, is_a?`

something has the following public methods:

`inspect, tap, clone, public_methods, __send__, object_id, instance_variable_defined?, equal?, freeze, extend, send, methods, public_method, hash, dup, to_enum, instance_variables, eql?, a, instance_eval, id, singleton_methods, a=, taint, enum_for, frozen?, instance_variable_get, instance_of?, display, to_a, method, b, type, instance_exec, protected_methods, ==, b=, ===, instance_variable_set, kind_of?, respond_to?, to_s, class, __id__, tainted?, =~, private_methods, untaint, nil?, is_a?`

something has the following private methods:

`exit!, chomp!, initialize, fail, print, binding, split, Array, format, chop, iterator?, catch, readlines, trap, remove_instance_variable, getc, singleton_method_added, caller, putc, autoload?, proc, chomp, block_given?, throw, p, sub!, loop, syscall, trace_var, exec, Integer, callcc, puts, initialize_copy, load, singleton_method_removed, exit, srand, lambda, global_variables, gsub!, untrace_var, open, ` , system, Float, method_missing, singleton_method_undefined, sub, abort, gets, require, rand, test, warn, eval, local_variables, chop!, scan, raise, printf, set_trace_func, private_method, fork, String, select, sleep, gsub, sprintf, autoload, readline, at_exit, __method__`

something has the following protected methods:

`protected_method`

You must have got pretty big output as shown above. Lets now walkthru the code. First we define a class called `Someclass` in which we have two attributes `a` and `b`. We have a private method called `private_method`, protected method called `protected_method` and public method called `public_method`.

After defining the class we create a variable called `something` of the type `Someclass` and give values to its attributes in the following lines

```
something = Someclass.new
something.a = 'a'
something.b = 123
```

Next we ask the ruby interpreter to print the class of variable `something` using the following statement `puts "something belongs to #{something.class}"` which it faithfully does and so we get the following output:

```
something belongs to Someclass
```

Next we would like to know that if `something` which is an object of type `Someclass` has any instance variables. To know it we use the following code:

```
puts "something has the following instance variables:"  
puts something.instance_variables.join(', ')
```

for which we get the following output

```
something has the following instance variables:  
@a, @b
```

Next we would like to know what methods are there with `something` that can be used. To know that we can use the `methods` function, so we write the following code:

```
puts "something has the following methods:"  
puts something.methods.join(', ')
```

In the above code `something.methods` returns an array of methods, this must be converted to a string which is done by the `join` method. The elements of the array are joined by the String passed to the `join` method. Notice that there are more methods than we have defined, that's because even `Someclass` is of type `Object` [31: Object is one of the most fundamental class in Ruby upon which almost all other classes are built upon. All classes implicitly inherit Object] which itself has many methods of its own. In Ruby everything is a Object.

The `methods` and `public_methods` of any Object returns the same result. So we will skip the discussion on these

```
puts "something has the following public methods:"  
puts something.public_methods.join(', ')
```

statements

Next we want to know what are the private, public and protected methods are, that are in `Someclass`, since `something` belongs to `Someclass`, private methods can be got using `private_methods` function, thus by giving the following statements

```
puts "something has the following private methods:"  
puts something.private_methods.join(', ')
```

we are able to get private methods in some class.

Similarly protected methods are got by using `protected_methods` function which I won't discuss due to my laziness.

11.13. Encapsulation

You might have taken a capsule tablet in some point of time in your life. In it the medicine is packed inside a gelatin capsule. When you take it with water it slides to your stomach where water breaks out the gelatin layer releasing the medicine in it which cures your body of ailments. If you try to swallow the medicine without the capsule it will be a bitter experience.

In similar fashion modern programming language allows you to hide unwanted details and let your fellow programmer look only at the needed details. This technique is called encapsulation which when properly implemented will result in producing clean code and one that's easy to use.

Another great example of encapsulation is your car. Under the hood your car has thousands of parts that turn this way and that way, yet all you need to do is to turn on the key and operate the steering wheel and pedals to get a driving experience. There is no need for you to bother what goes on inside the hood.

Let's see a small example that will explain to us how encapsulation works. Type out the program `encapsulation.rb` in your text editor and execute it.

```
# encapsulation.rb  
  
class Human  
  attr_reader :firstname, :lastname  
  
  def name=(name)  
    @firstname, @lastname = name.split  
  end  
end  
  
guy = Human.new  
guy.name = "Ramanuja Iyengaar"  
puts "First name: #{guy.firstname}"  
puts "Last name: #{guy.lastname}"
```

Output

```
First name: Ramanuja  
Last name: Iyengaar
```

So we get the first name of the person as Ramanuja and last name as Iyengar. These two lines are printed out due to the following statements

```
puts "First name: #{guy.firstname}"
puts "Last name: #{guy.lastname}"
```

See the two lines before these statements. First we declare a new variable named `guy` of the type `Human` by writing `guy = Human.new`, next we set `guy.name = "Ramanuja Iyengar"`, but in the first `puts` statement we call `guy.firstname` and in the next one we call `guy.lastname` and we get the answers. This is because inside the program in the method called `name`, see this code

```
def name=(name)
  @firstname, @lastname = name.split
end
```

we split it and assign the word before space as `@firstname` and word after space as `@lastname` using the following piece of code:

```
@firstname, @lastname = name.split
```

So when we call `guy.firstname` and `guy.lastname` it gets printed faithfully. Note that outside the class we never set the `@first_name` and `@last_name`, it was totally encapsulated from us.

One might be wondering what the statement `attr_reader :firstname, :lastname` does? It declares two variables `@first_name` and `@last_name`. The `attr_reader` signifies that the two variables can only be read by program outside the class, in other words if we try to set `guy.first_name = "Ramanuja"` the Ruby interpreter will throw out an error.

11.14. Polymorphism

Poly means many, and morphis means forms. I think its either in Greek or Latin, who cares? In programming language you can use one thing to do many things, lets see a few examples. Lets take the humble plus sign. When we take `"Hello "` and `"World!"` and put a plus sign in between, the output is `"Hello World!"`. In technical talk we call this concatenation (joining together). here is the irb example:

```
>> "Hello " + "World!"
=> "Hello World!"
```

Now lets use this plus sign on numbers. We now stick it between 134 and 97. When we do that we get the answer as 231 and not as 13497. Why? Its because the plus sign is trained to do different things when its stuck in between different things.

```
>> 134 + 97  
=> 231
```

When you stick it in between String's it joins them, when you stick it in between numbers it adds them. So the operator plus takes many forms or does different operations depending upon the situation.

In a similar way what will happen if we multiply a string by a number. Well when we do it as shown below

```
>> "Hello" * 5  
=> "HelloHelloHelloHelloHello"
```

we see that string is printed the number of times. So multiplying "Hello" by 5 prints "Hello" five times. In the next example we assign value six to a variable named hello and multiply it by five

```
>> hello = 6  
=> 6  
>> hello * 5  
=> 30
```

Since `hello` is a variable that carries a number, multiplying it with a number results in a number. So you see even an multiplication operator takes many forms or different functions depending on the situation. Its like this, a policeman when at home is kind with his family, when he is made to take a thud he behaves in a different way.

In a similar way the length operator / function, when you are finding out the length of a string, it tells the number of characters in it.

```
>> "some text".length  
=> 9
```

When you are finding the length of an array it tells the number of elements the array has.

```
>> [5, 7, "some text", Time.now].length  
=> 4
```

So we see that in Ruby, a thing can do different things, just like a real world object does [32: Like nuclear energy can be used to explode an atomic bomb or power an entire city, depending on what humans decide to do with it].

11.15. Class Constants

Just like any other programming language, one can have a constant values in a class in Ruby. Lets

jump into action, take a look at the following program [class_constant.rb](#), its source code is like this

```
#!/usr/bin/ruby
# class_constant.rb

class Something
  Const = 25
end

puts Something::Const
```

Output

```
25
```

Note the pieces of code, in the class `Something`, you see the statement `Const = 25`. If you were reading this book well, you might realize that constant in Ruby starts with a capital letter. In the class `Something`, we have declared a constant names `Const` and assigned it to 25.

Note the statement `puts Something::Const`, `puts` is for printing almost anything thrown at it. Here we throw `Something::Const` and it faithfully prints out the constant value. So class constants can be access by `<class_name>::<constant_name>`, this is how you access constants of a class. Let's see how class instance can access a class constant. Type the program `class_constant_1.rb`

```
#!/usr/bin/ruby
# class_constant.rb

class Something
  Const = 25
end

puts Something::Const
s = Something.new
puts s.Const
```

Output

```
25
class_constant_1.rb:10: undefined method 'Const' for #<Something:0xb745eb58>
(NoMethodError)
```

So in this program (above) we have declared a variable `s` whose class is `Something`. In line `puts s.Const`, we try to access the constant value inside something via its instance variable `s` and we get a No Method Error, or the Ruby interpreter thinks `Const` is a method since we use `s.Const`. To fix this issue, you can write a method called `Const` and call it as shown in `class_constant_2.rb`

```

#!/usr/bin/ruby
# class_constant_2.rb

class Something
  Const = 25

  def Const
    Const
  end
end

puts Something::Const
s = Something.new
puts s.Const

```

Output

```

25
25

```

So defining a method [33: It's not necessary that the method should have the same name as the constant.] and returning **Const** from it solves the problem.

Some might think one can access class constant value using the instance variable by using double colon (:) instead of the dot operator as shown in [class_constant_3.rb](#), well it wont work as you can see from its output

```

#!/usr/bin/ruby
# class_constant_3.rb

class Something
  Const = 25

  def Const
    Const
  end
end

puts Something::Const
s = Something.new
puts s::Const

```

Output

```

25
class_constant_3.rb:14: #<Something:0xb74029fc> is not a class/module (TypeError)

```

11.16. Function alias

Sometimes you might have written a function and you may want you to rename it to something, what to do at that time? If you have used the function in many places, and if you had to rename it, then you must keep changing the name in many places. Thankfully ruby provides a keyword called `alias` which you can use to set another name to a function. Take a look at the program below, especially this line `alias :shout :make_noise`.

```
# function_alias.rb

class Something
  def make_noise
    puts "AAAAAAAAAAAAAAHHHHHHHHHHHHHHHHH"
  end

  alias :shout :make_noise
end

Something.new.shout
```

Output

```
AAAAAAAAAAAAAAHHHHHHHHHHHHHHHHH
```

So as you see we call `Something.new.shout` , and since we have aliased `make_noise` to `shout`, `make_noise` is called.

11.17. Anonymous Class

Classes can have no name, these class are called anonymous classes. Look at the example below, type it and execute it:

```
# anonymous_class.rb

person = Class.new do
  def say_hi
    'Hi'
  end
end.new

puts person.say_hi
puts person.class
```

Output

```
Hi  
#<Class:0x000000002696840>
```

So let's see how it works. First you have got a variable `person` which is the instance of a class, we assign it not to `person = Person.new`, but to `Class.new` as shown below. That is we are creating a new class on the fly without any name. Thus it is anonymous.

```
person = Class.new do ①  
  ....  
end.new ②
```

① Creating an anonymous class.

② An anonymous class, after its `end` should have been initialized with `new`

If you can see from the code above as soon as the definition of the anonymous class ends, it must be initialized at once using `.new`. This also makes a anonymous class stick to just one variable. Now we fill in what ever we want into the anonymous class as shown below:

```
person = Class.new do  
  def say_hi  
    'Hi'  
  end  
end.new
```

So when we call `person.say_hi`, it returns 'Hi' which gets printed, but when we call `person.class` rather than printing class name it prints out something like this `#<Class:0x000000002696840>` [34: the number following 0x... could be different in your computer, and would vary between executions]. Since the class has no name, there is no name to print.

If you see the code I worked out in irb below, we can see when `a.class` is called it prints `A`, that is the class name, but in the case above we do not have a name.

```
>> class A; end  
=> nil  
>> a = A.new  
>> a.class  
=> A
```

I think what `0x...` in the `#<Class:0x000000002696840>` represents the address location where the class is stored in the memory.

Chapter 12. Safe Navigation

Ruby strives to be programmers best friend. Its makers are inventing new ways to make your coding experience better. One such improvement in Ruby 2.3 is Safe Navigation. Or a way to write conditions that don't throw unexpected errors. See the program below, type it and execute it

safe_navigation.rb

```
# safe_navigation.rb

class Robot
  attr_accessor :name
end

robot = Robot.new
robot.name = "Zigor"
puts "The robots name is #{robot.name}" if robot&.name
```

Output

```
The robots name is Zigor
```

So the program executes perfectly without a glitch. Look at the code `if robot&.name`, we will understand the significance of it shortly.

Now let's take a situation where the robot is not initialized. That is `robot = Robot.new` is not written, the program looks something as shown below

safe_navigation_2.rb

```
# safe_navigation_2.rb

robot = nil
puts "The robots name is #{robot.name}" if robot&.name
```

When we execute the program above it still does not throw an error!! Now look at the code `if robot&.name`, it does the trick, we will see how. Now type the program below and execute it

not_safe_navigation.rb

```
# not_safe_navigation.rb

robot = nil
puts "The robots name is #{robot.name}" if robot.name
```

Output

```
not_safe_navigation.rb:4:in `<main>': undefined method `name' for nil:NilClass  
(NoMethodError)
```

So, this one throws an error. But here we have written the `if` condition as `if robot.name`, and we haven't used the safe navigation. Now we know the scenario. First we must check if the variable `robot` exists or it's not `nil`, and if the `robot.name` too is not `nil`, then we must not print the thing. So to correct `not_safe_navigation.rb` we type in the following code.

`not_safe_navigation_2.rb`

```
# not_safe_navigation_2.rb  
  
robot = nil  
puts "The robots name is #{robot.name}" if robot and robot.name
```

Look how we need to provide long condition with an `and` operator here as shown:

```
if robot and robot.name
```

instead we can simply write it as

```
if robot&.name
```

as shown in `safe_navigation.rb` which is convenient.

Chapter 13. Breaking large programs

It's not that you will be writing professional programs that are all in a single file. You need to break them up into small chunks, put those chunks into separate files and include them in other programs as one needs. So lets see an example

[break_full.rb](#)

```
# break_full.rb

class Square
  attr_accessor :side_length

  def perimeter
    @side_length * 4
  end
end

s = Square.new
s.side_length = 5
puts "The squares perimeter is #{s.perimeter}"
```

Output

```
The squares perimeter is 20
```

So you see the above program named [break_full.rb](#), that has a class definition and then a snippet of code that uses the definition to calculate perimeter of square of side 5 units.

Isn't it logical that if the `Square` code can go into a separate file, so that it can be required where it needs to be, possibly in many other programs? If a program gets large we can divide them up into smaller files and name them logically so that its easy to read, reuse and debug.

So following this principle, I have broken this program into two, the first one is [break_square.rb](#) as shown below, this just has the `Square` class definition

[break_square.rb](#)

```
# break_square.rb

class Square
  attr_accessor :side_length

  def perimeter
    @side_length * 4
  end
end
```

Now see the program called `break_main.rb` below,

`break_main.rb`

```
# break_main.rb

require "./break_square.rb"

s = Square.new
s.side_length = 5
puts "The squares perimeter is #{s.perimeter}"
```

Output

```
The squares perimeter is 20
```

See the line `require "./break_square.rb"` , now that does the trick, the `./break_square.rb` represents the path where `break_square.rb` is located. The `./` means search in this very folder. So once the program gets the file `break_square.rb`, it simply kinda inserts the code in that position and works the same as `break_full.rb`, but this time the code is logically divide and possibly easy to maintain.

Chapter 14. Struct and OpenStruct

Okay, in the previous chapters we have seen about classes, now lets see something simple called struct [35: Its kind of struct you see in C++, but its much simpler]. Type the following program and execute it

`struct_start.rb`

```
# struct_start.rb

person = Struct.new :name, :age
p = person.new
p.name = "Karthik"
p.age = 30

puts "Hello, I am #{p.name}, age #{p.age}"
```

Output

```
Hello, I am Karthik, age 30
```

Well, now lets see how it works. First you are creating a new type of **Struct** using this statements

```
Struct.new :name, :age
```

Now you want to name it, so that you can use it, lets name it as **person**

```
person = Struct.new :name, :age
```

Once named, this variable **person** will act like a **class**, you can declare a new instance of it like this

```
p = person.new
```

In the above statement **p** is the instance of person.

Now we can assign **:name** and **:age** of **p** using the following statements

```
p.name = "Karthik"
p.age = 30
```

Then you can print the data like shown below

```
puts "Hello, I am #{p.name}, age #{p.age}"
```

That's it. Without using a `class`, you have created a data structure and used it! Don't you think it's great?

It's not that `person` in `person = Struct.new :name, :age` should be variable (i.e start with lower case), but it could also be a constant like `Person`. That's what exactly is going on in the next piece of code here

struct_constant.rb

```
# struct_constant.rb

Person = Struct.new :name, :age
p = Person.new
p.name = "Karthik"
p.age = 30

puts "Hello, I am #{p.name}, age #{p.age}"
```

Output

```
Hello, I am Karthik, age 30
```

So in these lines

```
Person = Struct.new :name, :age
p = Person.new
```

we have used `Person` with capital P and the code works!

If you are worried about the fact that you need to typed a lot in the previous program you can shorten it as shown below. Just take a look at the code below.

struct_one_line.rb

```
# struct_one_line.rb

person = Struct.new :name, :age
p = person.new "Karthik", 30

puts "Hello, I am #{p.name}, age #{p.age}"
```

Output

```
Hello, I am Karthik, age 30
```

We get the same output but in this one line

```
p = person.new "Karthik", 30
```

We have managed to eliminate these two lines

```
p.name = "Karthik"  
p.age = 30
```

If you have noticed it right, doesn't `p = person.new "Karthik", 30` look like a constructor stuff in classes?

Its not that a `Struct` is just limited to its attribute data structure. You can have function that a `Struct` instance could call as shown in below program. Type it and execute it.

[struct_about_me.rb](#)

```
# struct_about_me.rb  
  
person = Struct.new :name, :age do  
  def about_me  
    "Hello, I am #{self.name}, age #{self.age}"  
  end  
end  
p = person.new "Karthik", 30  
puts p.about_me
```

Output

```
Hello, I am Karthik, age 30
```

As you can see, there is a function called `about_me` defined between the `do end` block of the `Struct`. We declare a person `p` in this line `p = person.new "Karthik", 30` and call the `about_me` function on `p` like this `puts p.about_me` and the program works fine. You must also note that we can pass arguments to functions in struct, but I haven't shown that example due to my laziness.

Now lets see how to do structure in a wrong way. Type the program below and execute

struct_wrong.rb

```
# struct_wrong.rb

person = Struct.new :name, :age
p = person.new
p.name = "Karthik"
p.age = 30
p.profession = "Engineer"

puts "Hello, I am #{p.name}, age #{p.age}, and I am on a #{p.profession}"
```

Output

```
struct_wrong.rb:7:in `<main>': undefined method `profession=' for #<struct
name="Karthik", age=30> (NoMethodError)
```

If you get the kind of output as shown above, it means that you have typed the program rightly wrong. The problem is in the line `p.profession = "Engineer"`, here we are assigning data to an attribute named `profession` which we haven't declared in the struct `person = Struct.new :name, :age`. So it throws an error. To avoid these kind of things, you can use a Open Struct as shown in program below

open_struct.rb

```
# open_struct.rb

require 'ostruct'

p = OpenStruct.new
p.name = "Karthik"
p.age = 30
puts "Hello, I am #{p.name}, age #{p.age}"
```

Output

```
Hello, I am Karthik, age 30
```

Open Struct is like Struct, but its does not have its data structure or attributes predefined.

One may note that one can also create a struct from hash as shown:

open_struct_from_hash.rb

```
# open_struct_from_hash.rb

require 'ostruct'

hash = {
  name: "Karthik",
  age: 39,
  profession: "Engineer"
}

p = OpenStruct.new hash
puts "Hello, I am #{p.name}, age #{p.age}, and I am an #{p.profession}"
```

Output

```
Hello, I am Karthik, age 39, and I am an Engineer
```

As you can see from the above program, we have a Hash:

```
hash = {
  name: "Karthik",
  age: 39,
  profession: "Engineer"
}
```

And in this line `p = OpenStruct.new hash` we are creating a `OpenStruct` from that `Hash`. As you can see from this line:

```
puts "Hello, I am #{p.name}, age #{p.age}, and I am an #{p.profession}"
```

We use `p.name` and `p.age` and `p.profession` to access the attributes of the `OpenStruct` `p`.

In the above program we have created an `OpenStruct` with a `Hash` that has `Symbol` as keys. the program below works exactly same as the above, but notice that we have a hash in which we use `String` as keys:

[open_struct_from_hash_2.rb](#)

```
# open_struct_from_hash_2.rb

require 'ostruct'

hash = {
  "name" => "Karthik",
  "age" => 39,
  "profession" => "Engineer"
}

p = OpenStruct.new hash
puts "Hello, I am #{p.name}, age #{p.age}, and I am an #{p.profession}"
```

No matter **Symbol** or **String**, one can access the attributes of the **OpenStruct p** with dot operators like **p.name** and so on.

Chapter 15. Rdoc

You are reading this book because you are looking for some kind of documentation to start programming in Ruby. Documentation is highly important in any kind of programming. Keeping a good documentation for the piece of code you write might distinguish you from a good programmer and make you the one who is sought after. This chapter tells you two things, first where are Ruby's core documentation, and how to find it and read it. The second, it teaches you how to generate documentation so that others can better understand your programs.

15.1. Reading Ruby Documentation

Let's say that you want to know about **String** class in Ruby. You want to know how to count number of character in ones name using Ruby, so how to do it? Visit this link <http://ruby-doc.org/> , it's the centralized place where ruby documentations are available. Now if you can go through it a bit you will find a thing / link like: 3.1.1 core - Core API docs for Ruby 3.1.1. Click on it and you will be directed to this link: <http://ruby-doc.org/core-3.1.1/> , its here where core libraries for Ruby 3.1.1 are documented.

A question may arise, how to find out the version of Ruby you are using? In terminal type `ruby -v` it will throw out an output like this: `ruby 3.1.1p18 (2022-02-18 revision 53f5fc4236) [x86_64-darwin21]`, look at the highlighted piece of code, this tells me that I am using ruby 1.9.3p194. Who the heck cares what p194 is? I know I am using ruby 1.9.3, so I am going to see its documentation!

OK, in <http://ruby-doc.org/core-3.1.1/> you need to browse for String, if you do you will find this link: <http://ruby-doc.org/core-3.1.1/String.html> , this is where the **String** class documentation is. You can get to this documentation in this long way or by typing String in the top search bar in which case Rdoc will display valid search results.

The image below shows I am filtering the classes in Ruby by typing Sting into a text box labeled Classes. This will help me to filter the results / classes easily.

The screenshot shows the Ruby documentation website for version 3.1.1. The top navigation bar includes links for Home, Core 2.1.4, Std-lib 2.1.4, Gems, and Downloads, along with a search bar and a 'Search' button. The main content area is for the **String** class. On the left, there are several sidebar panels: 'Home Classes Methods' (selected), 'In Files' (listing files like complex.c, pack.c, rational.c, string.c, transcode.c), 'Parent' (listing Object), and 'Methods' (listing methods like ::new, ::try_convert, #%, #*, #+, #<<, #<-, #==, #==~, and #~). The main content area for the **String** class includes a brief description of what a String object holds and manipulates, a note about aliasing issues, and a list of public class methods. The 'Public Class Methods' section includes descriptions and examples for `new(str="")` and `try_convert(obj)`. The example for `try_convert` shows the following code:

```
String.try_convert("str")      #=> "str"
String.try_convert(/re/)       #=> nil
```

OK then, if you have got it right, click on the String to get you here <http://ruby-doc.org/core-3.1.1/String.html> and browse down, you will find something called `#length` which when clicked will scroll here <http://ruby-doc.org/core-3.1.1/String.html#method-i-length>, so it does say we have a thing / function / method called `length` and another function called `size`.

From an educated guess we must be able to know that this is what gives the length of a `String`, lets try it out on irb

```
$ irb --simple-prompt
>> "Karthikeyan A K".length
=> 15
>> "Karthikeyan A K".size
=> 15
```

So it works! The basic thing is to reach <http://ruby-doc.org/> and break your head, that will get something going and will get you started knowing to read Ruby documentation.

15.2. Creating Documentation

So hopefully or hopelessly you might or might not know read ruby's documentation. Lets see how to create one. OK, type the code below in a document called `rdoc_square.rb`, or whatever name you prefer. For simplicity put it into a folder and make sure that no other file is present in that folder.

`rdoc_square.rb`

```
#rdoc_square.rb

# This class Square takes in side_length (of type float or fixnum)
# as argument
class Square

  # The length of a square's side
  attr_accessor :side_length

  # Returns the area of the square
  def area
    @side_length * @side_length
  end

  # Returns perimeter of the square
  def perimeter
    4 * @side_length
  end
end
```

Notice how I have added comments [36: Its possible to use markdown in Rdoc. To know about markdown visit <https://en.wikipedia.org/wiki/Markdown>] before attributes and functions. Now navigate to that folder (using console / terminal) where `rdoc_square.rb` is located and type this

command `rdoc`, that's it, the magic happens. You will find a folder named `doc` created, just navigate into the folder and open file named `index.html`, you can then click on the `Square` link in `Classes and Modules Index` box to get a nice documentation as shown.

In the picture above, in the `Attributes` section you can see the documentation for `side_length` attribute, see just below that is the documentation for it that reads `The length of a square's side`. Now check the code `rdoc_example.rb` check the two lines shown below

```
class Square

  # The length of a square's side
  attr_accessor :side_length
  .....
end
```

We have just added a comment line before `attr_accessor :side_length` that appears on the documentation page. That's how, `rdoc` determines what to put for documentation. It just checks what are the comments that occurs before the declaration of classes, variables and function definitions and puts it into the documentation, packs it neatly, puts a nice CSS (that is styling) and Javascript (that's for the dynamic effects [37: type something into search box and see]) and gives it to you ready to refer. You can distribute the code as well as the `doc` folder to other for reference so that people will have better time understanding your code without going through all the lines of ruby coding.

So these are the steps to generating a documentation

- Put commented ruby files into folder
- Navigate to the folder via terminal and type `rdoc`
- You will see a folder called `doc` created, just go into the folder and launch the file `index.html`

Chapter 16. Ruby Style Guides

So you have learned about basics of Ruby programming and must have probably know how to look up Rdoc. This chapter will tell about Ruby style guides. Once every software company had a style of coding, One when inducted into a company had to follow a huge manual which defined the style of coding, that was hell.

As internet and collaboration flourished and evil Microsoft was beaten by free software [38: <http://fsf.org>], commonality developed, language started to have patterns that were defined more openly and in a democratic way than controlled by few corporations and their satellite companies. So Ruby too has its own style guides.

If you follow it, and if a fellow Rubyist sees your code, you could be a respected developer. You can get all about Ruby style guides here <https://github.com/bbatsov/ruby-style-guide> . Hope you people follow it to be a proud Rubyist.

Chapter 17. Rubocop

In the last section you saw about Ruby style guides. You can read it, have it in your memory and try to code your Ruby programs so that they have a standard. By following style guides the difference in the way one writes a program from other is reduced and hence maintainability improves.

There is another way to implement style guides, and this by using a gem called Rubocop. Install the gem using the following command in terminal

```
$ gem install rubocop
```

Now let's create a program that can be linted better

rubocop_example.rb

```
name = "Karthik"  
puts "Hello #{name}"
```

Now we save it and run Rubocop on it as shown:

```
$ rubocop rubocop_example.rb
```

rubocop spits out some errors as shown:

```
Inspecting 1 file
```

```
C
```

```
Offenses:
```

```
rubocop_example.rb:1:1: C: [Correctable] Style/FrozenStringLiteralComment: Missing  
frozen string literal comment.
```

```
name = &quot;Karthik&quot;
```

```
^
```

```
rubocop_example.rb:1:8: C: [Correctable] Style/StringLiterals: Prefer single-quoted  
strings when you don't need string interpolation or special symbols.
```

```
name = &quot;Karthik&quot;
```

```
^^^^^^^^^
```

```
1 file inspected, 2 offenses detected, 2 offenses auto-correctable
```

I duckduckgoed Style/FrozenStringLiteralComment rubocop and found out that it's a better practice to include single quotes than using double quotes to enclose a string from here <https://www.rubydoc.info/gems/rubocop/RuboCop/Cop/Style/StringLiterals>

As you can see below, this was the page that duckduckgo took me to:

Class: RuboCop::Cop::Style::StringLiterals

Search:

Class List
Classes | Methods | Files
Search:

Top Level Namespace
CopHelper
CopsDocumentationGenerator < Object
HostEnvironmentSimulatorHelper
RuboCop
 ▶ CLI < Object
 CachedData < Object
 ▶ CommentConfig < Object
 ▶ Config < Object
 ConfigLoader < Object
 ConfigLoaderResolver < Object
 ConfigNotFoundError < Error
 ▶ ConfigObsoletion < Object
 ConfigRegeneration < Object
 ConfigStore < Object
 ConfigValidator < Object
 Cop
 DirectiveComment < Object
 Error < StandardError
 ErrorWithAnalyzedFileLocation
 ExcludeLimit
 ▶ Ext
 FileFinder
 ▶ Formatter

Libraries » rubocop (1.25.1) » **Index (S)** » RuboCop » Cop » Style » StringLiterals

Class: RuboCop::Cop::Style::StringLiterals

Inherits: Base	show all
Extended by: AutoCorrector	
Includes: ConfigurableEnforcedStyle, RuboCop::Cop::StringHelp, RuboCop::Cop::StringLiteralsHelp	
Defined in: lib/rubocop/cop/style/string_literals.rb	

Overview

Checks if uses of quotes match the configured preference.

Examples:

▶ **EnforcedStyle: single_quotes (default)**

```
# bad
"No special symbols"
"No string interpolation"
"Just text"

# good
'No special symbols'
'No string interpolation'
'Just text'
"Wait! What's #{this}!"
```

▶ **EnforcedStyle: double_quotes**

```
# bad
'Just some text'
'No special chars or interpolation'
```

one could find entire Rubocop list of rules here <https://www.rubydoc.info/gems/rubocop/>

File: README — Documentation

Search:

Class List
Classes | Methods | Files
Search:

Top Level Namespace
CopHelper
CopsDocumentationGenerator < Object
HostEnvironmentSimulatorHelper
RuboCop
 ▶ CLI < Object
 CachedData < Object
 ▶ CommentConfig < Object
 ▶ Config < Object
 ConfigLoader < Object
 ConfigLoaderResolver < Object
 ConfigNotFoundError < Error
 ▶ ConfigObsoletion < Object
 ConfigRegeneration < Object
 ConfigStore < Object
 ConfigValidator < Object
 Cop
 DirectiveComment < Object
 Error < StandardError
 ErrorWithAnalyzedFileLocation < Error
 ExcludeLimit
 ▶ Ext
 FileFinder
 ▶ Formatter
 IncorrectCopNameError < StandardError
 Lockfile < Object
 ▶ MagicComment < Object
 NameSimilarity
 OptionArgumentError < StandardError
 Options < Object
 OptionsHelp

Libraries » rubocop (1.25.1) » **Index** » File: README

RuboCop

code style rubocop gem version 1.25.1 CI passing test coverage 98% maintainability chat on discord

Role models are important.
-- Officer Alex J. Murphy / RoboCop

RuboCop is a Ruby static code analyzer (a.k.a. `linter`) and code formatter. Out of the box it will enforce many of the guidelines outlined in the community [Ruby Style Guide](#). Apart from reporting the problems discovered in your code, RuboCop can also automatically fix many of them for you.

RuboCop is extremely flexible and most aspects of its behavior can be tweaked via various [configuration options](#).

patreon donate backers 63 sponsors 39 1st lifter!

Working on RuboCop is often fun, but it also requires a great deal of time and energy.
Please consider [financially supporting its ongoing development](#).

Installation

RuboCop's installation is pretty standard:

```
$ gem install rubocop
```

If you'd rather install RuboCop using `bundler`, add a line for it in your `Gemfile` (but set the `require` option to `false`, as it is a standalone tool):

Table of Contents

1. Installation
2. Quickstart
3. Documentation
4. Compatibility
5. Readme Badge
6. Team
7. Logo
8. Contributors
9. Funding
 - 1. Open Collective Backers
 - 2. Open Collective Sponsors
10. Changelog
11. Copyright

I also corrected another error Style/FrozenStringLiteralComment, and saved the code as shown below:

rubocop_example_corrected.rb

```
# frozen_string_literal: true

name = 'Karthik'
puts "Hello #{name}"
```

Now when I ran Rubocop on the corrected code I got no linting suggestions as shown:

```
$ rubocop rubocop_example_corrected.rb
```

Output

```
Inspecting 1 file
.

1 file inspected, no offenses detected
```

One could use `rubocop -A <file-name>` for Rubocop to automatically implement linting suggestions in a ruby file. If you are using a text editor or IDE to code, you may also explore how to integrate Rubocop into it, and let Rubocop automatically lint your file when ever you save it.

Chapter 18. Modules and Mixins

When ever you think of modules, you think of a box or something. Just look at your printer. Its a module. It can do some thing. It has things to do something. In a similar way modules in Ruby can contain Ruby code to do something. Modules are way to pack Ruby code into possible logic units. When ever you want to use the code in a module, you just include it in your Ruby program.

Lets look at our first module program called `module_function.rb`. The program below has two modules namely `Star` and `Dollar`. Both these modules have the same function called `line`. Note that in the function `line` in module `Star`, we print a line of 20 star (*) characters. In similar fashion in function `line` in module `Dollar` we print a line of 20 dollar (\$) characters. Type the program in your text editor and execute it.

```
# module_function.rb

module Star
  def line
    puts '*' * 20
  end
end

module Dollar
  def line
    puts '$' * 20
  end
end

include Star
line
include Dollar
line
```

Output

```
*****
$$$$$$$$$$$$$$$$$$$$$$$$
```

Lets look at the program that's outside the module. We have the following code:

```
include Star
line
include Dollar
line
```

In the line `include Star`, we include the code that's in the `Star` module, then we call the function `line`, so we get output as a line of 20 stars. Look at the next line, we include the module `Dollar`.

`Dollar` too has a function called `line`. Since this module is called after `Star`, the `line` function in `Dollar` module over writes or in the right terms hides the `line` function in the `Star` module. Hence calling `line` after `include Dollar` will execute code in the `line` function of `Dollar` module. Hence we get a line of twenty dollar sign.

In the coming example `module_function_0.rb` we will see what happens when we call the `line` function without including any module. Type the program below and execute it

```
# module_function_0.rb

module Star
  def line
    puts '*' * 20
  end
end

module Dollar
  def line
    puts '$' * 20
  end
end

line
```

Output

```
module_function_0.rb:15:in `<main>': undefined local variable or method 'line' for
main:Object (NameError)
```

As you can see that `line` is considered as undefined local variable or a method [39: Methods are another name for function]. So we can say that the functions in module can be accessed only if the module is included in your program.

Lets say that we write another module without any function but just code in it. I wrote the following program `linclude:code/module.rb`[`module.rb`] just because I want to see what happens. As it turns out, when module is coded in a Ruby file and executed, the code in module gets executed by default. This happens even if we don't include the module.

```
# module.rb

module Something
  puts "Something"
end

module Nothing
  puts "Nothing"
end
```

Output

```
Something
Nothing
```

The output of the above program `module.rb` prints out `Something` and `Nothing`. We have put two modules called `Something` which contains the code `puts "Something"` and another module `Nothing` which contains `puts "Nothing"`. Though I haven't included these modules in my program using `include` statement, the code under them gets executed anyway.

18.1. Calling functions without include

In the program `module_function.rb`, we have seen how to include module and call the function(s) in it. We printed a line of stars and dollars. Lets do the same in a different way. This time we won't be using the `include` keyword.

Type the program `module_function_1.rb` and execute it.

```
# module_function_1.rb

module Star
  def Star.line
    puts '*' * 20
  end
end

module Dollar
  def Dollar.line
    puts '$' * 20
  end
end

Dollar::line
Star::line
Dollar::line
```

Output

```
$$$$$$$$$$$$$$$$$$$$$$$$
*****$$$$$$$$$$$$$$$$
$$$$$$$$$$$$$$$$$$$$$$$$
```

Take a look at the following code:

```
Dollar::line
Star::line
Dollar::line
```

When we call `Dollar::line`, the `line` function in `Dollar` module gets executed. When we call `Star::line`, the `line` function in the `Star` module gets executed. So when you want to call a function in module just use the following syntax `<module-name>::<function-name>`.

Note that in module `Star`, we have defined the function `line` as `Star.line` and not just `line`. Similarly in module `Dollar` we have defined it as `Dollar.line`.

OK, we are getting to know about modules, now lets get our hands really dirty. Type the code below (`module_function_2.rb`) and execute it.

```
# module_function_2.rb

module Star
  def Star.line
    puts '*' * 20
  end
end

module Dollar
  def Dollar.line
    puts '$' * 20
  end
end

module At
  def line
    puts '@' * 20
  end
end

include At

Dollar::line
Star::line
Dollar::line
line
```

Output

```
$$$$$$$$$$$$$$$$$$$$$
*****
$$$$$$$$$$$$$$$$$$$$
@oooooooooooooooooooo
```

OK you have got some output. Take a look at the following lines

```
include At

Dollar::line
Star::line
Dollar::line
line
```

Note that we have included the module `At` at first using the `include At` statement. While executing the `Dollar::line` statement, we get an output of twenty dollars which forms a line. While executing `Star::line` we get a output of twenty stars. Next we once again call `Dollar::line`, then comes the catch. We just call the function `line`. Since we have included `At` at first, when the statement `line` is encountered it calls the `line` method in `At` module gets called. This shows that though we have called `Dollar::line` and `Star::line`, it does not include [40: Or mixin] the module code in the program, instead it just executes the particular function in the module.

In `link:code/module_function_1.rb`[`module_function_1.rb`], we have seen how we can call a function in a module say `Star::line`, where `Star` is the module name and `line` is the function name. To do so in `Star` module we have defined the function `line` as follows

```
def Star.line
  puts '*' * 20
end
```

Where instead of naming it just `line`, we have named it `Star.line`. Note that `module_function_3.rb` is similar to `module_function_1.rb`, but take a deep look into `line` function in `Dollar` module. It is not named `Dollar.line`, instead its named `Star.line`. What will happen if we mess up the code like this? Execute the program below and see.

```

# module_function_3.rb

module Star
  def Star.line
    puts '*' * 20
  end
end

module Dollar
  def Star.line
    puts '$' * 20
  end
end

module At
  def line
    puts '@' * 20
  end
end

include At

Dollar::line
Star::line
Dollar::line
line

```

Output

```

@@@@@@@@@@@@@@@#####
$$$$$$$$$$$$$$$$$$$$
@@@@@@@@@@@@@@@#####
@@@@@@@@@@@@@@@#####

```

Notice that whenever we call `Dollar::line` , the `line` function in `At` module is called. Its because since we have defined it as `Star.line` in `Dollar` module, `Dollar::line` does not exist and hence the function `line` in the `At` module is called. Note that we have included `At` module using the statement `include At`.

We now consider another scenario where (see program `module_function_4.rb`) in the `Dollar` module we just define the function `line` as `line` and not as `Dollar.line`. When we call it using `Dollar::line` in the program below, we see that the `line` function in the `At` module gets called. So the moral of the story is, if you are calling `<module-name>::<function-name>` in your program, make sure that the function is named `<module-name>.<function-name>` inside the module.

```
# module_function_4.rb

module Star
  def Star.line
    puts '*' * 20
  end
end

module Dollar
  def line
    puts '$' * 20
  end
end

module At
  def line
    puts '@' * 20
  end
end

include At

Dollar::line
Star::line
Dollar::line
line
```

Output

```
@@@@@@@@@@@@@@@#####
*****
@@@@@@@@@@@@@@@#####
@@@@@@@@@@@@@@@#####
```

18.2. Classes in modules

We have seen how the Ruby interpreter behaves to functions in modules. Lets now see how it behaves to classes in modules. Type the program below [module_class.rb](#) and execute it.

```

# module_class.rb

module Instrument
  class Ruler
    def what_u_do?
      puts "I take measurements"
    end
  end
end

module People
  class Ruler
    def what_u_do?
      puts "I govern this land"
    end
  end
end

r1 = People::Ruler.new
r2 = Instrument::Ruler.new

r1.what_u_do?
r2.what_u_do?

```

Output

```

I govern this land
I take measurements

```

Lets analyze the program. We have two modules. The first one is named `Instrument`, and the second one is named `People`. Both have a class named `Ruler` and both Ruler's have method named `what_u_do?`. Fine, now lets come to the program. We have a statement `r1 = People::Ruler.new` in which `r1` becomes an instance variable of `Ruler` class in `People` module. Similarly we have `r2 = Instrument::Ruler.new` in which `r2` becomes instance variable of `Ruler` class in `Instrument` module.

This can be verified by executing the following code

```

r1.what_u_do?
r2.what_u_do?

```

In which calling `r1.what_u_do?` outputs `I govern this land` and calling `r2.what_u_do?` outputs `I take measurements`.

The moral of the story is you can have same class names in different modules, to call that class just use `<module-name>::<class-name>..`

18.3. Mixins

Another use of modules is that you can mix code in modules as you wish. This one is called mixin. We have already seen about mixins but I haven't told you that it was mixin. For example lets say that you are writing some application in Ruby for Linux and Apple machine. You find that some code works only on Linux and other works only on Apple, then you can separate them as shown below. The Apple stuff goes into Apple module and Linux stuff goes into the Linux module.

Lets say that your friend uses a Linux machine and wants to run your program. All you need to do is to include Linux in your code as shown below.

```
# mixin.rb

module Linux
  # Code for linux goes here
  def function
    puts "This function contains code for Linux systems"
  end
end

module Apple
  # Code for apple goes here
  def function
    puts "This function contains code for Apple systems"
  end
end

include Linux

function
```

Output

```
This function contains code for Linux systems
```

When the method `function` is called, the method `function` in `Linux` module will be called. In short you have mixed in Linux code in your program and have kept out the Apple stuff.

Lets see another example of mixin. Take a look at the code `mixin_2.rb` below. Lets say that your client tells that he is badly need of a program that computes the area of circle and volume of sphere. So you develop two classes called `Circle` and `Sphere` and equip with code to find area and volume. So your client is happy. Since your client is in Milkyway galaxy, the constant Pi [41: Pi is a mathematical constant used to find area of circle and volume of sphere. Unless you are Einstien, don't bother about it.] is 22 divided by 7. So we have put the value of `Pi` in a module named `Constants` and have included in `Circle` and `Sphere` class using the statement `include Constants`. Type in the program below and execute it.

```

# mixin_2.rb

module Constants
  Pi = 22.0/7
end

class Circle
  include Constants
  attr_accessor :radius

  def area
    Pi * radius * radius
  end
end

class Sphere
  include Constants
  attr_accessor :radius

  def volume
    (4.0/3) * Pi * radius ** 3
  end
end

c = Circle.new
c.radius = 7
s = Sphere.new
s.radius = 7
puts "Circle Area = #{c.area}"
puts "Sphere Volume = #{s.volume}"

```

Output

```

Circle Area = 154.0
Sphere Volume = 1437.333333333333

```

So you get something as output. You might ask what's so great in putting a constant in a module and mixing it in a class using `include` statement. Well the above program teaches you two morals

- You can put constants in a module
- If you have common code [42: Common functions and constants] that can be shared between classes, you can put it into module and share it.

If you have defined the value of `Pi` separately in each class and if you happened to get a client from Andromeda galaxy where `Pi` is 57 divided by 18.1364, you can make change just in one place, that is in `Constants` module and see the change reflect in many classes (`Circle` and `Sphere` classes in our case).

Thus moral is modules help us to cater customers who are beyond our own galaxy and we can truly build a galactic empire [43: Somewhat like a Star Wars thing. So if you have a dream to become Galactic Emperor, study Ruby].

Chapter 19. Date and Time

Ruby has got ways by which we can extract time and date from our computer clock. All modern day personal computers has got a thing called RTC (real time clock) which is powered by a battery and would maintain the time even if the machine is turned off. Many programming languages let us access this clock and do manipulation with date and time. Lets see how to work with Ruby. Lets do this stuff in our irb rather than writing programs into a file.

The first thing we do is to find whats the time now? For that just type `Time.now` in your irb, that's it. You will get the current time.

```
>> Time.now  
=> Thu Feb 25 16:54:45 +0530 2010
```

`Time.now` is a synonym to `Time.new` which creates a new `Time` object. You can use `Time.now` or `Time.new`, both will give the same result.

```
>> Time.new  
=> Thu Feb 25 16:54:48 +0530 2010
```

In the following command, we create a new time object / instance and assign it to a variable `t`

```
>> t = Time.new  
=> Thu Feb 25 16:55:02 +0530 2010
```

Now having assigned, how to view the value of `t`? We will use the `inspect` method. So by typing `t.inspect`, we can inspect whats in `t`.

```
>> t.inspect  
=> "Thu Feb 25 16:55:02 +0530 2010"
```

`t.inspect` converts the time object to a string and displays to us. The same thing can be done by `to_s` (to string) function as shown below

```
>> t.to_s  
=> "Thu Feb 25 16:55:02 +0530 2010"
```

`t.year` retrieves the year in time object

```
>> t.year  
=> 2010
```

`t.month` retrieves the month in time object

```
>> t.month  
=> 2
```

t.day retrieves the day (in that month) in time object

```
>> t.day  
=> 25
```

t.wday retrieves the day's number. Here 0 means Sunday, 1 → Monday, 2 → Tuesday and so on till 6 means Saturday

```
>> t.wday  
=> 4
```

In above code snippet, the day was Thursday.

t.yday retrieves the day in that year. For example 1st of February is the 32nd day in the year.

```
>> t.yday  
=> 56
```

t.hour retrieves the hour in the time object. The hour is 24 hour format.

```
>> t.hour  
=> 16
```

t.min retrieves the minutes value in time object.

```
>> t.min  
=> 55
```

t.sec retrieves the seconds in time object.

```
>> t.sec  
=> 2
```

t.usec retrieves microseconds in the time object. This will be useful if you are commissioned to write a stopwatch application for Olympics.

```
>> t.usec  
=> 357606
```

`t.zone` retrieves the zone. I am in India, we follow Indian Standard Time here, its spelled IST for short.

```
>> t.zone
=> "IST"
```

There is a thing called UTC or Universal Time Coordinate [44: https://en.wikipedia.org/wiki/Coordinated_Universal_Time]. Its the time that's at longitude 0 degrees. The `t.utc_offset` displays the number of seconds your time is far away from the time at UTC.

```
>> t.utc_offset
=> 19800
```

From the above example, I came to know that a person living at Greenwich will see sunrise after 19800 seconds after I have seen.

DST means daylight saving time [45: https://en.wikipedia.org/wiki/Daylight_saving_time]. I don't know what it is. If your timezone has a daylight saving, this function returns `true`, else `false`.

```
>> t.isdst
=> false
```

If your timezone is `UTC`, the `t.utc` returns true or returns false

```
>> t.utc?
=> false
```

If you want to get the local time just call the `localtime` function as shown. We want `t` to hold local time value in this case

```
>> t.localtime
=> Thu Feb 25 16:55:02 +0530 2010
```

In same way as local time, the `gmtime` function gets the Greenwich Meridian Time.

```
>> t.gmtime
=> Thu Feb 25 11:25:02 UTC 2010
```

The `getlocal` function is the alias of `local_time`

```
>> t.getlocal
=> Thu Feb 25 16:55:02 +0530 2010
```

The `getutc` function is alias of `gmtime`. Actually `gmtime` is alias of `getutc`

```
>> t.getutc
=> Thu Feb 25 11:25:02 UTC 2010
```

The `ctime` function formats the time to somewhat human readable form.

```
>> t.ctime
=> "Thu Feb 25 11:25:02 2010"
```

Lets say we want to subtract some seconds from the time value `t`, we can do it as shown. Below we subtract 86400 seconds (1 day) from our time value

```
>> t - 86400
=> Wed Feb 24 11:25:02 UTC 2010
```

19.1. Days between two days

Lets now write a code snippet that finds the number of days between February 25th 2010 to May 1st 2010, first we declare a variable `a` and assign it with the day February 25th 2010 as shown

```
>> a = Time.local 2010, 2, 25
=> Thu Feb 25 00:00:00 +0530 2010
```

Notice we use a function called `local` in `Time` class, we can assign a date to it. As we could see in the output, we get to know that variable `a` now has the value of February 25th . In similar fashion we create a variable `b` and assign it with date 1st of May 2010

```
>> b = Time.local 2010, 5, 1
=> Sat May 01 00:00:00 +0530 2010
```

All we do now is subtract `a` from `b`

```
>> b -a
=> 5616000.0
```

This gives number of seconds between `a` and `b`. We divide the result by 86400 (that's how many seconds that are in a day)

```
>> days = _ / 86400
=> 65.0
```

We get a result as 65.

19.2. How many days have you lived?

Lets now see a program that takes in your birthday and prints out how many days have you lived. Type in the program in text editor and execute it

```
#!/usr/bin/ruby
# how_many_days.rb

print "Enter birthday (YYYY-MM-DD):"
bday = gets.chomp
year, month, day = bday.split('-')
# puts "#{year}, #{month}, #{day}"
seconds = Time.now - Time.local(year, month, day)
days = (seconds / 86400).round
puts "You have lived for #{days} days"
```

Here is the result

```
Enter birthday (YYYY-MM-DD):2000-5-23
You have lived for 3566 days
```

Well this may vary on when you execute this program. Lets now analyze it. In the first line

```
print "Enter birthday (YYYY-MM-DD):"
```

We ask the user to enter his or her birthday, once done we perform a trick here. We asked the user to enter it in YYYY-MM-DD format, in the statement

```
bday = gets.chomp
```

We get the date and store it in a variable called `bday`. The `gets.chomp` gets the birth day and chops off the enter sign we enter with it. So `bday` now holds the string value of birthday you entered. In the next statement

```
year, month, day = bday.split('-')
```

we have a multiple assignment in which I have three variables `year`, `month` and `day`. I am splitting the birthday string and assigning it. What really happens is this, if we enter a date like 1994-6-24 it gets split by `-` and becomes an array which is shown in code snippet below executed in irb

```
>> "1994-6-24".split '-'  
=> ["1994", "6", "24"]
```

Lets assign this array to variables `a`, `b`, `c` simultaneously as shown

```
>> a, b, c = _  
=> ["1994", "6", "24"]
```

If you remember `_` (underscore) means the last obtained result in irb. So having assigned it we now check values of `a`, `b` and `c` which we get as shown....

```
>> a  
=> "1994"  
>> b  
=> "6"  
>> c  
=> "24"
```

In similar fashion in

```
year, month, day = bday.split(' - ')
```

The `year` variable gets the year part, the `month` gets the month and `day` gets the day. OK having obtained the parameters of a particular day we can proceed. Examine the following statement

```
seconds = Time.now - Time.local(year, month, day)
```

See the right hand side of the equal to sign, first we have `Time.now` which gets the current time, from it we are subtracting a time object that's been created using `Time.local`. `Time.local` can be used to create a time object that's fixed at any instance, the instance can be past, present or future. We pass the `year`, `month` and `day` to it to create a `Time` object. What happens when we subtract these both, we get the difference in seconds which gets stored in variable called `seconds` at the left hand side of the equation.

All we need to do now is to convert the second to days which is done by the following statement

```
days = (seconds / 86400).round
```

Here we divide seconds by 86400 which converts them to days. We might be getting some value like 378.567 days, to get rid of the .567 we round it off using the round function, so `(seconds / 86400).round` returns a neat rounded value which can be read by humans quiet easily. We store the value in a variable called `days`. Finally we print the fact that we have lived for so many long days using the following statement

```
puts "You have lived for #{days} days"
```

Well, that's it.

I would like to tell one thing I found out with `Time.local` function, its not that we must pass only numbers to it as shown

```
>> Time.local "2010", "5", "1"  
=> Sat May 01 00:00:00 +0530 2010
```

We can pass a bit human friendly values as shown below. Instead of putting 5 for month, we use May.

```
>>Time.local "2010", "may", "1"  
=> Sat May 01 00:00:00 +0530 2010
```

Some times Ruby language looks as easy as talking English.

Chapter 20. Files

Until now you have stored data in variables in your program. Variable data gets lost when the program stops executing or when the computer is switched off or the program is removed from memory. If you want a persistent storage you must store it in files. When you store data in files, it stays there even if the program is removed from memory, and you can get the data back when its run again. This very book if you are reading it on computer, kindle or electronic reader is a file that's stored permanently on your computer or some other computer located on the internet. In this chapter we will see how we can create, manipulate and delete files using ruby program.

20.1. Storing output into files

Lets create a familiar Ruby program. Type the program below into a text editor

```
#!/usr/bin/ruby
# write_file.rb

puts "Hello World!"
puts "Ruby can write into files"
```

While executing it, give command as shown

```
$ ruby write_file.rb > something.txt
```

Now goto the working directory in which the program was and you will see a file named [something.txt](#). Open it and this is what you will see in it

```
Hello World!
Ruby can write into files
```

Well, this time its somewhat like a cheat. We haven't written into a file in our program, instead we have instructed the ruby interpreter to take the output that [write_file.rb](#) generates and put it in a file called [something.txt](#). To do so we make use of [>](#) (greater than sign).

20.2. Taking file as input

In the last example we wrote our output to a file. Now lets take a file as input and lets process it. Write the code below in text editor and save it as [line_count.rb](#).

```
#!/usr/bin/ruby
# line_count.rb

puts "The file has #{readlines.length} line(s)"
```

To execute it, we will give command as shown

```
$ ruby line_count.rb < something.txt
```

If you have guessed it right, we give `something.txt` as input to the program. We use the `<` (less than) sign to indicate to the program that we are giving a file as input.

The program when executed provides the following result

```
The file has 2 line(s)
```

Lets analyze the program so we know what happens. See this code `#{readlines.length}` in the program above. The `readlines` command takes in the file and reads all the lines and stores it in an array, each element of the array has a line. All we have to do is to get the length of an array which we can get by using the `length` function. So `readlines.length` gives the length as output which we embed it into a string hence we finish it off by writing the following statement

```
puts "The file has #{readlines.length} line(s)"
```

20.3. File copy – a kind of

Well, here is file copy program which might make some pundits argue weather if this program is a true file copy program or not. Type the program below into a text editor

```
#!/usr/bin/ruby
# file_copy.rb

puts readlines.join
```

And run it like this

```
$ ruby file_copy.rb < something.txt > everything.txt
```

Output

```
everthing.txt has got everything that something.txt has got. Just open it and see for yourself.
```

The trick is in the command line. Here we pass `something.txt` to the program `file_copy.rb`, now the program takes in `something.txt` and it reads the lines when it encounters the `readlines` command. The lines that are read from `something.txt` are stored in the form of an array. All we now have to do is to join the lines stored in array using `join` command, so we do it by adding `.join` to `readlines`,

hence we get

```
readlines.join
```

Now we will print out the result, we do this by using a puts command, hence our program takes the following incarnation

```
puts readlines.join
```

While running the program we tell it to take input from `something.txt` and write the generated result to `everything.txt` by giving the following command to Ruby interpreter

```
$ ruby file_copy.rb < something.txt > everything.txt
```

So we get the effect of copying without really writing a program for file copy.

20.4. Displaying a file

Lets now write a program that displays the content of a file. To do so we read all lines in a file, store it in an array. Next we take each and every element of an array and print it out. Type the program below and

```
#!/usr/bin/ruby
# display_file.rb

readlines.each do |line|
  puts line
end
```

Execute it by typing the following

```
$ ruby display_file.rb < something.txt
```

This is what you will get as output

```
Hello World!
Ruby can write into files
```

So what we have done in this program.? Look at the this code block

```
readlines.each do |line|
  puts line
end
```

when ruby encounters `readlines`, it reads from the file passed to the program, extracts the lines and stores it in an array. With `.each` operator we extract a single line at a time and store it into a variable called `line` inside the `do end` block. We print out this line in the code block using `puts`. The `end` statement put an end to the code block says all is over.

Lets see another program. In this program we use a more cleaner approach. Type the program into a text editor and execute it

```
#!/usr/bin/ruby
# display_file_1.rb

puts File.open("something.txt").readlines
```

Output

```
Hello World!
Ruby can write into files
```

Look at the single line in the program. We have a `puts` statement, that prints almost what ever is thrown at it. Here is the new thing that's been introduced. Look at the `File.open("something.txt")`, the `File.open` opens a file, but what file? We must give the name of the file to it. As a file name we pass `something.txt` in double quotes [46: A name is a string right?]. The `File.open` opens it, the `.readlines` attached to it reads lines and stores it in an array. We throw the array to `puts` which prints it out. That's it!

20.5. Reading file line by line

Till the last section we have seen how to read a file in one go and pump its data out to the console. In this example we will see how to read a file line by line. Type in the example code given below and execute it

```
#!/usr/bin/ruby
# read_file_1.rb

File.open("something.txt").each { |line| puts line }
```

Output

```
Hello World!  
Ruby can write into files
```

The output looks as shown above. Look at the code `File.new("something.txt").each { |line| puts line }`. In the code we open a file named `something.txt` using a `File.open` command which opens the file and stores the lines as array elements. All we need to do now is to extract each element in an array and print it out on our console which is accomplished by `.each { |line| puts line }`.

Instead of using `File.open`, one could use `File.new` to open a file. It will have the same result. A program using `File.new` has been written and is shown below, execute it and you will get the same result.

```
#!/usr/bin/ruby  
# read_file_2.rb  
  
File.new("something.txt").each { |line| puts line }
```

Output

```
Hello World!  
Ruby can write into files
```

20.6. Open and new – the difference

Seen from previous examples one might think that there isn't much difference between `File.open` and `File.new`, in fact there is a difference. Consider the program below, type it and execute it

```
#!/usr/bin/ruby  
# file_open.rb  
  
File.open("something.txt") do |f|  
  puts f.gets  
end
```

Output

```
Hello World!
```

The program above prints out the content present in `something.txt`, the same thing is done by `file_new.rb` as shown below

```
#!/usr/bin/ruby
# file_new.rb

f = File.new("something.txt", "r")
puts f.gets
f.close
```

Output

```
Hello World!
```

OK so what's the difference? `File.new` returns a new file object or handle that can be stored in a variable. In the above program we store the file object into variable `f`. We can use this variable anywhere in the program to access and manipulate the file. Having done all needed with the file using the variable `f`, we finally close the file using `f.close`.

Lets write a program named `file_open_error.rb` as shown below

```
#!/usr/bin/ruby
# file_new.rb

f = File.new("something.txt", "r")
puts f.gets
f.close
```

Output

```
Hello World!
```

```
Reading file after File.open block is closed:
file_open_error.rb:8: undefined local variable or method 'f' for main:Object
(NameError)
```

See the highlighted code, we try to read the file content after we close the code block and it throws an error, this is because `File.open` loads into file handle into variable `f` inside the `do end` code block, after the block is closed you have no way to access the file.

Though the difference is minor, there is still a difference.

20.7. Defining our own line endings

Till now reading line by line means that the Ruby program when given a file name searches for it, loads it, then it scans the file, when it encounters a line ending character '`\n`' [47: The `\n` character will not be shown to the user and hence you won't be able to see it when you open the file with a text editor.] on the Linux system (its `\r\n` on windows) it recognizes the line has ended and hence

packs the characters before it into an array element. What if we want to define our own line ending character? In English language full stop is considered as a line ending character. Why can't we say to the Ruby interpreter to mark end of the line at a full stop character? To do so lets create a simple text file named `line_endings.txt` and put the following text in it

```
This is first line. This is second line. This  
is the third. And fourth comes after third.
```

Lets write a Ruby program shown below in text editor, save it as `line_endings.rb`

```
#!/usr/bin/ruby  
# line_endings.rb  
  
File.open("line_endings.txt").each('.') do |line|  
  puts line  
end
```

When executed, the program prints out the following output

```
This is first line.  
This is second line.  
This  
is the third.  
And fourth comes after third.
```

See carefully `line_endings.txt`. This is first line : *This is first line*. and This is second line : *This is second line*.

Both are on the same line in `line_endings.txt` but it gets printed out as two different lines when the program is executed. This is because the statement `File.open("line_endings.txt")` loads the entire content of the file into the memory, the `.each('.')` splits the content at every dot or full stop character ('.'), and puts the each chunk of split text into an array element. So the real hero here is the `each` function. In a similar way you can have any character that can define a line ending.

If you are writing a C compiler using Ruby, you might use the semicolon character (;) as your line ending.

20.8. Reading byte by byte

Sometimes you want to read a file byte [48: <http://wikipedia.org/byte>] by byte instead of reading plain English in it. Why on earth we read a file byte by byte? Well, not all files have text in it. Files such as music files, videos and so on have raw data which only some programs can understand. If you are writing a music or video player or image viewer, you need to read the raw data and do something with it. So to read and display bytes of data we use `each_byte` function. Take a look at the code below. Type it and execute it

```
#!/usr/bin/ruby
# byte_by_byte.rb

File.open("something.txt").each_byte { |byte| puts byte }
```

When executed this is how the output will look like

```
72
101
108
108
111
32
87
111

.
.

some stuff is removed to save pages printed

.
.

105
108
101
115
10
```

In the above program we open the file named `something.txt` using `File.open`, all the contents gets loaded, now we access the content byte by byte using the `each_byte` function, we capture the bytes in variable called `byte` and print it out. Notice that in this program we have used curly brackets `{` and `}`, these can be used instead of `do` and `end`. I prefer `do` and `end` as they look more friendly.

20.9. Reading single character at a time

The program below reads character by character and prints it. We use a function called `each_char`. This `each_char` splits the input file character by character rather than line by line. This program and its output is given below.

```
#!/usr/bin/ruby
# char_by_char.rb

# To get this program to work, you must
# have ruby 1.9

File.open("something.txt").each_char { |a| puts a }
```

Output

H
e
l
l
o

W
o
r
l
d
!

R
u
b
y

c
a
n

w
r
i
t
e

i
n
t
o

f
i
l
e
s

20.10. Renaming files

Renaming a file is extremely easy in Ruby, all you have to do is to call the `rename` function in `File` class. The first argument will be the name of the file that needs to be renamed, the second one will be the new name. Its so simple you can try it out on the irb. Take a look at the source code of program `rename.rb` given below. In it we rename a file called `noname.txt` to `somename.txt`. Before you run the program place a file called `noname.txt` on the working directory.

```
#!/usr/bin/ruby
# rename.rb

File.rename("noname.txt", "somename.txt")
```

Output

```
The file noname.txt was renamed to somename.txt
```

20.11. Finding out position in a file

You might sometime need to find out your position within a file. To do so you can use the method `pos`. Lets see an example that explains us how to find our position in a file. Type and execute `file_position.rb`

```
#!/usr/bin/ruby
# file_position.rb

f = File.open "god.txt"
puts "At the beginning f.pos = #{f.pos}"
f.gets
puts "After reading first line f.pos = #{f.pos}"
f.gets
puts "After reading second line f.pos = #{f.pos}"
```

Output

```
At the beginning f.pos = 0
After reading first line f.pos = 43
After reading second line f.pos = 69
```

Lets now walkthrough the code and see how it works. First we open a file named `god.txt` in the line `f = File.open "god.txt"` next we check out what's the position using the statement `puts "At the beginning f.pos = #{f.pos}"`, note the `f.pos`, the `pos` method is used to get the position that we are in while we read or write a file. Initially when we open a file the position will be at zero and so we get the following output

```
At the beginning f.pos = 0
```

In the next line we read the first line of file using `f.gets`, since we have read the file like the reading pointers position should have changed⁴, so when we print `f.pos` it must display some other number than zero. So the statement `puts "After reading first line f.pos = #{f.pos}"` produces the following result

After reading first line `f.pos = 43`

Just for the sake of educating more we read the second line using another `f.gets` now we print the new file position, now we find that the pointer points to position 69.

If you are wondering what `god.txt` has, here is it:

```
All things exists because it was created.  
Then the creator exists.  
Did man ever think how the creator exist?  
If such a mighty creator can exist without creation,  
then why can't this simple universe exist without  
a creator
```

In the coming example we will see how to change our position within a file. Type the example below (`file_changing_position.rb`) and execute it

```
#!/usr/bin/ruby  
# file_changing_position.rb  
  
f = File.open "god.txt"  
puts "Reading file with f.pos = 0"  
puts f.gets  
puts "_"*40  
f.pos = 12  
puts "Reading file with f.pos = #{f.pos}"  
puts f.gets  
puts "Now f.pos = #{f.pos}"
```

Output

```
Reading file with f.pos = 0  
All things exists because it was created.  
-----  
Reading file with f.pos = 12  
exists because it was created.  
Now f.pos = 43
```

Read the program carefully and notice the output. First we open the file `god.txt` and the variable `f` has its handle.

Next in line

```
puts f.gets
```

We are reading with file with `f.pos` at zero, that is we are reading from the start of file. As you can see the output for the first `puts f.gets` we get the entire line `All things exists because it was created.` gets printed. Notice the next line carefully, we now change our position within file to position 12 using the statement `f.pos = 12`, this means that our pointer is 12 bytes from the start. Now in the second `puts f.gets`, we get the output as exists because it was created. This shows us that we are able to change our position within a file in a successful way.

Some minds could think that there could be a possibility of negative file position where say if you want to read the last 20 bytes of file you can assign `f.pos = -20` and when giving `f.gets` it would get printed. Well, that's not possible with Ruby. If you want try out the example (`file_negative_position.rb`) and see weather it gives a proper result.

```
#!/usr/bin/ruby
# file_negative_position.rb

# this example wont work

f = File.open "god.txt"
f.pos = -20
puts "Reading file with f.pos = #{f.pos}"
puts f.gets
```

20.12. Writing into files

Till now we have seen how to read from files, we will now see how to write content into files. To learn how to write into files type the below example (`write_file_1.rb`) into the text editor and execute it

```
#!/usr/bin/ruby
# write_file_1.rb

File.open "god.txt", "w" do |f|
  some_txt = <<END_OF_TXT
  All things exists because it was created.
  Then the creator exists.
  Did man ever think how the creator exist?
  If such a mighty creator can exist without creation,
  then why can't this simple universe exist without
  a creator.
  END_OF_TXT

  f.puts some_txt
end
```

After execution open the file `god.txt` and this is what you will see in it

All things exists because it was created.
 Then the creator exists.
 Did man ever think how the creator exist?
 If such a mighty creator can exist without creation,
 then why can't this simple universe exist without
 a creator?

Lets walk thru the program and see how it works. First in the statement `File.open "god.txt", "w"`, we open a file named `god.txt` for writing. We indicate that we are opening the file for writing by passing `"w"` as second argument. This second argument is called as a flag. Given below are list of flags that can be used for file operations.

Flag	What it says
r	The file is opened in read only mode. The file pointer is placed at the start of file.
r+	In r+ mode both reading and writing is allowed. The file pointer is placed at the start of the file
w	This means write only. If the file does not exist, a new file is created and data is written into it. If the file exists the previous content is replaced by new content
w+	In this mode both reading and writing is allowed. If the file does not exist, a new file is created. If it exists the old content is lost and new one is written.
a	This flag opens the file in append mode. Append mode is a special form of write mode in which the new content added is placed at the end of old content, by this way previous information isn't lost.
a+	Both reading and writing is allowed (i.e append mode plus reading and writing). Any newly added data is placed at the end of the file.
b	Binary file mode. In this mode files that have data other than text is read. For example opening a music or video file.

Having opened a file in write mode we now have opened a `do end` block within which we capture the file handle in variable `f`. All we need to do is to write a string to the file.

We create a string using the following code

```
some_txt = <<END_OF_TXT
All things exists because it was created.
Then the creator exists.
Did man ever think how the creator exist?
If such a mighty creator can exist without creation,
then why can't this simple universe exist without
a creator?
END_OF_TXT
```

Now `some_txt` has got a string which we need to write it into the file. To write it into the file we use the following statement

```
f.puts some_txt
```

`gets` gets the file content, `puts` writes something into the file, so as an argument to the `puts` function we pass `some_txt`, the content held in it gets written into the file. The program reaches the end, the file is closed and that's it. When you open `god.txt` you can see what's written in it.

20.13. Appending content into files

Till now we have seen how to read from files and write content in it. Now lets see how to append content in it. While appending content into files, the old content stays on the new content is added at the bottom of the page.

To understand how this works type the program `file_append.rb` and execute it.

```
#!/usr/bin/ruby
# file_append.rb

puts "Enter text to append into file: "
text = gets
f = File.new("log_file.txt", "a")
f.puts "\n"+Time.now.to_s+"\n"+text
```

When the program prompts you to enter some thing, type some thing like `It will be great if dinosaurs were still around` and press enter. Run this program a few times, type something, after you got bored from few run's open `log_file.txt` and see what it contains. When I opened mine, this is what I got:

```
Sat Mar 27 16:20:24 +0530 2010
```

```
This is my first log
```

```
Sat Mar 27 16:21:10 +0530 2010
```

```
This is my second log
```

```
Sat Mar 27 16:21:36 +0530 2010
```

```
This is my third log. Now I'm getting bored.
```

See how neatly your entries have been recorded along with time stamp. To understand how the program lets walk thru it.

The first line `puts "Enter text to append into file: "`, prints out `Enter text to append into file:` and the control goes on to the next line `text = gets` at which stage the program waits for you to enter something and press enter. When you do press enter, what you entered gets stored in variable `text`.

The next line `f = File.new("log_file.txt", "a")` is the crucial one and highlight of our program. In this line we open a file called `log_file.txt` in append mode. Notice that we pass `"a"` as the second argument to `File.new` which tells that we are opening it in append mode. In this mode the content that was previously stored in the file is not erased and/or over written, instead what's new being added is written at the end of the file.

Once having opened in append mode, all we need to do is to put content stored in variable `text` into the file. Since the file handle is stored in variable `f`, we could have completed the program by writing `f.puts text`, but I wished it would be better if we logged our data with time stamps, and I have left line breaks before and after each log so that it will be nice to read, so I have written the code `f.puts "\n"+Time.now.to_s+"\n"+text`.

That's it, the content we have written at the program prompt and along with the time stamp gets stored into the file. At the end of the program it would have been nice if we had closed the file using `f.close`, I haven't done it in this program, but it works.

20.14. Storing objects into files

Till now we have seen to read, write and append into files, what's we stored and read were pieces of text. Now we will see how to store objects or instance of classes into files.

20.14.1. Pstore

Pstore is a binary file format into which you can store almost anything. In the coming example we are going to store few objects that belongs to the square class. First we will be writing a class for square and put it into a file called `square_class.rb`. If you feel lazy copy the content and below and put it into the file, if you are a active guy/gal type it all by yourself, finally you will end up with the same thing.

```
# square_class.rb

class Square
  attr_accessor :side_length

  def initialize side_length = 0
    @side_length = side_length
  end

  def area
    @side_length * @side_length
  end

  def perimeter
    4 * @side_length
  end
end
```

Once the square class is ready, we will use it in two different places. The first one is coming right now. We create a program called [pstore_write.rb](#), type the content given below in it

```
#!/usr/bin/ruby
# pstore_write.rb

require './square_class.rb'

s1 = Square.new
s1.side_length = 4
s2 = Square.new
s2.side_length = 7

require 'pstore'
store = PStore.new('my_squares')
store.transaction do
  store[:square] ||= Array.new
  store[:square] << s1
  store[:square] << s2
end
```

We will walk thru the program now. The first line `require './square_class.rb'` includes the code of the square class into the program, by doing so we can write code as though the square class code is typed into the same file, this reduces lot of typing and makes the code look neat.

In the next four lines shown below, we declare two squares `s1` and `s2`, we assign `s1` side length to be 4 units and that of `s2` to be 7.

```
s1 = Square.new
s1.side_length = 4
s2 = Square.new
s2.side_length = 7
```

In the next line `require 'pstore'` we include the code needed to read and write the pstore file format. We don't need to write that code as its already written for us, all we need to do is to type `require 'pstore'` and that will include the code.

Next we create pstore file using the command `store = Pstore.new('my_squares')`. This creates a pstore file called `my_squares` and passes on the file handle to the variable named `store`, with this variable `store` we can read, manipulate the file `my_squares`. To start writing into the file we need to start a transaction which is accomplished by the following block of code

```
store.transaction do
end
```


Now we can do transactions with the pstore file within the `do end` block. Within the block we add the code that's highlighted below

```
store.transaction do
  store[:square] ||= Array.new
  store[:square] << s1
  store[:square] << s2
end
```

The first line creates a array named `store[:square]`, the `||=` means that if already a variable named `store[:square]` exists then there is no need to create that variable as its already there. If such a variable doesn't exist, then we need to create it. After creating an array we add square objects / instance variables `s1` and `s2` into them using the following lines

```
store[:square] << s1
store[:square] << s2
```

Once done we close the transaction using the `end` command. Just view your working directory, you will be able to see a file named `my_squares` in it as shown in image below:



So now we have successfully written into the pstore file named `my_square`. All we need to do is read it and confirm what we have done is right. To read the data written into it we will write a program `pstore_read.rb`.

Create a file named `pstore_read.rb` and store the program written below in it, execute and watch the output.

```
#!/usr/bin/ruby
# pstore_read.rb

require './square_class.rb'
require 'pstore'

store = PStore.new('my_squares')
squares = []
store.transaction do
  squares = store[:square]
end

squares.each do |square|
  puts "Area = #{square.area}"
  puts "Perimeter = #{square.perimeter}"
  puts "===="
end
```

Output

```
Area = 16
Perimeter = 16
=====
Area = 49
Perimeter = 28
=====
```

As you see the area and perimeter of the two squares are printed. If you feel I am tricking you check for our self with a calculator. Well to understand what happens in [pstore_write.rb](#) lets walkthru the code. In the first two lines

```
require 'square_class.rb'
require 'pstore'
```

we include the code in [square_class.rb](#) and code for reading and writing pstore files into our program. Just like the previous example we open the pstore file [my_squares](#) and store the file handle into the variable named [store](#) in the following line

```
store = PStore.new('my_squares')
```

Now we create a array named [squares](#) in the following line

```
squares = []
```

With the [store](#) variable (which is the [my_squares](#) handle) we open a transaction as shown

```
store.transaction do
  squares = store[:square]
end
```

In the [transaction](#) as shown in the code above we transfer the objects in variable [store\[:squares\]](#) to the declared variable [squares](#) using [squares = store\[:square\]](#), so by this time the variable [square](#) must contain the content of two square objects which we defines in previous example [pstore_write.rb](#)

Once we have taken out the values we can close the transaction using the [end](#) key word.

In the following code

```

squares.each do |square|
  puts "Area = #{square.area}"
  puts "Perimeter = #{square.perimeter}"
  puts "===="
end

```

we take each object in array squares and load it into variable called `square` and we print out the squares perimeter and area.

20.15. YAML

YAML stands for YAML ain't XML. YAML is a markup language in which we can store something like data contained in Ruby objects. Lets write a program in which we store the data of the square objects into YAML and retrieve it. Note that in this program we are not saving the output YAML data into a file, why so? Simply because I am lazy enough. Type the code `yaml_write.rb` into text editor and execute it

```

#!/usr/bin/ruby
# yaml_write.rb

require 'yaml'
require './square_class.rb'

s = Square.new 17
s1 = Square.new 34
squares = [s, s1]
puts YAML::dump squares

```

When executed, the program will produce the following output

```

---
- !ruby/object:Square
  side_length: 17
- !ruby/object:Square
  side_length: 34

```

Lets now walkthru the program. The first two lines

```

require 'yaml'
require 'square_class'

```

imports the code needed to read and write into YAML files. The next one loads the code in the `square_class.rb` so that you can program with square objects.

In the following lines

```
s = Square.new 17
s1 = Square.new 34
```

We declare two Square objects. One has edge or side length of 17 units and other has side length of 34 units. In the next line

```
squares = [s, s1]
```

We pack the objects s and s1 into an array called squares. In the following line

```
puts YAML::dump squares
```

we dump the formed array into YAML and print it onto the screen using puts statement.

Copy the stuff that comes in as output. It will be used to write the next program [yaml_read.rb](#), type the code [yaml_read.rb](#) that's shown below into the text editor and execute it

```
#!/usr/bin/ruby
# yaml_read.rb

require 'yaml'
require './square_class'

yaml = <<END
---
- !ruby/object:Square
  side_length: 17
- !ruby/object:Square
  side_length: 34
END

squares = YAML::load(yaml)
squares.each do |square|
  puts "Area = #{square.area}"
  puts "Perimeter = #{square.perimeter}"
  puts "===="
end
```

Look at the output

```
Area = 289
Perimeter = 68
=====
Area = 1156
Perimeter = 136
=====
```

The first set of area and perimeter that's been displayed is of Square **s** and second set is of Square **s1**. Lets walkthru the code, understand what is happening. As usual these lines:

```
require 'yaml'
require './square_class'
```

imports the code needed for YAML and second one imports code in [square_class.rb](#) which enables us to deal with **Square** objects. Next we have a multi line string yaml

```
yaml = <<END
---
- !ruby/object:Square
  side_length: 17
- !ruby/object:Square
  side_length: 34
END
```

The content of yaml is enclosed between **<<END** and **END**, note that the content of yaml is the output of the previous program. Concentrate on this line

```
squares = YAML::load(yaml)
```

Its here all magic happens. Here the Ruby magically finds out from the YAML file that we are loading data stored in an array, this array consists of two objects of class **Square** and first one has side length 17 units and another of 34 units. So the **YAML::load** phrases it into array of Square's and stores it into variable **squares**.

In the following code:

```
squares.each do |square|
  puts "Area = #{square.area}"
  puts "Perimeter = #{square.perimeter}"
  puts "=====
```

We load each element of array into a variable **square** and print its area and perimeter.

Chapter 21. Proc, Lambdas and Blocks

If you have known some programming languages, you might have heard about closures. Proc and Blocks are similar kind of thing. You can take a piece of code, stick it in between a `do end` block, assign it to a variable. This variable contains the piece of code and can be manipulated like objects and passed around.

Proc is like a function, but it's an object. Let's see an example to know what a Proc is. Type in the program `proc.rb` into the text editor and execute it.

```
#!/usr/bin/ruby
# proc.rb

say_hello = Proc.new do
  puts "Hello world!"
end

say_hello.call
say_hello.call
```

This is how the output will look like

```
Hello world!
Hello world!
```

Let's now walkthrough the code to understand it. Take a look at the following lines

```
say_hello = Proc.new do
  puts "Hello world!"
end
```

In this case you are taking a single Ruby statement `puts "Hello World!"` and putting it between an `do` and `end`. You are making this code a Proc by appending `Proc.new` before the `do` (the start of the block). You are assigning the Proc object to a variable named `say_hello`. Now `say_hello` can be thought as something that contains a piece of program.

Now how to call or execute the code? When we need to call the piece of Proc named `say_hello` we write the following command

```
say_hello.call
```

In the `proc.rb` we call `say_hello` twice and hence we get two `Hello World!` as output.

21.1. Passing parameters

Like functions you can pass parameters to a Proc. To see how it works, type the program `proc_hello_you.rb` and execute it.

```
#!/usr/bin/ruby
# proc_hello_you.rb

hello_you = Proc.new do |name|
  puts "Hello #{name}"
end

hello_you.call "Peter"
hello_you.call "Quater"
```

When executed the program gives the following output.

```
Hello Peter
Hello Quater
```

Take a look at this code

```
hello_you = Proc.new do |name|
  puts "Hello #{name}"
end
```

in above program. Notice that we are capturing some thing after the `do` keyword, by giving `do |name|` we are putting something that's been passed to the `Proc` block into the variable named `name`. This variable can now be used anywhere in the `Proc` block to do something.

In `puts "Hello #{name}"`, we print `Hello` followed by the passed parameter `name`. So we have written a `Proc` that can accept some thing passed to it. How do we call and pass something to it? Well, notice the statements after the `end`, look at the first one, it says

```
hello_you.call "Peter"
```

`hello_you.call` calls the `Proc` code to be executed. To the `Proc` we pass the string "`Peter`", this string gets copied in to the variable `name` in the `Proc` and hence we get the output `Hello Peter`.

In a similar way when Ruby interpreter comes across `hello_you.call "Quarter"`, it prints `Hello Quater`.

21.2. Passing Proc to methods

Just like any object, we can pass `Proc` to methods. Take a look at the code below (

[proc_to_method.rb](#)). Study it, code it and execute it

```
#!/usr/bin/ruby
# proc_to_method.rb

# An example of passing a proc to method

def execute_proc some_proc
  some_proc.call
end

say_hello = Proc.new do
  puts "Hello world!"
end

execute_proc say_hello
```

This is how the output will look like.

```
Hello world!
```

Lets now analyze the code of `execute_proc` function, its code is as follows

```
def execute_proc some_proc
  some_proc.call
end
```

We take in one argument called `some_proc` which we assume it as Proc. We then execute it by using its own `call` method, i.e. in function we just call it using `some_proc.call` for the passed Proc to be executed. If you look at next few lines we create a Proc called `say_hello`

```
say_hello = Proc.new do
  puts "Hello world!"
end
```

All we do in `say_hello` Proc is to print `Hello world!`. Now we call the method `execute_proc` and pass `say_hello` in the following piece of code

```
execute_proc say_hello
```

Having passed the Proc, it gets copied to `some_proc` argument and when `some_proc` is executed or called, it prints `Hello world!` faithfully.

21.3. Returning Proc from function

I had written earlier that Proc can be treated like object. In fact Proc is an object. We can pass it to functions, which we have seen in the previous section, now we can see an example in which Proc is returned from a function. Take a good look at code given below ([proc_returning_it.rb](#)).

```
#!/usr/bin/ruby
# proc_returning_it.rb

# Function that returns a proc
def return_proc
  Proc.new do |name|
    puts "The length of your name is #{name.length}"
  end
end

name_length = return_proc
name_length.call "A.K.Karthikeyan"
```

When executed, the program throws the following output

```
The length of your name is 15
```

Look at the function `return_proc`. In it we create a new Proc which accepts a parameter called `name`. Assuming that name is a string, we simply print the length of it. Now consider the code that comes after this function which is as follows:

```
name_length = return_proc
name_length.call "A.K.Karthikeyan"
```

In the first line `name_length = return_proc`, the `name_length` gets assigned with what ever the `return_proc` method returns. In this case since `Proc.new` is the last statement / block in the `return_proc` method, it returns a new Proc which gets assigned to `name_proc`. So now `name_proc` can accept a parameter. All we do now is to call `name_proc` followed by a `name`

```
name_length.call "A.K.Karthikeyan"
```

Hence `name_length` accepts `name` as parameter, calculates its length and prints it. Hence this example shows that its possible to return a Proc from a function.

21.4. Proc and Arrays

Lets now see how Proc can be used with Arrays to filter them. Take a look at the program [proc_and_array.rb](#) below. In it we have declared a Proc called `get_proc` which takes one argument

`num`. In the Proc we return `num` if its even which is ensured by the following statement `num unless num % 2 == 0`. Run the program and note the output.

```
# proc_and_array.rb

get_odd = Proc.new do |num|
  num unless num % 2 == 0
end

numbers = [1,2,3,4,5,6,7,8]

p numbers.collect(&get_odd)
p numbers.select(&get_odd)
p numbers.map(&get_odd)
```

Output

```
[1, nil, 3, nil, 5, nil, 7, nil]
[1, 3, 5, 7]
[1, nil, 3, nil, 5, nil, 7, nil]
```

Now lets consider the following three statements

```
p numbers.collect(&get_odd)
p numbers.select(&get_odd)
p numbers.map(&get_odd)
```

In it, lets just consider the first line `p numbers.collect(&get_odd)`, so we are having a array of numbers stored in variable called `numbers`, we call `collect` on `numbers`, to it we pass the argument `&get_odd`. That `&name_of_proc` will call the Proc for each and every element in the array, what ever that's returned by Proc will be collected into a new array. The `p` ensures that the values get printed out for us to verify.

If you observe closely both `p numbers.collect(&get_odd)` and `p numbers.map(&get_odd)` returns arrays with `nil` values in them whereas `select` filters out the `nil` and returns what that remains.

21.4.1. Lambda

Lambdas are just like Procs. There is almost no difference expect two. I will explain one of them here and the other one will be explained in [The second difference](#) section.

Okay lets see a small program now

```
# lambda.rb

print_hello = lambda do
  puts "Hello World!"
end

print_hello.call
```

Output

```
Hello World!
```

To know how this program works, read [Proc, Lambdas and Blocks](#).

21.5. Passing Argument to Lambda

Execute the program below.

```
# lambda_passing_argument.rb

odd_or_even = lambda do |num|
  if num % 2 == 0
    puts "#{num} is even"
  else
    puts "#{num} is odd"
  end
end

odd_or_even.call 7
odd_or_even.call 8
```

Output

```
7 is odd
8 is even
```

To know how it works checkout [Passing parameters](#) section in this chapter.

21.6. Proc and Lambdas with Functions

Okay, so what's the difference between Proc and Lambda. There are two main differences between them, here is the first one. In the example below [calling_proc_and_lambda_in_function.rb](#) we have two functions namely [calling_lambda](#) and [calling_proc](#), type and run this file on your machine

```

# calling_proc_and_lambda_in_function.rb

def calling_lambda
  puts "Started calling_lambda"
  some_lambda = lambda{ return "In Lambda" }
  puts some_lambda.call
  puts "Finished calling_lambda function"
end

def calling_proc
  puts "Started calling_proc"
  some_proc = Proc.new { return "In Proc" }
  puts some_proc.call
  puts "In calling_proc function"
end

calling_lambda
calling_proc

```

Output

```

Started calling_lambda
In Lambda
Finished calling_lambda function
Started calling_proc

```

You will see an output as shown above. So lets walkthru its execution. When `calling_lambda` function is called first the program prints `Started calling_lambda` by executing `puts "Started calling_lambda"`. Next we define a new lambda `some_lambda` and call it using these lines of code

```

some_lambda = lambda{ return "In Lambda" }
puts some_lambda.call

```

So when `some_lambda` is called, it returns `"In Lambda"` which gets printed in line `puts some_lambda.call`.

And then the final statement in the function `puts "Finished calling_lambda function"` is executed giving us the following output

```

Started calling_lambda
In Lambda
Finished calling_lambda function

```

when the function finishes.

Next we call the function `calling_proc`, we expect it to behave like `call_lambda`, but it does not! So

what happens? All we know from the output is that `puts "Started calling_proc"` gets executed, after that? Well see the next line `some_proc = Proc.new { return "In Proc" }`, notice that it has got a return statement. When a Proc is called in a function, and it has a return statement, it terminates that function and returns the value of the return as though the function itself is returning it! Whereas lambda does not do it.

Even if a lambda called in a function and the called lambda has a return statement, it passes the control to next line in the function after it gets called, in a proc call its not so, it simply exits out of the function returning its own value out (as tough the function had returned it).

21.7. The second difference

In the previous section, I have written about one difference between Proc and Lambda, lets see the second difference here. Look at the code below (executed in irb).

```
>> lambda = -> (x) { x.to_s }
=> #<Proc:0x00000001f65b70@(irb):1 (lambda)>
>> lambda.call
ArgumentError: wrong number of arguments (0 for 1)
  from (irb):1:in `block in irb_binding'
  from (irb):2:in `call'
  from (irb):2
  from /home//karthikeyan.ak/.rvm/rubies/ruby-2.1.3/bin/irb:11:in `<main>'
```

I have used irb to demonstrate the example. In the code above we have defined a Lambda in the following statement `lambda = -> (x) { x.to_s }`, now we then call it using the following statement `lambda.call`, as you can see since we have a argument `x`, and we are not passing anything to it the lambda throws an exception and complains about it. Now lets try it for a Proc

```
>> proc = Proc.new { |x| x.to_s}
=> #<Proc:0x00000001a17470@(irb):3>
>> proc.call
=> ""
```

So as you can see above if a argument should be passed to a Proc, and if its not passed, the Proc is called without giving a argument, the Proc does not complain, but treats it as `nil`. [49: Thanks to weakish for pointing it out <https://github.com/mindaslab/ilrx/issues/4>]

21.8. Lambda and Arrays

Execute the program below

```
# lambda_and_array.rb

get_odd = lambda do |num|
  num unless num%2 == 0
end

numbers = [1,2,3,4,5,6,7,8]

p numbers.collect(&get_odd)
p numbers.select(&get_odd)
p numbers.map(&get_odd)
```

Output

```
[1, nil, 3, nil, 5, nil, 7, nil]
[1, 3, 5, 7]
[1, nil, 3, nil, 5, nil, 7, nil]
```

To know how it works read [Proc and Arrays](#) section in this chapter.

21.8.1. Blocks and Functions

We have seen Procs and how to pass them to methods and functions. Lets now see about Blocks and how to pass them to functions. Type the example [blocks_in_methods.rb](#) and execute it

```
# blocks_in_methods.rb

def some_method *args, &block
  p args
  block.call
end

some_method 1, 3, 5, 7 do
  puts "boom thata"
end
```

Output

```
[1, 3, 5, 7]
boom thata
```

So lets now see the code. In the code we have defined a method named `some_method` in the following line `def some_method *args, &block`. Notice that we are taking in all arguments in `*args` and we have something new called `&block` that will take in the block of code. You can replace `&block` with some other variable like `&a` or `&something`, or what ever you prefer.

Right now forget about what's there in the function body. Now let's see the calling of the function, which is shown below

```
some_method 1, 3, 5, 7 do
  puts "boom thata"
end
```

So we call `some_method` and pass on arguments `1, 3, 5, 7`. This will be collected in `*args` [50: See [Variable number of arguments](#)] variable as an array. Now see that starts with `do` and ends with `end` and in between you can have as many statements as you want, in other words it's a block of code. We just have a statement `puts "boom thata"`, and that's it. This block of code will go into the `&block` variable. Now note the following statement in `some_method`

```
def some_method *args, &block
  p args
  block.call
end
```

We call the block using just `block.call` and not `&block.call`, this is important. When we use `call` method on a block the block gets executed and we get the output `"boom thata"` printed out.

Now let's see another example where we can pass a variable to a block's call. Type in the example below and execute it.

```
# blocks_in_methods_1.rb

def some_method *args, &block
  p args
  block.call 7
end

some_method 1, 3, 5, 7 do |number|
  puts "boom thata\n" * number
end
```

Output

```
[1, 3, 5, 7]
boom thata
```

Note that in the `some_method` definition, we have called the Block by using `block.call 7`, where does the number 7 go? Well, see the following lines

```
some_method 1, 3, 5, 7 do |number|
  puts "boom thata\n" * number
end
```

After the `do` we capture the passed variable using `|number|`, so 7 gets stored in `number`. Inside the block we multiply `"boom thata\n"` by `number` and print it out.

Chapter 22. Multi Threading

Usually a program is read line by line and is executed step by step by the computer. At any given point of time the computer executes only one instruction¹. When technology became advanced it became possible to execute many instructions at once, this process of doing many things at the same time is called multi processing or parallel processing. Imagine that you are tasked with eating 5 pizzas. It would take a long time for you to do it. If you could bring your friends too, then you people can share the load. If you can form a group of 20 people, eating 5 pizzas becomes as easy as having a simple snack. The time required to complete the assigned task gets reduced drastically.

In your Ruby programming you can make the interpreter execute code in a parallel fashion. The process of executing code parallel is called multi threading. To show how multithreading works type the program below in text editor and execute it.

```
#!/usr/bin/ruby
# multithreading.rb

a = Thread.new{
  i = 1
  while i<=10
    sleep(1)
    puts i
    i += 1
  end
}
puts "This code comes after thread"
a.join
```

Here is the programs output

```
This code comes after thread
1
2
3
4
5
6
7
8
9
10
```

Unlike other programs this program will take 10 seconds to execute. Take a look at the program and output. The `puts "This code comes after thread"` comes after

```
a = Thread.new{
  i = 1;
  while i<=10
    sleep(1)
    puts i
    i += 1
  end
}
```

Yet it gets printed first. In the statements shown above we create a new thread named a in which we use a `while` loop to print from 1 to 10. Notice that we call a function called `sleep(1)` which makes the process sleep or remain idle for one second. A thread was created, while the thread is running, the Ruby interpreter checks the main thread and its comes across `puts "This code comes after thread"` and hence it prints out the string and in parallel as it executes the new thread a created by us, so 1 to 10 gets printed as we have inserted `sleep(1)` each loop takes about 1 second to execute. So after 10 seconds the thread a is finished.

The `a.join` tells the Ruby interpreter to wait till the thread finishes execution. Once the execution of thread a is over the statements after `a.join` (if any) gets executed. Since there is no statement after it the program terminates.

Here is another program that clearly explains about multithreading. Go through the program carefully, try to understand how it works, I will explain it in a moment

```

#!/usr/bin/ruby
# multithreading_1.rb

def func1
  i=0
  while i<=2
    puts "func1 at: #{Time.now}"
    sleep(2)
    i=i+1
  end
end

def func2
  j=0
  while j<=2
    puts "func2 at: #{Time.now}"
    sleep(1)
    j=j+1
  end
end

puts "Started At #{Time.now}"
t1 = Thread.new{func1()}
t2 = Thread.new{func2()}
t1.join
t2.join
puts "End at #{Time.now}"

```

Look at the highlighted code, we have created two threads `t1` and `t2`. Inside thread `t1` we call the method `func1()` and in thread `t2` we call the method `func2()`, by doing so we are executing both `func1()` and `func2()` in parallel. When executed this is how the output will look like [51: You may get a different output as you may be executing the program at a different time]

```

Started At Sun Apr 25 09:37:51 +0530 2010
func1 at: Sun Apr 25 09:37:51 +0530 2010
func2 at: Sun Apr 25 09:37:51 +0530 2010
func2 at: Sun Apr 25 09:37:52 +0530 2010
func1 at: Sun Apr 25 09:37:53 +0530 2010
func2 at: Sun Apr 25 09:37:53 +0530 2010
func1 at: Sun Apr 25 09:37:55 +0530 2010
End at Sun Apr 25 09:37:57 +0530 2010

```

As you can see from the output, the outputs printed by `func1` and `func2` are interlaced which proves that they have been executed in parallel. Note that in `func1` we have made the thread sleep for 2 seconds by giving `sleep(2)` and in `func2` we have made the thread sleep for 1 second by giving `sleep(1)`.

I have made small changes in `multithreading_1.rb` to produce `multithreading_2.rb` which gives

almost the same result of [multithreading_1.rb](#), so here is its code:

```
#!/usr/bin/ruby
# multithreading_2.rb

def func name, delay
  i=0
  while i<=2
    puts "#{name} #{Time.now}"
    sleep delay
    i=i+1
  end
end

puts "Started At #{Time.now}"
t1 = Thread.new{func "Thread 1:", 2}
t2 = Thread.new{func "Thread 2:", 3}
t1.join
t2.join
puts "End at #{Time.now}"
```

Instead of using two functions `func1` and `func2`, I have written a single function called `func` which accepts a name and time delay as input. A loop in it prints out the name passed and the time instant at which the statement gets executed. Notice the these statements

```
t1 = Thread.new{func "Thread 1:", 2}
t2 = Thread.new{func "Thread 2:", 3}
```

we create two threads `t1` and `t2`. In thread `t1` we call the function `func` and pass along the name `Thread 1:` and tell it to sleep for 2 seconds. In thread `t2` we call the same `func` and pass name as `Thread 2:` and tell it to sleep for 3 seconds in each loop iteration. And when executed the program produces the following output

```
Started At Sun Apr 25 09:44:36 +0530 2010
Thread 1: Sun Apr 25 09:44:36 +0530 2010
Thread 2: Sun Apr 25 09:44:36 +0530 2010
Thread 1: Sun Apr 25 09:44:38 +0530 2010
Thread 2: Sun Apr 25 09:44:39 +0530 2010
Thread 1: Sun Apr 25 09:44:40 +0530 2010
Thread 2: Sun Apr 25 09:44:42 +0530 2010
End at Sun Apr 25 09:44:45 +0530 2010
```

Which is very similar to output produced by [multithreading_1.rb](#).

22.1. Scope of thread variables

A thread can access variables that are in the main process take the following program ([thread_variables.rb](#)) as example

```
#!/usr/bin/ruby
# thread_variables.rb

variable = 0
puts "Before thread variable = #{variable}"
a = Thread.new{
  variable = 5
}
a.join
puts "After thread variable = #{variable}"
```

Output

```
Before thread variable = 0
After thread variable = 5
```

Type the program and run it. It will produce the result shown above. As you can see from the program we initialize a variable named `variable` to 0 before we create the thread. Inside the thread we change the value of the `variable` to 5. After the thread block we print variable's value which is now 5. This program shows us that you can access and manipulate a variable that's been declared in the main thread.

Lets now see if a variable created inside a thread can be accessed outside the scope of it? Type in the following program ([thread_variables_1.rb](#)) and execute it

```
#!/usr/bin/ruby
# thread_variables_1.rb

variable = 0
puts "Before thread variable = #{variable}"
a = Thread.new{
  variable = 5
  thread_variable = 72
  puts "Inside thread thread_variable = #{thread_variable}"
}
a.join
puts "=====\\nAfter thread\\nvariable = #{variable}"
puts "thread_variable = #{thread_variable}"
```

Output

```
Before thread variable = 0
Inside thread thread_variable = 72
=====
After thread
variable = 5
thread_variables_1.rb:13: undefined local variable or method 'thread_variable' for
main:Object (NameError)
```

In the program above we see that we have created a variable named `thread_variable` in the thread `a`, now we try to access it in the following line:

```
puts "thread_variable = #{thread_variable}"
```

As you can see the output that the program / Ruby interpreter spits an error as shown:

```
thread_variables_1.rb:13: undefined local variable or method 'thread_variable' for
main:Object (NameError)
```

It says there is an undefined local variable or method named `thread_variable`. This means that the statement in main thread is unable to access variable declared in the thread `a`. So from the previous two examples its clear that a thread can access a variable declared in the main thread whereas a variable declared in the thread's scope cannot be accessed by statement in main scope.

22.2. Thread Exclusion

Lets say that there are two threads that share a same resource, let the resource be a variable. Lets say that the first thread modifies the variable, while its modifying the second thread tries to access the variable, what will happen? The answer is simple and straight forward, though the program appears to run without errors you may not get the desired result. This concept is difficult to grasp, let me try to explain it with an example. Type and execute `thread_exclusion.rb`

```

#!/usr/bin/ruby
# thread_exclusion.rb

x = y = 0
diff = 0
Thread.new {
  loop do
    x+=1
    y+=1
  end
}
Thread.new {
  loop do
    diff += (x-y).abs
  end
}
sleep(1) # Here main thread is put to sleep
puts "difference = #{diff}"

```

Output

```
difference = 127524
```

Read the program carefully. Before we start any thread, we have three variables `x`, `y` and `diff` that are assigned to value 0. Then in the first thread we start a loop in which we increment the value of `x` and `y`. In another thread we find the difference between `x` and `y` and save it in a variable called `diff`. In the first thread `x` and `y` are incremented simultaneously, hence the statement `diff += (x-y).abs` should add nothing to variable `diff` as `x` and `y` are always equal and their difference should always be zero, hence the absolute value of their difference will also be zero all the time.

In this program we don't wait for the threads to join (as they contain infinite loop), we make the main loop sleep for one second using the command `sleep(1)` and then we print the value of `diff` in the following statement

```
puts "difference = #{diff}"
```

One would expect the value to be zero but we got it as 127524, in your computer the value could be different as it depends on machine speed, what processor its running and other parameters. But the moral is `diff` that should be zero has some value, how come?

We see in the first loop that `x` is incremented and then `y` is incremented, lets say that at an instant `x` value is 5 and `y` value is 4, that is `x` had just got incremented in the statement `x += 1` and now the Ruby interpreter is about to read and execute `y += 1` which will make `y` from 4 to 5. At this stage the second thread is executed by the computer. So in the statement

```
diff += (x-y).abs
```

putting `x` as 5 and `y` as 4 will mean that `diff` will get incremented by 1. In similar fashion while the main loop sleeps for one second, the two thread we have created would have finished thousands of loop cycles, hence the value of `diff` would increased significantly. That's why we get the value of `diff` as a large number.

Well, we have seen how not to write the program in a wrong way, lets now see how to write it in the right way. Our task now is to synchronize the two threads that we have created so that one thread does not access other threads resources when the other is in middle of some busy process. To do so we will be using a thing called Mutex which means Mutual Exclusion. Type the following program [thread_exclusion_1.rb](#) in text editor and execute it

```
#!/usr/bin/ruby
# thread_exclusion_1.rb

require 'thread'

mutex = Mutex.new
x = y = 0
diff = 0
Thread.new {
  loop do
    mutex.synchronize do
      x+=1
      y+=1
    end
  end
}
Thread.new {
  loop do
    mutex.synchronize do
      diff += (x-y).abs
    end
  end
}
sleep(1) # Here main thread is put to sleep
puts "difference = #{diff}"
```

Output

```
difference = 0
```

As you see above, we get output as `difference = 0`, which means that `diff` variable is zero. Some thing prevented the second thread from accessing `x` and `y` in the first thread while the first one was busy. Some how the two threads have learned to share their resources in a proper way. Study the code carefully, we see that we have included a thread package by typing

```
require 'thread'
```

Next we have created a Mutex variable named mutex using the following command

```
mutex = Mutex.new
```

Well then the code is as usual except inside the threads. Lets look into the first thread

```
Thread.new {
  loop do
    mutex.synchronize do
      x += 1
      y += 1
    end
  end
}
```

We see that the statements `x += 1` and `y += 1` are enclosed in `mutex.synchronize` block. In similar way, the code computing the difference of `x` and `y` is also enclosed in `mutex.synchronize` block as shown:

```
Thread.new {
  loop do
    mutex.synchronize do
      diff += (x-y).abs
    end
  end
}
```

By doing so that we tell the computer that there is a common resource is shared by these two threads and one thread can access the resource only if other releases it. By doing so, when ever the difference (`diff`) is calculated in `diff += (x-y).abs`, the value of `x` and `y` will always be equal, hence `diff` never gets incremented and stays at zero forever.

22.3. Deadlocks

Have you ever stood in a queue,or waited for something. One place we all wait is in airport for our luggage's to be scanned and cleared. Lets say that the luggage scanning machine gets out of order and you are stuck in airport. You are expected to attend an important company meeting and you have the key presentation and you must give an important talk. Since your baggage scanner failed the resource needed by you is not available to you, and you have the key knowledge to talk in the meeting and hence the meeting gets screwed up. One among the meeting might have promised to take his family to a movie, he might return late after the delayed meeting and hence all screw up.

Imagine that the baggage scanner, you, a person who must listen to your meeting are threads of a

Ruby program. Since the baggage scanner wont release a resource (your bag) your process gets delayed and since you are delayed many other processes that depends on you are delayed. This situation is called dead lock. It happens in Ruby programs too. When ever situation like this arises people wait rather than to rush forward. You wait for your bag to be released, your company waits for your arrival and the mans family waits for him to take them to movie. Instead of waiting if people rush up it will result in chaos. Ruby has a mechanism to avoid this chaos and to handle this deadlock. We use a thing called condition variable. Take a look at the program ([thread_condition_variable.rb](#)) below, type it and execute it.

```
#!/usr/bin/ruby
# thread_condition_variable.rb

require 'thread'
mutex = Mutex.new

c = ConditionVariable.new
a = Thread.new {
  mutex.synchronize {
    puts "Thread a now waits for signal from thread b"
    c.wait(mutex)
    puts "a now has the power to use the resource"
  }
}

puts "(Now in thread b....)"

b = Thread.new {
  mutex.synchronize {
    puts "Thread b is using a resource needed by a, once its done it will signal to a"
    sleep(4)
    c.signal
    puts "b Signaled to a to acquire resource"
  }
}
a.join
b.join
```

Output

```
Thread a now waits for signal from thread b
(Now in thread b....)
Thread b is using a resource needed by a, once its done it will signal to a
b Signaled to a to acquire resource
a now has the power to use the resource
```

Study the program and output carefully. Look at the output. First the statement in Thread **a** gets executed and it prints that Thread **a** is waiting for Thread **b** to signal it to continue. See in thread **a** we have written the code **c.wait(mutex)** , where **c** is the Condition Variable declared in the code as

follows:

```
c = ConditionVariable.new
```

So now thread **a** waits, now the execution focused on thread **b** when the following line is encountered in Thread `b`

```
puts "Thread b is using a resource needed by a, once its done it will signal to a"
```

it prints out that thread **b** is using some resource needed by **a**, next thread **b** sleeps for 4 seconds because we have given `sleep(4)` in it. This `sleep` statement can be avoided, I have given a `sleep` because while the reader executes the program it make him wait and gives a feel that how really condition variable works.

Then after 4 seconds, Thread **b** signals to Thread **a**, its wait can end using the statement `c.signal`. Now Thread **a** receives the signal and can execute its rest of its statements, i.e after `c.signal`, Thread **a** and Thread **b** can execute simultaneously.

22.4. Creating multiple threads

Lets say that you have a situation where you have to create many threads, and it must be done in elegant way, say that a situation might arise you don't even know how many threads could be created, but you must create them and the program should wait for them to join and then exit, so lets see how to code that.

So type the program below into your text editor and run it

```
# many_threads.rb

def launch_thread string
  thread = Thread.new do
    3.times do
      puts string
      sleep rand(3)
    end
  end
  return thread
end

threads = []
threads << launch_thread("Hi")
threads << launch_thread("Hello")

threads.each {|t| t.join}
```

Output

```
Hi  
Hello  
Hello  
Hello  
Hi  
Hi
```

If you are not getting the exact output as above, do not worry as there is some randomness in the program. Let me explain the program so that it becomes clear to you.

First we declare an array that will hold the threads as shown below

```
threads = []
```

Next we will put an value into threads array using the function `launch_thread` as shown below

```
threads << launch_thread("Hi")
```

Lets analyze what goes on in the `launch_thread` function, first we have a function as shown below

```
def launch_thread string  
....  
end
```

We are returning a variable called `thread` from the function

```
def launch_thread string  
  return thread  
end
```

We assign a newly created thread to the variable `thread`

```
def launch_thread string  
  thread = Thread.new do  
  end  
  return thread  
end
```

We put some code inside the newly created thread

```
def launch_thread string
  thread = Thread.new do
    3.times do
      puts string
      sleep rand(3)
    end
  end
  return thread
end
```

That's it. So in short we create the thread, run the code in it and return it which gets stored in **threads** array. The same stuff happens in this line too

```
threads << launch_thread("Hello")
```

Now we have to wait for each thread to join the main program (or the main thread). So we write the joining code as shown

```
threads.each { |t| t.join}
```

This will wait till all threads have completed and joins with the main code.

So we have written a program that can create as many threads as we want (in the above case two), and all the threads will be gathered into an array and the main program will wait till all threads have completed and joined with it and then would exit.

Now take look at [many_threads_1.rb](#) and [many_threads_2.rb](#), execute them and explain to yourself how they work. Better write a good explanation for them and mail to me so that I can put it in this book.

```
# many_threads_1.rb

def launch_thread string
  thread = Thread.new do
    3.times do
      puts string
      sleep rand(3)
    end
  end
  return thread
end

threads = []

4.times do |i|
  threads << launch_thread("Thread #{i}")
end

threads.each {|t| t.join}
```

```
# many_threads_2.rb

def launch_thread string
  thread = Thread.new do
    3.times do
      puts string
      sleep rand(3)
    end
  end
  return thread
end

threads = []

puts "How many threads should run?"
count = gets.to_i

count.times do |i|
  threads << launch_thread("Thread #{i}")
end

threads.each {|t| t.join}
```

22.5. Thread Exception

When ever there is an exception when the program is running, and if the exception isn't handled properly the program terminates. Lets see what happens when there is a exception in a thread.

Type the code `thread_exception_true.rb` in text editor and execute it.

```
#!/usr/bin/ruby
# thread_exception_true.rb

t = Thread.new do
  i = 5
  while i >= -1
    sleep(1)
    puts 25 / i
    i -= 1
  end
end

t.abort_on_exception = true
sleep(10)
puts "Program completed"
```

Output

```
5
6
8
12
25
thread_exception_true.rb:8:in `/': divided by 0 (ZeroDivisionError)
  from thread_exception_true.rb:8
  from thread_exception_true.rb:4:in `initialize'
  from thread_exception_true.rb:4:in `new'
  from thread_exception_true.rb:4
```

Notice in the program we create a thread named `t`, and if you are quiet alert we haven't got `t.join` in the program. Instead of waiting for the thread to join we wait long enough for the thread to complete. For the thread to complete we wait for 10 seconds by using the statement `sleep(10)`.

Notice the line `t.abort_on_exception = true` where we set that if there raises an exception in the thread `t`, the program must abort. Lets now analyze what's in thread `t`. Thread `t` contains the following code

```
t = Thread.new do
  i = 5
  while i >= -1
    sleep(1)
    puts 25 / i
    i -= 1
  end
end
```

Notice that we divide 25 by `i` and put out the result of the division. `i` is decremented by 1 in each loop iteration, so when `i` becomes zero and when 25 is divided by it, it will raise an exception. So at the sixth iteration of the loop, 25 is divided by zero, an exception is raised and the program stops by spiting out the following

```
thread_exception_true.rb:8:in `/': divided by 0 (ZeroDivisionError)
  from thread_exception_true.rb:8
  from thread_exception_true.rb:4:in `initialize'
  from thread_exception_true.rb:4:in `new'
  from thread_exception_true.rb:4
```

This happens because we have set `t.abort_on_exception` to `true` (see the highlighted code). What happens if we set it as `false`. Take a look at the program `thread_exception_false.rb`. In the program we have set `t.abort_on_exception` as `false`. Type the program in text editor and run it

```
#!/usr/bin/ruby
# thread_exception_false.rb

t = Thread.new do
  i = 5
  while i >= -1
    sleep(1)
    puts 25 / i
    i -= 1
  end
end

t.abort_on_exception = false
sleep(10)
puts "Program completed"
```

Take a look at output

```
5
6
8
12
25
Program completed
```

As you can see from the output there is no trace of exception occurrence4. The code that comes after thread `t` gets executed and we get output that says `Program Completed`. This is because we have set `abort_on_exception` to be `false`.

You can see from the last two programs that we haven't used `t.join`, instead we have waited long enough for the thread to terminate. This is so because once we join thread (that causes) exception with the parent (in this case the main) thread, the exception that arises in the child thread gets

propagated to the parent / waiting thread so `abort_on_exception` has no effect even it set to false. So when ever exception raises it gets reflected on our terminal.

22.6. Thread Class Methods

There are certain thread methods which you can use to manipulate the properties of the thread. Those are listed below. If you can't understand a bit of it, never worry.

Sno.	Method	What it does
1.	<code>Thread.abort_on_exception</code>	Returns the status of the global abort on exception condition. The default is false. When set to true, will cause all threads to abort (the process will exit(0)) if an exception is raised in any thread.
2.	<code>Thread.abort_on_exception=</code>	When set to true, all threads will abort if an exception is raised. Returns the new state.
3.	<code>Thread.critical</code>	Returns the status of the global thread critical condition.
4.	<code>Thread.critical=</code>	Sets the status of the global thread critical condition and returns it. When set to true, prohibits scheduling of any existing thread. Does not block new threads from being created and run. Certain thread operations (such as stopping or killing a thread, sleeping in the current thread, and raising an exception) may cause a thread to be scheduled even when in a critical section.
5.	<code>Thread.current</code>	Returns the currently executing thread.
6.	<code>Thread.exit</code>	Terminates the currently running thread and schedules another thread to be run. If this thread is already marked to be killed, exit returns the Thread. If this is the main thread, or the last thread, exit the process.
7.	<code>Thread.fork { block }</code>	Synonym for <code>Thread.new</code>
8.	<code>Thread.kill(aThread)</code>	Causes the given aThread to exit

Sno.	Method	What it does
9.	Thread.list	Returns an array of Thread objects for all threads that are either runnable or stopped.
10.	Thread.main	Returns the main thread for the process.
11.	Thread.new([arg]*) { args block }	Creates a new thread to execute the instructions given in block, and begins running it. Any arguments passed to Thread.new are passed into the block.
12.	Thread.pass	Invokes the thread scheduler to pass execution to another thread.
13.	Thread.start([args]*) { args block }	Basically the same as Thread.new . However, if class Thread is subclassed, then calling start in that subclass will not invoke the subclass's initialize method.
14.	Thread.stop	Stops execution of the current thread, putting it into a sleep state, and schedules execution of another thread. Resets the critical condition to false

22.7. Thread Instance Methods

Since everything in Ruby is an object, a thread too is an object. Like many objects, threads have functions or methods which can be called to access or set a property in thread. Some of the functions and their uses are listed below (thr is an instance variable of the Thread class):

Sno.	Method	What it does
1	thr.alive?	This method returns true if the thread is alive or sleeping. If the thread has been terminated it returns false.
2	thr.exit	Kills or exits the thread
3	thr.join	This process waits for the thread to join with the process or thread that created the child thread. Once the child thread has finished execution, the main thread executes the statement after thr.join

Sno.	Method	What it does
4	thr.kill	Same as thr.exit
5	thr.priority	Gets the priority of the thread.
6	thr.priority=	Sets the priority of the thread. Higher the priority, higher preference will be given to the thread having higher number.
7	thr.raise(anException)	Raises an exception from thr. The caller does not have to be thr.
8	thr.run	Wakes up thr, making it eligible for scheduling. If not in a critical section, then invokes the scheduler.
10	thr.wakeup	Marks thr as eligible for scheduling, it may still remain blocked on I/O, however.
11	thr.status	Returns the status of thr: sleep if thr is sleeping or waiting on I/O, run if thr is executing, false if thr terminated normally, and nil if thr terminated with an exception.
12	thr.stop?	Waits for thr to complete via Thread.join and returns its value.
13	thr[aSymbol]	Attribute Reference - Returns the value of a thread-local variable, using either a symbol or a aSymbol name. If the specified variable does not exist, returns nil.
14	thr[aSymbol] =	Attribute Assignment - Sets or creates the value of a thread-local variable, using either a symbol or a string.
15	thr.abort_on_exception	Returns the status of the abort on exception condition for thr. The default is false.
16	thr.abort_on_exception=	When set to true, causes all threads (including the main program) to abort if an exception is raised in thr. The process will effectively exit(0).

Chapter 23. Exception Handling

In India, law does not apply to the rich and political class. They can do any thing and get away from it. Though our laws says bribes are illegal, there is almost no Indian who hasn't paid bribe. Free speech and bloggers are ruthlessly targeted. Everything is a exception here and law is mostly just ink on paper. We may not be able to do anything about the corrupt rich and politician, but at the least we can handle exceptions in Ruby! Let me explain to how to handle exceptions in Ruby programming in this section.

Lets write a program called [code/division_exception.rb](#) which will break due to division by zero. Open your text editor, type the given code below and run it

```
# division_exception.rb

puts 67 / 0
```

Output

```
division_exception.rb:3:in `/': divided by 0 (ZeroDivisionError)
  from division_exception.rb:3:in `<main>'
```

As you see, you get a exception as output. See that the constant `ZeroDivisionError`. we will see the use of in just a few examples. So when the Ruby interpreter notices that it can't handle something, it raises an exception.

It will not be great if we throw out the exception to our client who has paid millions for us to produce a piece of program. We would rather try to put out something that's understandable to them. So in the example shown below [code/rescue.rb](#) we see how to handle this exception. Type the program below in an text editor and run it

```
# rescue.rb

begin
  puts 67 / 0
rescue
  puts "We are unable to proceed due to unavoidable reasons :("
end
```

Output

```
We are unable to proceed due to unavoidable reasons :(
```

As you can see instead of the nasty `ZeroDivisionError` output, you see a friendly message that says its unable to proceed due to unavoidable reasons. The trick is, if you think some exception can occur in code surround it with `begin` and ` `end` blocks as shown below`

```
begin
  puts 67 / 0
end
```

Then the code that needs to be handled when there is a exception is put after a key word called `rescue` as shown

```
begin
  puts 67 / 0
  rescue
    puts "We are unable to proceed due to unavoidable reasons :("
end
```

when there is an exception, the code below `rescue` starts executing,. That's it! Well, you now how to deal with exceptions in a crude way.

Let now see a refined way to catch or rescue from an exception. See the code below `rescue_1.rb`, type it and execute it

```
# rescue_1.rb

begin
  puts 67 / 0
  rescue ZeroDivisionError
    puts "Oh nooo! boom thata has cursed us!!!!"
end
```

Output

```
Oh nooo! boom thata has cursed us!!!!
```

You see the output that you are cursed by Boom Thata (God of Gods). Don't worry much about that, Boom Thata is my friend and will talk to him to reverse it. Here we have put the code like this `rescue ZeroDivisionError`, in it we are telling it to rescue if and only zero division error occurs. If some other exception happens, since we are handling only `ZeroDivisionError`, you won't be rescued for that.

To show what I mean type the program (`rescue_2.rb`) below and execute it

```
# rescue_2.rb

begin
  "abc" * "def"
rescue ZeroDivisionError
  puts "Oh nooo! boom thata has cursed us!!!!"
end
```

Output

```
Traceback (most recent call last):
  1: from rescue_2.rb:4:in `<main>'
rescue_2.rb:4:in '*': no implicit conversion of String into Integer (TypeError)
```

Here we still get an error on the terminal because multiplying two strings produces a different error called `TypeError` as you see in the output and not `ZeroDivisionError`. And in the program we have rescued only for `ZeroDivisionError`.

Lets say that you want to print out an exception. Say for your debugging purpose or something. So how to do that. The following program shows you that. Type the program `printing_exception.rb` and run it

```
# printing_exception.rb

begin
  puts 67 / 0
rescue => e
  puts "The following exception has occurred:"
  p e
end
```

Output

```
The following exception has occurred:
#<ZeroDivisionError: divided by 0>
```

So as you can see, you can print an exception. Just note the line `p e`, its there where we are printing an exception. `e` is the exception object and `p` is kind of short form for `puts`. Wish you have noticed that this code `rescue => e` pushed the exception into an variable `e`. That's how `e` holds the exception.

In the next example, we are going to see how to back trace an exception. That is exception that's been thrown in real world programs could be buried under multiple levels. To find that out you better need to back trace it. Type the program below into text editor and run it.

```
# backtracing_exception.rb

begin
  puts 67 / 0
  rescue => e
    p e.backtrace
end
```

Output

```
["backtracing_exception.rb:4:in `/'", "backtracing_exception.rb:4:in `<main>'"]
```

We are printing the back trace using `p e.backtrace`. If you can notice the output, it shows that exception has occurred in line 4, if you have line numbers displayed in your text editor you can identify the line immediately and debug it.

Next (the second piece of output) it says the exception has occurred in main. You may wonder what is main? Its the program in your text editor that is first run is called the main.

23.1. Exception and Threads

We have seen exception in ordinary programs that are single threaded, but Ruby is a multi threaded programming language. Lets see how exceptions and threads mix and behave. Type the program `thread_exception_true.rb` and run it

```
#!/usr/bin/ruby
# thread_exception_true.rb

t = Thread.new do
  i = 5
  while i >= -1
    sleep(1)
    puts 25 / i
    i -= 1
  end
end

t.abort_on_exception = true
sleep(10)
puts "Program completed"
```

Output

```

5
6
8
12
25
thread_exception_true.rb:8:in '/': divided by 0 (ZeroDivisionError)
  from thread_exception_true.rb:8:in 'block in <main>'
```

As you see the program throws out an `ZeroDivisionError` exception, this happens in `while` loop when the value of `i` becomes zero and 25 needs to be divided by it. Notice the line `t.abort_on_exception = true`, here we tell the program to abort or stop when there is an exception. This will stop all other threads if they are running in parallel. Lets say that you have a multi threaded program where it is a must that all threads must run without an exception, and threads are kind of dependent on each other, then its better to write code in such a way that the program aborts when exception is raised in one of the threads.

Lets say that a program we write is such that exception on a thread can be ignored and other threads can run merrily then see the line `t.abort_on_exception = false` in program below `thread_exception_false.rb`. Here we specify `t.abort_on_exception = false`, so the program runs, when an exception occurs, the particular thread stops running, whereas other threads continue to run as though nothing happened.

```

#!/usr/bin/ruby
# thread_exception_false.rb

t = Thread.new do
  i = 5
  while i >= -1
    sleep(1)
    puts 25 / i
    i -= 1
  end
end

t.abort_on_exception = false
sleep(10)
puts "Program completed"
```

Output

```

5
6
8
12
25
Program completed
```

23.2. Raising Exceptions

We have seen how to catch an exception and deal with it. But what if we want to raise our own exceptions? Type the program `raise.rb` in text editor and execute it.

```
# raise.rb

puts "Enter a number 1 - 10:"
num = gets.to_i
raise "You did not enter right num" unless (1..10).include? num
```

Output

```
Enter a number 1 - 10:
25
raise.rb:5:in `<main>': You did not enter right num (RuntimeError)
```

As you can see from the output the program raises exception if any number entered does not lie from 1 to 10. See the piece of code `raise "You did not enter right num"`, that's all it takes to raise an exception in Ruby. The key word `raise` followed by an object, in this case we put out a string, but it would be nice if we put out a constant which is the norm of raising exceptions. The program below `raise_1.rb` shows how to deal with your own exceptions which is no different from rescue programs you have written before.

```
# raise_1.rb

def number_thing(num)
  raise "You did not enter right num" unless (1..10).include? num
  puts "You entered #{num} :)"
end

puts "Enter a number 1 - 10:"
num = gets.to_i
begin
  number_thing(num)
rescue
  puts "You may have not entered number in valid range"
end
```

Output

```
Enter a number 1 - 10:
25
You may have not entered number in valid range
```

Chapter 24. Regular Expressions

You are with your girl friend in a jewel shop, she chooses one of the finest diamond rings and gives you THAT LOOK... Sure you know that you will fall into more credit card debt. You are in another day and having a talk with your boss to get more salary when he stares at you. THAT LOOK. You now know that what ever you say that you did good to the company, it will be ignored and would be futile. We all see for expressions in others face and we try to predict what's next from it.

Lets say that you are on chat with your friend and he types :-), you know he is happy, this :-(means he's sad. So its quiet evident that we can see expressions even in textual data just as we see in each others face. Ruby's regular expression provides you with a way to detect these patterns in a given text and extract them if you wish. This can be used for some thing useful. This chapter is about that. What Ruby does not do is to tell you how to impress your girl without getting into debt :-. Report this as a bug and hope they will fix it in ruby's next major release ;-)

Fire up your irb, lets begin.

24.1. Creating an empty regexp

Okay we will try to create a empty regular expression. In your terminal type `irb --simple-prompt` and in it type the following (without the `>>`, which is irb's prompt)

```
>> //.class  
=> Regexp
```

You see `//.class` is `Regexp`. In other words any thing between those `/` and `/` is a regexp [52: Will be using regexp instead of Regular expression from now on]. `Regexp` is not a string, but it denotes a pattern. Any string can match or may not match the pattern.

24.2. Detecting Patterns

Lets now see how to detect patterns in a regular expressions. Lets say that you want to see whether `abc` is in a given string. Just punch the code below

```
>> /abc/.match "This string contains abc"  
=> #<MatchData "abc">
```

`abc` is present in the given string hence you get a match. In the code snippet below, there is no `abc` in the string and hence it returns `nil`.

```
>> /abc/.match "This string contains cba"  
=> nil
```

You can use the `match` function on a regexp as shown above or you can use it on a string, as shown below. Both gives you the same result.

```
>> "This string contains abc".match(/abc/)  
=> #<MatchData "abc">
```

Another way of matching is shown below. You can use the `=~` operator.

```
>> "This string contains abc" =~ /abc/  
=> 21  
>> /abc/ =~ "This string doesn't have abc"  
=> 25
```

The `=~` tells you the location where the first occurrence of the match occurs.

If you would like something much simple, that is if you just want to know if a match is present or not, then you can use `match?`` Which returns `true` or `false` as shown below

```
>> /abc/.match? "This string contains abc"  
=> true  
>> /abc/.match? "This string contains def"  
=> false
```

24.2.1. Things to remember

There are some things you need to remember, or at least refer from time to time. Those are mentioned in table below [53: I got this list from <http://rubular.com/>].

Thing	What it means
.	Any single character
\w	Any word character (letter, number, underscore)
\W	Any non-word character
\d	Any digit
\D	Any non-digit
\s	Any whitespace character
\S	Any non-whitespace character
\b	Any word boundary character
^	Start of line
\$	End of line
\A	Start of string
\z	End of string
[abc]	A single character of
a, b or c	[^abc]
Any single character except	a, b, or c

[a-z]	Any single character in the range a-z
[a-zA-Z]	Any single character in the range a-z or A-Z
(...)	Capture everything enclosed
(a b)	a or b
a?	Zero or one of a
a*	Zero or more of a
a ⁺	One or more of a
a{3}	Exactly 3 of a
a{3,}	3 or more of a
a{3,6}	Between 3 and 6 of a
i	case insensitive
m	make dot match newlines
x	ignore whitespace in regex
o	perform #{...} substitutions only once

Don't panic if you don't understand it, you will catch up.

24.3. The dot

The dot in a regular expression matches any thing. To illustrate it lets try some examples in our irb

```
>> /.at/.match "There is rat in my house"
=> #<MatchData "rat">
```

in the above code snippet, we try to match `/.at/` with a string, and it matches. The reason, the string contains a word called `rat`. Take a look at another two examples below, the `/.at/` matches `cat` and `bat` without any fuss.

```
>> /.at/.match "There is cat in my house"
=> #<MatchData "cat">
>> /.at/.match "There is bat in my house"
=> #<MatchData "bat">
```

Its not a rule that the dot should be at the start of the word or something, it can be any where. A regexp `/f.y/` could comfortably match `fry` and `fly`. Ah! I wish I have a chicken fry now. Any way chickens do fly.

24.4. Character classes

Lets say tat we want to find that weather there is a bat or a rat or a cat is present in a given string. If its there we will print that there is a animal in the house, else we won't print a thing. You might be thinking that we need to have three regexp like `/bat/`, `/cat/` and `/rat/`, but that's not the case. We

know from those three regexp that only the first character varies. So what about `/.at/` like the previous one. Well that won't work either, because it will match words like eat, mat, fat and so on.

So this time strictly we want to match only bat, rat and cat, so we come up with a regexp like this: `/[bcr]at/`, this will only match those three animal words and nothing else. Punch in the following example and run it in your computer

```
#!/usr/bin/ruby
# regexp_character_classes.rb

puts "There is a animal in your house" if /[bcr]at/.match "There is bat in my house"
puts "There is a animal in your house" if /[bcr]at/.match "There is rat in my house"
puts "There is a animal in your house" if /[bcr]at/.match "There is cat in my house"
puts "There is a animal in your house" if /[bcr]at/.match "There is mat in my house"
```

Output

```
There is a animal in your house
There is a animal in your house
There is a animal in your house
```

As you can see from the output above, the string "There is a animal in your house" gets printed thrice and not the fourth time where the match fails for "There is mat in my house".

Character classes can also accept ranges. Punch in the code below and run it.

```
#!/usr/bin/ruby
# regexp_character_classes_1.rb

print "Enter a short string: "
string = gets.chomp

puts "The string contains character(s) from a to z" if /[a-z]/.match string
puts "The string contains character(s) from A to Z" if /[A-Z]/.match string
puts "The string contains number(s) from 0 to 9" if /[0-9]/.match string
puts "The string contains vowels" if /[aeiou]/.match string
puts "The string contains character(s) other than a to z" if /[^\w-z]/.match string
puts "The string contains character(s) other than A to Z" if /[^\w-A-Z]/.match string
puts "The string contains number(s) other than 0 to 9" if /[^\w-0-9]/.match string
puts "The string contains characters other than vowels" if /[^\w-aeiou]/.match string
```

Output

```
Enter a short string: fly
The string contains character(s) from a to z
The string contains character(s) other than A to Z
The string contains number(s) other than 0 to 9
The string contains characters other than vowels
```

Output 1

```
Enter a short string: Burgundy 32
The string contains character(s) from a to z
The string contains character(s) from A to Z
The string contains number(s) from 0 to 9
The string contains vowels
The string contains character(s) other than a to z
The string contains character(s) other than A to Z
The string contains number(s) other than 0 to 9
The string contains characters other than vowels
```

OK, what you infer from the output? When you give fly these regexp's match:

- `/[a-z]/` since it contains a character from a to z
- `/[^A-Z]/` since it contains a character that does not belong anywhere from A to Z, hence you come to know `^` inside a capture means negation. There are also other uses for `^` which if I am not lazy you will be writing about it.
- `/[^0-9]/` since it does not contain any numbers from 0 to 9
- `/[^aeiou]/` since it does not contain a vowel (a or e or i or o or u)

According to that the messages in the `puts` statements gets printed. Now look at the Output 1, I have given the program a string `Burgundy 27`, check if your assumptions / logic tally with it.

24.5. Scanning

I love this `scan` method in String Class. It lets us search a huge array of string for something. Just like needle in a haystack, since computers are getting faster and faster you can scan more and more. They are good for searching. They are quiet unlike the police in India who would only conduct a search only if the person who has been burgled gives bribe.

So punch in the program below. It scans for words in a string.

```

#!/usr/bin/ruby
# regexp_scan.rb

string = """ There are some words in this string and this program will
scan those words and tell their word count """

words = string.scan(/\w+/)
puts "The words are:"
p words
puts # prints a empty line
puts "there are #{words.count} words in the string"
puts "there are #{words.uniq.count} unique words in string"

```

Output

```

The words are:
["There", "are", "some", "words", "in", "this", "string", "and", "this", "program",
"will", "scan", "those", "words", "and", "tell", "their", "word", "count"]
there are 19 words in the string
there are 16 unique words in string

```

Note the `/\w+/`, what does it mean? Refer this table [Things to remember](#). You can see that `\w` means any character like letter, number, underscore and `+` mean one or many. In other words I have assumed that words consists of any letter, number and underscore combinations and a word contains at-least one letter or more. So the statement `string.scan(/\w+/)` will scan all words and put into into a variable called words which we use in this program.

The statement `p words` prints out the array, and in the following line

```
puts "there are #{words.count} words in the string"
```

we are counting the number of elements in the array words using the command `word.count` and embedding in a string using `#{words.count}` and printing it out to the user.

In the next statement

```
puts "there are #{words.uniq.count} unique words in string"
```

we are finding how many unique words are there in the given string using `words.uniq.count` and printing that too to the user. For example if you scan a large book of two authors and feed it to this program, the person who has more number of unique words can be assumed to have better vocabulary.

Lets now see another program. For example take a tweet you will do on twitter and you want to find out if the tweet contains twitter user names. So now lets analyze construct of a twitter user name, it first contains an `@` symbol followed by a word. In other words it must match the regexp

`/@\w+/. In the following program we scan all the users mentioned in a tweet`

```
#!/usr/bin/ruby
# regexp_scan_twitter_users.rb

string = """ There is a person @karthik_ak who wrote ilr. Its about a
language called @ruby invented by @yukihiro_matz """

users = string.scan(/@\w+/)
puts "The users are:"
p users
```

Output

```
The users are:
["@karthik_ak", "@ruby", "@yukihiro_matz"]
```

Notice the `string.scan(/@\w+/)` in the program above. It scans all words that is starting with an `@` symbol, collects them and returns them as an array, finally we display that array using `p users`.

24.6. Captures

We have seen how useful regular expressions could be. Now lets say we found a match with a regular expression and we just want to capture a small part of it, say a user name in a email, or a month in some ones date of birth, how to do that?

We use round brackets for that and we call them captures. Below is a program that asks birthday of a person and extracts the month out of it.

```
#!/usr/bin/ruby
# regexp_capture.rb

print "Enter Birthday (YYYY-MM-DD) :"
date = gets.chomp
/\d{4}-(\d{2})-\d{2}/.match date
puts "You were born on month: #{$1}"
```

Output

```
Enter Birthday (YYYY-MM-DD) :1982-11-22
You were born on month: 11
```

Notice this line `/\d{4}-(\d{2})-\d{2}/.match date` , here we check if the date matches the following: That is, it must have four digits `/\d{4}/`, then it must be followed by a hyphen `/\d{4}-/` then it must be followed by two digits `/\d{2}-\d{2}/` and it must be followed a hyphen and another two digits

```
/\d{4}-\d{2}-\d{2}/.
```

Now we need to capture just the month that's in the middle. Hence we put braces around it like shown `/\d{4}-(\d{2})-\d{2}/`, we stick this regexp in the program above, in this line

```
/\d{4}-(\d{2})-\d{2}/.match date
```

Now where this capture `(\d{2})` gets stored? It gets stored in a global variable `$1`, if there is another capture, it gets stored in another variable `$2, $3` and so on..... So we now know `$1` has the month and we use it in the following line to print out the result

```
puts "You were born on month: #{$1}"
```

In the coming example `regexp_capture_1.rb`, we try three captures where we want to capture Year, Month and Date in one go. Hence we use the following regexp `/(\\d{4})-(\\d{2})-(\\d{2})/` . Type the program below and execute it.

```
#!/usr/bin/ruby
# regexp_capture_1.rb

print "Enter Birthday (YYYY-MM-DD) :"
date = gets.chomp
/(\\d{4})-(\\d{2})-(\\d{2})/.match date
puts "Year: #{$1} \n Month: #{$2} \n Date: #{$3}"
```

Output

```
Enter Birthday (YYYY-MM-DD) :1997-12-67
Year: 1997
Month: 12
Date: 67
```

Here the first capture starting from left is stored in `$1`, the second is stored in `$2` and the third in `$3` and so on (if we had given more). If you are wondering what `$0` is, why don't you give a `puts $0` statement at the end of the program and see what happens?

In the next program, we have designed it to tolerate some errors in user input. The user may not always give 1990-04-17, he might give it as 1990 - 04- 17 or some thing like that that might have spaces around numbers. Type int the program and execute it

```

#!/usr/bin/ruby
# regexp_capture_2.rb

print "Enter Birthday (YYYY-MM-DD) :"
date = gets.chomp
/\s*(\d{4})\s*-\s*(\d{2})\s*-\s*(\d{2})\s*/.match date
puts "Year: #{$1} \n Month: #{$2} \n Date: #{$3}"

```

Output

```

Enter Birthday (YYYY-MM-DD) :1947- 07 - 14
Year: 1947
Month: 07
Date: 14

```

As you can see, the program finds month, date and year! If you note the regexp we are using `\s*(\d{4})\s*-\s*(\d{2})\s*-\s*(\d{2})\s*/` we have padded digits with `\s*`, now whats that? Once again refer the regexp table [Things to remember](#). `\s` means space and `means zero or more`, so say `\s\d{4}` means match in such a way that the regexp has 4 digits and is prepended with zero or more spaces and `\s*\d{4}\s*` match a 4 digit number which is prepended and followed by zero or more spaces. Hence no matter how much padding you give with space, it finds out the dates.

24.7. Nested Capture

Nested captures are capture within a capture. Type the code below and execute it in irb:

```

>> /(a(c(b)))/.match "This sting contains acb so it has match"
=> #<MatchData "acb" 1:"acb" 2:"cb" 3:"b">
>> $1
=> "acb"
>> $2
=> "cb"
>> $3
=> "b"

```

See the regexp `/(a(c(b)))/`, does it makes any sense to you? Well then how to read it? First remove all brackets and read it like `/acb/`. `acb` is present in the string and hence its matched so we get the part of the output as shown below

```
=> #<MatchData "acb"....
```

Now apply the outer most bracket from left and we get a capture as shown `/(acb)/`, this matches and captures `acb` which appears as `1:"acb"` part in output as shown below

```
=> #<MatchData "acb" 1:"acb" 2:"cb" 3:"b">
```

This capture is stored in `$1` global variable. Now forget the outer bracket and move from left to the second pair of brackets and you get the following regexp `/a(cb)/`, this matches `acb` and captures `cb` in the string, this is caught in variable `$2` and is also shown in `2:"cb"` part of the matched data below

```
=> #<MatchData "acb" 1:"acb" 2:"cb" 3:"b">
```

In similar way the inner most bracket pair, forms this regexp `/ac(b)/` and its captured in variable `$3` is showed in matched output `3:"b"` below

```
=> #<MatchData "acb" 1:"acb" 2:"cb" 3:"b">
```

24.8. MatchData class

So you have matched stuff and captured it. Well, if you have noticed in the irb, when ever you match a thing, a object gets returned. Everything is a object in Ruby, but this is not String type object, but a new type called `MatchData`. So lets play with it and see what it can do. So see the example below where we match a regexp `/abc/` with a string and we store it in a variable `m`

```
>> m = /abc/.match "This stuff has abc and something after it"  
=> #<MatchData "abc">
```

To see what was matched, we give the command `m.match` and its throws an error as shown below!

```
>> m.match  
NoMethodError: undefined method 'match' for #<MatchData "abc">  
from (irb):2  
from /home/webtoday/.rvm/rubies/ruby-1.9.3-p194/bin/irb:16:in '<main>'
```

So how to get the match? Well, it looks like the `MatchData` is an array where the first element is the matched piece of text so type `m[0]` to get the matched data as shown below

```
>> m[0]  
=> "abc"
```

some times you might be interested what comes before and after a match. The `pre_match` function gets the piece of text that is prior to the match as shown below

```
>> m.pre_match  
=> "This stuff has "
```

Like `pre_match`, `post_match` does the opposite, it gets the piece of text that comes after the match.

```
>> m.post_match  
=> " and something after it"
```

If you want to see whether you have any captures, you can call the `captures` function as shown.

```
>> m.captures  
=> []
```

Of course you have no captures this time, hence the `captures` function returns an empty array.

Well, talking about captures in `MatchData` object, take a look at the piece of code below. We have given a regexp with capture like `/((ab)c)/`. This regexp in the string "This stuff has abc and something after it" will match `abc` and will capture `abc` and `ab` (if you have understood what capture is in the previous sections). Well, how to get captures in `MatchData` object, first let us match the regexp with string and store it variable `m` as shown below

```
>> m = /((ab)c)/.match "This stuff has abc and something after it"  
=> #<MatchData "abc" 1:"abc" 2:"ab">
```

Now to see captures, use the `captures` function on `MatchData` object as shown below

```
>> m.captures  
=> ["abc", "ab"]
```

So you get captures as Array which can be treated as an Array object. You can get the captures directly from `MatchData` too as shown below, the second element onward in the `MatchData` array stores the captures which can be accessed by `m[1]`, `m[2]` `m[n]` as shown below

```
>> m[1]  
=> "abc"  
>> m[2]  
=> "ab"
```

Well, I have told that `m` belongs to `MatchData` class, and haven't offered proof yet. Here is it

```
>> m.class  
=> MatchData
```

24.9. Anchors and Assertions

24.9.1. Anchors

Anchors are reference points in Ruby. Lets say that we want to check if a line immediately begins with a `=begin` [54: `=begin` represents start of block comment in Ruby, but it must start at the line beginning], then I can check it with a regexp like this `/^=begin/`, where the `^` sign is a anchor that represents beginning of the line:

```
>> /^=begin/.match "=begin"  
=> #<MatchData ">=begin">
```

Lets say like we have multiple line string and we want to extract a line (the first one). So the content of the first line could be any thing, so we get a regexp as `/.+/`, now it must be between beginning of line `^` and end of line `$`, so we get a regexp as shown `/^.+$/`, this regexp will match anything that's between line anchors. An example is shown below.

```
>> /^.+$/ .match "Boom \n Thata"  
=> #<MatchData "Boom ">
```

In the above example, note that `\n` splits the string into two lines as `\n` stands for newline character. So the regexp faithfully matches the first line content, that is `"Boom "`.

The next type of Anchors we have are `\A` that stands for start of a string and `\z` that stands for end of a string. In the example below, we check if the string starts with some thing by using the following regexp `/\ASomething/`

```
>> /\ASomething/.match "Something is better than nothing"  
=> #<MatchData "Something">
```

And we get a match. In the example below we get a nil match because the string does not start with Something.

```
>> /\ASomething/.match "Everybody says Something is better than nothing"  
=> nil
```

Now lets check if nothing is followed by end of string, hence we form a regexp as shown `/nothing\z/`

```
>> /nothing\z/.match "Everybody says Something is better than nothing"  
=> #<MatchData "nothing">
```

As expected we get a match for nothing. One should note that anchors will not be reflected in match data, anchor is not a character, but a symbolic representation of position. So if you are expecting a

match for `nothing\z`, forget it.

```
>> /nothing\z/.match "Everybody says Something is better than nothing\n"
=> nil
```

Look at the example above, the `\z` matches a string without a line ending(`\n`) character. If you want to check for line endings, you must use capital `Z` like the example shown below

```
>> /nothing\Z/.match "Everybody says Something is better than nothing\n"
=> #<MatchData "nothing">
```

so it matches!

In the example below, we match all the stuff that's in a string with `\n` as its ending.

```
>> /\A.+\\Z/.match "Everybody says Something is better than nothing\n"
=> #<MatchData "Everybody says Something is better than nothing">
```

24.9.2. Assertions

Lets say that you are searching for this man David Copperfield. You have a huge directory of names and you want to match his name. We can do those kind of matches using assertions [55: If you are thinking that this can be searched in much simple way, then you are right, but for the time being don't think too much. Your brain might overheat and burn.]. So lets say you want to search something that comes before Copperfield, for that we use look ahead assertions. Take the example below

```
>> /\w+\s+(?=Copperfield)/.match "David Copperfield"
=> #<MatchData "David ">
```

Look at the `(?=Copperfield)`, that is its looking forward for something, this time its `Copperfield`. Want to become rich soon? Then search for `(?=Goldfield)` and want some good music, search for `(?=Oldfield)` [56: Mike Oldfield is my favorite musician].

Here is the thing, what ever you give between `(?=` and `)` will be look forward and if there is something before it, it will get matched. So there is David before Copperfield, hence it was matched. Note that I had given `\w+\s+` which means that I want to match a regexp of one or more letters, followed by one or more spaced that precedes before Copperfield. So here we have another example, that gives a positive match:

```
>> /\w+\s+(?=Copperfield)/.match "Joan Copperfield"
=> #<MatchData "Joan ">
```

Lets say that we want to match all those names which does not end with Copperfield, we will use

look ahead, negative assertion. For this we put Copperfield in between `(?! and)`, so in the following example it will return a negative match

```
>> /\w+\s+(?!Copperfield)/.match "Joan Copperfield"
=> nil
```

But in the next example it will return a positive match, because Joan is not before Copperfield

```
>> /\w+\s+(?!Copperfield)/.match "Joan Kansamy"
=> #<MatchData "Joan ">
```

We have seen look forward assertion. Now lets look at look backward assertion. Lets say that we want to match last name of person who's first name is David. Then we can look backwards from last name and see if its David. Checkout the code below

```
>> /(?<=David)\s+\w+/.match "Joan Kansamy"
=> nil
```

See the code above. We have put David between `(?= and)`, so that's how you specify look back assertion. The above code returns nil because we have no David in it.

```
>> /(?<=David)\s+\w+/.match "David Munsamy"
=> #<MatchData " Munsamy">
```

The above example matches `" Munsamy"` [57: Notice the space too has been matched.] because we have David before the pattern `\s+\w+`

Same way like we had negative look forward, why can't we have it in look backwards? Just replace `=` with a `!` and you will get a negative look backward assertion. So the example below will not match because you have David in front of Munsamy.

```
>> /(?<!David)\s+\w+/.match "David Munsamy"
=> nil
```

Now take this example below, we will get a match because there is no David in front of the first `\s+\w+`, that is in the example below it is a space followed by `"in"`.

```
>> /(?<!David)\s+\w+/.match "All in all Munsamy"
=> #<MatchData " in">
```

24.10. Ignoring Cases

Okay, lets say what the difference between these emails mindaslab@protonmail.com and

MINDASLAB@PROTONMAIL.COM, nothing, both address delivers mail to me, so if at all we are scanning a string for a particular email, we would like to ignore cases. So consider the example below

```
>> /abc/i.match "There is ABC in string"
=> #<MatchData "ABC">
```

In the above example we have a regexp `/abc/` but it matches ABC in the given string. If you have noticed the, you may seen that I have put an `i` after the regexp, that `i` stands for ignore case. Well see the example below, the `i` ruthlessly matches anything and does not care about cases.

```
>> /abc/i.match "There is AbC in string"
=> #<MatchData "AbC">
```

24.11. Ignore Spaces

`x` just like `i` should be use at the rear of regexp. It ignores white spaces in regexp and matches the string. See example below

```
>> /ab c/x.match "There is abc in string"
=> #<MatchData "abc">
```

But this does not mean that it ignores white spaces in matched string, in the example below we have a regexp `/ab c/` (ab space c) but it does not match `ab c` (ab space c) in the string! That could be surprising. Which means when `x` is appended, it mean it removes all spaces from regexp.

```
>> /ab c/x.match "There is ab c in string"
=> nil
```

24.12. Dynamic Regexp

We may need to create Regexp dynamically, say I want to create a search query from the user data I obtained. Take a look at the program below, type it in a text editor and run it

```

# regexp_dynamic.rb

Friends = [
  "Bharath - Looks like alien",
  "Nithya - The MBA. Oh N000000",
  "Tat - The eskimo from Antarctica",
  "Kannan - Eats lot of bondas",
  "Karthik - Loves briyani"
]

print "Enter search term: "
term = gets.chomp
regexp = Regexp.new term
searched_friends = Friends.collect{|f| f if f.match regexp}.compact
puts searched_friends.join "\n"

```

Output

```

Enter search term: The
Nithya - The MBA. Oh N000000
Tat - The eskimo from Antarctica

```

In the code we first declare an array called `Friends` ,that contains data about our friends as shown

```

Friends = [
  "Bharath - Looks like alien",
  "Nithya - The MBA. Oh N000000",
  "Tat - The eskimo from Antarctica",
  "Kannan - Eats lot of bondas",
  "Karthik - Loves briyani"
]

```

So lets analyze the code. In the next two lines (shown below), I am getting search term and assigning it to a variable `term`

```

print "Enter search term: "
term = gets.chomp

```

Next look at the following line carefully

```

regexp = Regexp.new term

```

Look at the part `Regexp.new term` , here is where all miracle happens. Now open irb and type the following

```
>> Regexp.new "something"  
=> /something/
```

So as you see when you give a string to `Regexp.new` it converts it to `Regexp`. You can do pretty advanced stuff as shown below

```
>> r = Regexp.new "(\d+)\s+oranges"  
=> /(\d+)\s+oranges/
```

So in `Regexp.new term`, we are converting the `term` to regular expression. Now all we need to do is to use this regular expression and pick up the strings that match it in the following code

```
searched_friends = Friends.collect{|f| f if f.match regexp}.compact
```

We print the array in the following code

```
puts searched_friends.join "\n"
```


Take a look at the simple calculator program I have written here <https://raw.githubusercontent.com/mindaslab/ilrx/master/x/calculator.rb>, it might be complex for newbies, so don't worry if you can't understand it.

Chapter 25. Gems


Gem is a package management stuff for ruby. For example you might want to do a stuff in ruby like say comparing two hashes, rather than writing a code by yourself you can search ruby gems repository located at <http://rubygems.org>

25.1. Searching a gem

So lets compare two hashes. There is a gem called hash_compare for comparing hashes. Now, you can goto <http://rubygems.org> and search for “hash compare” without the double quotes of course



You will be getting a page as shown below, click on the hash compare link and you will be directed to this page https://rubygems.org/gems/hash_compare



So that's how you search for a gem. On the contrary, if you search for exact gem name `hash_compare`, <http://rubygems.org> has become smart now, and will take you straight to the gem page.

25.2. Installing gem

Now that you have found out the gem, how to install it? If you are in the gems page, https://rubygems.org/gems/hash_compare in this case you will get the instruction to install it on your computer. You can install `hash_compare` gem by typing the following

```
$ gem install hash_compare
```

This will spit out the following stuff indicating that it has installed

```
Fetching: hash_compare-0.0.0.gem (100%)
Successfully installed hash_compare-0.0.0
1 gem installed
Installing ri documentation for hash_compare-0.0.0...
Installing RDoc documentation for hash_compare-0.0.0...
```

That is typing `gem install gem_name` in terminal should install most of the gems without a trouble.

25.3. Viewing Documentation

So you have installed a gem successfully, now you must know how to use it, where else is a great place to learn about a piece of ruby code than its documentation. If you are not sure about rdoc or ruby documentation, read the chapter [Rdoc](#). To see documentation for installed gem, you need to start a thing called gem server, which can be achieved by typing the following command in terminal

```
$ gem server
Server started at http://0.0.0.0:8808
```

The above command will spit a output saying that the server has been started. To know about `hash compare` gem goto this address <http://0.0.0.0:8808> in your browser and search for `hash_compare`, else if you need to have a shorter way click this link http://0.0.0.0:8808/#hash_compare, when you click on `hash_compare` you will be directed here http://0.0.0.0:8808/doc_root/hash_compare-0.0.0/rdoc/index.html, this is the documentation page for `hash_compare` gem.

There in that page, you will have sufficient (possibly) details about `hash_compare` gem.

25.4. Using gem

OK, to use the gem [58: I will use it in irb, I don't have the patience to use it in a ruby file.] we in our terminal log in into irb using the following command

```
$ irb --simple-prompt
```

Next we will require hash compare command using the following command

```
>> require 'hash_compare'  
=> true
```

And since the gem has been installed it says `true`. Now lets build two hashes `a` and `b` as shown below

```
>> a = { a: 1, b: 2}  
=> { :a=>1, :b=>2}  
>> b = { a: 1, b: 3, c: 2}  
=> { :a=>1, :b=>3, :c=>2}
```

Now we add these to `hash_compare` object

```
>> h = HashCompare.new a, b
```

And find whats newly added using the `newly_added` function as shown below

```
>> h.newly_added  
=> { :c=>2}
```

Well, that's it. You have learned how to use a gem.

25.5. The Gemfile

You must have heard of Ruby gems, you will be creating it and publishing it on <http://rubygems.org> soon. Now lets see whats the use of Gemfile.

Checkout these files:

The first one is called `requester.rb`

```
# requester.rb  
  
require 'rubygems'  
require 'bundler/setup'  
Bundler.require(:default)  
  
resource = RestClient::Resource.new 'http://nothing.com'  
p resource.get
```

The second one is the Gemfile which has the following content

```
source 'https://rubygems.org'  
gem 'rest-client'
```

Put both in the same folder. If you look at requester.rb, it sends a request to <http://nothing.com> using the following lines `resource = RestClient::Resource.new 'http://nothing.com'`

```
p resource.get
```

and prints it. For this to take place we need install a gem called rest-client using the command

```
$ gem install rest-client
```

and we need to require it requester.rb using the following line

```
require 'rest-client'
```

In other words the code must look as shown

```
require 'rest-client'  
  
resource = RestClient::Resource.new 'http://nothing.com'  
  
p resource.get
```

So why we have these three lines

```
require 'rubygems'  
require 'bundler/setup'  
Bundler.require(:default)
```

instead of one? Well let me explain. First this one is a simple project, which requires just one gem, in reality we might need tens of them in real life project. Before running the project if we do not have those gems in our system we need to manually check if each and every gem exists and install it. This might be simple for few gems, but the truth is if we have lots of gems we are going to hate it.

Welcome to the Ruby way, here is where the Gemfile comes as saviour. Lets analyze it. Open up the Gemfile, the first line is

```
source 'https://rubygems.org'
```

This tells the bundler (the thing that fetches and install gems) from where the gems must be fetched. Almost all ruby gems end up in <http://rubygems.org>. there are some bad guys however who like to have proprietary code and don't release it to public. Those suckers keep it for themselves, for them it will be something different.

Next we just list the gems needed in this format gem "<gem-name>" one by one. In this case we just have only one gem and so we list it as

```
gem 'rest-client'
```

Next in the ruby program that needs those gems we put this piece of code at the top

```
require 'rubygems'  
require 'bundler/setup'  
Bundler.require(:default)
```

I do not know what it does exactly, but this loads all gems specified in the Gemfile and thus making available readily all gems we need to run the program. Possibly if I learn more in the future I will update this section or most possibly not. All you have to do to fetch and install all the gems into the system is type this in the terminal :

```
$ bundle install
```

or in short

```
$ bundle
```

That's it. All the gems in its latest version will get installed in your system and will be available for the program that needs it [59: To know more checkout this link <http://bundler.io/gemfile.html>]. Enjoy life!

25.5.1. Gemfile.lock

If you look at your [Gemfile](#), all you have given is `gem 'rest-client'`, but take a look at [Gemfile.lock](#) shown below. It contains lot of stuff. What is this Gemfile.lock.

Well, its simple `rest-client` is not a stand alone Ruby package aka gem, it depends upon other gems. Gemfile.lock catalogs all the gems that were installed when we gave the `bundle` command. Lets analyze the Gemfile.lock that's shown below

```
GEM
remote: https://rubygems.org/
specs:
  domain_name (0.5.20180417)
    unf (>= 0.0.5, < 1.0.0)
  http-cookie (1.0.3)
    domain_name (~> 0.5)
  mime-types (3.2.2)
    mime-types-data (~> 3.2015)
  mime-types-data (3.2018.0812)
  netrc (0.11.0)
  rest-client (2.0.2)
    http-cookie (>= 1.0.2, < 2.0)
    mime-types (>= 1.16, < 4.0)
    netrc (~> 0.8)
  unf (0.1.4)
    unf_ext
  unf_ext (0.0.7.5)
```

PLATFORMS

```
ruby
```

DEPENDENCIES

```
rest-client
```

BUNDLED WITH

```
1.16.2
```

So it starts with the keyword **GEM**, under which all the installed gems are listed. Check out line 2, it says `remote: https://rubygems.org/`, if you remember in the Gemfile you would have given `source 'https://rubygems.org'`, this is been recorded as remote repository in the lock file.

Checkout these lines (20 & 21)

PLATFORMS

```
ruby
```

Here the platform is defined. What this book focuses upon is YARV [60: <https://en.wikipedia.org/wiki/YARV>], its the default ruby interpreter, but its not the only one. There are other interpreters like JRuby that runs of Java. These information are logged under this **PLATFORM**.

The bundler's version is recorded too in these lines (26 & 27)

BUNDLED WITH

```
1.16.2
```

You may check your bundler's version by typing the following commands in the terminal

```
$ bundle -v
Bundler version 1.16.2
```

Lets comeback to the **GEM** section. In the Gemfile we just needed rest-client and that's it. In the lock file on line 12 we see **rest-client (2.0.2)**, that is rest client of version 2.0.2 was installed, but in the following lines we see this too

```
rest-client (2.0.2)
  http-cookie (>= 1.0.2, < 2.0)
  mime-types (>= 1.16, < 4.0)
  netrc (~> 0.8)
```

Which means that **rest-client** depends on other gems namely **http-cookie**, **mime-types** and **netrc**. Lets take **http-cookie (>= 1.0.2, < 2.0)**, this means that **rest-client** of version **2.0.2** depends on **http-cookie** whose version must be greater than or equal to **1.0.2** and less than **2.0**. If you are wondering how gems are versioned and possibly want to version your software right, you may checkout Semantic Versioning here <https://semver.org/>.

Now lets see about **http-cookie**, look at lines 6 and 7, you see this

```
http-cookie (1.0.3)
  domain_name (~> 0.5)
```

Its means that **http-cookie** of version **1.0.3** has been installed and it depends on **domain_name** gem that's equal to 0.5 or greater. If you are confuse3d about **>**, **>=**, **~>**, this is what they mean

- = Equal To "**=1.0**"
- != Not Equal To "**!=1.0**"
- > Greater Than "**>1.0**"
- < Less Than "**<1.0**"
- **>=** Greater Than or Equal To "**>=1.0**"
- **≤** Less Than or Equal To "**≤1.0**"
- **~>** Pessimistically Greater Than or Equal To "**~>1.0**"

So next you can trace what **domain_name (~> 0.5)** depends on and so on. The lock file builds a dependency tree and records the exact versions of gems that has been installed so that even if the software is bundled few years from now, it can install exact versions of gems from the lock file, thus guaranteeing it that it would work.

25.6. Creating a gem

Lets see how to create a very simple Gem. Lets create a Gem named **hello_gem** that just wishes Hello and welcome to the wonderful world of Ruby Gems. and does nothing more.

If you have downloaded this book, in folder named code/making_gem, you will see a folder named hello_gem. It has the following folder structure.

```
hello_gem/
  hello_gem.gemspec
  lib/
    hello_gem.rb
```

To practice, launch your terminal and navigate to the directory hello+gem/. If you look at the file [lib/hello_gem.rb](#), it has the following code

```
puts "Hello and welcome to the wonderful world of Ruby Gems."
```

If you look at the code, it just contains a line a that prints out [Hello and welcome to the wonderful world of Ruby Gems.](#), that's it. Now lets come to the file that makes this program a gem. Look into the file [hello_gem.gemspec](#)

```
Gem::Specification.new do |s|
  s.name      = 'hello_gem'
  s.homepage  = "https://i-love-ruby.gitlab.io"
  s.version   = '0.0.0'
  s.date      = '2018-12-02'
  s.summary   = "A gem that wishes you hello"
  s.description = "A gem that wishes you hello. Written for I Love Ruby book."
  s.authors   = ["Karthikeyan A K"]
  s.email     = 'mindaslab@protonmail.com'
  s.files     = ["lib/hello_gem.rb"]
end
```

Now lets examine it. In it we have described about the gem in ruby way. Some of the things we have defined are its name given by [s.name](#); its homepage i.e mostly the place where its source code could be found or where the help and usage of this gem could be found, its given by [s.homepage](#); the version number of the gem given by [s.version](#); the date of release for this version given by [s.date](#); a brief summary of the gem given by [s.summary](#); you can give a long description using [s.description](#); the names of authors can be given as a array as shown [s.authors = \["Karthikeyan A K"\]](#); email address for communication about the gem, given by [s.email](#); and most important, all the program files this gem needs to run is given as a array like this [s.files = \["lib/hello_gem.rb"\]](#). In our case over here, we just need one file and its in lib directory.

We give [s.attribute_name](#) because we have created a gem specification object using [Gem::Specification.new](#) and we have captured it it in variable [s](#) as shown

```
Gem::Specification.new do |s|
  # the specs goes here
end
```

Now all we need to do is to build the gemspec file to get our gem which we do it using the following command

```
$ gem build hello_gem.gemspec
```

You may see some warning messages as shown below, just ignore them, they are not so serious.

```
WARNING: licenses is empty, but is recommended. Use a license identifier from
http://spdx.org/licenses or 'Nonstandard' for a nonstandard license.
WARNING: See http://guides.rubygems.org/specification-reference/ for help
Successfully built RubyGem
Name: hello_gem
Version: 0.0.0
File: hello_gem-0.0.0.gem
```

If you notice, in the same folder you will see a file named *hello_gem-0.0.0.gem*, the *hello_gem* part of the file name comes from `s.name` specified in the gemfile, and the *0.0.0* comes from `s.version` specified in the gemfile.

Now lets install gem using the command below

```
$ gem install hello_gem-0.0.0.gem
```

When installing you will get the output shown below

```
Successfully installed hello_gem-0.0.0
Parsing documentation for hello_gem-0.0.0
Installing ri documentation for hello_gem-0.0.0
Done installing documentation for hello_gem after 0 seconds
1 gem installed
```

Let's launch `irb` to test the gem

```
$ irb --simple-prompt
```

Now in `irb` lets require the gem as shown below

```
>> require "hello_gem"
Hello and welcome to the wonderful world of Ruby Gems.
=> true
```

Now you can see a output *Hello and welcome to the wonderful world of Ruby Gems..* Congrajulations, we have built our own gem. We can now distribute it to the entire world.

25.7. Publishing your gem

So we have created our gem. Now lets see how to publish one. As a first step you must go to https://rubygems.org/sign_up and create an account. Remember your user name and password. To make your gem unique lets name the gem `<user name>_hello`. My username is mindaslab, and hence my gem name is `mindaslab_hello`.

This gem is very similar to the previous `hello_gem` gem. It has the following folder structure. Naviate to `mindaslab_hello/` folder

```
mindaslab_hello/
  mindaslab_hello.gemspec
  lib/
    mindaslab_hello.rb
```

You may like to go through `mindaslab_hello.gemspec` and `mindaslab_hello.rb`. Its better you modify the gemspec file so that your name and email appears rather than mine.

Now to build the gem type in the following command

```
$ gem build mindaslab_hello.gemspec
```

You should be seeing a file named `mindaslab_hello-0.0.0.gem` generated in the same folder. The `build` command will throw an output shown below in the terminal.

```
WARNING: licenses is empty, but is recommended. Use a license identifier from
http://spdx.org/licenses or 'Nonstandard' for a nonstandard license.
WARNING: no homepage specified
WARNING: See http://guides.rubygems.org/specification-reference/ for help
Successfully built RubyGem
Name: mindaslab_hello
Version: 0.0.0
File: mindaslab_hello-0.0.0.gem
```


Now lets push the gem to ruby gems website. All you need to do is give the command `gem push <generated gem name>` in the terminal as shown.

```
$ gem push mindaslab_hello-0.0.0.gem
```

You will be prompted for Rubygems user name and password, provide them and you will be seeing a output as shown below.

```
Pushing gem to https://rubygems.org...
Successfully registered gem: mindaslab_hello (0.0.0)
```

You can go to <https://rubygems.org> and type in your gem name to search



You will be taken to your gem page as shown



Search Gems...



NEWS GEMS GUIDES CONTRIBUTE SIGN IN SIGN UP

mindaslab_hello 0.0.0

A gem from Karthikeyan A K

VERSIONS:

0.0.0 December 02, 2018 (4 KB)

AUTHORS:

Karthikeyan A K

OWNERS:



SHA 256 CHECKSUM:

4ecc24e7566517c927191a856b1dff54582cdc931a0c8fce228fd56082a92393

TOTAL DOWNLOADS

133

FOR THIS VERSION

133

GEMFILE:

`gem 'mindaslab_hello'`

INSTALL:

`gem install mindas`

LICENSES:

N/A

REQUIRED RUBY VERSION:

>= 0

LINKS:

[Documentation](#)[Download](#)[Badge](#)[Subscribe](#)[RSS](#)[Report Abuse](#)[Reverse dependencies](#)

RubyGems.org is the Ruby community's gem hosting service. Instantly [publish your gems](#) and then [install them](#). Use the [API](#) to find out more about [available gems](#). Become a [contributor](#) and improve the site yourself.

RubyGems.org is made possible through a partnership with the greater Ruby community. [Fastly](#) provides bandwidth and CDN support, [Ruby Central](#) covers infrastructure costs, and [Ruby Together](#) funds ongoing development and ops work. [Learn more about our sponsors and how they work together.](#)

We need your help to fund the developer time that keeps RubyGems.org running smoothly for everyone. [Join Ruby Together today.](#)

STATUS

[UPTIME](#)[CODE](#)[DATA](#)[DISCUSS](#)[STATS](#)[BLOG](#)[ABOUT](#)[HELP](#)[API](#)[SECURITY](#)

ENGLISH NEDERLANDS 简体中文 正體中文 PORTUGUÊS DO BRASIL FRANÇAIS ESPAÑOL DEUTSCH

Now since the gem is globally available on the internet, you can install your gem with `gem install <gemfile name>` as shown below

```
$ gem install mindaslab_hello
```

It should throw output something as shown below

```
Successfully installed mindaslab_hello-0.0.0
Parsing documentation for mindaslab_hello-0.0.0
Installing ri documentation for mindaslab_hello-0.0.0
Done installing documentation for mindaslab_hello after 0 seconds
1 gem installed
```

To test your gem launch your irb.

```
$ irb --simple-prompt
```

Then require your gem

```
>> require "mindaslab_hello"
```

If you see an output as shown below, drop me an email :) We did it. Hi five!!

```
Hello from Karthikeyan A K.
I am from Chennai, India.
=> true
>>
```

25.8. More complex gems

In reality you will be needing more than 1 ruby file to package in your gem. One way to package is to list all the files in gemspec file, or is there a better way? To find out lets write a gem called shapes.

We will be writing three classes named `Circle`, `Rectangle`, `Square` in files called `circle.rb`, `rectangle.rb` and `square.rb`, these files we put it in a folder called `models/` and require them in a file called `shapes.rb`, you can see the folder structure as shown below.

```
shapes/
  shapes.gemspec
lib/
  shapes.rb
models/
  circle.rb
  rectangle.rb
  square.rb
```

Now all ruby files in the `lib/` folder and the files in `lib/models/` folder must be included in the `gemspec` file. Look at the `gemspec` file below

```
Gem::Specification.new do |s|
  s.name      = 'shapes'
  s.version   = '0.0.0'
  s.date      = '2018-12-02'
  s.summary   = "A gem to calculate area and perimeter of shapes."
  s.authors   = ["Karthikeyan A K"]
  s.email     = 'mindaslab@protonmail.com'
  s.files     = Dir["*/*.rb", "*//*/*.rb"]
end
```

Look at the line `s.files = Dir["/.rb", "//*.rb"]`, here we do not write very verbose list of files. Instead we use a the `Dir` [61: <https://ruby-doc.org/core-2.5.3/Dir.html>] library in Ruby to do the task.

To see how the `Dir` works, launch your `irb` in your `shapes/` directory and type the following

```
>> Dir["*/*.rb", "*//*/*.rb"]
```

You would see that it neatly gives out the list of ruby files in primary and secondary sub folders.

```
=> ["lib/shapes.rb", "lib/models/square.rb", "lib/models/rectangle.rb",
  "lib/models/circle.rb"]
```

Thus we can use such tricks to include lot of files in our gem. Lets now build our `gemspec` file using the following command

```
$ gem build shapes.gemspec
```

As shown below we get a good build

```
WARNING: licenses is empty, but is recommended. Use a license identifier from
http://spdx.org/licenses or 'Nonstandard' for a nonstandard license.
WARNING: no homepage specified
WARNING: See http://guides.rubygems.org/specification-reference/ for help
Successfully built RubyGem
Name: shapes
Version: 0.0.0
File: shapes-0.0.0.gem
```

Lets install our gemfile as shown below

```
$ gem install shapes-0.0.0.gem
```

As you see it get successfully installed

```
Successfully installed shapes-0.0.0
Parsing documentation for shapes-0.0.0
Installing ri documentation for shapes-0.0.0
Done installing documentation for shapes after 0 seconds
1 gem installed
```

Lets test out gem by writing a program called [testing_shapes.rb](#) as shown below

```
require "shapes"

square = Square.new
square.side = 7
puts "Area of square = #{square.area}"

circle = Circle.new
circle.radius = 7
puts "Area of circle = #{circle.area}"
```

Now lets run it

```
$ ruby testing_shapes.rb
```

We get output as shown below.

```
Area of square = 49
Area of circle = 153.93804002589985
```

So we have seen how to build a bit more complex gem with more files in it.

25.9. Requiring other gems

25.10. Uninstalling a Gem

Finally to uninstall a gem just type `gem uninstall <gemname>`, so by typing

```
$ gem uninstall shapes
```

You will get a output as shown

```
Successfully uninstalled shapes-0.0.0
```

Which indicates the gem has been uninstalled successfully.

Chapter 26. Meta Programming

Meta Programming is a art of making programs write programs. That is in run time a program can modify itself depending on the situation. Lets see about it in this chapter.

26.1. Send

Ruby has got a powerful method called `send`. That is if a object `p` has got a method `name`, in ruby we can call it using `p.name` or there is another way to call it too. We call it using `p.send(:name)` or `p.send("name")`. Well whats the use of that? The use is this, you can determine what function to call from the user input or some other input you receive.

Lets see a basic example. Type the program `send.rb` below into a text editor and run it.

```
class Person
  attr_accessor :name

  def speak
    "Hello I am #{@name}"
  end
end

p = Person.new
p.name = "Karthik"
puts p.send(:speak)
```

Output

```
Hello I am Karthik
```

Well, as you see in the part of the code highlighted `p.send(:speak)` , we are calling the `speak` function of instance `p` of class `Person` using the `send` method. That's it for now about `send`. Get excited!!! Tweet that you are learning Metaprogramming and start bragging to your colleagues.

Well, hope you have bragged enough. Now lets look at a bit more practical example for this `send` function. Type in the example `send_1.rb` and execute it

```
# send_1.rb

class Student
  attr_accessor :name, :math, :science, :other
end

s = Student.new
s.name = "Zigor"
s.math = 100
s.science = 100
s.other = 0

print "Enter the subject who's mark you want to know: "
subject = gets.chomp
puts "The mark in #{subject} is #{s.send(subject)}"
```

Output

```
Enter the subject who's mark you want to know: math
The mark in math is 100
```

So in the program, we have a class called `Student` and we create a student who's marks in math, science and other subjects are 100, 100 and zero. We ask the user to enter the subject who's mark needs to be known and get it into a variable named `subject` in these following statements

```
print "Enter the subject who's mark you want to know: "
subject = gets.chomp
```

now see this line:

```
puts "The mark in #{subject} is #{s.send(subject)}"
```

Just notice the part `s.send(subject)`, we over here instead of using case or other if or conditions to check what the subject is and then call the suitable method according, we simply pass the user input to `s.send` and it calls the appropriate method and returns the value.

Don't you see a magic here?

26.2. Method Missing

Lets say that you have a class that has only certain methods, and if the programmer calls some other crazy method, and you want to capture it and see if it can still be served, you can use the `method_missing` method to capture the method and other stuff.

Lets see a program about method missing. Type in the program `method_missing.rb` in your test

editor and execute it

```
# method_missing.rb

class Something
  def method_missing method, *args, &block
    puts "You called: #{method}"
    p args
    block.call 7
  end
end

s = Something.new
s.call_method "boo", 5 do |x|
  x.times{ puts "in block" }
end
```

Output

```
You called: call_method
["boo", 5]
in block
```

Lets see how this program works, in the line `s = Something.new` we create a new instance variable `s` of `Something` class. Then in the next line we do this `s.call_method "boo", 5`, in this line we call a method called `call_method` on `s`, if you look at class `Something`, you will notice that there is no method or function called `call_method` in it, but the program does not throw out error, or exception or whatever.

Well, what happened? If you notice `Something` class, you would have seen a method named `method_missing`, it has been implemented as shown

```
def method_missing method, *args, &block
  puts "You called: #{method}"
  p args
  block.call 7
end
```

This method takes in three arguments, in our code we have named these arguments as `method`, `*args` and `&block`. The method takes in the method name which is the name of the method being called on object `s`, the `*args` takes attributes that are passed to the method, in our case its the `call_method` and

attributes passed are "boo" and 5. The `&block` takes in any block that is been passed. If you see the we call `call_method` on `s` below

```
s.call_method "boo", 5 do |x|
  x.times{ puts "in block" }
end
```

We are passing a block to the `call_method` function which is enclosed by `do` and `end`. Inside the block we take a variable `x` and do some operation with it. This entire block is captured by `&block`.

Finally we are printing the arguments passed using the statement `p args` (note that we are not using `*args` here) and we are calling the block with `block.call 7` (note that we use `block` and not `&block` here) in the `method_missing` definition. The value 7 gets passed to variable `x` in the block.

Now lets see how `method_missing` could be used. Let say that we have a class called `Person` which has two attributes named `name` and `age`, see the code below and execute it

```
# method_missing_in_action.rb

class Person
  attr_accessor :name, :age

  def initialize name, age
    @name, @age = name, age
  end

  def method_missing method_name
    method_name.to_s.match(/get_(\w+)/)
    eval("self.#{\$1}")
  end
end

person = Person.new "Zigor", "67893"
puts "#{person.get_name} is #{person.get_age} years old"
```

Output

```
Zigor is 67893 years old
```

In the code above see the highlighted line `puts "#{person.get_name} is #{person.get_age} years old"` we call the attributes not like `person.name` and `person.age`, instead we use `person.get_name` and `person.get_age`. Now there are no `get_name` and `get_age` methods in `Person` class, instead the code ends up here

```

def method_missing method_name
  method_name.to_s.match(/get_(\w+)/)
  eval("self.#{method_name}")
end

```

In the method missing method. Look at the code, in this line `method_name.to_s.match(/get_(\w+)/)` we extract any method that is prepended with `get_`, then we call the extracted term in this statement `eval("self.#{method_name}")`. If you can't understand these things, probably you must read [Regular Expressions](#) chapter.

Now how to make it useful practically, for example you can have a `get_db_<method name>` where you can get values from a database, or say `store_db_<method name>(values...)`, where you can capture it and store in in the database.

26.3. Define Method

This section we are going to see how to define methods inside a class. Type the program below and execute it

```

# define_method.rb

class Square
  define_method :area do |side|
    side * side
  end
end

s = Square.new
puts s.area 5

```

Output

25

Okay, so you got 25 as the output. If you notice the program `define_method.rb` you would have noticed that in the lines above we are defining method named `area` using this awkward looking statements as shown below

```

define_method :area do |side|
  side * side
end

```

You may think why not we do it like this:

```
def area side
  side * side
end
```

Well, ya, but lets take a situation where we can dynamically define method.

```
# define_method_dynamic.rb

Book_hash = {author: "Zigor", title: "I Love Ruby", page: 95}

class Book
  Book_hash.each do |key, value|
    define_method key do
      value
    end
  end
end

b = Book.new
puts "#{b.author} has written a book named #{b.title}"
```

Output

```
Zigor has written a book named I Love Ruby
```

So in the above program we have two highlighted parts the first one is `Book_hash = {author: "Zigor", title: "I Love Ruby", page: 95}`, over here its a constant assigned to a hash value. In real world it could be a variable loading some hash dynamically from a file. And inside the class book you see these lines:

```
Book_hash.each do |key, value|
  define_method key do
    value
  end
end
```

Where we take in each hash value, and we define a method using its key and the method returns the value. So when we say `b = Book.new`, we now have already functions named `author`, `title` and `page` which returns "Zigor", "I Love Ruby" and 95 respectively.

For this statement, the `puts "#{b.author} has written a book named #{b.title}"`, explains it.

26.4. Class Eval

Lets say that you have an instance object, you want to add some thing to its class, you can use a

method called `class_eval`, lets see with an example. Type the program below in a text editor and execute it.

```
# class_eval.rb

class Animal
end

dog = Animal.new

dog.class.class_eval do
  def say_something
    "I am a dog"
  end
end

pig = Animal.new
puts pig.say_something
```

Output

```
I am a dog
```

Look at the code shown below. So you have the variable `dog` which is instance of `Animal`. Lets say all of a sudden in the program we decided to add a method called `say_something` to class of `dog` i.e to `Animal`, all we need to do is to write that method inside `class_eval` block as shown highlighted below

```
dog.class.class_eval do
  def say_something
    "I am a dog"
  end
end
```

In the above program we get class of `dog` using `dog.class`, and to it we call `class_eval`, which is followed by `do end` block inside which we define the code to be appended to class of the `dog`. Inside it we define the method `say_something`.

Now lets say we have another variable named `pig` that's instance of `Animal` and we call `pig.say_something` it responds too! So we have modified the the class `Animal`.

26.5. Instance Eval

In `class_eval` we saw that we can add methods to a class that can be accessed by its instance. `instance_eval` is kind of opposite. No we won't be removing methods :D , but this adds class methods to the calling class. Lets see an example

```
# instance_eval.rb

class Square
end

Square.instance_eval do
  def who_am_i
    puts "I am Square class"
  end
end

Square.who_am_i
```

Output

```
I am Square class
```

In the above example, look at the following piece of code:

```
Square.instance_eval do
  def who_am_i
    puts "I am Square class"
  end
end
```

All we need to do is to call `instance_eval` on a class and inside a block we need to write the code that will become class method. We have defined a function `who_am_i`, its quite equal like typing this

```
class Square
  def self.who_am_i
    puts "I am Square class"
  end
end
```

And when we call `Square.who_am_i`, the method faithfully responds.

Chapter 27. Benchmark

Benchmark is a measure. You measure how long it takes for your code to run. So, why that's important? As you become more serious coder, you finishing a piece of work won't matter much. What matters is how well you write the code and how the code performs in real time environments. You must know to write code that runs fast. To checkout if one snippet of your code is faster than other you can use benchmark.

Take the example below, type it and run it

```
# benchmark.rb

require 'benchmark'

Benchmark.bm do|b|
  b.report("+= ") do
    a = ""
    1_000_000.times { a += ".." }
  end

  b.report("<< ") do
    a = ""
    1_000_000.times { a << ".." }
  end
end
```

Output

	user	system	total	real
+=	55.030000	7.320000	62.350000	(62.303848)
<<	0.160000	0.000000	0.160000	(0.168452)

So let me walk through the code, take the line `require 'benchmark'`, the benchmark library is included as part of Ruby standard distribution, so you can require this code without much fuss in your file.

Now lets look at this block

```
Benchmark.bm do|b|
  .....
end
```

What does it do? First we call function called `bm` in `Benchmark` class and pass a block between `do` and `end`. Now lets see whats in that block

```

Benchmark.bm do|b|
  b.report("+= ") do
    a = ""
    1_000_000.times { a += ". " }
  end

  b.report("<< ") do
    a = ""
    1_000_000.times { a << ". " }
  end
end

```

See the code above. We are preparing a report with `b.report("+= ")`, to the report function we can pass any string that will be printed in the output. If you look at the output's second line its `+= 55.030000 7.320000 62.350000 (62.303848)`, the `+=` is printed because `"+="` was passed to `b.report()`.

The `b.report()` opens a block of code to which you can pass anything that needs to be benchmarked. Here we pass a snippet of code shown below

```

b.report("+= ") do
  a = ""
  1_000_000.times { a += ". " }
end

```

So we are assigning an empty string to `a` and we are adding something to it a million times using `+=` operator. And we get this

	user	system	total	real
<code>+=</code>	55.030000	7.320000	62.350000	(62.303848)

as output shows it takes total of 62.35 seconds, which is quiet huge. Now lets take a look at the second block

```

b.report("<< ") do
  a = ""
  1_000_000.times { a << ". " }
end

```

Here we do the same stuff as the first but we use `<<` operator rather than `+=`, this generates the following output as highlighted below

	user	system	total	real
<code>+=</code>	55.030000	7.320000	62.350000	(62.303848)
<code><<</code>	0.160000	0.000000	0.160000	(0.168452)

So, it takes only 0.1685 seconds to do it with `<<`, so `<<` is far better than `+=` when it comes to string concatenation.

Now lets see some other stuff. You all know that computer has memory. When a program runs, it needs to remember things and it uses up some memory, occasionally when the available memory becomes less, the Ruby interpreter will clean up memory. This is called Garbage Collection [62: https://en.wikipedia.org/wiki/Garbage_collection_%28computer_science%29]. Its just like your city or municipality collecting garbage so that the city running is normal. Now think what will happen if the garbage is not collected and you encounter garbage that flows onto your streets, the entire city falters, things get really slow. Similarly if a program had run sufficiently long enough its better to collect garbage, other wise the new code that's been run might be slow and if you are benchmarking it, it might show a wrong result.

Now type the program below in text editor and run it.

```
# benchmark_2.rb

require 'benchmark'

puts "Testing without cleaning up"
Benchmark.bm do|b|
  b.report("+=") do
    a = ""
    100_000.times { a += ".." }
  end

  b.report("<<") do
    a = ""
    1_000_000.times { a << ".." }
  end
end

GC.start
puts

puts "Testing with cleaning up"
Benchmark.bmbm do|b|
  b.report("+=") do
    a = ""
    100_000.times { a += ".." }
  end

  b.report("<<") do
    a = ""
    100_000.times { a << ".." }
  end
end
```

Output

```
Testing without cleaning up
      user      system      total      real
+=  0.550000  0.220000  0.770000 ( 0.773730)
<<  0.150000  0.010000  0.160000 ( 0.159381)
```

```
Testing with cleaning up
Rehearsal -----
+=  0.520000  0.180000  0.700000 ( 0.687914)
<<  0.010000  0.010000  0.020000 ( 0.018958)
----- total: 0.720000sec
```

```
      user      system      total      real
+=  0.530000  0.120000  0.650000 ( 0.650013)
<<  0.010000  0.000000  0.010000 ( 0.015668)
```

If you see the first benchmarks, which are produced by this code

```
puts "Testing without cleaning up"
Benchmark.bm do|b|
  b.report("+=") do
    a = ""
    100_000.times { a += "." }
  end

  b.report("<<") do
    a = ""
    1_000_000.times { a << "." }
  end
end
```

In this we use `Benchmark.bm` and run it as usual, it generates the following output:

```
Testing without cleaning up
      user      system      total      real
+=  0.550000  0.220000  0.770000 ( 0.773730)
<<  0.150000  0.010000  0.160000 ( 0.159381)
```

The benchmark totals 0.77 and 0.16 seconds respectively. After this block we have these lines

```
GC.start
puts
```

In these lines, we are collecting the garbage or freeing up the memory that this program had used. Now we run another benchmark which is defined by this code block

```

puts "Testing with cleaning up"
Benchmark.bmbm do|b|
  b.report("+=") do
    a = ""
    100_000.times { a += "." }
  end

  b.report("<<") do
    a = ""
    100_000.times { a << "." }
  end
end

```

So what does the `Benchmark.bmbm` do? Till this time we were using `Benchmark.bm`! Well in the above code we have two benchmarks being run. The `bmbm` makes sure that after the first benchmark is done, there is a garbage collection and freeing up of memory so that the next stuff runs in a garbage collected environment so that it has better accurate result. Here is the output generated by second this code

```

Testing with cleaning up

Rehearsal -----
+=  0.520000  0.180000  0.700000 ( 0.687914)
<<  0.010000  0.010000  0.020000 ( 0.018958)
----- total: 0.720000sec

```

If you can compare the outputs of `100_000.times { a << "." }` without GC and with GC its 0.16 seconds, 0.02 seconds respectively. Now I think you would appreciate the need of garbage collection, be it in a city or in programming.

Chapter 28. Test Driven Development

Imagine you are in circus, a beautiful girl is performing in trapeze, she misses the grip and falls down, would you expect a safety net to be there and catch her? You must be insane for you to say no. In a similar fashion, lets say that you are developing a software, you make a blunder that would cost a lot to people using it, wouldn't it be a good thing to have checks and balances so that the blunder is known even before the software is shipped?

Welcome to Test Driven Development. In this methodology we write tests firsts, and then we write just enough code to satisfy the test. By following this methodology, I am able to code with supreme confidence, and am able to change the code and make it better (aka refactoring) knowing that there is a safety net to catch me in case I have done something wrong.

Lets take a imaginary scenario. You are tasked with coding a chat bot, the initial requirements as shown

- There must be a chat bot
- One must be able to set its age and name
- Its greeting must say "Hello I am <name> and my age is <age>. Nice to meet you!"

Usually the requirements won't be as precise like the one shown above, but as a programmer, one should be able to think it out. Now we rather than writing code to solve the task, we start to write a test file, lets name it as `test_chat_bot.rb` and put the requirements in it as shown below:

```
# test_chat_bot.rb

# There must be a chat bot

# One must be able to set its age

# One must be able to set its name

# Its greeting must say "Hello I am <name> and my age is <age>.
# Nice to meet you!"
```

Now the requirements are put as words in our program, we need to translate it into Ruby. Almost all programming languages have a test framework built into them, Ruby too has one and its called Minitest [63: <https://ruby-doc.org/stdlib-2.0.0/libdoc/minitest/rdoc/MiniTest.html>]. We will be using it here. To include Minitest we add the line shown highlighted below

```
# test_chat_bot.rb

require "minitest/autorun"

# There must be a chat bot

# One must be able to set its age

# One must be able to set its name

# Its greeting must say "Hello I am <name> and my age is <age>.
# Nice to meet you!"
```

Now we have included Minitest, lets now write a test class as shown below

```
# test_chat_bot.rb

require "minitest/autorun"

class TestChatBot < Minitest::Test
  # There must be a chat bot

  # One must be able to set its age

  # One must be able to set its name

  # Its greeting must say "Hello I am <name> and my age is <age>.
  # Nice to meet you!"
end
```

Having done what's shown above, lets now code for the first test case, take a look at the code below

```
class TestChatBot < Minitest::Test
  # There must be a chat bot
  def test_there_must_be_a_chat_bot
    assert_kind_of ChatBot, ChatBot.new
  end

  # One must be able to set its age

  # One must be able to set its name

  # Its greeting must say "Hello I am <name> and my age is <age>.
  # Nice to meet you!"
end
```

There is a lot going on in the above code, first we have written a test function by writing

```
def test_there_must_be_a_chat_bot
end
```

Note how this function starts with a `test_`, this is essential for it to be identified as a test. Next we must test some thing in this function. We can use the instance of an `ChatBot` class only if the `ChatBot` class exists, so we try creating a new `ChatBot` instance and check if its class is `ChatBot`, in the following piece of highlighted code

```
def test_there_must_be_a_chat_bot
  assert_kind_of ChatBot, ChatBot.new
end
```

Look at this thing `assert_kind_of`, if you are wondering what these are let me explain. These are called assertions. You can see what assertions are there here http://ruby-doc.org/stdlib-2.0.0/libdoc/minitest/rdoc/MiniTest/Assertions.html#method-i-assert_respond_to.

Assertions are functions that verify weather some thing expected is happening, if that happens, it means that test has passed, else it has failed.

Now lets run the test file `test_chat_bot.rb`

```
$ ruby test_chat_bot.rb
Run options: --seed 53866

# Running:

E

Finished in 0.000875s, 1142.2906 runs/s, 0.0000 assertions/s.

1) Error:
TestChatBot#test_there_must_be_a_chat_bot:
NameError: uninitialized constant TestChatBot::ChatBot
  test_chat_bot.rb:9:in `test_there_must_be_a_chat_bot'

1 runs, 0 assertions, 0 failures, 1 errors, 0 skips
```

So we get the above output that says that no constant called `ChatBot` exists. Very well, we haven't defined what `ChatBot` is and so we will define it. In the `test_chatbot.rb` , we add the line `require_relative "chat_bot.rb"` as shown below

```

# test_chat_bot.rb

require "minitest/autorun"
require_relative "chat_bot.rb"

class TestChatBot < Minitest::Test
  # There must be a chat bot
  def test_there_must_be_a_chat_bot
    assert_kind_of ChatBot, ChatBot.new
  end

  # One must be able to set its age

  # One must be able to set its name

  # Its greeting must say "Hello I am <name> and my age is <age>.
  # Nice to meet you!"
end

```

And we create a new file called `chat_bot.rb` with the following content

```

# chat_bot.rb

class ChatBot
end

```

Now lets run the test.

```

$ ruby test_chat_bot.rb
Run options: --seed 19585

# Running:

.

Finished in 0.000720s, 1388.5244 runs/s, 1388.5244 assertions/s.

1 runs, 1 assertions, 0 failures, 0 errors, 0 skips

```

What have we done? We had a requirement, we wrote test that covered the requirement, we ran the test, it failed, to pass it we wrote just enough code to make it pass. Now imagine a scenario, you are in a project with 10 developers, one of them accidentally makes a mistake that will rename this `ChatBot` class, and your tests would catch it. In short if you write enough tests, you can make bugs popping up found early. It does not guarantee bug free code, but makes bugs popping up a lot more difficult. These tests will also make you confident to refactor code. Say you make a change, there is no need to fear that your change might cause an havoc, just run the tests once and you will get a report of what fails and passes.

Lets write another test, one should be able to give chat bot an `age`. So lets write a test where we can set its age and read it back. Look at the code in function `test_one_must_be_able_to_set_its_age` below

```
# test_chat_bot.rb

require "minitest/autorun"
require_relative "chat_bot.rb"

class TestChatBot < Minitest::Test
  # There must be a chat bot
  def test_there_must_be_a_chat_bot
    assert_kind_of ChatBot, ChatBot.new
  end

  # One must be able to set its age
  def test_one_must_be_able_to_set_its_age
    age = 21
    chat_bot = ChatBot.new
    chat_bot.age = age
    assert_equal age, chat_bot.age
  end

  # One must be able to set its name

  # Its greeting must say "Hello I am <name> and my age is <age>.
  # Nice to meet you!"
end
```

Look at the code above, look at this line `assert_equal age, chat_bot.age`, here we assert weather the `chat_bot` returns the set age.

```
$ ruby test_chat_bot.rb
Run options: --seed 59168

# Running:

.E

Finished in 0.000855s, 2338.4784 runs/s, 1169.2392 assertions/s.

1) Error:
TestChatBot#test_one_must_be_able_to_set_its_age:
NoMethodError: undefined method `age=' for #<ChatBot:0x0000558b89da5380>
  test_chat_bot.rb:16:in `test_one_must_be_able_to_set_its_age'

2 runs, 1 assertions, 0 failures, 1 errors, 0 skips
```

If you see above test result, it says no method error, and says the function `age=` is missing, so lets fix it

```
# chat_bot.rb

class ChatBot
  attr_accessor :age
end
```

So we add above `attr_accessor :age` line, and now run the test and it passes as shown below

```
$ ruby test_chat_bot.rb
Run options: --seed 42767

# Running:

..
Finished in 0.000774s, 2583.4820 runs/s, 2583.4820 assertions/s.

2 runs, 2 assertions, 0 failures, 0 errors, 0 skips
```

Lets now do the same for name too, I won't explain it as its the same for age, and I have skipped its explanation in this book. Let me talk about the final test. It must greet some one. For that we write a test as shown in function `test_greeting_message` below:

```

# test_chat_bot.rb

require "minitest/autorun"
require_relative "chat_bot.rb"

class TestChatBot < Minitest::Test
  # There must be a chat bot
  def test_there_must_be_a_chat_bot
    assert_kind_of ChatBot, ChatBot.new
  end

  # One must be able to set its age
  def test_one_must_be_able_to_set_its_age
    age = 21
    chat_bot = ChatBot.new
    chat_bot.age = age
    assert_equal age, chat_bot.age
  end

  # One must be able to set its name
  def test_one_must_be_able_to_set_its_name
    name = "Zigor"
    chat_bot = ChatBot.new
    chat_bot.name = name
    assert_equal name, chat_bot.name
  end

  # Its greeting must say "Hello I am <name> and my age is <age>.
  # Nice to meet you!"
  def test_greeting_message
    name = "Zigor"
    age = 21
    expected_message = "Hello I am #{name} and my age is #{age}. Nice to meet you!"
    chat_bot = ChatBot.new
    chat_bot.name = name
    chat_bot.age = age
    assert_equal expected_message, chat_bot.greeting_message
  end
end

```

Now we run it as you see it naturally fails as shown

```

$ ruby test_chat_bot.rb
Run options: --seed 8752

# Running:

.E..

Finished in 0.001075s, 3720.5045 runs/s, 2790.3784 assertions/s.

1) Error:
TestChatBot#test_greeting_message:
NoMethodError: undefined method `greeting_message' for #<ChatBot:0x000055b4ae5a8620
@name="Zigor", @age=21>
  test_chat_bot.rb:39:in `test_greeting_message'

4 runs, 3 assertions, 0 failures, 1 errors, 0 skips

```

so we modify the file [chat_bot.rb](#) as shown

```

# chat_bot.rb

class ChatBot
  attr_accessor :age, :name

  def greeting_message
    "Hello I am #{name} and my age is #{age}. Nice to meet you!"
  end
end

```

now we run the tests, and it passes as shown:

```

$ ruby test_chat_bot.rb
Run options: --seed 16324

# Running:

.....

Finished in 0.001149s, 3480.2007 runs/s, 3480.2007 assertions/s.

4 runs, 4 assertions, 0 failures, 0 errors, 0 skips

```

So now we have got an application and a safety net around it, hence its more bug proof.

Design Patterns

Need for Design Patterns

When software began, it was small, computers were low powered and were used for very menial tasks compared to what its been used for now, people were happy with small programs which a single person or a closely knit group could maintain. But as computers became more powerful and computers became more complex and projects became vast, structuring of code became an important issue. That's when design patterns came to light.

Most people reading this book would be a Ruby beginner or an intermediate, but you may need to work in real projects. Even if you have chosen Ruby for your personal project, it better to structure your code well, hence the need for design pattern becomes essential.

Chapter 29. Observer Pattern

Object Oriented Programming is modeled after real world. Here objects need to communicate with one another, and other objects need to react when ones object state changes. Lets say that you have a situation where a object's state change needs to be propagated to n-number of other objects, those other objects are called observers. How to write a neat and tidy code to notify observers when something changes? Welcome to Observer Pattern.

Take a look at [observer.rb](#), the code listing is shown below

```
# observer.rb

class Person
  attr_accessor :name, :status, :observers

  def initialize name
    @name = name
    @observers = []
  end

  def set_status status
    @status = status
    notify_observers
  end

  def notify_observers
    for observer in observers
      observer.notify self
    end
  end

  def notify person
    puts "#{person.name}: #{person.status} - notified to #{@name}"
  end
end

vel = Person.new "Vel"
vel.observers << Person.new("Murugan")
vel.observers << Person.new("Swami")

vel.set_status "Hello All!"
```

In the code above take a look at these lines

```
vel = Person.new "Vel"
vel.observers << Person.new("Murugan")
vel.observers << Person.new("Swami")
```

So from the code above we know that there is a person called Vel who is observed by Murugan and Swami. Just imagine a social network where Vel is followed by Murugan and Swami. So we have an attribute called `observers` in `Person`, which is nothing but an array that can take in as many observers as possible.

If you look at `observer.rb`, you will notice that it has been accomplished in these lines

```
class Person
  attr_accessor :name, :status, :observers

  def initialize name
    @name = name
    @observers = []
  end

  ...
end
```

Next look at this line

```
vel.set_status "Hello All!"
```

In it we set the status of Vel. When we run the program we get the following output:

```
Vel: Hello All! - notified to Murugan
Vel: Hello All! - notified to Swami
```

So as you can see that the observers have been notified about Vel's new status. How this was accomplished? If you look at `observer.rb`, in the method `set_status` we would have called the method `notify_observers`, in it the magic happens.

Take a look at `notify_observers` method

```
class Person
  ...

  def notify_observers
    for observer in observers①
      observer.notify self②
    end
  end

  ...
end
```

In it the following happens

- ① We iterate through each observer.
- ② We call `notify` method in the observer and pass the changed object.

Since the observers are all of the type `Person`, we have written the `notify` method in the same class as, take a look at the code below. In it

```
class Person
  ...
  def notify person①
    puts "#{person.name}: #{person.status} - notified to #{@name}"②
  end
end
```

① `notify` receives the changed object, in this case as `person`.

② It does something with the changed object.

So this is how observer pattern works. We have way to store observers, we have a method to notify observers which is called when notification needs to be made and finally we have a method in observer to receive the changed object. The observer can do what it may wish with the changed object.



Actually when you are using Ruby, observer pattern is baked right into its standard library. Check this out <https://ruby-doc.org/stdlib-2.7.0/libdoc/observer/rdoc/Observable.html>

Chapter 30. Template Pattern

In template pattern, a class provides a base template, this base template is used by other classes for their intended purpose.

Lets see an example, look at the code shown below. We have a class called `News`, this news can be delivered via various mechanisms like text (say SMS), via the web in HTML format, or using json, or using XML.

So to deliver, the class `News` implements a basic template. It has method called `print` which prints output of three methods namely `header`, `body` and `footer`. That is, it defines a template saying that when news is to be delivered it must have a header, followed by the body of the news, then followed by the news footer.

Now type and run the program `template.rb` below.

```
# template.rb

class News
  attr_accessor :title, :content

  def initialize title, content
    @title = title
    @content = content
  end

  def header
    raise "Not Implemented"
  end

  def body
    raise "Not Implemented"
  end

  def footer
    raise "Not Implemented"
  end

  def print
    puts header
    puts body
    puts footer
  end
end

class PlainText < News
  def header
    """
    ****
    *      TODAYS NEWS      *
    """
```

```
*****
"""
end

def footer
"""
*****
*      GOODBYE!      *
*****
"""

end

def body
"""
#{title}
=====
#{content}
"""

end
end

PlainText.new(
  "Good Morning!",
  "Nice weather today"
).print
```

Output

```
*****
*      TODAYS NEWS      *
*****


Good Morning!
=====
Nice weather today


*****
*      GOODBYE!      *
*****
```

Now look at the class `PlainText`, it inherits from `News`, thus it must implement the pattern defined by `News`. So all it (`PlainText`) needs to do is to define the three methods namely `header`, `body` and `footer`. An so it does.

Now to print a news in plain text format all we need to do is to initialize a instance of `PlainText` class, and call `print` on it. Its done by the following piece of code

```
PlainText.new(  
    "Good Morning!",  
    "Nice weather today"  
).print
```

So if you see, the template pattern defines a base template or structure, thus bringing about clarity and structure to class that want's to extend it. This may also reduce the coding needed to be done in the derived class.

30.1. Exercise

Why don't you modify the template pattern code so that we get out a HTML formatted text like this

```
<html>  
  <head>  
    <title>Today's News</title>  
  </head>  
  <body>  
    <h1>Good Morning!</h1>  
    <p>Nice weather today</p>  
  </body>  
</html>
```

Chapter 31. Factory Pattern

Imagine a restaurant, its actually a food factory. If you need dosa [64: <https://en.wikipedia.org/wiki/Dosa>] you ask the waiter for it, if you need idiyappam [65: <https://en.wikipedia.org/wiki/Idiyappam>] you ask the waiter for it. In essence the restaurant or the food factory has created a common interface called the waiter for you to order anything. You just ask him, he delivers and you need not care about how dosa is made or how idiyappam is made.

In programming you can do the same thing, you can implement a factory class that hides the difficulties of manufacturing an object and provides you with a common interface to make objects. Take a look at the code `factory.rb` below. Type and run it.

```
# factory.rb

class Shape
  def draw
    puts "In instance of #{self.class}"
  end
end

class Square < Shape
end

class Circle < Shape
end

class ShapeFactory
  def get_shape type
    case type
    when :square then Square.new
    when :circle then Circle.new
    end
  end
end

shape_factory = ShapeFactory.new
square = shape_factory.get_shape :square
circle = shape_factory.get_shape :circle

square.draw
circle.draw
```

Output:

```
In instance of Square
In instance of Circle
```

Lets see how it works. In the code the highlight is this one

```
class ShapeFactory
  def get_shape type
    case type
    when :square then Square.new
    when :circle then Circle.new
    end
  end
end
```

We have a class named `ShapeFactory` which provides a common interface to make objects via the function `get_shape`. To this `get_shape` we pass what type of object we want it to create and it creates it. Since this is just an example, the factory pattern here looks like its making the code complicated than simpler to the programmer, but in real life creation of an object could be very complex, and if factory classes can hide the complexity, then the life of programmer using it to build his software will become simple.

31.1. Exercise

Imagine you are writing a software for a game and you need to create enemy objects like tank, helicopter, missile launcher, infantry and so on. Write a factory pattern where when you call `Enemy.random` returns a random enemy object.

Chapter 32. Decorator Pattern

Decorator pattern allows an object to be extended on the fly. For this section we would like the reader to read about `SimpleDelegator` here <https://docs.ruby-lang.org/en/2.7.0/SimpleDelegator.html>. In fact we have taken the example in this book right from the Ruby documentation.

Take a look at the program below, type it and execute it.

```
# decorator.rb

class User
  def born_on
    Time.new(1989, 9, 10)
  end
end

class UserDecorator < SimpleDelegator
  def birth_year
    born_on.year
  end
end

decorated_user = UserDecorator.new(User.new)
puts decorated_user.birth_year
puts decorated_user.__getobj__
puts decorated_user.class
```

Output

```
1989
#<User:0x00005592d8d63470>
UserDecorator
```

Now lets see how it works. First we have a class called `User` and it has a function called `born_on` which returns a `Time` object of when the user is born. Lets say that we just want to add a feature that just returns the birth year, we could go and modify the original class `User` and add a function `birth_year` that just returns the year of birth, or we can use a decorator to extend the capabilities of `User`.

Take a look at this piece of code

```
class UserDecorator < SimpleDelegator
  def birth_year
    born_on.year
  end
end
```

Here we create a class named `UserDecorator` that inherits from `SimpleDelegator` which is a built in Ruby features that helps us to build decorators. In it we write a function called `birth_year` that returns just the year of birth.

Now all we need to do to extend `User` with `UserDecorator` using this statement

```
decorated_user = UserDecorator.new(User.new)
```

In this statement the `decorated_user` is a instance of `UserDecorator`, but it has got all methods of `User` as well as `UserDecorator`. So calling `decorated_user.birth_year` works fine. In theory we have extended the capability of `User` class without messing up with it.

Chapter 33. Adapter Pattern

Adapter pattern is one in which a class can be made to adapt for various needs. Let's say that we have a class called **Animal**, and depending on the way it must adapt, if it needs to behave like a dog, then it needs to say "woof!"; if it needs to behave like a cat, it must say "meow!" and so on. Then we can write a code as shown below:

```
# without_adapter.rb

class Animal
  def speak(kind)
    puts case kind
    when :dog then "woof!"
    when :cat then "meow!"
    when :owl then "hoo!"
    end
  end
end

Animal.new.speak(:dog)
```

Output

```
woof!
```

But thinking deep, is that code good? Each time I need to make this animal behave like a new one, I need to change the **Animal** class. What if I had written the **Animal** class in such a way that it can be made to change its behavior without changing its original code? Welcome to the Adapter pattern.

Now look at the code [animal.rb](#) below. Let me not explain it now, but let's skip to its implementation

```

# animal.rb

class Animal
  module Adapter
    module Dog
      def self.speak
        puts "woof!"
      end
    end

    module Cat
      def self.speak
        puts "meow!"
      end
    end
  end

  def speak
    self.adapter.speak
  end

  def adapter
    return @adapter if @adapter
    self.adapter = :dog
    @adapter
  end

  def adapter=(adapter)
    @adapter = Animal::Adapter.const_get(adapter.to_s.capitalize)
  end
end

```

So in the below program `adapter.rb`, we have used the class `Anaimal` that was written in `animal.rb`

```

# adapter.rb

require_relative "animal.rb"

animal = Animal.new
animal.speak
animal.adapter = :cat
animal.speak

```

Output

```

woof!
meow!

```

Here we first call `animal.speak` to which it prints `woof!`, next we tell it to adapt like a cat by commanding `animal.adapter = :cat` and we call `animal.speak` once again and it prints `meow`. Well how this works.

Now lets analyze the code in `animal.rb`. Here we have a class called `Animal` and in it we have got a function to set the adapter as shown

```
def adapter=(adapter)
  @adapter = Animal::Adapter.const_get(adapter.to_s.capitalize)
end
```

When we pass the name of the adapter as a `Symbol`, notice the code `adapter.to_s.capitalize`, say if we pass it as `:cat`, it gets converted to `Cat`, which is nothing but name of a module in `Animal::Adapter`. This gets loaded into the `@adapter` as we get the constant in `Animal::Adapter.const_get(...)`` [66: https://ruby-doc.org/core-2.1.0/Module.html#method-i-const_get] statement. So we have set the `@adapter`.

Now lets see how this `Animal` class calls the corresponding `speak` method depending on what ever adapter we have set. Lets assume that `@adapter` is loaded with the constant `Animal::Adapter::Cat`, now in function

```
def adapter
  return @adapter if @adapter
  self.adapter = :dog
  @adapter
end
```

in `return @adapter if @adapter` the constant gets returned. So in statement `animal.speak` that follows after `animal.adapter = :cat`, it will load the `speak` function in `Animal::Adapter::Cat`. Hence when its called, it returns `meow!`.

Now the advantage of coding class `Animal` in such way is we can extend it to different animals without modifying the original class. In other words it can be made to adapt to new situations. See the code below in `adapter_2.rb`. We have put a new module named `Owl` in `Animal::Adapter`, and when we set the adapter as owl using `animal.adapter = :cat` and call `animal.speak`, we get the response as `hoo!`

```
# adapter_2.rb

require_relative "animal.rb"

class Animal
  module Adapter
    module Owl
      def self.speak
        puts "hoo!"
      end
    end
  end
end

animal = Animal.new
animal.adapter = :owl
animal.speak
```

Output

```
hoo!
```

Chapter 34. Singleton Pattern

Imagine that you have a party in your house and you are expecting about 20 guests, each guest must enter your house and hence a door is needed for each of them, so you start bashing your walls and start making space for 20 doors. Doesn't it sound crazy? Don't you think just one door would serve this purpose?

Lets say that you want to have access to database in your Ruby program. You can write a class to connect to it and return the result. Lets say that your program is making 10 simultaneous connections to the database, then do you think its logical to replicate database user name, password and the querying program to be present in 10 places on your computer RAM? or do you think its efficient to have it in just one place and it can be used by all?

Welcome to Singleton pattern, in it no matter what, a singleton object when created even a million times, it is stored in just one place in your computer RAM, thus saving computer space.

Let's look at a very simple example. Below we have a program called [multiton.rb](#). Type it and execute it.

```
# multiton.rb

class Multiton
end

puts Multiton.new.object_id
puts Multiton.new.object_id
```

Output

```
47002601799540
47002601799360
```

In the above program we are creating two instances of the class **Multiton** and we are querying for its **object_id**. If the both the instances occupy the same location in RAM, then we would have got the same object id both the time, but we see its different, so they occupy two different spaces in the RAM.

Take a look at the program [singleton_example.rb](#). Type it and execute it.

```
# singleton_example.rb

require 'singleton'

class SingletonExample
  include Singleton
end

puts SingletonExample.instance.object_id
puts SingletonExample.instance.object_id
```

Output

```
47257803517040
47257803517040
```

In the above program, we have a class called `SingletonExample` and in it we call this statement `include Singleton`, this makes the class a Singleton. (For this note that in the start of the program we have written `require 'singleton'`, yes Ruby has got its baked in singleton library.) That is, it does not create copies of itself in the computer RAM even if its initialized many times. In fact we cannot call any `new` method on this class. To prove that it just occupies one slot in RAM, we call it twice and print the object id using this statement `puts SingletonExample.instance.object_id`, here we create two instances of the singleton class and it returns the same object id, proving it does not replicate itself in various location in RAM and hence a singleton.

Chapter 35. Composite Pattern

Take a look at the code [boiling_egg.rb](#) below. Type and execute it

```
require_relative "node.rb"

class BuyEggs < Node
  attr_accessor :time_in_minutes

  def initialize
    @time_in_minutes = 15
    super "Buy eggs"
  end
end

class BoilEggs < Node
  attr_accessor :time_in_minutes

  def initialize
    @time_in_minutes = 10
    super "Boil eggs"
  end
end

class PeelEggs < Node
  attr_accessor :time_in_minutes

  def initialize
    @time_in_minutes = 3
    super "Peel eggs"
  end
end

class ServeEggs < Node
  attr_accessor :time_in_minutes

  def initialize
    @time_in_minutes = 2
    super "Serve eggs"
  end
end

class BoiledEggs < Node
  def initialize
    super "Boiled eggs"
    add_child BuyEggs.new
    add_child BoilEggs.new
    add_child PeelEggs.new
    add_child ServeEggs.new
  end
end
```

```

def total_time_in_minutes
  total = 0

  for child in self.children
    total += child.time_in_minutes
  end

  total
end
end

boiled_eggs = BoiledEggs.new
puts "Time (in minutes) to make boiled eggs is #{boiled_eggs.total_time_in_minutes}."

```

Output

Time (in minutes) to make boiled eggs is 30.

In Composite Pattern, we divide a Class into many Classes. Say if boiling eggs need to be represented in an Object Oriented way, we may write **BoiledEggs** as a class as shown below.

```

class BoiledEggs < Node
  def initialize
    super "Boiled eggs"
    add_child BuyEggs.new
    add_child BoilEggs.new
    add_child PeelEggs.new
    add_child ServeEggs.new
  end

  def total_time_in_minutes
    total = 0

    for child in self.children
      total += child.time_in_minutes
    end

    total
  end
end

```

BoiledEggs inherits a class called **Node** which helps to build a tree structure. Let's see about the **Node** class later. Let's now concentrate on composite pattern. As you can see in the **initialize** method, in this class **BoiledEggs** is partitioned into many class classes namely **BuyEggs** to **ServeEggs**, and they are added as child nodes to **BoiledEggs**.

If you can see the class **BuyEggs** it's like this:

```

class BuyEggs < Node
  attr_accessor :time_in_minutes

  def initialize
    @time_in_minutes = 15
    super "Buy eggs"
  end
end

```

If you see the class **ServeEggs**, its like this:

```

class ServeEggs < Node
  attr_accessor :time_in_minutes

  def initialize
    @time_in_minutes = 2
    super "Serve eggs"
  end
end

```

In fact it looks very similar to **BuyEggs**, and hence these classes can be treated in a similar way. So its like this **BoiledEggs** composes of different objects which can be treated in a similar way.

Now each class in **BoiledEggs** have a **time_in_minutes** attribute. Hence if we need to can calculate total time in minutes for making boiled eggs, all we need to do is to write a function **total_time_in_minutes** as shown

```

class BoiledEggs < Node
  ...

  def total_time_in_minutes
    total = 0

    for child in self.children
      total += child.time_in_minutes
    end

    total
  end
end

```

So Composite pattern can be employed in places where there is a complex object, who's functionality can be broken into smaller objects, these smaller objects can be treated in very similar fashion, and these smaller objects are placed in a tree structure.

Talking about tree structure, we have built a class called **Node** which can be found in file **node.rb**. You can see it below.

```

class Node
  attr_accessor :name, :parent, :children

  def initialize name = "node"
    @name = name
    @parent = nil
    @children = []
  end

  def to_s
    "<Node: #{@name}, id: #{self.object_id}>"
  end

  def add_child node
    children << node
    node.parent = self
  end
end

```

It has a function called `add_child` with which we can add child elements. You can get parent of a node with `parent` function. To see how this node class works, take a look at the code `composite.rb` below:

```

# composite.rb

require_relative "node.rb"

n1 = Node.new "n1"
n2 = Node.new "n2"
n3 = Node.new "n3"

n1.add_child n2
n1.add_child n3

puts "children of #{n1} are:"
for node in n1.children
  puts node
end

puts
puts "Parent of #{n3} is #{n3.parent}"

```

Output

children of <Node: n1, id: 47253445808700> are:

<Node: n2, id: 47253445808560>

<Node: n3, id: 47253445808360>

Parent of <Node: n3, id: 47253445808360> is <Node: n1, id: 47253445808700>

Chapter 36. Builder Pattern

Lets say that you are writing a piece of software for a computer maker who's website offers very high degree of customization. A computer can have lots of parts that can be varied, so there is lot of combinations. So rather than put all these code in just one single huge computer class, we create a class called builder, in this case we create a class called [ComputerBuilder](#), which takes on the task of creating a customized computer and possibly eases the creation or build process too.

Let's say that we need different types of CPU's to build a computer, for that we write three types of CPU classes as shown below in [cpus.rb](#).

```
class CPU
  # cpu stuff...
end

class BasicCPU < CPU
  # basic cpu stuff...
end

class TurboCPU < CPU
  # trubo fast cpu stuff...
end
```

Computers may need drives, we write a class for it too, if you see the code [drive.rb](#) below, for the drive, we have provided provide a class, along with a initializer which we can use to customize it to a degree.

```
class Drive
  attr_reader :type, :size, :writable

  def initialize(type, size, writable)
    @type = type
    @size = size
    @writable = writable
  end
end
```

In a similar way, below we have coded for the mother board in [motherboard.rb](#).

```

class Motherboard
  attr_accessor :cpu, :memory_size

  def initialize(cpu = BasicCPU.new, memory_size = 1000)
    @cpu = cpu
    @memory_size = memory_size
  end
end

```

Now lets look at the `Computer` class (in `computer.rb`), this is very similar to class `Drive` and `Motherboard`. Our aim is to understand the builder pattern, so lets move on.

```

class Computer
  attr_accessor :display, :motherboard, :drives

  def initialize(display = :crt, motherboard = Motherboard.new, drives = [])
    @display = display
    @motherboard = motherboard
    @drives = drives
  end
end

```

Let's now analyze the hero of this section, the `ComputerBuilder` class. Go through the code below, we will talk about it soon.

```

class ComputerBuilder
  attr_reader :computer

  def initialize
    @computer = Computer.new
  end

  def turbo(_has_turbo_cpu = true)
    @computer.motherboard.cpu = TurboCPU.new
  end

  def display(display)
    @computer.display = display
  end

  def memory_size(size_in_mb)
    @computer.motherboard.memory_size = size_in_mb
  end

  def add_cd(writable = false)
    @computer.drives << Drive.new(:cd, 760, writable)
  end

  def add_dvd(writable = false)
    @computer.drives << Drive.new(:dvd, 4700, writable)
  end

  def add_hard_disk(size_in_mb)
    @computer.drives << Drive.new(:hard_disk, size_in_mb, true)
  end

  def method_missing(name, *args)
    words = name.to_s.split('_')
    return super(name, *args) unless words.shift == 'add'
    words.each do |word|
      next if word == 'and'
      add_cd if word == 'cd'
      add_dvd if word == 'dvd'
      add_hard_disk(100_000) if word == 'harddisk'
      turbo if word == 'turbo'
    end
  end

  def computer
    raise 'Not enough memory.' if @computer.motherboard.memory_size < 250
    raise 'Too many drives.' if @computer.drives.size > 4
    @computer
  end
end

```

In the program above we do have `initialize` method in line 4, but if you look at line 44, in method `computer` is where the `Computer` instance is returned. In that very same function if you see we have code to raise exceptions if there aren't enough memory, or if too many disks are added to computer. So this is another advantage of the Builder Pattern where you can prevent a complex object getting built if it does not satisfy certain criteria.

In the builder you have methods like `display`, `memory_size`, and a function called `turbo` to set parameters for display, memory and the type of CPU. We also have functions like `add_cd`, `add_dvd` and `add_hard_disk`, to add these things to the computer we are building it.

Now lets look at the program that brings all together. Take a look at the program `main.rb` below, type it or copy-paste and execute it.

```

require_relative 'cpus'
require_relative 'drive'
require_relative 'motherboard'
require_relative 'computer'
require_relative 'computer_builder'

builder = ComputerBuilder.new
builder.turbo
builder.display(:lcd)
builder.add_cd
builder.add_dvd(true)
builder.add_hard_disk(100_000)

# manufacture 10 computers using the builder
computers = []
10.times { computers << builder.computer.clone }
computers.each { |computer| puts computer }

# computer must have at least 250 MB of memory
builder = ComputerBuilder.new
builder.memory_size(249)
begin
  builder.computer
rescue Exception => e
  puts e.message
end

# computer must have at most 4 drives
builder = ComputerBuilder.new
builder.add_cd
builder.add_dvd
builder.add_hard_disk(1000)
builder.add_cd
builder.add_dvd
begin
  builder.computer
rescue Exception => e
  puts e.message
end

# use magic method to rapidly build a computer
puts 'Computer built with magic method builder'
builder = ComputerBuilder.new
builder.add_cd_and_dvd_and_harddisk_and_turbo
computer = builder.computer
puts "CPU: #{computer.motherboard.cpu.class}"
computer.drives.each { |drive| puts "Drive: #{drive.type}" }

```

Output

```

#<Computer:0x0000564155728610>
#<Computer:0x0000564155728598>
#<Computer:0x0000564155728570>
#<Computer:0x0000564155728548>
#<Computer:0x0000564155728520>
#<Computer:0x00005641557284f8>
#<Computer:0x00005641557284d0>
#<Computer:0x00005641557284a8>
#<Computer:0x0000564155728430>
#<Computer:0x0000564155728408>
Not enough memory.
Too many drives.
Computer built with magic method builder
CPU: TurboCPU
Drive: cd
Drive: dvd
Drive: hard_disk

```

Now lets see how it works. From lines 1-5:

```

require_relative 'cpus'
require_relative 'drive'
require_relative 'motherboard'
require_relative 'computer'
require_relative 'computer_builder'

```

we require the necessary files for this program to work. In the following lines shown below we create a `ComputerBuilder` instance called `builder` which has a turbo CPU, LCD display, has one CD player, has a writable DVD and a hard disk of 100,000 megabytes:

```

builder = ComputerBuilder.new
builder.turbo
builder.display(:lcd)
builder.add_cd
builder.add_dvd(true)
builder.add_hard_disk(100_000)

```

Now using this this `builder`, we can clone [67: <https://ruby-doc.org/core-2.7.0/Object.html#method-i-clone>] it to create any number of computers. In the code below we create 10 computer clones and print them

```

# manufacture 10 computers using the builder
computers = []
10.times { computers << builder.computer.clone }
computers.each { |computer| puts computer }

```



Imagine you are writing a game and you need to create 10's of objects, this pattern will be handy.

Now lets test the code that will raise exception if the memory is low. Look at the code below

```
# computer must have at least 250 MB of memory
builder = ComputerBuilder.new
builder.memory_size(249)
begin
  builder.computer
rescue Exception => e
  puts e.message
end
```

In the code above we create a computer builder in `builder = ComputerBuilder.new`, next we deliberately assign low memory in this line `builder.memory_size(249)`, in the `begin end` block we try to create a `Computer` instance from the `builder` using `builder.computer` and it sure raises an exception which is caught and printed out by this `puts e.message` statement under `rescue`. In the output we would have got this message:

Not enough memory.

In a similar way we try to build a computer having five drives, that is 2 CD's, 2 DVD's and 1 Hard Disk. We have limited maximum number of drives to 4 in `ComputerBuilder` class, so the code snippet below will raise an error:

```
# computer must have at most 4 drives
builder = ComputerBuilder.new
builder.add_cd
builder.add_dvd
builder.add_hard_disk(1000)
builder.add_cd
builder.add_dvd
begin
  builder.computer
rescue Exception => e
  puts e.message
end
```

This error is caught and printed and hence we get the following output:

Too many drives.

36.1. Exercise

You now know about builder pattern. If you like to explore further, take a look at the code below

```
# use magic method to rapidly build a computer
puts 'Computer built with magic method builder'
builder = ComputerBuilder.new
builder.add_cd_and_dvd_and_harddisk_and_turbo
computer = builder.computer
puts "CPU: #{computer.motherboard.cpu.class}"
computer.drives.each { |drive| puts "Drive: #{drive.type}" }
```

This code produces the following output

```
Computer built with magic method builder
CPU: TurboCPU
Drive: cd
Drive: dvd
Drive: hard_disk
```

Now in `ComputerBuilder` class take a look at the `method_missing` method, and try to explain how this `builder.add_cd_and_dvd_and_harddisk_and_turbo` statement works.

Chapter 37. Strategy Pattern

Weather you realize or not you are a good strategist. When you wake up in the morning, you look up for a drink of coffee, when coffee powder is not available you might settle for a tea or hot chocolate or milk. You drive to work or school, if a way is blocked you take the other way. At your work you need to think the way you need to present to your boss, weather your boss is in a good mood or not so that you can speak about fact or mask it up. Strategy is everywhere, you just don't notice it. You keep adopting new strategy every time depending on the environment [68: Some people like Alexander get to kill others using their strategy, and so they become great.].

In the world of computing if we can tell a piece of code to run different algorithms on the fly depending on the flag / parameters passed, then this type of coding is called strategy pattern. Lets take a look at the example [strategy_pattern.rb](#) below:

```

# strategy_pattern.rb

module NewsFormatter
  class Text
    def self.format(data)
      separator = "\n* "
      separator + data.join(separator)
    end
  end

  class HTML
    def self.format(data)
      html = []
      html << "<ul>"
      data.each { |datum| html << "<li>#{datum}</li>" }
      html << "</ul>"
      html.join "\n"
    end
  end
end

class NewsGenerator
  def self.generate(data, formatter)
    formatter.format(data)
  end
end

news = [
  "You are reading I Love Ruby.",
  "There is water down below in the oceans.",
  "There is air up above our heads.",
  "Even people in space report their is air up above their heads.",
  "Even bald people have air up above their heads."
]

puts "News As HTML:"
puts "\n"
puts NewsGenerator.generate(news, NewsFormatter::HTML)
puts "\n\n"

puts "News As Text:"
puts "\n"
puts NewsGenerator.generate(news, NewsFormatter::Text)
puts "\n\n"

```

Type it and execute it

Output

News As HTML:

```
<ul>
<li>You are reading I Love Ruby.</li>
<li>There is water down below in the oceans.</li>
<li>There is air up above our heads.</li>
<li>Even people in space report their is air up above their heads.</li>
<li>Even bald people have air up above their heads.</li>
</ul>
```

News As Text:

- * You are reading I Love Ruby.
- * There is water down below in the oceans.
- * There is air up above our heads.
- * Even people in space report their is air up above their heads.
- * Even bald people have air up above their heads.

Lets now analyze the code. Look at these lines (29-35):

```
news = [
  "You are reading I Love Ruby.",
  "There is water down below in the oceans.",
  "There is air up above our heads.",
  "Even people in space report their is air up above their heads.",
  "Even bald people have air up above their heads."
]
```

Here we declare an array called `news`, and fill it with news items.

Then in line 39, we have this statement `puts NewsGenerator.generate(news, NewsFormatter::HTML)`, which prints out this:

```
<ul>
<li>You are reading I Love Ruby.</li>
<li>There is water down below in the oceans.</li>
<li>There is air up above our heads.</li>
<li>Even people in space report their is air up above their heads.</li>
<li>Even bald people have air up above their heads.</li>
</ul>
```

Notice that to the `generate` method in `NewsGenerator` class, we gives two arguments as input, the first one is the data, in this case the data is the `news` array which contains list of news. Next argument is `NewsFormatter::HTML` which is the strategy that is to be followed for printing.

Now look at generate method in line 24, it looks like this:

```
def self.generate(data, formatter)
  formatter.format(data)
end
```

Here we receive the `formatter` as the second argument, that is in this case its `NewsFormatter::HTML`, and we call `format` method on it passing `data` into it as argument. So the program control goes to line 12, that is inside module `NewsFormatter` and into the method `self.format` in class `HTML`, you can see the piece of code here

```
module NewsFormatter
  ...
  class HTML
    def self.format(data)
      html = []
      html << "<ul>"
      data.each { |datum| html << "<li>#{datum}</li>" }
      html << "</ul>"
      html.join "\n"
    end
  end
end
```

In that function we magically transform it into HTML unordered list [69: https://www.w3schools.com/HTML/html_lists.asp], and return it out.

The same stuff happens when we call `puts NewsGenerator.generate(news, NewsFormatter::Text)`, but since we passed different strategy `NewsFormatter::Text`, this piece of code gets executed:

```
module NewsFormatter
  class Text
    def self.format(data)
      separator = "\n* "
      separator + data.join(separator)
    end
  end
  ...
end
```

That is function `self.format` in class `Text` in module `NewsFormatter` gets called, this one produces a plain text output like bullet points, and hence you see this output:

- * You are reading I Love Ruby.
- * There is water down below in the oceans.
- * There is air up above our heads.
- * Even people in space report their is air up above their heads.
- * Even bald people have air up above their heads.