
A phone call that continues the conversation.

Extend an ongoing HALIA conversation with an outbound call when speaking is the quicker way to collect information or move the process forward.




HALIA keeps the conversation context, the replies and every business decision. The voice service manages the call and exchanges messages with HALIA. Twilio provides the phone line, speech recognition and speech synthesis.

The boundary

Three kinds of message.

Everything else stays on its own side.



One message, one effect: a repeated request never books twice.

What HALIA builds

Messages

One patient message in, HALIA's reply out.

Works like a chat API for a phone call.

Call status

Answered, played, completed or failed.

How the call went, separate from the booking.

The format

One request, one reply.

The voice service sends what the patient said. HALIA answers with the text to speak.

Request

```
POST …/voice-sessions/{voiceSessionId}/turns

{
  "turnId": "turn_01JDEMO8A1B2C3D4",
  "turnSeq": 1,
  "input": { "type": "speech", "text": "Giovedì pomeriggio." },
  "previousResponse": {
    "responseId": "rsp_0001",
    "status": "sent_for_playback"
  }
}
```

Reply


```
{
  "turnId": "turn_01JDEMO8A1B2C3D4",
  "responseId": "rsp_0002",
  "playback": [
    { "text": "Riepilogo: ecografia giovedì 5 novembre
               di pomeriggio, alle quindici e trenta,
               nella sede di Via Dante." },
    { "text": "Vuole che confermi la prenotazione di prova?" }
  ],
  "actions": { "endCall": false }
}
```

The same request sent again is a retry: HALIA returns the stored reply and does not repeat the step. Names, paths and fields are open for discussion.

The call

One call, step by step.

HALIA decides. The voice side carries the words.



Try it

A working mock, ready today.

The mock folder is a stand-in for HALIA that speaks this format, so your team can try it before building anything.

1. **Start the mock**

   Node.js, bash and curl are enough.

   ```
   MOCK_HALIA_API_TOKEN=try-the-format-0001 node mock-halia.mjs
   ```

2. **Play one call**

   In a second terminal, in the same folder.

   ```
   ./try-it.sh
   ```

3. **Read the result**

   Every request and reply is printed. At the end the script checks the outcome: one booking for the corrected day, and the conversation back on WhatsApp.

Details are in mock/README.txt. Tested in Italian with synthetic data and a browser softphone; a real phone line and the connection to HALIA come next.