

# Cucumber Report

23 Jul 2022, 17:22:31

**Start : Jul 23, 5:18:50.002 PM**

**End : Jul 23, 5:22:25.140 PM**

**Duration : 3 m 35.138 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 3**

**FAILED - 4**

**SKIPPED - 0**

**PASSED - 18**



**FAILED - 9**

**SKIPPED - 0**

**PASSED - 88**


**FAILED - 9**

**SKIPPED - 37**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>US12300_parameterizing_feature_file_google_search</u>	1 m 1.138 s	5	5	0	0	20	20	0	0
<u>day02_US12300_scenario_outline_1.feature</u>	1 m 34.331 s	9	9	0	0	45	45	0	0
<u>customer_login</u>	11.466 s	5	0	5	0	35	5	5	25
<u>admin_login</u>	1.285 s	1	0	1	0	6	1	1	4
<u>FE35678_log_in_with_different_credentials</u>	7.941 s	2	0	2	0	6	0	2	4
<u>First Feature File</u>	36.809 s	4	4	0	0	16	16	0	0
<u>Verify Test Cases</u>	3.192 s	1	0	1	0	6	1	1	4


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	5	5	0	0	1	1	0	0
@parameterization1	5	5	0	0	1	1	0	0
@test1	9	9	0	0	1	1	0	0
@scenario_outline_1	9	9	0	0	1	1	0	0
@customer_login	5	0	5	0	1	0	1	0
@test2	2	0	2	0	2	0	2	0
@admin_login	2	0	2	0	2	0	2	0
@hooks_feature	1	0	1	0	1	0	1	0
@admin_excel_login	1	0	1	0	1	0	1	0
@excel_feature	2	0	2	0	1	0	1	0
@customer_excel_login	1	0	1	0	1	0	1	0
@test3	4	4	0	0	1	1	0	0
@google_search	4	4	0	0	1	1	0	0
@teapot_search	1	1	0	0	1	1	0	0
@smoke_test	2	2	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>US12300_parameterizing_feature_file_google_search</u>	5	5	0	0	1 m 1.138 s
2	<u>day02_US12300_scenario_outline_1.feature</u>	9	9	0	0	1 m 34.331 s
3	<u>customer_login</u>	5	0	5	0	11.466 s
4	<u>admin_login</u>	1	0	1	0	1.285 s
5	<u>FE35678_log_in_with_different_credentials</u>	2	0	2	0	7.941 s
6	<u>First Feature File</u>	4	4	0	0	36.809 s
7	<u>Verify Test Cases</u>	1	0	1	0	3.192 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>US12300_parameterizing_feature_file_- google_search</u>	<u>TC01_mercedes_Search</u>	4	4	0	0	20.422 s
2	<u>US12300_parameterizing_feature_file_- google_search</u>	<u>TC02_tesla_Search</u>	4	4	0	0	9.934 s
3	<u>US12300_parameterizing_feature_file_- google_search</u>	<u>TC03_lexus_Search</u>	4	4	0	0	11.050 s
4	<u>US12300_parameterizing_feature_file_- google_search</u>	<u>TC04_toros_Search</u>	4	4	0	0	9.499 s
5	<u>US12300_parameterizing_feature_file_- google_search</u>	<u>TC05_broadway_Search</u>	4	4	0	0	10.078 s
6	<u>day02_US12300_scenario_outline_1. feature</u>	<u>TC_Google_Search_Test</u>	5	5	0	0	10.733 s
7	<u>day02_US12300_scenario_outline_1. feature</u>	<u>TC_Google_Search_Test</u>	5	5	0	0	10.808 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<a href="#"><u>day02_US12300_scenario_outline_1.feature</u></a>	<a href="#"><u>TC_Google_Search_Test</u></a>	5	5	0	0	9.935 s
9	<a href="#"><u>day02_US12300_scenario_outline_1.feature</u></a>	<a href="#"><u>TC_Google_Search_Test</u></a>	5	5	0	0	10.058 s
10	<a href="#"><u>day02_US12300_scenario_outline_1.feature</u></a>	<a href="#"><u>TC_Google_Search_Test</u></a>	5	5	0	0	9.946 s
11	<a href="#"><u>day02_US12300_scenario_outline_1.feature</u></a>	<a href="#"><u>TC_Google_Search_Test</u></a>	5	5	0	0	12.191 s
12	<a href="#"><u>day02_US12300_scenario_outline_1.feature</u></a>	<a href="#"><u>TC_Google_Search_Test</u></a>	5	5	0	0	10.972 s
13	<a href="#"><u>day02_US12300_scenario_outline_1.feature</u></a>	<a href="#"><u>TC_Google_Search_Test</u></a>	5	5	0	0	10.228 s
14	<a href="#"><u>day02_US12300_scenario_outline_1.feature</u></a>	<a href="#"><u>TC_Google_Search_Test</u></a>	5	5	0	0	9.112 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>customer_login</u>	<u>login_customer_profile_testing</u>	7	1	1	5	6.508 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>customer_login</u>	<u>login_customer_profile_testing</u>	7	1	1	5	0.875 s
17	<u>customer_login</u>	<u>login_customer_profile_testing</u>	7	1	1	5	0.746 s
18	<u>customer_login</u>	<u>login_customer_profile_testing</u>	7	1	1	5	1.023 s
19	<u>customer_login</u>	<u>login_customer_profile_testing</u>	7	1	1	5	0.786 s
20	<u>admin_login</u>	<u>login_with_admin_profile</u>	6	1	1	4	1.285 s
21	<u>FE35678_log_in_with_different_credentials</u>	<u>TC_login_with_admin</u>	3	0	1	2	4.753 s
22	<u>FE35678_log_in_with_different_credentials</u>	<u>TC_login_with_customer</u>	3	0	1	2	3.156 s
23	<u>First Feature File</u>	<u>TC01 Iphone Search</u>	4	4	0	0	6.048 s
24	<u>First Feature File</u>	<u>TC02 Teapot Search</u>	4	4	0	0	11.074 s
25	<u>First Feature File</u>	<u>TC03 Flower Search</u>	4	4	0	0	10.243 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
26	<u>First Feature File</u>	<u>TC04_BMW_Search</u>	4	4	0	0	9.399 s
27	<u>Verify Test Cases</u>	<u>TC_07_Test_Cases</u>	6	1	1	4	3.192 s

**US12300\_parameterizing\_feature\_file\_google\_search**



<div>PASSED</div>	<div>DURATION - 1 m 1.138 s</div>	<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>5</div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 20</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>20</div></div>
<div>/ 5:18:50.002 PM // 5:19:51.140 PM /</div>					

**TC01\_mercedes\_Search**

<div>PASSED</div>	<div>DURATION - 20.422 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:18:50.013 PM // 5:19:10.435 PM /</div>				
<div>US12300_parameterizing_feature_file_google_search</div>				
<div>@regression @parameterization1</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	15.242 s
2	When user search for "mercedes" on google	PASSED	3.904 s
3	Then verify the page title contains "mercedes"	PASSED	0.074 s
4	And close the application	PASSED	1.143 s

**TC02\_tesla\_Search**

<div>PASSED</div>	<div>DURATION - 9.934 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:19:10.490 PM // 5:19:20.424 PM /				
US12300_parameterizing_feature_file_google_search				
@regression @parameterization1				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.467 s
2	When user search for "tesla" on google	PASSED	3.422 s
3	Then verify the page title contains "tesla"	PASSED	0.083 s
4	And close the application	PASSED	0.952 s

**TC03\_lexus\_Search**

PASSED	DURATION - 11.050 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:19:20.452 PM // 5:19:31.502 PM /				
US12300_parameterizing_feature_file_google_search				
@regression @parameterization1				

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.877 s
2	When user search for "lexus" on google	PASSED	4.212 s
3	Then verify the page title contains "lexus"	PASSED	0.032 s
4	And close the application	PASSED	0.923 s



**TC04\_toros\_Search**

PASSED	DURATION - 9.499 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:19:31.535 PM // 5:19:41.034 PM /				
US12300_parameterizing_feature_file_google_search				
@regression @parameterization1				

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.357 s
2	When user search for "toros" on google	PASSED	3.211 s



#	Step / Hook Details	Status	Duration
3	Then verify the page title contains "toros"	PASSED	0.062 s
4	And close the application	PASSED	0.855 s

**TC05\_broadway\_Search**



PASSED	DURATION - 10.078 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:19:41.062 PM // 5:19:51.140 PM /				
US12300_parameterizing_feature_file_google_search				
@regression @parameterization1				

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.489 s
2	When user search for "broadway" on google	PASSED	3.592 s
3	Then verify the page title contains "broadway"	PASSED	0.090 s
4	And close the application	PASSED	0.902 s

**day02\_US12300\_scenario\_outline\_1.feature**



PASSED	DURATION - 1 m 34.331 s	Scenarios Total - 9 Pass - 9 Fail - 0 Skip - 0		Steps Total - 45 Pass - 45 Fail - 0 Skip - 0					
/ 5:19:51.219 PM // 5:21:25.550 PM /									

**TC\_Google\_Search\_Test**

<div>PASSED</div> <div>DURATION - 10.733 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:19:51.234 PM // 5:20:01.967 PM /</div>				
<div>day02_US12300_scenario_outline_1.feature</div>				
<div>@test1 @scenario_outline_1</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.353 s
2	When user search for "mercedes" on google	PASSED	3.489 s
3	Then verify the page title contains "mercedes"	PASSED	0.076 s
4	Then capture the screenshot	PASSED	0.776 s
5	Then close the application	PASSED	1.030 s

### TC\_Google\_Search\_Test

<div>PASSED</div>	<div>DURATION - 10.808 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 5:20:02.007 PM // 5:20:12.815 PM /</div>				
<div>day02_US12300_scenario_outline_1.feature</div>				
<div>@test1 @scenario_outline_1</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.837 s
2	When user search for "tesla" on google	PASSED	3.308 s
3	Then verify the page title contains "tesla"	PASSED	0.065 s
4	Then capture the screenshot	PASSED	0.665 s
5	Then close the application	PASSED	0.922 s

### TC\_Google\_Search\_Test

<b>PASSED</b>	DURATION - 9.935 s		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:20:12.892 PM // 5:20:22.827 PM /				
day02_US12300_scenario_outline_1.feature				
@test1 @scenario_outline_1				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.273 s
2	When user search for "lexus" on google	PASSED	3.218 s
3	Then verify the page title contains "lexus"	PASSED	0.030 s
4	Then capture the screenshot	PASSED	0.487 s
5	Then close the application	PASSED	0.921 s

### TC\_Google\_Search\_Test

<b>PASSED</b>	DURATION - 10.058 s		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:20:22.851 PM // 5:20:32.909 PM /				
day02_US12300_scenario_outline_1.feature				
@test1 @scenario_outline_1				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.363 s
2	When user search for "bmw" on google	PASSED	3.184 s
3	Then verify the page title contains "bmw"	PASSED	0.027 s
4	Then capture the screenshot	PASSED	0.551 s
5	Then close the application	PASSED	0.928 s

### TC\_Google\_Search\_Test

<b>PASSED</b>	DURATION - 9.946 s		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:20:32.957 PM // 5:20:42.903 PM /				
day02_US12300_scenario_outline_1.feature				
@test1 @scenario_outline_1				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.361 s
2	When user search for "apple" on google	PASSED	3.148 s
3	Then verify the page title contains "apple"	PASSED	0.027 s
4	Then capture the screenshot	PASSED	0.512 s
5	Then close the application	PASSED	0.892 s

### TC\_Google\_Search\_Test

<b>PASSED</b>	DURATION - 12.191 s		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:20:42.927 PM // 5:20:55.118 PM /				
day02_US12300_scenario_outline_1.feature				
@test1 @scenario_outline_1				



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.639 s
2	When user search for "orange" on google	PASSED	4.616 s
3	Then verify the page title contains "orange"	PASSED	0.036 s
4	Then capture the screenshot	PASSED	0.820 s
5	Then close the application	PASSED	1.073 s

### TC\_Google\_Search\_Test

<div>PASSED</div>	<div>DURATION - 10.972 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:20:55.160 PM // 5:21:06.132 PM /</div>				
<div>day02_US12300_scenario_outline_1.feature</div>				
<div>@test1 @scenario_outline_1</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.793 s
2	When user search for "capitals" on google	PASSED	3.789 s
3	Then verify the page title contains "capitals"	PASSED	0.026 s
4	Then capture the screenshot	PASSED	0.495 s
5	Then close the application	PASSED	0.861 s



### TC\_Google\_Search\_Test

<div>PASSED</div>	<div>DURATION - 10.228 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:21:06.157 PM // 5:21:16.385 PM /</div>				
<div>day02_US12300_scenario_outline_1.feature</div>				
<div>@test1 @scenario_outline_1</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.358 s
2	When user search for "vacation" on google	PASSED	3.352 s
3	Then verify the page title contains "vacation"	PASSED	0.027 s
4	Then capture the screenshot	PASSED	0.595 s
5	Then close the application	PASSED	0.891 s



### TC\_Google\_Search\_Test





<b>PASSED</b>	DURATION - 9.112 s		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:21:16.438 PM // 5:21:25.550 PM /				
day02_US12300_scenario_outline_1.feature				
@test1 @scenario_outline_1				

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.253 s
2	When user search for "best places to live" on google	PASSED	2.509 s
3	Then verify the page title contains "best places to live"	PASSED	0.027 s
4	Then capture the screenshot	PASSED	0.484 s
5	Then close the application	PASSED	0.835 s


## customer\_login

<div>FAILED</div> <div>DURATION - 11.466 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 5</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 35</div> <div>Pass - 5</div> <div>Fail - 5</div> <div>Skip - 25</div>	<div></div>
/ 5:21:25.602 PM // 5:21:37.068 PM /					



## login\_customer\_profile\_testing

<div>FAILED</div> <div>DURATION - 6.508 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 5:21:25.603 PM // 5:21:32.111 PM /				
customer_login				
@customer_login				


#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	5.915 s
2	And user login dropdown <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"partial link text","selector":"Login"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=partial link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\infoe\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.click(Unknown Source) at stepdefinitions.LoginStepDefs.user_login_dropdown(LoginStepDefs.java:27) at ?user login dropdown(file:///D:/TechProEdu/Projects/mycucumberproject/.src/test/resources/features/day02_US12302_customer_login. feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.077 s
3	And user sends username "customer@bluerentalcars.com"	SKIPPED	0.003 s
4	And user sends password "12345"	SKIPPED	0.001 s
5	When user clicks on login button	SKIPPED	0.001 s
6	Then capture the screenshot	SKIPPED	0.001 s
7	Then close the application	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.504 s
	screenshots		
			



## login\_customer\_profile\_testing

FAILED	DURATION - 0.875 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 5:21:32.156 PM // 5:21:33.031 PM /				
customer_login				
@customer_login				


#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	0.281 s
2	And user login dropdown	FAILED	0.038 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"partial link text","selector":"Login"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=partial link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\infoe\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.click(Unknown Source) at stepdefinitions.LoginStepDefs.user_login_dropdown(LoginStepDefs.java:27) at ?.user login dropdown(file:///D:/TechProEdu/Projects/mycucumberproject/src/test/resources/features/day02_US12302_customer_login.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And user sends username "customer1@bluerentalcars.com"	SKIPPED	0.001 s
4	And user sends password "12346"	SKIPPED	0.001 s
5	When user clicks on login button	SKIPPED	0.000 s
6	Then capture the screenshot	SKIPPED	0.000 s
7	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.543 s
	screenshots		
			



**login\_customer\_profile\_testing**

<div>FAILED</div> <div>DURATION - 0.746 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 5:21:33.079 PM // 5:21:33.825 PM /				
customer_login				
@customer_login				


#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	0.251 s
2	And user login dropdown <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"partial link text","selector":"Login"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=partial link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\infoe\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.click(Unknown Source)</pre>	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.LoginStepDefs.user_login_dropdown(LoginStepDefs.java:27) at ?.user login dropdown(file:///D:/TechProEdu/Projects/mycucumberproject/.src/test/resources/features/day02_US12302_customer_login.feature:6) * Not displayable characters are replaced by '?'.		
3	And user sends username "customer2@bluerentalcars.com"	SKIPPED	0.000 s
4	And user sends password "12347"	SKIPPED	0.000 s
5	When user clicks on login button	SKIPPED	0.001 s
6	Then capture the screenshot	SKIPPED	0.000 s
7	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshots		
			



### login\_customer\_profile\_testing

<b>FAILED</b> DURATION - 1.023 s / 5:21:33.858 PM // 5:21:34.881 PM / customer_login @customer_login		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	0.228 s
2	And user login dropdown	FAILED	0.033 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"partial link text","selector":"Login"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=partial link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir:		


#	Step / Hook Details	Status	Duration
	<p>C:\Users\infoe\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy25.click(Unknown Source)  at stepdefinitions.LoginStepDefs.user_login_dropdown(LoginStepDefs.java:27)  at ?.user login dropdown(file:///D:/TechProEdu/Projects/mycucumberproject/.src/test/resources/features/day02_US12302_customer_login.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	And user sends username "customer3@bluerentalcars.com"	SKIPPED	0.001 s
4	And user sends password "12348"	SKIPPED	0.001 s
5	When user clicks on login button	SKIPPED	0.001 s
6	Then capture the screenshot	SKIPPED	0.001 s
7	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.747 s
	screenshots		
			

## login\_customer\_profile\_testing



<div>FAILED</div> <div>DURATION - 0.786 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 5:21:36.282 PM // 5:21:37.068 PM /				
customer_login				
@test2 @customer_login @admin_login @hooks_feature				

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	0.220 s
2	And user login dropdown  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"partial link text","selector":"Login"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=partial link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\infoe\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)	FAILED	0.050 s





#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.click(Unknown Source) at stepdefinitions.LoginStepDefs.user_login_dropdown(LoginStepDefs.java:27) at ?.user login dropdown(file:///D:/TechProEdu/Projects/mycucumberproject/.src/test/resources/features/day03_hooks.feature:6) * Not displayable characters are replaced by '?'.		
3	And user sends username "customer@bluerentalcars.com"	SKIPPED	0.000 s
4	And user sends password "12345"	SKIPPED	0.000 s
5	When user clicks on login button	SKIPPED	0.001 s
6	And test case fails	SKIPPED	0.004 s
7	Then close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.502 s
	screenshots		
			


## admin\_login

FAILED	DURATION - 1.285 s	Scenarios		Steps	
/ 5:21:34.965 PM // 5:21:36.250 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	



## login\_with\_admin\_profile

<div>FAILED</div> <div>DURATION - 1.285 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 5:21:34.965 PM // 5:21:36.250 PM /</div>				
<div>admin_login</div>				
<div>@test2 @admin_login</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	0.207 s
2	And user login dropdown <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"partial link text","selector":"Login"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=partial link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\infoe\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.click(Unknown Source)</pre>	FAILED	0.025 s

#	Step / Hook Details	Status	Duration		
	at stepdefinitions.LoginStepDefs.user_login_dropdown(LoginStepDefs.java:27) at ?.user login dropdown(file:///D:/TechProEdu/Projects/mycucumberproject/src/test/resources/features/day02_US12303_data_tables.feature:7) * Not displayable characters are replaced by '?'. 				
3	And user enters admin_username and admin_password	SKIPPED	0.009 s		
	<table><tr><td>admin_id</td><td>admin_pass</td></tr><tr><td>admin@bluerentalcars.com</td><td>12345</td></tr></table>			admin_id	admin_pass
admin_id	admin_pass				
admin@bluerentalcars.com	12345				
4	When user clicks on login button	SKIPPED	0.000 s		
5	Then verify the login is successful	SKIPPED	0.000 s		
6	Then close the application	SKIPPED	0.000 s		
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.033 s		
	screenshots				
					


## FE35678\_log\_in\_with\_different\_credentials

FAILED	DURATION - 7.941 s	Scenarios		Steps	
/ 5:21:37.101 PM // 5:21:45.042 PM /		Total - 2		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	



## TC\_login\_with\_admin

<div>FAILED</div> <div>DURATION - 4.753 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 5:21:37.101 PM // 5:21:41.854 PM /</div>				
<div>FE35678_log_in_with_different_credentials</div>				
<div>@admin_excel_login @excel_feature</div>				


#	Step / Hook Details	Status	Duration
1	<p>Given user login with excel as "admin"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#formBasicEmail"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=id, value=formBasicEmail}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\infoel\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at com.sun.proxy.\$Proxy25.sendKeys(Unknown Source)     at stepdefinitions.ExcelStepDefs.user_login_with_excel_as(ExcelStepDefs.java:76)</pre>	FAILED	4.014 s

#	Step / Hook Details	Status	Duration
	at ?.user login with excel as "admin"(file:///D:/TechProEdu/Projects/mycucumberproject./src/test/resources/features/day04_excel_automation.feature:6) * Not displayable characters are replaced by '?'. Then capture the screenshot Then close the application		
2	Then capture the screenshot	SKIPPED	0.001 s
3	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.734 s
	screenshots		
			



### TC\_login\_with\_customer

FAILED		DURATION - 3.156 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2			
/ 5:21:41.886 PM // 5:21:45.042 PM /								
FE35678_log_in_with_different_credentials								
@customer_excel_login @excel_feature								



#	Step / Hook Details	Status	Duration
1	Given user login with excel as "customer"	FAILED	2.475 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#formBasicEmail"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-1BMK8KS', ip: '192.168.1.180', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed7d6b5761ac43609ceebd03d3c8a58, findElement {using=id, value=formBasicEmail}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\infoe\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:49789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49789/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed7d6b5761ac43609ceebd03d3c8a58 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.sendKeys(Unknown Source) at stepdefinitions.ExcelStepDefs.user_login_with_excel_as(ExcelStepDefs.java:76) at ?.user login with excel as "customer"(file:///D:/TechProEdu/Projects/mycucumberproject/.src/test/resources/features/day04_excel_automation.feature:12) * Not displayable characters are replaced by '?'. </pre>		
2	Then capture the screenshot	SKIPPED	0.001 s
3	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.676 s
	screenshots		
			

## First Feature File



<div>PASSED</div>	<div>DURATION - 36.809 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:21:45.114 PM // 5:22:21.923 PM /</div>					

**TC01\_iPhone\_Search**

<b>PASSED</b>	DURATION - 6.048 s		Steps	
/ 5:21:45.114 PM // 5:21:51.162 PM /			Total - 4	
First Feature File			Pass - 4	
@test3 @google_search			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	1.058 s
2	When user search for iPhone on google	PASSED	3.635 s
3	Then verify the page title contains iPhone	PASSED	0.030 s
4	And close the application	PASSED	1.319 s



**TC02\_Teapot\_Search**

<div>PASSED</div> <div>DURATION - 11.074 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:21:51.175 PM // 5:22:02.249 PM /				
First Feature File				
@teapot_search @test3 @google_search				

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.849 s



#	Step / Hook Details	Status	Duration
2	When user search for TeaPot on google	PASSED	4.197 s
3	Then verify the page title contains TeaPot	PASSED	0.023 s
4	And close the application	PASSED	1.001 s

**TC03\_Flower\_Search**

PASSED		DURATION - 10.243 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0			
/ 5:22:02.266 PM // 5:22:12.509 PM /								
First Feature File								
@test3 @smoke_test @google_search								

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.886 s
2	When user search for Flower on google	PASSED	3.386 s
3	Then verify the page title contains Flower	PASSED	0.026 s
4	And close the application	PASSED	0.942 s

**TC04\_BMW\_Search**



PASSED		DURATION - 9.399 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0			
/ 5:22:12.524 PM // 5:22:21.923 PM /								
First Feature File								
@test3 @smoke_test @google_search								

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.322 s
2	When user search for BMW on google	PASSED	3.073 s
3	Then verify the page title contains BMW	PASSED	0.027 s





#	Step / Hook Details	Status	Duration
4	And close the application	PASSED	0.974 s

## Verify Test Cases

FAILED	DURATION - 3.192 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 5:22:21.948 PM // 5:22:25.140 PM /					

## TC\_07\_Test\_Cases

FAILED	DURATION - 3.192 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 5:22:21.948 PM // 5:22:25.140 PM /				
Verify Test Cases				

#	Step / Hook Details	Status	Duration
1	Given user launches the browser	PASSED	2.766 s
2	When user navigates to URL  java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:76) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:330) at stepdefinitions.TC07_TestCasesStepDefs.user_navigates_to_url(TC07_TestCasesStepDefs.java:22) at ?.user navigates to URL(file:///D:/TechProEdu/Projects/mycucumberproject/.src/test/resources/features/verify_test_cases.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.015 s
3	Then user verifies that home page is visible successfully	SKIPPED	0.001 s
4	And user clicks on Test Cases button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	Then user is navigated to test cases page successfully	SKIPPED	0.000 s
6	Then user closes the browser	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshots		