

# CS-3411 Program I : Pack and Unpack

Spring 2024

Due: January 31, midnight

In this project, we will develop a relatively simple procedure which implements a mechanism through which we can pass an arbitrary number of function arguments although the function uses a fixed number of arguments. Assume that the function, hereafter referred to as *f* remembers no state (i.e., no global variables, no static variables) and it accepts three arguments, an integer followed by two `void *` arguments and return a `void *` value :

```
void * f (int code, void * mem, void * data);
```

This function must be placed in a file called `f.c` which can be compiled and linked together with another file called `main.c` which invokes it.

The first integer argument (`code`) always assumes one of the values indicated by the following C defines :

```
#define F_first      1  /* This is the first call to the function. */
#define F_last      2  /* This is the last call to the function.
                        Free the memory area. */
#define F_data_int   3  /* Void * argument points to integer data. */
#define F_data_char  4  /* Void * argument points to character string. */
#define F_data_float 5  /* Void * argument points to a float data value. */
#define F_print      6  /* Print the accumulated values. */
```

If the first argument is `F_first` then the function should allocate an initial chunk of memory whose size is given by the *value* of the *data* argument (not the actual data it points to). The value of data argument cannot be zero. In this case, the procedure should not allocate any space and return a zero value. Otherwise, the function returns the address of the allocated area.

For example the following statement should be equivalent to a `malloc` of 200 characters:

```
char * p;

p = (char *)f(F_first, 0, (void *)200);
```

After the initial call, it is the responsibility of the user to pass the pointer to the allocated area as the second argument, namely, *mem*. Any successive calls with values other than `F_first` should store the value pointed to by the data argument in the allocated area, keeping track of remaining space in the allocated area. A final function call with `F_print` should print the accumulated data values.

The following example should print the text :

System Programming class has 79.7 registered students in a classroom of 90

```
int      i_a;
float    f_a;

void * m;
int * ip;
float * fp;

fp = & f_a;
ip = & i_a;

m = f (F_first, 0, 256);      /* Allocate 256 bytes of data area. */
m = f (F_data_char, m, (void *)"System programming class has ");
```

```

f_a = 79.7;
m = f (F_data_float, m, (void *)fp);
m = f (F_data_char, m, (void *)"registered ");
m = f (F_data_char, m, (void *)"students in a ");
m = f (F_data_char, m, (void *)"classroom of ");

i_a = 90;
m = f (F_data_int, m, (void *)ip);
m = f (F_data_char, m, (void *)"\n");

m = f (F_print, m, 0);

```

Note that your function should work correctly with any number of calls between a **F\_first** and **F\_last** and a **F\_last** should free all the allocated area. Until the area is freed, multiple calls with **F\_print** should print multiple times the same data.

## Pragmatics

Achieving this functionality requires the function **f** to know what type of data item is stored in the area, and the total count of them. You may consume one byte per data item to indicate its type and two bytes to point to the end of the filled area. You may also assume that the user of the function calculates this overhead when requesting the memory allocation. I suggest you use the first two bytes of the allocated area as a pointer which points at the end of the filled area. Hence after an initial call these bytes would typically contain binary 2, which is the first usable byte. Similarly, each data item is preceded by a single byte which indicates its type. You may also assume the user of the function calculates this overhead when requesting the memory allocation.

## Error Checking and Additional Constraints

Your function should not permit a NULL argument as *mem* unless it is the first call.

Your function should require a NULL argument for *mem* argument when it is the first call.

The function should check for the validity of the code argument.

If the user executes a *free* using the pointer returned that function instead of calling the function with the code **F\_last**, execution of this free function call *must* free all area allocated by the procedure.

## Submission Requirements

Your submission must be written in C. It is imperative that you follow this specification to the letter for the organization of the byte array used as *mem* in the project. To recap, the first thing in the byte array must be 2 bytes that act as a pointer to the beginning of the part of *mem* that is free. These two bytes are a pointer, but not a 'C' pointer. They are an offset that, when added to the address of *mem*, yields the address that of the beginning of the free area within *mem*.

For example, if *mem* is completely empty, the first 2 bytes should contain the value 2. That is,  $\text{mem} + 2$  is the location where new data can be stored. We need to add 2 because the first two bytes are reserved for the offset. You must update this offset with each insertion to *mem*.

Each data entry must be accompanied by a 1 byte identifier that specifies the type of the data. For an int, this would be **F\_data\_int**, which has a decimal value of 3. Following this identifier would be the 4 bytes that would store the int value.

A call to **f** with code **F\_first** must allocate a contiguous area for *mem*. You are not permitted to link several non-contiguous regions together. If **free()** is called on *mem* instead of using **F\_last**, the memory region should still be correctly freed.

In the provided **main.c** file, **f** is called with a 0 size. This is an example for you to test error handling when 0 is specified as the size. You should remove this for subsequent testing. The file **main.c** will be replaced with a different file for testing during grading. Your implementation of the function **f** should not rely on any code in **main.c**. It is provided as a template for you to test your program.

Use Canvas to submit a tar file named `prog1.tgz` that contains:

1. A copy of the source file `f.c` **with comments**.
2. A copy of the test case `main.c` **with comments**.
3. A makefile which invoked generates a binary called `f.o`, a binary called `main.o` and a binary called `main`.
4. Running `main` should execute the above example.