


How to use Import Glue

Game-rip meshes to Roblox-ready PBR maps, inside Blender.



YOU START WITH



A game-rip mesh
with its original
materials



Import Glue

crops or bakes each part on a
duplicate



YOU GET, PER PART



_ALB



_MET



_RGH



_NOR

1 Install it once, about a minute



1

Download the zip

From the latest release on
GitHub. Keep it zipped.



2

Install from Disk

Edit > Preferences >
Add-ons , then pick the zip.



3

Enable it

Tick **Import Glue PBR Baker**
in the add-on list.



4

Open the panel

In the 3D Viewport press **N**,
then the **Roblox** tab.

2 Bake your meshes the numbers match the panel on the right

1 Save your .blend

Outputs are written next to the saved file, so save before you start.

2 Choose what to bake

Select meshes in the viewport, or switch **Scope** to **All Scene Meshes** or
Collection . The panel shows how many meshes it found.

3 Set the size


Bake Resolution and **Crop Ceiling** both default to 1024. Raise them
only if the asset and your memory can take it.

4 Keep the texture check on

Leave **Run Texture Precheck** ticked. **Check Textures** runs the
check by itself.

5 Press Run Import Glue

Blender looks busy until the bake finishes. Then use
Open Output Folder under **Last Run** .



YOUR ORIGINALS ARE SAFE. Source objects,
meshes, UVs and materials are never edited. Results land
in a new output collection, and existing files are never
silently overwritten.

**FIRST YES WINS**

Routes, settings and fixes

3 How each part gets its maps with Route set to Auto, the first "yes" wins

QUESTION 1


Does the part use one flat texture atlas, with compact UVs inside it?

YES
↓

Crop

FASTEST

Copies the part's exact rectangle straight out of the source textures. Nothing is rendered.



NO
→

QUESTION 2


Are its textures found, but the UVs need repacking?

YES
↓

Proxy bake

REPACK

Repacks the UVs on the duplicate, then bakes from the resolved textures.



NO
→

OTHERWISE


A complex shader graph, or a mesh with no usable UVs at all.

↓


Graph bake

CYCLES

Bakes the original shader graph with Cycles. Meshes without UVs are auto-unwrapped first.



Cold · pixels copied, no render



full Cycles bake · hot

4 Settings worth knowing the black tag is the default

Bake Resolution **1024** **Crop Ceiling** **1024**

Upper limits for baked and cropped maps. They are ceilings, not targets.

Bake Density **1.00**

Multiplier (0.05 to 8) for the size bakes ask for. Raise it when bakes look soft but are not at the ceiling.

Cycles Device **GPU**

With no GPU, the run stops instead of quietly using the CPU.

Route **Auto**

Force one route with Crop Only, Proxy Only, Graph Only or Bake Only.

Source Normals Are DirectX **On**

Flips the green channel so normals come out in OpenGL form for Roblox.

5 Where your files go

```

my_scene.blend
my_scene_exports/
├─ v32_done.json      resume list
├─ rbx_ckpt/          checkpoints
├─ rbx_pbr_smart/      one run
│   ├── Helmet_ALB.png
│   ├── Helmet_MET.png
│   ├── Helmet_RGH.png
│   ├── Helmet_NOR.png
│   ├── manifest.json  what ran
│   └─ run_log.txt      progress

```

Each run gets a fresh folder (rbx_pbr_smart2 , 3 ...). Finished parts are checkpointed and carried over. Set **Output Root** to write elsewhere.

6 If something stops the run



"Batch exceeds safety limit"

More than 16 meshes. Bake fewer at a time, or tick **Allow Oversized Batch** in Advanced.



Missing textures

Point **Shared Texture Pool** (Advanced) at the folder that holds them, then **Check Textures**.



No GPU available

Set **Cycles Device** to CPU, or tick **Allow CPU Fallback**. CPU bakes can take hours.



Over the triangle limit

The limit is 20,000. Graph bakes are decimated to fit; other routes are rejected, so simplify the mesh.



Blender looks frozen

It is baking. Watch progress in the system console or in `run_log.txt`.



"Approximation required"

Materials the maps can't hold, like IOR other than 1.5, are refused. Tick **Allow Approximated Materials**.

HEADLESS BATCH RUNS

Unzip the add-on folder first. Always pass `--res` and `--max-res`; without them, headless runs default to 4096 bake and 8192 crop.

```

blender -b "scene.blend" -P "import_glue_pbr_baker/run_headless.py"
-- --collection "Body" --res 1024 --max-res 1024

```