### **Generated Documentation**



### Contents

<u>Pack</u>	<u>age Joomla Procedural Elements</u> 2	
9	<u>controller.php</u>	
9	<u>check.php</u>	,
j	<u>crm.php</u>	F
<u> </u>	<u>addressbook.php</u>	,
9	<u>check_contacts.php</u>	j
9	<u>contact_form.php</u>	•
į	<u>crmdeleted.php</u>	,
9	organisation form.php	)
	<u>default.php</u>	
1	<u>riew.html.php</u>	1
9	<u>default.php</u>	2
1	<u>riew.html.php</u>	3
9	<u>default.php</u>	4
1	<u>riew.html.php</u>	5
1	<u>riew.raw.php</u>	6
9	<u>default.php</u>	7
	<u>riew.html.php</u>	
	<u>default.php</u>	
1	<u>view.html.php</u>	0
Pack	<u>age Joomla Classes</u>	1
	Class JcrmController	
-	Method delete	
	Method delete account	
	Method delete contact	
	Method delete contactchild	
	Method display	
	Method getContacts	
	Method listaccounts	
	Method listcountries	
	Method maxOrg	
	Method maxOrgid	
	Method restore	
	Method save account	
	Method save contact	
	Class JcrmControllerCheck	
-	Method check	
	Method check cont	
	Method display	
	Method export contacts	
	Method export vcf	
	Method ignore cont	
	Method insertAccountId	
		_

<u>Method insertContId</u>	
<u>Class JcrmModelAddressbook</u>	6
Method delete account	
Method delete contact	
Method getAccounts	
Method getChild	8
Method getChildAccount	
Method getContacts 2	
Method getContactslist	8
Method getId acct	
Method getPagination	
Method getPagination contacts	
Method getTotal	9
Method getTotal contacts	
Method save account	
Method save contact	
Class JcrmModelCheck contacts	
Method checkContacts	
Method checkOrg	
Method getAccountWords	
Method getContacts	
Method getPagination	
Method getTotal	
Method ignoreContact	
Method insertAccountld	
Method insertContld	
Method multi array sort	
Method buildContentOrderBy	
Class JcrmModelContact form	
Method getAccounts	
Method getCountry	
Method getData cont	
Method getId acct	
Method getMaxorg	
Method getMaxorgid	
Method deleteAcct	
Method deleteCont	
Method getCont	
Method getData	
Method restore acct	
Method restore cont	
Class JcrmModelOrganisation form	
Method getAccountname	
Method getCountry	
Method getCountryJcrm	
Method getData_acct	
Class JcrmViewAddressbook	
Method display	

 	40
 	40
 	40
 	40
 	41
 	42



### Package Joomla Procedural Elements

controller.php com\_jcrm default controller for addressbook

- Package Joomla
- Sub-Package Jcrm
- License GNU/GPL

### check.php

#### com\_jcrm controller of check contacts

- Package JoomlaSub-Package JormLicense GNU/GPL

# jcrm.php Jcrm entry point file for jcrm Component

- Package Joomla
- Sub-Package Jcrm
- License GNU/GPL

require\_once JPATH\_COMPONENT.DS.'controllers'.DS.\$controller.'.php' [line 31]

require\_once **\$path** [line 23]

require\_once JPATH\_COMPONENT.DS.'controller.php[line 17]

### addressbook.php

#### Jcrm Model for Jcrm Component

- Package JoomlaSub-Package JormLicense GNU/GPL

#### check\_contacts.php **Jcrm Model for Jcrm Component**

- Package JoomlaSub-Package JormLicense GNU/GPL

### contact\_form.php

#### **Jcrm Model for Jcrm Component**

- Package JoomlaSub-Package JormLicense GNU/GPL

### jcrmdeleted.php

#### Jcrm Model for Jcrm Component

- Package JoomlaSub-Package JormLicense GNU/GPL

# organisation\_form.php Jcrm Model for Jcrm Component

- Package JoomlaSub-Package JormLicense GNU/GPL

### default.php

#### Jcrm entry point file for jcrm Component

- Package JoomlaSub-Package JcrmLicense GNU/GPL

### view.html.php

- Package JoomlaSub-Package JormLicense GNU/GPL

### default.php

- Package JoomlaSub-Package JormLicense GNU/GPL

### view.html.php

- Package JoomlaSub-Package JormLicense GNU/GPL

### default.php

#### Jcrm entry point file for jcrm Component

- Package JoomlaSub-Package JcrmLicense GNU/GPL

### view.html.php

- Package JoomlaSub-Package JormLicense GNU/GPL

### view.raw.php

- Package JoomlaSub-Package JcrmLicense GNU/GPL

### default.php

#### Jcrm entry point file for jcrm Component

- Package JoomlaSub-Package JcrmLicense GNU/GPL

### view.html.php

- Package JoomlaSub-Package JormLicense GNU/GPL

### default.php

#### Jcrm entry point file for jcrm Component

- Package JoomlaSub-Package JcrmLicense GNU/GPL

### view.html.php

- Package JoomlaSub-Package JormLicense GNU/GPL

### Package Joomla Classes

## Class JcrmController

jcrm Component Controller

- Package Joomla
- Sub-Package Jcrm

(void) function JcrmController::delete() [line 290]

Method to delete the data of the accounts selected and the contacts selected

• Access public

(void) function JcrmController::delete\_account() [line 146]
Method to delete the data of jcrmaccount

Access public

(void) function JcrmController::delete\_contact() [line 167]

#### Method to delete the data of jcrmcontact

Access public
(void) function JcrmController::delete_contactchild() [line 186]  Method to delete the data of jcrmcontact in the jcrmaccount
Access public
(void) function JcrmController::display() [line 29]  Method to display the view
Access public
(void) function JcrmController::getContacts() [line 311]  Method to define the format the jcrmcontactslist in the view
Access public
(void) function JcrmController::listaccounts() [line 206]  Method to define the format of jcrmaccounts list in the view

Generated by phpDocumentor v1.4.4 http://www.phpdoc.org - http://pear.php.net/package/PhpDocumentor - http://www.sourceforge.net/projects/pandocu 22 of 45

• Access public

(void) function JcrmController::listcountries() [line 239]  Method to define the format of countries list in the view
• Access public
(void) function JcrmController::maxOrg() [line 354]  Method to get the name of the accounts whose id is maximum
Access public
(void) function JcrmController::maxOrgid() [line 371]  Method to get the maximum id of the accounts
Access public
(void) function JcrmController::restore() [line 268]  Method to restore the data of the accounts deleted and the contacts deleted
Access public
(void) function JcrmController::save_account() [line 101]  Method to save the data of jcrmaccount

• Access public

(void) function JcrmController::save\_contact() [line 54]

Method to save the data of jcrmcontact

Access public

### Class JcrmControllerCheck

[line 22]

jcrm Component Controller

- Package Joomla
- Sub-Package Jcrm

(void) function JcrmControllerCheck::check() [line 61]

Method to check all references selected

• Access public

(void) function JcrmControllerCheck::check\_cont() [line 112]

Method to check contacts selected

(void) function JcrmControllerCheck::display() [line 32]  Method to display the view
Access public
<pre>(void) function JcrmControllerCheck::export_contacts([\$reqids = null]) [line 192] Function Parameters:</pre>
array \$reqids All the id of jcrmcontacts selected
Method to export all the jcrmcontacts to different types
Access public
(void) function JcrmControllerCheck::export_vcf() [line 250]  Method to export every jcrmcontact to the type of vcf
Access public
(void) function JcrmControllerCheck::ignore_cont() [line 136]  Method to ignore the contacts selected

• Access public

\$id\_acct \$cid Method to update the organisation id in the references Access public (void) function JcrmControllerCheck::insertContld(\$id\_cont, \$cids) [line 173] Function Parameters: \$id\_cont \$cids Method to update the contact id in the references Access public Class JcrmModelAddressbook [line 26] **Jcrm Model** 

Access public

Function Parameters:

(void) function JcrmControllerCheck::insertAccountId(\$id\_acct, \$cid) [line 156]

Sub-Package Jcrm
object JError function JcrmModelAddressbook::delete_account(\$id) [line 329] Function Parameters:
• \$id
Delete a record of jcrmaccount:'set the state=0'
Access public
object JError function JcrmModelAddressbook::delete_contact(\$id) [line 351] Function Parameters:
• \$id
Delete a record of jcrmcontact:'set state=0'
Access public

array function JcrmModelAddressbook::getAccounts() [line 461]

Returns the jcrmaccountslist to be published

• Package Joomla

array function JcrmModelAddressbook::getChild() [line 478]  Returns the jcrmaccounts children list to be published
Access public
(array) function JcrmModelAddressbook::getChildAccount(\$id_acct) [line 520]  Function Parameters:
int \$id_acct The id of account selected
Returns the jcrmaccounts children list to be published
Access public
array function JcrmModelAddressbook::getContacts(\$id_acct) [line 498]  Function Parameters:
• \$id_acct
Returns the jcrmcontacts children list to be published
Access public
(object) function JcrmModelAddressbook::getContactslist() [line 142]

Access public

#### Gets the list of jcrmcontacts

Access public

(object) function JcrmModelAddressbook::getId\_acct() [line 123]

Gets the id of account from a selected contact

Access public

object JPagination function JcrmModelAddressbook::getPagination() [line 240]

Gets the Pagination Object of jcrmaccountslist

Access public

object JPagination function JcrmModelAddressbook::getPagination\_contacts() [line 274]

Gets the Pagination Object of jcrmcontactslist

Access public

int function JcrmModelAddressbook::getTotal() [line 224]

Gets the number of jcrmaccounts published records

int function JcrmModelAddressbook::getTotal\_contacts() [line 257]
Gets the number of published jcrmcontacts records

object JError function JcrmModelAddressbook::save\_account() [line 310]

Save the data of jcrmaccount to the database

• Access public

Access public

object JError function JcrmModelAddressbook::save\_contact() [line 290]

Save the data of jcrmcontact to the database

• Access public

# Class JcrmModelCheck\_contacts [line 23]

**Jcrm Model** 

- Package Joomla
- Sub-Package Jcrm

(void) function JcrmModelCheck\_contacts::checkContacts(\$i\_index, \$cids, \$first\_name, \$last\_name, \$email, \$org\_name) [line 479]

Function Parameters:

- (array) \$cids All the id of references selected to be checked
- (string) **\$first\_name** The first name of contact selected in the reference
- (string) \$last\_name The last name of contact selected in the reference
- (string) \$email The email of contact seleted in the reference
- (string) **\$org\_name** The organisation name of contact seleted in the reference
- \$i index

Check the	contacts (	of references
-----------	------------	---------------

• Access public

(array) function JcrmModelCheck\_contacts::checkOrg(\$i\_index, \$cids) [line 299] Function Parameters:

- (array) \$cids All the id of renferences selected to be checked
- \$i index

#### Check the organisations of references

• Access public

(array) function JcrmModelCheck\_contacts::getAccountWords() [line 258]

Gets the soundex name of all names in the jcrmaccounts

• Access public

(array) function JcrmModelCheck\_contacts::getContacts() [line 99]

Gets the data of contacts from references

Access public
object JPagination function JcrmModelCheck_contacts::getPagination() [line 699]  Gets the Pagination Object
Access public
int function JcrmModelCheck_contacts::getTotal() [line 716]  Gets the number of published references
Access public
(void) function JcrmModelCheck_contacts::ignoreContact(\$id) [line 594]  Function Parameters:
• (string) \$id The id of reference selected
Method to ignore the contact(s) selected of references:set id_contact=0
Access public
(void) function JcrmModelCheck_contacts::insertAccountId(\$id_acct, \$id_ref) [line 634]  Function Parameters:

- (int) \$id\_acct The id of account found in the jcrmaccounts
- (string) \$id\_ref
   The id of reference to be updated

### Method to update the organisation id in the references

Access public

(void) function JcrmModelCheck\_contacts::insertContId(\$id\_cont, \$id\_ref) [line 668]
Function Parameters:

- (int) \$id\_cont The id of contact found in the jcrmcontacts
- (string) \$id\_ref
   The id of reference to be updated

#### Method to update the contact id in the references

Access public

(array) function JcrmModelCheck\_contacts::multi\_array\_sort([\$multi\_array = array()], \$sort\_key, [\$sort = SORT\_ASC]) [line 231]

Function Parameters:

- \$multi\_array
- \$sort\_key
- \$sort

#### Gets list of array after being sorted

Access public

## (array) function JcrmModelCheck\_contacts::\_buildContentOrderBy() [line 190] Gets the list of contacts from references after being filtered

Access public

# Class JcrmModelContact\_form [line 23]

Jcrm Model

- Package Joomla
- Sub-Package Jcrm

(array) function JcrmModelContact\_form::getAccounts(\$search\_value) [line 101] Function Parameters:

• string \$search\_value

Gets the data of jcrmaccount selected

Access public

(array) function JcrmModelContact\_form::getCountry() [line 135]

### **Gets the emundus countries list**

Access public
(array) function JcrmModelContact_form::getData_cont() [line 59]  Gets the data of jcrmcontacts
Access public
(int) function JcrmModelContact_form::getId_acct() [line 80]  Gets the id of jcrmaccount selected
Access public
(array) function JcrmModelContact_form::getMaxorg() [line 153]  Gets the name of acounts whose id is maximum
Access public
(array) function JcrmModelContact_form::getMaxorgid() [line 170]  Gets the max id of accounts

• Access public

# Class JcrmModelJcrmdeleted

#### **Jcrm Model**

- Package Joomla
- Sub-Package Jcrm

(boolean) function JcrmModelJcrmdeleted::deleteAcct(\$cids) [line 143] Function Parameters:

• (array) \$cids All the id of accounts to be deleted

### Delete the data of jcrmaccounts selected from database

Access public

(boolean) function JcrmModelJcrmdeleted::deleteCont(\$dels, \$cids) [line 165] Function Parameters:

- (array) \$cids All the id of accounts to be deleted
- \$dels

Delete the data of jcrmaccounts selected from database

(array) function JcrmModelJcrmdeleted::getCont() [line 66]  Gets the data of jcrmcontacts deleted(state=0)
Access public
(array) function JcrmModelJcrmdeleted::getData() [line 48]  Gets the data of jcrmaccounts deleted (state=0)
Access public
(object) function JcrmModelJcrmdeleted::restore_acct(\$cids) [line 86] Function Parameters:
• (array) \$cids All the id of accounted to be restored
Restore the data of jcrmaccounts selected:set state=1
Access public
(object) function JcrmModelJcrmdeleted::restore_cont(\$dels) [line 115]  Function Parameters:

• (array) \$dels All the id of contacts to be restored

Access public

#### Restore the data of jcrmcontacts selected:set state=1

• Access public

# Class JcrmModelOrganisation\_form

Jcrm Model

- Package Joomla
- Sub-Package Jcrm

(string) function JcrmModelOrganisation\_form::getAccountname() [line 127]

Gets the name of jcrmaccount selected

Access public

(array) function JcrmModelOrganisation\_form::getCountry() [line 91]

Gets the data of emunduscountries

• Access public

(array) function JcrmModelOrganisation\_form::getCountryJcrm() [line 109] Gets the data of jcrmcountries

• Access public

(array) function JcrmModelOrganisation\_form::getData\_acct() [line 72]

Gets the data of jcrmaccounts selected

Access public

### Class JcrmViewAddressbook

[line 23]

**HTML View class for the Jcrm Component** 

- Package Joomla
- Sub-Package Jcrm

void function JcrmViewAddressbook::display([\$tpl = null]) [line 27]
Function Parameters:

• \$tpl

## Class JcrmViewCheck\_contacts

[line 21]

### **HTML View class for the Jcrm Component**

- Package Joomla
- Sub-Package Jcrm

void function JcrmViewCheck\_contacts::display([\$tpl = null]) [line 25]
Function Parameters:

• \$tpl

## Class JcrmViewContact\_form

[line 24]

**HTML View class for the Jcrm Component** 

- Package Joomla
- Sub-Package Jcrm

void function JcrmViewContact\_form::display([\$tpl = null]) [line 28]
Function Parameters:

• \$tpl

### Class JcrmViewJcrmdeleted

[line 23]

### **HTML View class for the Jcrm Component**

- Package Joomla
- Sub-Package Jcrm

void function JcrmViewJcrmdeleted::display([\$tpl = null]) [line 26] Function Parameters:

\$tpl

# Class JcrmViewOrganisation\_form

**HTML View class for the Jcrm Component** 

- Package Joomla
- Sub-Package Jcrm

void function JcrmViewOrganisation\_form::display([\$tpl = null]) [line 26] Function Parameters:

\$tpl

# **Appendices**

## Appendix A - Class Trees

### Package Joomla

### **JcrmController**

- JController
  - JcrmController

## JcrmControllerCheck

- JController
  - JcrmControllerCheck

### JcrmModelAddressbook

- JModel
  - JcrmModelAddressbook

### JcrmModelCheck\_contacts

- JModel
  - JcrmModelCheck contacts

## JcrmModelContact\_form

- JModel
  - JcrmModelContact form

### **JcrmModelJcrmdeleted**

- JModel
  - JcrmModelJcrmdeleted

## JcrmModelOrganisation\_form

- JModel
  - <u>JcrmModelOrganisation\_form</u>

### **JcrmViewAddressbook**

- JView
  - JcrmViewAddressbook

## JcrmViewCheck\_contacts

- JView
  - JcrmViewCheck contacts

## JcrmViewContact\_form

- JView
  - <u>JcrmViewContact\_form</u>

## JcrmViewContact\_form

- JView
  - <u>JcrmViewContact\_form</u>

### **JcrmViewJcrmdeleted**

- JView
  - JcrmViewJcrmdeleted

## JcrmViewOrganisation\_form

- JView
  - <u>JcrmViewOrganisation form</u>

## Index

A
addressbook.php
С
contact_form.php
Jcrm Model for Jcrm Component
<u>check_contacts.php</u>
check.php
com_jcrm controller of check contacts
controller.php
com_jcrm default controller for addressbook
D default plan
default.php
<u>default.php</u>
Jcrm entry point file for jcrm Component
<u>default.php</u>
Jcrm entry point file for jcrm Component  default.php
Jcrm View for com_jcrm Component
<u>default.php</u>
Jcrm entry point file for jcrm Component
J
<u>JcrmModelContact_form::getData_cont()</u>
Gets the data of jcrmcontacts
<u>JcrmModelContact_form::getCountry()</u>
JcrmModelContact_form::getAccounts()
Gets the data of jcrmaccount selected
<u>JcrmModelContact_form</u>
Jcrm Model
<u>JcrmModelContact_form::getId_acct()</u>
JcrmModelContact_form::getMaxorg()
Gets the name of acounts whose id is maximum

<u>JcrmModelJcrmdeleted::deleteAcct()</u>	 . 36
Delete the data of jcrmaccounts selected from database	
<u>JcrmModelJcrmdeleted</u>	 . 36
Jcrm Model	
<u>JcrmModelContact_form::getMaxorgid()</u>	 . 35
Gets the max id of accounts	
<u>JcrmModelCheck_contacts::_buildContentOrderBy()</u>	 . 34
Gets the list of contacts from references after being filtered	
JcrmModelCheck_contacts::multi_array_sort()	 . 33
Gets list of array after being sorted	
<u>JcrmModelCheck_contacts::getContacts()</u>	 . 31
Gets the data of contacts from references	
<u>JcrmModelCheck_contacts::getAccountWords()</u>	 . 31
Gets the soundex name of all names in the jcrmaccounts	
<u>JcrmModelCheck_contacts::checkOrg()</u>	 . 31
Check the organisations of references	
<u>JcrmModelCheck_contacts::getPagination()</u>	 . 32
Gets the Pagination Object	
JcrmModelCheck_contacts::getTotal()	 . 32
Gets the number of published references	
JcrmModelCheck_contacts::insertContId()	 . 33
Method to update the contact id in the references	
JcrmModelCheck contacts::insertAccountId()	 . 32
Method to update the organisation id in the references	
<u>JcrmModelCheck_contacts::ignoreContact()</u>	 . 32
Method to ignore the contact(s) selected of references:set id_contact=0	
JcrmModelJcrmdeleted::deleteCont()	 . 36
Delete the data of jcrmaccounts selected from database	
<u>JcrmModelJcrmdeleted::getCont()</u>	 . 37
Gets the data of jcrmcontacts deleted(state=0)	
<u>JcrmViewContact_form</u>	 . 40
HTML View class for the Jcrm Component	
<u>JcrmViewCheck_contacts::display()</u>	 . 40
<u>JcrmViewCheck_contacts</u>	 . 40
HTML View class for the Jcrm Component	
JcrmViewContact_form::display()	 . 40
<u>JcrmViewJcrmdeleted</u>	 . 41
HTML View class for the Jcrm Component	
<u>JcrmViewOrganisation_form::display()</u>	 . 41
<u>JcrmViewOrganisation_form</u>	
HTML View class for the Jcrm Component	
JcrmViewJcrmdeleted::display()	 . 41
JcrmViewAddressbook::display()	 . 39
<u>JcrmViewAddressbook</u>	
HTML View class for the Jcrm Component	
<u>JcrmModelJcrmdeleted::restore_cont()</u>	 . 37
Restore the data of jcrmcontacts selected:set state=1	
<u>JcrmModelJcrmdeleted::restore_acct()</u>	 . 37
Restore the data of jcrmaccounts selected:set state=1	
JcrmModelJcrmdeleted::getData()	 . 37
Gets the data of jcrmaccounts deleted (state=0)	
<u>JcrmModelOrganisation_form</u>	 . 38
Jcrm Model	

JcrmModelOrganisation_form::getAccountname()	38
Gets the name of jcrmaccount selected	
JcrmModelOrganisation form::getData acct()	39
Gets the data of jcrmaccounts selected	0.0
JcrmModelOrganisation_form::getCountryJcrm()	39
Gets the data of jcrmcountries	-
<u>JcrmModelOrganisation_form::getCountry()</u>	38
Gets the data of emunduscountries	
JcrmModelCheck_contacts::checkContacts()	30
Check the contacts of references	0.0
<u>JcrmModelCheck_contacts</u>	30
Jcrm Model	-
JcrmController::save account()	23
Method to save the data of jcrmaccount	-
<u>JcrmController::restore()</u>	23
Method to restore the data of the accounts deleted and the contacts deleted	
JcrmController::maxOrgid()	23
Method to get the maximum id of the accounts	
JcrmController::maxOrg()	23
Method to get the name of the accounts whose id is maximum	
<u>JcrmController::save_contact()</u>	24
Method to save the data of jcrmcontact	
<u>JcrmControllerCheck</u>	24
jcrm Component Controller	
<u>JcrmControllerCheck::display()</u>	25
Method to display the view	
<u> JcrmControllerCheck::check_cont()</u>	24
Method to check contacts selected	
JcrmControllerCheck::check()	24
Method to check all references selected	
JcrmController::listcountries()	23
Method to define the format of countries list in the view	
JcrmController::listaccounts()	22
Method to define the format of jcrmaccounts list in the view	
<u>JcrmController::delete()</u>	21
Method to delete the data of the accounts selected and the contacts selected	
<u>JcrmController</u>	21
jcrm Component Controller	
jcrmdeleted.php	8
Jcrm Model for Jcrm Component	
JcrmController::delete_account()	21
Method to delete the data of jcrmaccount	
JcrmController::delete_contact()	21
Method to delete the data of jcrmcontact	
<u>JcrmController::getContacts()</u>	22
Method to define the format the jcrmcontactslist in the view	
JcrmController::display()	22
Method to display the view	
JcrmController::delete_contactchild()	22
Method to delete the data of jcrmcontact in the jcrmaccount	_
JcrmControllerCheck::export_contacts()	25
Method to export all the jcrmcontacts to different types	_
.lcrmControllerCheck::export_vcf()	25

Method to export every jcrmcontact to the type of vcf	
<u>JcrmModelAddressbook::getPagination()</u>	29
Gets the Pagination Object of jcrmaccountslist	
<u>JcrmModelAddressbook::getId_acct()</u>	29
Gets the id of account from a selected contact	
<u>JcrmModelAddressbook::getContactslist()</u>	28
Gets the list of jcrmcontacts	
<u>JcrmModelAddressbook::getPagination_contacts()</u>	29
Gets the Pagination Object of jcrmcontactslist	
<u>JcrmModelAddressbook::getTotal()</u>	29
Gets the number of jcrmaccounts published records	
<u>JcrmModelAddressbook::save_contact()</u>	30
Save the data of jcrmcontact to the database	
<u>JcrmModelAddressbook::save_account()</u>	30
Save the data of jcrmaccount to the database	
<u>JcrmModelAddressbook::getTotal_contacts()</u>	29
Gets the number of published jcrmcontacts records	
<u>JcrmModelAddressbook::getContacts()</u>	28
Returns the jcrmcontacts children list to be published	
<u>JcrmModelAddressbook::getChildAccount()</u>	28
Returns the jcrmaccounts children list to be published	
<u>JcrmControllerCheck::insertContId()</u>	26
Method to update the contact id in the references	
<u>JcrmControllerCheck::insertAccountId()</u>	26
Method to update the organisation id in the references	
<u>JcrmControllerCheck::ignore_cont()</u>	25
Method to ignore the contacts selected	
<u>JcrmModelAddressbook</u>	26
Jcrm Model	
<u>JcrmModelAddressbook::delete_account()</u>	27
Delete a record of jcrmaccount:'set the state=0'	
<u>JcrmModelAddressbook::getChild()</u>	28
Returns the jcrmaccounts children list to be published	
<u>JcrmModelAddressbook::getAccounts()</u>	27
Returns the jcrmaccountslist to be published	
<u> </u>	27
Delete a record of jcrmcontact:'set state=0'	
j <u>crm.php</u>	4
Jcrm entry point file for jcrm Component	
O	
	9
Jcrm Model for Jcrm Component	
\	
V	
view.html.php	18
Jcrm View for com_jcrm Component	
<u>view.html.php</u>	20
Jcrm View for com jcrm Component	

<u>view.raw.pnp</u>	
	View for com_jcrm Component
view.html.php	
Jcrm	View for com_jcrm Component
view.html.php	
Jcrm	View for com_jcrm Component
view.html.php	
Jcrm	View for com_jcrm Component