

Laptop0

Physical

Config

Desktop

Programming

Attributes

IP Configuration

X

Interface

FastEthernet0

IP Configuration

DHCP

Static

IPv4 Address

192.168.1.1

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

0.0.0.0

IPv6 Configuration

Automatic

Static

IPv6 Address

/

Link Local Address

FE80::260:2FFF:FE26:B080

Default Gateway

DNS Server

802.1X

Use 802.1X Security

Authentication

MD5

Username

Password

Top

Laptop1

PhysicalConfigDesktopProgrammingAttributes

IP Configuration

InterfaceFastEthernet0

IP Configuration

☐ DHCP

☒ Static

IPv4 Address192.168.1.2

Subnet Mask255.255.255.0

Default Gateway0.0.0.0

DNS Server0.0.0.0

IPv6 Configuration

☐ Automatic

☒ Static

IPv6 Address

Link Local AddressFE80::2E0:F9FF:FE26:463E

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

AuthenticationMD5

Username

Password

☐ Top

PC0

Physical

Config

Desktop

Programming

Attributes

IP Configuration

X

Interface

FastEthernet0

IP Configuration

DHCP

Static

IPv4 Address

192.168.1.3

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

0.0.0.0

IPv6 Configuration

Automatic

Static

IPv6 Address

/

Link Local Address

FE80::260:2FFF:FE58:606C

Default Gateway

DNS Server

802.1X

Use 802.1X Security


Authentication

MD5

Username

Password

Top



```
C:\> ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.1.3: bytes=32 time=4ms TTL=128
Reply from 192.168.1.3: bytes=32 time<1ms TTL=128
Reply from 192.168.1.3: bytes=32 time=2ms TTL=128
Reply from 192.168.1.3: bytes=32 time=2ms TTL=128

Ping statistics for 192.168.1.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 2ms

C:\>
```