## TMUX QUICK REFERENCE CARD

Frequently used TMUX commands – Version v1.2 August 2014

Prefix key is set to  $\langle \text{ctrl-b} \rangle$  by default. You can change that behaviour to e.g.  $\langle \text{ctrl-s} \rangle$  by adding the following commands to your  $\tilde{\ }$ /.tmux.conf

:unbind C-b :set -g prefix C-s :bind C-s send-prefix

#### From Shell

create session

tmux new -s session-name

kill session

tmux kill-session -t session-name

attach session

tmux a[ttach] -t session-name

 $_{or}$  tmux a #

rename session

tmux rename-session -t old-name new-

name

list session

tmux ls

#### Inside Tmux

In this Reference Card, special characters are used as a placeholder for specific, non-alphabetical keys.  $\langle M \rangle$  denotes the meta-key, usually bound to  $\langle alt \rangle$  or  $\langle esc \rangle$  while  $\hat{}$  is referred to the Controllkey (CTRL).

#### Sessions

to create a new session from within tmux, do execute `b :new -s \( \text{name} \)

'b?..... show all available keybinds

`bd `bs ..... detach from / list all sessions

# Copy Mode

vim like movements

h j k l..... move left/down/up/right

 $\mathbf{\hat{b}}[\mathbf{q}.....$  enter / exit copy mode

 $\langle \text{space} \rangle \leftarrow \dots \text{ select / copy text under cursor}$  $[b] \dots paste copied text to command line$ 

# Windows (Buffers)

 $bn \dots \dots$  switch to buffer 0..n

^bf ^bw ..... find / list windows

^bc ^b, ^b&.. create/rename/close window

`bp `bn `bl.. go to prev/next/last window

## Open / Switch / Delete Panes

Resize panes with  $b\langle esc \rangle$  plus arrow keys

'bt 'bq ..... show time/numeric values of panes

 $\mathbf{\hat{b}} \Leftrightarrow \mathbf{\hat{j}} \ldots \ldots \text{ switch to left/right/top/bottom pane}$ 

 $b\{ \hat{b}\}$ ..... swap position with previous/next pane

^bx or ^d .. delete pane

bw b" ..... split pane vertically / horizontally

### Panes Position

^b⟨space⟩..... toggle through all layouts

^b⟨M-1⟩ . . . . . vertical split, all panes same width

 $\mathbf{\hat{b}}\langle \mathbf{M}\text{-}2\rangle$  . . . . . horizontal split, all panes same height

^b⟨M-3⟩ . . . . . horizontal split, main pane on top, other panes on bottom, vertically split, all same width

 $\mathbf{b}(M-4)$  . . . . . vertical split, main pane left, other panes right, horizontally split, all same height

 $b\langle M-5\rangle$  . . . . tile, new panes on bottom, same height before same width

# github.com/emzap79/QRCs

emzap79@gmail.com

This TeXfile is based on Gabriel B. Burcas © git-qrc.tex and has then been modified to my own requirements, with permission!