### TMUX QUICK REFERENCE CARD

Frequently used TMUX commands – Version v1.3 June 2017

Prefix key is set to  $\langle \text{ctrl-b} \rangle$  by default. You can change that behaviour to e.g.  $\langle \text{ctrl-s} \rangle$  by adding the following commands to your  $\tilde{\ }$ /.tmux.conf

:unbind C-b :set -g prefix C-s :bind C-s send-prefix

#### From Shell

to reach the command mode, use `b:

create session new-s foo

kill session kill-session -t foo

attach session attach -t foo or a #

rename session rename-session -t old new

list session ls

move session move-window -t other\_session

#### Sessions

In this Reference Card, special characters are used as a placeholder for specific, non-alphabetical keys.  $\langle M \rangle$  denotes the meta-key, usually bound to  $\langle alt \rangle$  or  $\langle esc \rangle$  while  $\hat{}$  is referred to the Controllkey (CTRL).

 ${\bf \hat{b}?}$  ..... show all available keybinds

bL ..... switch back to previous session

'bd 'bs..... detach from, list all sessions

# Panes and Buffers

# Copy Mode

vim like movements

 $\mathbf{\hat{b}} [ \quad q.\dots... \text{ enter, exit copy mode}$ 

 ${\tt h}\ {\tt j}\ {\tt k}\ {\tt l} \ldots \ldots$  move left, down, up, right

 $\langle \mathrm{space} \rangle \ \leftarrow \ldots \, \mathrm{select}, \, \mathrm{copy} \ \mathrm{text} \ \mathrm{under} \ \mathrm{cursor}$ 

'b] ..... paste copied text to command line

### Open, Switch, Delete

 $\verb|^bn \ldots$  switch to buffer 0...n  $\verb|^bc ^b, ^bx \ldots$  create, rename, delete window  $\verb|^bp ^bn ^bl \ldots$  go to prev, next, last window  $\verb|^bd \Leftrightarrow \updownarrow \ldots$  switch to left, right, top, bottom pane  $\verb|^bf ^bw \ldots$  find, list windows  $\verb|^bt ^bq \ldots$  show time, numeric values of panes  $\verb|^bf ^o \ldots$  swap with previous pane  $\verb|^bf ^b \ldots$  swap position with previous, next pane  $\verb|^bf ^b \ldots$  split pane vertically, horizontally  $\verb|^bd - \Leftrightarrow \updownarrow| \ldots$  resize pane left, right, up, down  $\verb|^bt \ldots$  push all other panes to next window

#### Panes Position

$b\langle \text{space}\rangle \dots toggle through all layouts$
$\mathbf{\hat{b}}\langle M\text{-}1\rangle \ldots \ldots$ vertical split, all panes same width
$\mathbf{\hat{b}}\langle M\text{-}2\rangle\dots\dots$ horizontal split, all panes same height
$\mathbf{b}(M-3)\dots$ horizontal split, main pane on top, other panes on bottom, vertically split, all same width
${\bf \hat{b}} \langle M\text{-}4\rangle \dots \dots \text{ vertical split, main pane left, other panes} \\ \text{right, horizontally split, all same height}$
$\mathbf{b}(M-5)$ tile, new panes on bottom, same height before same width

# github.com/emzap79/QRCs

### emzap79@gmail.com

This TeXfile's layout is based on Gabriel B. Burcas © git-qrc.tex and has then been modified to my own personal needs. Feel free to use and share!