VIMPERATOR QUICK REFERENCE CARD

Frequently used Vimpr commands – Version v1.2 August 2014

A short introduction into vimperator may be found at: www.linuxjournal.com/article/10636

Page & Tab Movements

Page	Movements
move	commands

work as you would expect them to do from VIM. See: h motion for detailed documentation.

hjkl	move	left,	down,	up,	right

gg G move to top, bottom of page	gg G	move	e to to	p, bottom	of page
----------------------------------	------	------	---------	-----------	---------

f de..... move screen, page, line down

'b 'u 'y..... move screen, page, line up

/ ?.... search in page, backwards

n N..... jump to next, previous search result

Tab & Buffer Movements

 $bn \dots \dots$ switch to open buffer n from list

gt or în..... go to next tab

gT or p..... go to previous tab

g0 g\$ g0.... go to first, last, first app tab

gh gH..... open own defined homepage, new tab

gu gU move up one path, all to root

gu http://www.vimperator.org/system/app/: moves up to http..or.org/system

go[aA-zZ0-9] jump to previously marked web page

Basic Commands

General Keybinds

refer to :h :open

d u..... close current, undo last tab

w W..... open new window with empty, current url

t T.....id. but new tab

_	0	;	А	hut	in	current	tab
0	U	1	a.	$D11T_{-}$	m	current	тар

v	γ	 copy	url	selected	text	tο	clipboard
v	1.	 CODY	uii.	BUILDUUGU	UCAU	ω	chroboard

p P..... paste from clipboard in current, new

H L..... go to previous, next page in history

m M..... set local, global mark at cursor, url

a A..... add, toggle bookmark

i I..... ignore any, specific vimpr keybind

[[]]..... switch to previous, next page on multipage websites

+ -.... zoom in, out by 25 % on page in focus

nzz zoom page to n% (100 if n is omitted)

ZZ ZQ exit browser, clear history before

Command Line

Basic Exe commands

works with tab completion

:addons show addons in current window

:bmark :delbmarks url

add, delete bookmark

: emenu \langle tab \rangle . command-line access to Firefox menubar

:history..... pull up recent 10 online & local pages

:pclose..... close preview window, eg. history

:preferences show preferences

:restart..... restart Firefox immediately

:tabonly..... close all other tabs

:saveas..... save current web page to disk.

Command Settings

invoke with :set, to disable: prepend no to command

apptab..... set current tab as app window

 $defsearch \dots set default search engine (g \rightarrow google)$

Modes

Panorama Mode (Tab Group Management)

start tabgroup management with :tabgroup (subcom)

Most important subcommands ..

add create new tab group list list current tab groups

remove group with groupname rm

pull- or pushtab pull tab from or move to group

> switch to groupname switch

stash move current tab to groupname

QuickHint Mode (f)

Hints are the way in which Vimperator allows you to follow links on a page. By providing each link with a suitable hint, you can access them via a set of hotkeys. Pressing f once triggers $QuickHint\ Mode$ and simulates a mouseselection with labeled marks on a web page.

ExtendedHint Mode (;)

This mode is useful for performing operations on hinted elements other than the default left mouse click. If you want to yank the location of hint 24, press; y to start this hint mode. Then press 24 to copy the hint location.

ExtendedHint Commands

list all extended mode commands: h extended-hints

here are a few ..

; c..... imitates mouse hovering, right click (\Rightarrow contextual menu) on a link object

s S..... download link, object

i I..... open media object (in new tab)

y Y.....copy URL, label description to clipboard

Plugins

https://github.com/vimpr/vimperator-plugins/tree/3.6

github.com/emzap79/QRCs

emzap79@gmail.com

This TeXfile is based on Gabriel B. Burcas © git-qrc.tex and has then been modified to my own requirements, with permission!