

## VIMPERATOR QUICK REFERENCE CARD

Frequently used VIMPERATOR commands – Version v1.3 July 2014

### Page & Tab Movements

Short introduction to Vimperator can be found at:  
<http://www.linuxjournal.com/article/10636>

#### Page Movements

Move commands work as you would expect them to do from VIM. See `:h motion` for detailed documentation.

`h j k l` ..... move left/down/up/right  
`g g` `G` ..... move to top/bottom of page  
`^ f ^ d ^ j` ..... move screen/page/line down  
`^ b ^ u ^ k` ..... move screen/page/line up  
`/ ?` ..... search in page, backwards  
`n N` ..... jump to next/previous search result

#### Tab & Buffer Movements

`bn` ..... switch to open buffer *n* from list  
`g t` *or* `^ n` ..... go to next tab  
`g T` *or* `^ p` ..... go to previous tab  
`g 0` `g $` ..... go to first/last tab  
`g h` `g H` ..... open own defined homepage, new tab  
`g u` `g U` ..... move up one path/all to root  
`⇒` `g u` <http://www.vimperator.org/system/app/> :  
moves up to <http://www.vimperator.org/system>  
`g o` [`a A`–`z Z`0–9] jump to previously marked web page

### General Keybinds

see: `:h :open`

`o t` ..... open url in current/new tab  
`d u` ..... close current/undo last tab  
`y Y` ..... copy current url/selection to clipboard  
`p P` ..... paste from clipboard, in a new tab  
`t T` ..... open new tab, with current url  
`H L` ..... go to previous/next page in history

`m M` ..... Set local/global mark at cursor/url  
`a A` ..... add/toggle bookmark  
`i I` ..... ignore any/specific vimperator keybind  
`[ [ ] ]` ..... switch to previous/next page on multipage websites  
`+ -` ..... zoom in/out by 25 % on page in focus  
`n z z` ..... zoom page to *n*% (100 if *n* is omitted)  
`Z Z` `Z Q` ..... exit browser, clear history before

### Exe commands

Works with tab completion

`:addons` ..... show addons in current window  
`:bmark` `:delbmarks` *url*  
add/delete bookmark  
`:emenu` *<tab>* . command-line access to Firefox menubar  
`:history` ..... pull up recent 10 online & local pages  
`:pclose` ..... close preview window, eg. history  
`:preferences` show preferences  
`:restart` ..... restart Firefox immediately  
`:tabonly` ..... close all other tabs  
`:saveas` ..... save current web page to disk.

### Panorama Mode (Tab Group Management)

Start tabgroup management with `:tabgroup subcom`

Some subcommands ...

<code>add</code>	create new <b>tab group</b>
<code>list</code>	list current <b>tab groups</b>
<code>rm</code>	remove group with <b>groupname</b>
<code>pull-</code> <i>or</i> <code>pushtab</code>	pull tab from <i>or</i> move to <b>group</b>
<code>switch</code>	switch to <b>groupname</b>

### Hint-Modes

Hints are the way in which Vimperator allows you to follow links on a page. By providing each link with a suitable hint, you can access them via a set of hotkeys.

### QuickHint Mode (*f*)

Simulates mouseselection with labeled links on web page.  
To run new tab in background change to uppercase *F*.

### ExtendedHint Mode (*; ;*)

This mode is useful for performing operations on hinted elements other than the default left mouse click. If you want to yank the location of hint 24, press `;y` to start this hint mode. Then press 24 to copy the hint location.

`:h extended-hints`

list all extended mode commands

here are a few ...

`; ;` ..... imitates mouse-hovering a link object  
`s S` ..... save link/object  
`i I` ..... open media object (in new tab)  
`y Y` ..... copy URL/label description to clipboard

[github.com/emzap79/QRCs](https://github.com/emzap79/QRCs)

[emzap79@gmail.com](mailto:emzap79@gmail.com)

This TeXfile is based on Gabriel B. Burcas © `git-qrc.tex` and has then been modified to my own requirements.